



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>









600044727U

C  
U. Ref. 89  
C

1992 e . 37-

# DICTIONARY OF NATURAL HISTORY TERMS

WITH THEIR DERIVATIONS,

INCLUDING

THE VARIOUS ORDERS, GENERA, AND SPECIES.

BY  
**DAVID H. MCNICOLL, M.D.**

MEMBER OF THE ROYAL COLLEGE OF PHYSICIANS.



*London:*  
**LOVELL REEVE & CO., 5, HENRIETTA STREET,  
COVENT GARDEN.**

1863.

*100. - £ 100.*



EDWARD HOWELL, PRINTER, CHURCH STREET, LIVERPOOL.

TO

JOHN FERNLEY, ESQ.,

OF CLAIRVILLE, SOUTHPORT,


IN

RECOGNITION OF THE VALUE ATTACHED TO A FRIENDSHIP

WHICH

HAS BEEN ENJOYED BOTH BY MY FATHER

AND MYSELF.



## PREFACE.

---

THIS Volume is intended as a library companion for the lovers of Natural History. Endeavour has been made to give as many terms as a portable and conveniently-sized volume would contain, without burdening it with obsolete names. This has rendered necessary the omission of much illustrative matter that was intended to be added, it being thought better to have a numerous list of names than to take up space with that which could be dispensed with.

No apology will be expected for deficiencies. A book of this nature must needs be deficient, on account of the daily additions made to science, and of the immensity of the existing materials. The intelligent naturalist who may use it will judge it by what it contains, not by what the very nature of the work keeps out, or renders the absence of quite excusable.

It would be easy to multiply instances to show how obscure and difficult of discovery have been the reasons which have influenced nomenclators, and allowance may therefore be made for those too numerous cases in which I have failed in my researches. *Ipomaea cataractæ* was so named by Bauer

from a place in Norfolk Island, called "The Cascade." Baron Walcknäer named a species of spider *carolinum*, after his second son Charles, the discoverer. Dr. P. L. Sclater has well shewn the difficulties which arise from this cause in the following words:—"Ornithologists, and, I believe I may venture to say, naturalists in general of the present generation, are not always very particular as to the pure Latinity of the names used as specific appellations for the objects described by them, or as to their meaning being immediately obvious to the uninitiated. It would puzzle Oedipus himself to guess at the derivation of some of the terms applied to members of the animated creation, and the name of the present Tanager is, I think, by no means one of the least obscure in its interpretation. I confess I was totally at a loss to conceive what was the meaning of calling this bird *labradorides*, until I was informed by an eminent French ornithologist that it was intended to signify that it shone like Labrador Spar!"

A fair number of instances of this kind of eccentric nomenclature has been traced out and given in the following pages; and those who may be in possession of other similar cases would confer upon me a great favour by their communication.

In regard to accentuation I cannot hope to please all, since, in some cases, I have failed to satisfy myself. In the general and adjectival terms there is little difficulty, whilst in the names of genera there is considerable discrepancy in the usage of eminent naturalists themselves, at the same time that any authoritative standard is out of the question. The attempt has been made to reconcile the claims of the rules of composition on the one hand, and of euphony on the other.

Such as it is, the work is presented to those who may consult it with diffidence, and with a hope that it may not unfrequently solve the difficulties of at least the younger students of the Natural History Sciences. It has the merit, at any rate, of being the first attempt of the kind.

SOUTHPORT, *September 19, 1863.*



# ETYMOLOGICAL DICTIONARY

OF

## NATURAL HISTORY TERMS.

### *ABA* — *ABN*

**Aba** (Ent.) the Greek name of an abacus, or calculating board ; from its square markings.

**Abbe'nsis** (Zool.) applied by Prof. E. Forbes to a species of goniaster found near St. Abb's Head.

**Ab'dera** (Ent.) *a* priv. *δερός*, lasting ; of long continuance.

**Abdo'men** (Zool.) *abdo*, to conceal ; (the viscera.)

**Abdomina'les** (Ichth.) *abdomen* ; a section of malacoptygian or soft-finned fishes.

**Abdomina'lis** (Ent.) the *abdomen* being rufous.

**Ab'e'rrent** (Zool.) *ab*, from ; *erro*, to wander ; differing from the type.

**A'bies** (Bot.) *Lat.* a fir-tree ; the “*Abies pulcherrima* of Virgil” is probably *A. picea* ; for although common on the continent, it is not a native of England, and the *Abies* is one of the trees which Cæsar states that he did not find in Britain.

**Abieti'nus** (Bot.) *Lat.* relating to the pine-tree.

**Abieta'ria** (Ent.) } feeding on the pine ; *Pinus Abies*.  
**Abiete'lla** (Ent.) }

**Abi'etum** (Zool.) gen. pl. of *abier*, the pine-tree.

**Abilgaa'rdia** (Bot.) P. N. from Prof. *Abilgaard*, of Copenhagen.

**Abjec'tus-a-um** (Zool., Ent.) *Lat.* cast away ; worthless.

**A'blabes** (Zool.) *ἀβλαβῆς*, without harm, not injurious ; a genus of Colubrine ophidians.

**Ableph'arus** (Zool.) *a* priv. *βλέφαρος*, the eyelids ; a genus of Reptilia.

**Abluta'lis** (Ent.) *ablutur*, washed ; *i. e.* faint wing-markings.

**Abno'rmal** (Zool.) *ab*, from, *norma*, a rule ; differing from the type.

**Abo'rtive** (Bot.) *abortivus*, born prematurely; rudimentary, not fully developed.

**A'bramis** (Ichth.) ἄβραμος, a bream.

**Abra'xas** (Ent.) a mystical Coptic word.

**Abra'nchus** (Zool.) *a priv.* βράγχια, gills.

**Abro'eus** (Ent.) ἄβρειος, delicate.

**Abro'ma** (Bot.) *a priv.* βράμα, food; not fit to be eaten.

**A'bropus** (Ent.) ἄβρόπος, soft, tender, πούς, a foot.

**Abro'stola** (Ent.) ἄβρότολα, delicate, στολή, a robe; a genus of Lepidoptera.

**Abrotanifo'lius-a-um** (Bot.) *abrotanum*, southernwood, *folia*, leaves.

**Abro'tanum** (Bot.) ἄβρωτον, immortal, i. e., evergreen; sacred to the gods; the word was used by Hippocrates and Theophrastus, and adopted by Pliny and others; southernwood.

**A'brothrix** (Zool.) ἄβροτηξ, soft, θρίξ, hair.

**Abrupta'ria** (Ent.) *abruptus*, broken off; from the wavy markings of the wings.

**A'brus** (Bot.) ἄβροτος, soft; from extreme tenderness of leaves. All the words derived from ἄβροτος should have commenced with H.

**Absc'rbent** (Zool., Bot.) *absorbeo*, to fuck in.

**Abscis'ana** (Ent.) *abscissus*, torn off, abrupt.

**Absinthi'a** (Ent.) feeds on the wormwood, *absinthium*.

**Abu'tilon** (Bot.) *Arabic*, yellow.

**Abyssi'nicus-a-um** (Bot.) *Lat.* Abyssinian.

**Aca'cia** (Bot.) ἀκακία, to sharpen; from many species being thorny.

**Ace'e'na** (Bot.) ἀκήνη, a thorn.

**Aca'lepha** (Bot.)

**Aca'lephæ** (Zool.) } ἀκαλέφη, a nettle.

**Aca'lephus** (Zool.) }

**A'calles** (Ent.) ἀκαλλής, without charms.

**Aca'lycis** (Bot.) *a priv.* *calyx*, a flower-cup.

**Aca'ntha** } (Bot.) ἀκανθα, a thorn or prickle.

**Acantha'cea** }

**Acanthi'a** (Ent.) ἀκανθα, a spine; a genus of Diptera.

**Acanthi'za** (Ornith.) ἀκανθίζει, the liskin; the word is applied by Aristotle to the bird, and by Dioscorides to a thorny plant.

**Acantho'cera** (Ent.) ἀκανθα, a spine, κέρας, a horn; a genus of Diptera.

**Acanthoce'recus** (Zool.) ἀκανθα, a spine, κέρκος, a tail.

**Acanthoda'ctylus** (Zool., Ent.) ἀκανθα, a prickle, δικτυός, a finger, a plume.

**Aca'nthodes** (Fos. Zool.) ἀκανθώδης, spiny, thorny; from the strong thorn-like fin-spines.

Acanthola'brus (Zool.) ἀκανθα, a spine, *labrum*, a lip.

Acanthome'ra (Ent.) ἀκανθα, a spine, *μηρός*, the thigh; a genus of Diptera.

Aca'nthomys (Zool.) ἀκανθα, a spine, *μῦς*, a mouse.

Aca'nthophis (Zool.) ἀκανθα, a spine, ὄφις, a serpent; a genus of poisonous Ophidians which have a double row of sharp curved teeth.

Acanthopleu'r'a (Zool.) ἀκανθα, a spine, *πλευρός*, the side.

Acanthoptery'gli (Ichth.) ἀκανθα, a thorn, *πτερύγιον*, a little fin; the first or bony-finned order of fishes.

Aca'nthopus (Ent.) ἀκανθα, a spine, *ποῦς*, a foot; a genus of Hymenoptera.

Acanthoteu'this (Zool.) ἀκανθα, a thorn, *τευθίς*, a cuttle fish.

Acanthu'r'us (Zool., Ichth.) ἀκανθα, a thorn, *σύρα*, a tail.

Acanthothy'ris (Zool.) ἀκανθα, a spine, *θυρίς*, a door.

Aca'nthus (Bot.) ἀκανθα, a thorn.

In all probability Virgil speaks in different passages of two distinct plants under this name, the one a tree, the other a herb; as a tree—"baccas semper frondentis acanthi," Georg. ii. 119; and as a twining plant—"flexi vimen acanthi," Georg. iv. 122. Moreover, he shortly afterwards speaks of it as a garden plant—"Ille comam mollis jam tum tonderebat acanthi." A. spinofus seems to be the plant which adorns the handles of Alcimedon's cups in the 3rd Eclogue; and also that whose leaves growing round the basket, suggested the Corinthian capital to Callimachus.

Aca'ridæ (Ent.) *acarus*; a family of the Arachnidæ.

A'carus (Ent.) ἀκαρης, minute, from a neg. *καὶ πω*, to cut; not divisible.

Acau'lis (Bot.) a priv. *caulis*, a stem; stemless.

A'cavus (Zool.) *Lat.*, not hollowed.

A'centor (Ornith.) *Lat.* a singer, one who joins another in singing.

Accli'matise (Zool.) French, acclimator, to naturalise in our climes.

Acci'pitres (Ornith.) pl. of *accipiter*, a hawk, from *accipio*, to take by force; applied to the rapacious birds, or the Raptore of Cuvier.

Ace'phala } (Zool.) a priv. *κεφαλὴ*, the head; headless.  
Ae'phalous }

Aecephalobra'chia } (Zool.) { a priv. *κεφαλὴ*, the head, *βραχίων*, the  
Aecephalobra'chius} arm; without head or arms.

Aecephaloca'rdis (Zool.) a priv. *κεφαλὴ*, a head, *καρδία*, the heart; having neither head nor heart.

Acephalochi'r'us (Zool.) a priv. *κεφαλὴ*, a head, *χεῖρ*, a hand; without head or hands.

- Acephalo'cytis (Zool.)  $\alpha$  priv.  $\kappa\epsilon\phi\alpha\lambda\eta$ , the head,  $\kappa\mu\sigma\tau\varsigma$ , a bladder; a bladder-like, headless entozoon.
- Acephaloga'ster (Zool.)  $\alpha$  priv.  $\kappa\epsilon\phi\alpha\lambda\eta$ , a head,  $\gamma\alpha\sigma\tau\delta\rho$ , the belly.
- Acephalo'podus (Zool.)  $\alpha$  priv.  $\kappa\epsilon\phi\alpha\lambda\eta$ , a head,  $\omega\bar{\nu}\varsigma$ , a foot; without head or feet.
- Acephalora'chia } (Zool.) {  $\alpha$  priv.  $\kappa\epsilon\phi\alpha\lambda\eta$ , the head,  $\beta\acute{\alpha}\chi\varsigma$ , the spine ;  
Acephalora'chius} { wanting head and spinal column.
- Acephalosto'mia } (Zool.) {  $\alpha$  priv.  $\kappa\epsilon\phi\alpha\lambda\eta$ , a head,  $\sigma\tau\bar{\nu}\mu\alpha$ , a mouth ;  
Acephalos'tomus} { without head or true mouth.
- Acer (Bot.) Lat. the maple-tree.
- A'cera (Zool.)  $\dot{\alpha}\kappa\pi\alpha\varsigma$ , hornlefs, from  $\alpha$  priv.  $\kappa\pi\alpha\varsigma$ , a horn.
- A'ceras (Bot.)  $\alpha$  neg.,  $\kappa\pi\alpha\varsigma$ , a horn, in allusion to the absence of a spur.
- A'ceris (Ent.) feeds on sycamore, *Acer pseudo-platanus*.
- Aceri'na (Ichth.) *acer*, sharp ; referring to the pointed head.
- Aceria'na (Ent.) *acer*, a maple-tree.
- Acetabul'i'fera (Zool.) *acetabulum*, *fero*, to carry ; a section of Cephalopodous molluscs.
- Aceta'bulum (Zool. & Bot.) Lat. a shallow cup, at first used to hold vinegar ; in Zoology, the suckers of polypi ; in Botany, the cup of flowers.
- Aceto'sa (Bot.) *aceo*, to be sour ; forrel.
- Acetose'lla (Bot.) dim. of *acetosa*, the forrel.
- Aceto'sse (Ent.) feeds on the Rumex *Acetosa*.
- Achanto'des (Ent.)  $\dot{\alpha}\chi\bar{\nu}$ , poor, needy ;  $\pi\bar{\nu}\bar{\nu}\varsigma$ , resemblance ; a genus of Lepidoptera.
- Achata'na (Ent.)  $\dot{\alpha}\chi\acute{\alpha}\tau\varsigma$ , the agate.
- Achat'i'na (Zool.)  $\dot{\alpha}\chi\acute{\alpha}\tau\varsigma$ , an agate ; the agate-shell.
- Achatinel'la (Zool.) dim. of the above.
- A'cheta (Ent.)  $\dot{\alpha}\chi\acute{\alpha}\tau\alpha$ , a chirper, or grasshopper.
- Ache'tidæ (Ent.) *acheta* ; family of neuroptera.
- Acheron'tia (Ent.) P. N. from *Acheron*, a mythological river.
- Ache'nium (Ent.)  $\dot{\alpha}\chi\bar{\nu}$ , poor, from its shabby marking.
- Ache'nium (Bot.)  $\alpha$  priv.  $\chi\bar{\nu}\bar{\nu}\omega$ , to gape ; the pericarp not splitting.
- Achille'a (Bot.) *Achilles*, because its healing virtues were said to be first discovered by him.
- Achi'rūs (Zool.)  $\chi\acute{\iota}\bar{\nu}\bar{\varsigma}$ , the hand.
- Achlamy'deou's (Bot.)  $\alpha$  priv.  $\chi\lambda\mu\mu\bar{\nu}\bar{\varsigma}$ , a short cloak or cape ; plants without calyx or corolla.
- Achna'nthis (Bot.)  $\dot{\alpha}\chi\bar{\nu}\bar{\alpha}$ , chaff,  $\dot{\alpha}\bar{\nu}\bar{\nu}\varsigma$ , a flower ; a genus of Cryptogamia.
- Achnodo'nton (Bot.)  $\dot{\alpha}\chi\bar{\nu}\bar{\alpha}$ , chaff,  $\dot{\alpha}\bar{\nu}\bar{\nu}\bar{\nu}\bar{\varsigma}$ ,  $\dot{\alpha}\bar{\delta}\bar{\delta}\bar{\tau}\bar{\varsigma}$ , a tooth.

- A'chras (Bot.) the Greek name of the wild pear-tree.
- Achyro'nia (Bot.) ἄχυρον, chaff; the branches and leaves being chaffy.
- Achyra'nthes (Bot.) ἄχυρον, chaff, ἀνθετις, a flower; in allusion to the chaffy nature of the floral leaves.
- Achyro'phorus (Bot.) ἄχυρον, chaff, φέρω, to bear.
- Acia'nthus (Bot.) ἀκή, a point, ἀνθετις, a flower, from its bristly tips.
- Acica'rpha (Bot.) ἀκή, a point, κάρφη, palea; the appendage being spiny.
- Ac'i'cula (Zool.) Lat. a small needle.
- Acicu'lidæ (Zool.) *acicula*; fam. term. *ide*; a family of molluscs.
- Aci'cular (Bot.) *acies*, sharp-pointed.
- Acida'lia (Ent.) P. N., a name of Venus.
- Acidal'i'dæ (Ent.) *acidalia*, fam. term. *ide*; a family of Lepidoptera.
- Acida'spis (Fos. Zool.) ἀκή, a spear point, ἀσπίς, ἀσπίδος, a shield.
- Acido'ton (Bot.) ἀκιδωτος, pointed, from ἀκή, ἀκιδης, a point or sting; in allusion to the stinging hairs on the leaves.
- Acido'ta (Ent.) ἀκιδωτος, pointed.
- Aci'lius (Ent.) ἀκυλος, the fruit or nut of the holm-oak.
- Acinaci'form (Bot.) *acinaces*, a scimitar, *forma*, shape.
- Aci'niform (Bot.) *acinus*, a grape, *forma*, resemblance.
- Aci'netæ (Zool.) ἀκίνητος, motionless.
- A'cinos (Bot.) ἀκίνης, the stone of grapes; also a herb.
- Acinoden'dron (Bot.) *acenos*, ἀκίνητος, a tree.
- Aci'nopus (Ent.) *acimus*, a grape, ἀκίνης, a foot.
- Acio'tis (Bot.) ἀκή, a point, ὄψις, ὄψης, an ear; from shape of petals.
- Acipen'ser (Ichth.) Lat. the ancient (and modern) name for the sturgeon.
- Acipense'ridæ (Ichth.) *acipenser*, family term. *ide*.
- Acisa'nthera (Bot.) ἀκή, a point, ἀνθης, anther; anthers pointed.
- A'cis (Ent.) P. N., well known in connexion with Galatea.
- A'clia (Zool.) a priv. ἀκής, a projection.
- A'cmæa (Zool.) ἀκμή, a point.
- Acomade'nia (Bot.)
- Acometta (Bot.) ἀκμή, a point; from the pricking taste of foliage.
- Aconi'da (Bot.) a priv. κνιδη, a nettle; without stings.
- Ace'cili (Zool.) a priv. κοίλη, a hollow; without dorsal or ventral grooves.
- Acon'dylus (Bot.) a priv. κόνδυλος, a joint; without joints.
- Aco'ntias (Zool.) ἀκοντίας, a quick-darting serpent; from ἀκοντην, a dart.
- Acon'tia (Ent.) from "ἀκοντίας, a species of snake; from their quick movements." TREITSCHKE.
- Aconti'idæ (Ent.) *acontia*; a family of Lepidoptera.

- Aco'ntium (Zool.) dim. of ἄσπερ, a dart, javelin.
- Aconiti'na (Bot.) having a resemblance to *aconitum*, wolfs-bane, q. v.
- Aconi'tum (Bot.) ἀκόνιτον, a dart, because formerly used to poison arrows, though some have thought from being plentiful about *Acona* in Bithynia.
- A'copos (Bot.) a priv. κόπες, weariness, which it was supposed to remove.
- A'corus (Bot.) ἄκορος, a sweet-smelling plant.
- Acosme'tia (Ent.) ἀκόσμητος, unadorned.
- Acotyle'don (Bot.) } a priv. κοτυληδών, a seed-lobe; having no seed-
- Acotyle'donus (Bot.) } lobe.
- Acranthe'rea (Bot.) *acris*, sharp, anther.
- Acrias (Ent.)
- Acrifo'lius-a-um (Bot.) *acris*, sharp, *folium*, a leaf; applied either to a prickly leaf or to a plant having acrid properties.
- Acris, Acre (Bot.) Lat. acrid, biting.
- A'crita (Zool.) ἄκριτος, indeterminate.
- Acroco'mia (Bot.) ἄκρος, top, κέρας, a tuft; referring to leaves.
- Acrobrya (Bot.) ἄκρος, the top, βρίσκειν, to burst forth; from the growth of the stem taking place at its summit.
- Acrocho'rda (Zool.) ἄκροχορδάνων, a thin-necked wart, which from ἄκρος, the extremity, χορδή, a string; a genus of Ophidians.
- Acrochae'ta (Ent.) ἄκρος, the summit, χαίτη, hair; a genus of Diptera.
- A'crodont } (Fos. Zool.) { ἄκρος, a summit, or pointed top, ὅδοις, ὁδόντος,
- A'croodus } (Fos. Zool.) { a tooth; fossil fishes having pavement-like teeth.
- A'crogens (Bot.) } ἄκρος, the top, γενεῖσθαι, to beget; from the growth of the stem taking place at the summit.
- Acro'genous (Bot.) }
- Acro'glochin (Bot.) ἄκρος, summit, γλωσσίς, a point.
- Acro'gnathus (Fos. Zool.) ἄκρος, high, γνάθος, the jaw.
- Acrole'pis (Fos. Zool.) ἄκρος, summit, λεπίς, a scale; a genus of fossil ganoid fishes with ridged scales.
- Acrole'psia (Ent.) ἄκρος, the head, λεπίς, a scale; the crown and back of the head being rough.
- Acro'mion (Zool.) ἄκρωμα, from ἄκρος, the top, ῥύμος, the shoulder.
- Acro'melas (Zool.) ἄκρος, point or extremity, μέλας, black.
- Acrono'tus (Zool.) ἄκρος, a point, νῶτος, the back.
- Acronyct'a (Ent.) ἄκρονύκτος, the beginning of night.
- Acro'perus (Zool.) ἄκρος, pointed, πίπας, an extremity; a genus of Entomofraca.

- Acrophyton** (Bot.) ἄκρος, high, supreme, φυτόν, a plant.
- Acrosaurus** (Fos. Zool.) ἄκρος, the summit, σαύρα (*Lat. saurus*) a lizard.
- Acrospermum** (Bot.) ἄκρος, the summit, σπέρμα, a seed, from its situation.
- Acrosporium** (Bot.) ἄκρος, the summit, σπόρος, a sporule; upon summit of filaments.
- Acrospire** (Bot.) ἄκρος, the summit, σπείρα, a spiral object.
- Acrostichum** (Bot.) supposed to refer to the beginning of a verse, on account of the back surfaces of the leaves being so lined as to resemble, in some degree, the commencement of lines in poetry.—PAXTON.
- Acrotriche** (Bot.) ἄκρος, the point, θηλξ, τηλχος, a hair, alluding to the corolla.
- Actaea** (Bot.) ἀκταία, the elder-tree, from some resemblance of the leaves.
- Acteon** (Ent.) P. N., a well-known mythological hunter.
- Acteonella** } (Zool.) P. N., dim. from Acteon.
- Acteoni'a** } (Zool.) P. N., dim. from Acteon.
- Actenia** (Ent.) α priv. κτινω, to kill; or perhaps from α and κτισι, a comb; a genus of Lepidoptera.
- Actephilus** (Ent.) ἀκτή, ground corn, φιλία, to love.
- Actina** (Ent.) ἀκτή, a ray; a genus of Diptera.
- Actinia** (Zool.) ἀκτή, a ray; sea-anemone; a genus of Zoophytes.
- Actinimadæ** (Zool.) a family of Zoophytes; *Actinia*, fam. term. *adæ*.
- Actinina** (Zool.) ἀκτή, a ray, fam. term. *ina*; a division of Zoophytes.
- Actiniform** (Zool.) ἀκτή, a ray, *forma*, shape; having a radiated form.
- Actinology** (Zool.) ἀκτή, λόγος, description; the science of radiated animals.
- Actinocarpus** (Bot.) ἀκτή, a ray, καρπός, fruit, in reference to its radiated fruit.
- Actinotus** (Bot.) ἀκτίνωτος, radiated, like the spokes of a wheel; from the wheel-like appearance of the involucrum.
- Actinochlo'a** (Bot.) ἀκτή, a ray, χλόα, grass.
- Actinocri'nite** (Fos. Zool.) } ἀκτή, a ray, κρίνον, a lily, terminal, *ites*.
- Antinocri'nus** (Fos. Zool.) } *Antinocri'nus*
- Actitis** (Ornith.) ἀκτίτης, a dweller on the coast.
- Actinophrys** (Zool.) ἀκτή, a ray, ὄφρυς, the eyebrow.
- Actinothry'rium** (Bot.) ἀκτή, a ray, θύρων, a little door.
- Aculeate** (Bot.) *aculeus*, a prickle.
- Aculeatus-a-um** (Ichth. & Ent.) *Lat.* sharp-pointed, flinging.
- Aculeata** (Ent.) *aculeatus*, sharp-pointed, from *aculus*, a sting; a division of Hymenoptera.

- Acu'lei (Bot.) plural of *aculeus*, a sting; scientific name of the prickles of roses, briars, &c.
- Acuminata'ria (Ent.) *acumino*, to make pointed.
- Acu'minate (Zool. & Bot.) *acumen*, a point; sharp-pointed.
- Acutan'gular (Bot.) *acutus*, sharp, *angulus*, an angle or corner.
- Acutico'rnis (Zool.) *acutus*, pointed, *cornu*, a horn.
- Acutiro'stris (Ichth.) *acutus*, sharp, *rostrum*, a beak.
- Acutius'culus-a-um (Bot.) dim. of *acutus*; slightly acute.
- A'cynos (Bot.) an old Greek name of a balsamic plant.
- Ada'ctyla (Ent.)  $\alpha$  priv.  $\delta\acute{a}ktylo\varsigma$ , a plume, or ray; not being divided like the other plume-moths.
- Adactyla'lis (Ent.)  $\alpha$  priv.  $\delta\acute{a}ktylo\varsigma$ , a plume.
- Adam'sia (Zool.) P. N. in honour of John Adams; a genus of Zoophytes.
- Adanso'nia (Bot.) P. N. in honour of Michael Adanson, a French botanist; the genus contains the baobah, or African calabash-tree.
- A'dapis (Fos. Zool.)  $\alpha$  neg.  $\delta\acute{a}pis$ , a carpet; having a rough or prickly surface resembling the hedgehog.
- Adder (Zool.) Anglo-Sax., *næddre*, and *atter*, a serpent, *atter*, poison.
- Ade'la (Ent.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , unseen.
- Adela'lis (Ent.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , uncertain.
- Adeloste'lla (Fos. Bot.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , uncertain,  $\sigma\tau\acute{e}\lambda\omega$ , to arrange.
- Ade'lopod (Zool.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , unseen,  $\pi\tilde{o}\tilde{u}\tilde{s}$ , a foot; the feet not being apparent.
- Adelo'sia (Ent.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , unseen, uncertain.
- Adelo'topus (Ent.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , uncertain,  $\tau\acute{o}\pi\omega$ , a spot; found in very different situations.
- Adelopne'u'mona (Zool.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , unseen,  $\pi\pi\acute{e}\mu\omega$ , the lungs.
- Ade'lia (Bot.)  $\ddot{\alpha}\delta\eta\lambda\epsilon$ , unseen; from the minute parts of fructification.
- Adena'ndra (Bot.)  $\ddot{\alpha}\delta\eta\pi$ , a gland, *ding*, a male.
- Adenanthe'ra (Bot.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\dot{\alpha}\theta\acute{e}\rho$ , an anther.
- Ade'niform (Zool.)  $\ddot{\alpha}\delta\eta\pi$ , a gland or acorn, *forma*, resemblance.
- Adenoca'rpus (Bot.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\kappa\pi\pi\acute{o}\varsigma$ , fruit.
- A'denoid (Zool.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\pi\tilde{o}\tilde{s}$ , like, resemblance; acorn-shaped.
- Adeno'logy (Zool.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\lambda\acute{e}\gamma\omega$ , a description or discourse.
- Adeno'phora (Bot.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\phi\pi\pi\omega$ , to bear.
- Adenophyl'lios (Bot.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\psi\pi\lambda\omega$ , a leaf; having leaves bearing or studded with glands.
- Adeno'se (Zool.)  $\ddot{\alpha}\delta\eta\pi$ , a gland; relating to or shaped like a gland.
- Adenotri'chia (Bot.)  $\ddot{\alpha}\delta\eta\pi$ , a gland,  $\theta\pi\zeta$ , a hair.
- Ade'phaga (Ent.)  $\ddot{\alpha}\delta\eta\pi$ , much,  $\varphi\pi\gamma\omega$ , to eat.

- Ade'rus** (Ent.) *a priv.* δορίς, lasting, short-lived.
- Ade'smia** (Bot.) *a priv.* δισμία, a bond; stamen free.
- Adian'tum** (Bot.) *a priv.* διαιών, to moisten; the plant is not easily wetted.
- Adimo'nia** (Ent.) *a priv.* δεμός, fear.
- Adi'na** (Bot.) ἀδινός, clustered; its flowers form heads.
- Adiori'stus** (Ent.) ἀδιόριστος, undefined.
- Adi'ppe** (Ent.) a variation of Cydippe.
- Adlu'mia** (Bot.) *allumino*, to fringe with purple.
- Adna'tus-a-um** (Bot.) *adnascor*, to grow to; joined, fixed.
- Ado'nis** (Bot.) P. N. Its deep red colour suggested the idea of its being stained by the blood of Adonis.
- Ado'xa** (Bot.) *a neg.* ἀόξα, glory; not showy, from its humble and insignificant aspect.
- Adra/stus** (Ent.) ἀδραστος, averse to flight.
- Adscitella** (Ent.) dim. of *adscitus*, assumed, foreign.
- Adult** (Bot., Zool.) *adolesco*, to grow; arrived at maturity.
- Adu'ncus-a-um** (Bot.) *Lat.*, bent in, hooked.
- Adusta'ta** (Ent.) *adustus*, scorched.
- Advena'ria** (Ent.) *advena*, a stranger.
- Advenel'la** (Ent.) dim. of *advena*, a stranger.
- Adversus-a-um** (Zool., Bot.) *Lat.* turned towards.
- Aeci'dium** (Bot.) αἰσιός, a wheal, εἴδος, like; from the pustules; a genus of parasitic fungi.
- Ae'chmea** (Bot.) { αἰχμή, the point of a spear.
- Ae'chmia** (Ent.) { αἰχμία, resembling the genus *Aechmia*.
- Ae'chmodus** (Fos. Zool.) αἰχμή, a point, οδοῦς, a tooth; a genus of fossil fishes having small sharp-pointed teeth.
- Aegi'lia** (Ent.) αἴγιλος, the sea-coast.
- Aegi'phila** (Bot.) αἴγι, αἴγος, a goat, φιλίω, to love; a favourite of goats.
- Aegitha'lus** (Ornith.) αἴγι, αἴγις, a goat, θηλάζω, to suck; the word is exactly equivalent to caprimulgus.
- Ae'gilops** (Bot.) αἴγι, αἴγος, a goat, ὄψ, the face; goat-faced.
- Ae'gle/finus** (Ichth.) αἴγλωφανής, brilliant, lustrous.
- Ae'gle** (Bot.) P. N., one of the Hesperides, which from αἴγλη, splendour.
- Ago'ceras** (Zool., Bot.) αἴγι, a goat, κέρας, a horn; goat-horned; in botany from a resemblance of the pods.
- Aegopo'dium** (Bot.) αἴγι, αἴγος, a goat, ποδοῦς, ποδός, a foot; having leaves cleft like the goat's foot.

Æ'gon (Ent.) P. N., a Roman shepherd.

Ægopo'gon (Bot.) αἴξ, αἴγος, a goat, ἄγαρ, a beard.

Ægypti'acus-a-um (Ornith.) relating to Egypt.

Aello (Zool.) this name was applied by Hesiod to the stormy-peterel, and by Ovid to a hound.

Æmula'lis (Ent.) *emula*, a rival.

Æ'mula (Bot.) *Lat.* a rival.

Ænea'lis (Ent.) *aeneus*, bronze-coloured.

Æneopi'ceus (Ent.) *aeneus*, bronzed, *piceus*, made of pitch; pitchy, brass-coloured.

Æneus, Ænea (Ent.) *Lat.* bronzed.

Ænic'tus (Ent.) αἰνύτις, like a riddle, puzzling; a genus of Hymenoptera.

Ælo'lidae (Zool.) *æolis*, fam. term. *ide*.

Æ'olis (Zool.) P. N., the daughter of Æolus.

Æolla'nthus (Bot.) αἱόλλας, to vary, ἄθετος, a flower.

Aepus (Ent.) αἴπος, high, lofty, alluding to its flight.

Æquore'adae (Zool.) *æquoreus*, belonging to the sea; a division of the naked-eyed mollusca.

Aera/nthes (Bot.) αἴρη, the air, ἄνθος, a flower.

Æra'tus-a-um (Ent.) *Lat.* bronzed.

Ae'rides (Bot.) αἴρη, the air; in allusion to the power possessed by the species of this, as well as other orchidaceous genera, of living apparently by atmospheric absorption.

Aerophy'tes (Bot.) αἴρη, the air, φυτόν, a plant; applied to certain lichens, which appear to subsist exclusively on the air.

Ærugina'lis (Ent.) *ærugo*, rust of brass, verdigris.

Æschyno'mene (Bot.) αἰσχυνή, deformity, νομίσμα, a pasture.

Ærugino'sus-a-um (Ent., Bot.) *Lat.* the colour of verdigris.

Æscula'ria (Ent.) *æsculus*, the horse-chestnut, on which the larva feeds

Æ'scull (Ent.) } and burrows.

Æ'stival (Bot.) *æstas*, summer.

Æstiva'tion (Bot.) *æstivo*, to retire for the summer.

Æthione'ma (Bot.) αἴθω, to scorch, νῆμα, a stamen; alluding to an apparently scorched or sun-burnt tinge of the stamens.

Æthiopa'lis (Ent.) *æthiops*, a black man; referring to colour of wings.

Æthu'sa (Bot.) αἴθυσσω, to make hot; acrid; fool's parsley.

Afer, Afra (Zool.) *Lat.* African.

A'ffinis (Ent.) *Lat.* related, neighbouring.

- Affinita'na** (Ent.) } *affinis*, q. v.  
**Affinita'ta** (Ent.) } *affinis*, q. v.
- Affusa'lis** (Ent.) *affusus*, poured upon; alluding to wing-spots.
- Afze'lia** (Bot.) P. N. from *Afzelius*, a Swedish professor.
- Agale'na** (Ent.) *ogalena* and *agelena* seem to have exactly the same derivation; the adverb *ἀγαλλομαι*, very, very much, from the same root as *ἀγη*, *ἀγαμαι*, &c., which have all the idea of love, wonder, beauty; and *λαῦνος*, or *λαῆνος*, wool, used here for cobwebs. The words thus mean, beautiful or wonderful web-spinner.
- Aga'llochum** (Bot.) *ἀγαλλομαι*, to exult; because it seems to exult in exhaling its odours.
- Agamazo'oids** (Zool.) *ἀγαμος*, unmarried, *ζωη*, a living being.
- Aga'mians** (Zool.) } *ἀγαμαι*, to wonder at; a family of lizards.  
**Aga'midae** (Zool.) }
- Aga'mic** (Bot.) *a* priv. *γάμος*, marriage; equivalent to cryptogamic.
- Aga'on** (Ent.) *ἀγανός*, noble.
- Agao'nidae** (Ent.) *agaon*; a family of Hymenoptera.
- Agapan'thus** (Bot.) *ἀγαπάω*, love, *φυτόν*, a flower.
- Agapoph'y'tus** (Ent.) *ἀγαπάω*, to love, *φυτόν*, a plant; a genus of Diptera.
- Aga'ric** (Bot.) P. N. from the river *Agarus*, in ancient Sarmatia.
- Aga'stachys** (Bot.) *ἀγαστός*, admirable, *στάχυς*, a spike.
- Agathæ'a** (Bot.) *ἀγαθός*, excellent; from its beautiful flowers.
- Agathi'dium** (Ent.) *ἀγαθός*, good, *ἰδια*, form, shape.
- Agathi'na** (Ent.) *ἀγαθή*, good.
- Agathi'stega** (Zool.) *ἀγαθός*, noble, *στέγη*, a chamber; an order of Foraminifera, consisting of segments wound round an axis.
- Agath'odes** (Ent.) *ἀγαθός*, useful, good; a genus of Lepidoptera.
- Agatho'sma** (Bot.) *ἀγαθός*, good, *σμικρόν*, small.
- Age'ratum** (Bot.) *a* priv. *γῆρας*, old age; continuing in flower for a long time.
- Ages'tis** (Ent.) perhaps a typographical error for *Agrestis*, a rustic.
- Age'strata** (Ent.) *aggero*, to heap up, in allusion to the habit of the beetles in gathering materials for their cocoons; a genus of Cetoniidae.
- A'gillis** (Zool.) *Lat.* agile, quick.
- A'ggeris** (Ent.) gen. of *agger*, a mound or heap of rubbish.
- Aggro'merate** (Zool. Bot.) *agglomerō*, to form into a heap.
- Aggrega'ta** (Zool.) *aggrego*, to collect together.
- Aglaë** (Ent.) P. N., a genus of Hymenoptera.
- Aglaia** (Ent.) P. N., one of the Graces.
- Agla'i'us** (Ornith.) *ἀγλαία*, splendour.

Aglo'ssa (Ent.)  $\alpha$  priv. γλώσσα, the tongue; the spiral tongue being nearly obsolete.

Agnine (Zool.) *agnus*, a lamb; relating to a lamb.

Agnomo'nia (Ent.) ἀγνόμενος, foolish; a genus of Lepidoptera.

Agnus (Zool.) *Lat.* a lamb, from ἄγνος, chaste, because fit for sacrifice.

Agnus Castus (Bot.) the word Agnus in Greek has the same signification as *Castus* in Latin, and chaste in English. The name refers to the celebrity the seeds of this shrub enjoyed in old times for promoting chastity.

A'gonum (Ent.)  $\alpha$  priv. γωνία, an angle.

Agou'ti (Zool.) a native name.

Agram'mia (Ent.)  $\alpha$  priv. γράμμα, a line or letter.

A/graphis (Bot.) } ἀγραφος, unwritten, without markings, equivalent to Agra'phalis (Ent.) } non scriptus.

Agre'stis (Ent. Bot.) *Lat.* pertaining to the fields; rough, coarse.

Agre'tyca (Ent.) ἄγρα, the chase, τύχη, fortune, luck.

Agria'mpelos (Bot.) ἄγριος, wild, ἄμπελος, the vine.

Agrielæ'a (Bot.) ἄγριος, wild, ἵλαια, the olive plant.

Agrilorihi'nus (Ornith.) ἄγριος, rough, ῥιν, the nose.

Agrilus (Ent.) ἄγριος, wild.

Agrimo'nia (Bot.) corrupted from *Argemone*, the name given by the Greeks to a plant supposed to cure the cataract in the eye, called ἄργεμα.

Agrioca'stanum (Bot.) ἄγριος, wild, κέστανον, the chestnut.

Agriome'l'a (Bot.) ἄγριος, wild, μῆλον, an apple; the crab-apple.

Ag'ri'on (Bot.) ἄγριος, wild.

Agriophyl'l'on (Bot.) ἄγριος, wild, φυλλον, a leaf.

Agrio'pis (Ent.) } ἄγριωπος, wild-looking.  
Agrio'pus (Zool.) }

Agri'otis (Ent.) ἄγριότης, ruficity.

Agro'phila (Ent.) ἄγρις, the country, φιλία, to love.

Agro'rūm (Ent.) gen. pl. of *ager*, a field.

Agroste'mma (Bot.) ἄγριον στέμμα, garland of the field, from its being a great ornament to corn-fields.

Agro'stis (Bot.) the Greek name for all grasses, from ἄγρος, a field.

Agro'tera (Ent.) ἄγροτερα, wild, savage; a genus of Lepidoptera.

A'grotis (Ent.) ἄγριτης, dwelling in the country.

Agry'pnia } (Ent.)  $\alpha$  priv. γρυπνίς, curved.  
Agry'pnus }

A'gyra (Ent.)  $\alpha$  priv. γυρίς, round; or perhaps from ἄγρια, an assembly.

- Agy'rium (Bot.) ἄγυρις, a crowd, from its clustered arrangement.
- Agy'rites (Ent.) ἀγύρτης, a juggler.
- Ahene'lla (Ent.) aheneus, braffy, *i. e.* colour.
- Aila'nthus or Aila'ntus (Bot.) the Latinized form of the native name *Aylanto*, signifying tree of heaven.
- Allu'rophis (Zool.) ἀλευρόφης, a cat; ἄψις, a serpent.
- Allu'russ (Zool.) ἀλευρός, a cat (from αἰλός, quick-moving), and οὐρά, a tail; a genus of Mammalia.
- Aipta'sia (Zool.) αἴπτις, lofty; τάσις, stretching.
- Aipucne'mia (Ornith.) αἴρις, high, lofty, κνήμη, the knee; it should be written *Epycnesia*.
- Ai'ra (Bot.) the Greek name of our *Lolium temulentum* (from αἴρειν, to destroy, on account of its injurious effects); now applied to another genus of grasses.
- Airo'psis (Bot.) *aira*, hair-grass, ὅμοια, resemblance.
- Aito'nia (Bot.) P. N. from *W. Aiton*, formerly head gardener at Kew Gardens.
- Aizo'on (Bot.) ἀιζών, everlasting.
- Ajuga (Bot.) a priv. ζυγός, a yoke; perhaps from its supposed property of causing abortion.
- A'lubes (Zool.) a priv., λαβῆ, a handle.
- Alace'lla (Ent.) dim. of *alacer*, quick.
- A'lacris (Zool.) Lat. nimble.
- Ala'ctaga (Zool.) a priv. λακτίζω, to kick with the heels; applied to a Jerboa.
- Ala'ngium (Bot.) from *Alangi*, its Malabar name.
- Ala'ria (Bot.) *ala*, a wing.
- Ala'stor (Ent.) Ἀλάσταρη, the Avenger.
- Ala'tus-a-um (Bot.) Lat. winged, *i. e.* with membranes.
- Alau'da (Ornith.) Lat. a lark; said to have been formed by the Romans from the old Celtic *al*, high, great, and *aud*, song.
- Alauda'rius (Ornith.) *Alauda*; lark-like.
- Albe'llus (Ornith.) dim. form of *albus*, white.
- Albersa'na (Ent.) P. N. in honour of *J. A. Albers*, a German entomologist.
- Albica'uda (Zool.) *albus*, white, *cauda* a tail; white-tailed.
- A'lbicans (Zool., Bot.) *albico*, to grow white.
- A'liceps (Ent.) *albus*, white, *caput*, head.
- Albici'lla (Ornith.) dim. of *albus*.

- Albico'llois (Ornith.) *albus*, white, *collum*, a neck.
- Albico'lon (Ent.) *albus*, white, *colon*, a dot; from its markings.
- Albico'sta (Ent.) *albus*, white, *costa*, the front margin of wing.
- A'lbidus-a'um (Zool., Bot.) *Lat.*, whitish.
- Albifrons (Ornith.) *Lat.*, white-faced.
- Albifronte'lla (Ent.) dim. of *albifrons*, white-faced.
- Albi'one (Zool.) *albineus*, whitish; a genus of Annelids, parasitic on the fluke.
- Albima'cula (Ent.) *albus*, white, *macula*, a spot.
- Albipalpe'lla (Ent.) *albus*, white, *palpus*, a feeler, dim. *ella*.
- A'lipes (Ent.) *albus*, white, *pes*, a foot.
- Albipuncte'lla (Ent.) *albus*, white, *punctum*, a dot, dim. *ella*.
- Albi'stria (Ent.) *albus*, white, *striga*, a streak.
- Albitarse'lla (Ent.) *albus*, white, *tarsus*.
- Albistriga'lis (Ent.) *albus*, white, *striga*, a streak.
- Alboce'rerule'scens (Bot.) *albus*, white, *ceruleus*, sky-coloured, blue.
- Alboda'ctylus (Ent.) *albus*, white, θάκνυλος, a finger.
- Albofascia'lis (Ent.) *albus*, white, *fascia*, a band.
- Albogula'ris (Zool.) *albus*, white, *gula*, the throat.
- Albola'bris (Zool.) *albus*, white, *labrum*, a lip.
- Albu'ca (Bot.) *albus*, white, *i.e.* the flowers.
- Albulata (Ent.) *albulus*, whitish.
- Alburnum (Bot.) *albus*, white, *i.e.* the white portion of the tree within the bark.
- A'lce, A'loes (Zool.) *alce*, the elk, which from ἀλκή, bodily strength.
- Alcoedi'nidae (Ornith.) *alcedo*, fam. term. *idae*.
- Alce'do (Ornith.) *Lat.*, the king-fisher.
- Alce'phalus (Zool.) *alce*, the elk, οὐφαλή, the head; a genus of antelopes.
- Alchemi'lla (Bot.) Arabic, *alkâmelyeh*, alchemy, from its pretended alchemical virtues.
- Alcicor'nis (Zool.) *alce*, an elk, *cornu*, a horn; having elk-like horns.
- Alci'ppe (Zool.) P. N., mentioned by Theocritus; a genus of Cirripedes.
- A'leyon (Ornith.) properly *Haleyon*, ἀλεύων, the king-fisher; the word means also "sea-foam," from ἄλει, the sea, εύω, to conceive; said to hatch its eggs upon the sea.
- Aleyone'lla (Zool.) dim. of *aleyon*.
- Aleyoni'dium (Zool.) *aleyon*; implying some fancied resemblance.
- Aleyonipenne'lla (Ent.) *aleyon*, the king-fisher, *penna*, a feather.
- Aley'onium (Zool.) from *Aleyone*, the daughter of Aeolus.

- Alde'ria** (Zool.) P. N. after *Joshua Alder*, a writer on the Mollusca.
- Aldrova'nda** (Bot.) P. N. from *Ullysses Aldrovandus*, an Italian naturalist.
- Alecto** (Zool.) P. N. one of the Furies, having serpents round her head instead of hair.
- Alecto'ria** (Bot.) ἀλεκτρος, unmarried; from uncertainty respecting male flowers; a genus of Lichens.
- Aleel'la** (Ent.) *ales*, winged, dim. *ella*.
- Aleochara'ra** (Ent.) ἀλισα, to grind or bruise, *chara*, a water-plant.
- Aleochari'nae** (Ent.) *aleochara*, fam. term. *ine*; a sub-family of Coleoptera.
- A'lepas** (Zool.)  $\alpha$  priv.  $\lambda\epsilon\nu\acute{\alpha}\varsigma$ , a promontory or projection.
- A'lepis** (Ichth.)  $\alpha$  priv.  $\lambda\epsilon\nu\acute{\alpha}\varsigma$ , a scale; a genus of fishes with broad bodies and small heads, and nearly scaleless.
- Alepisau'rus** (Ichth.)  $\alpha$  priv.  $\lambda\epsilon\nu\acute{\alpha}\varsigma$ , a scale,  $\sigma\alpha\nu\acute{\alpha}\varsigma$ , a lizard.
- Alepoce'phalus** (Zool.)  $\alpha$  priv.  $\lambda\epsilon\nu\acute{\alpha}\varsigma$ , a scale,  $\pi\epsilon\phi\alpha\eta$ , the head.
- Aletho'pteris** (Fos. Bot.) ἀληθισ, true,  $\pi\tau\iota\pi\acute{\alpha}\varsigma$ , a fern.
- Aleu'cis** (Ent.)  $\lambda\epsilon\nu\acute{\alpha}\varsigma$ , white; *i. e.* indistinct, obscure.
- Aleu'rops** (Zool.) ἀλευρον, meal,  $\omega\downarrow$ , the face; mealy-faced.
- Aleurostict'ctus** (Ent.)  $\alpha$  priv.  $\lambda\epsilon\nu\acute{\alpha}\varsigma$ , smooth,  $\sigma\tau\iota\kappa\tau\acute{\alpha}\varsigma$ , punctured, spotted.
- Alexanders** (Bot.) corrupt, of *Olausatum*, which from *olus*, pot-herb, *ater*, black.
- Ale'xia** (Zool., Ent.) ἀλιξια, to ward off.
- Alexia'** (Ent.) P. N., a Roman shepherd.
- Algæ** (Bot.) *alga*, a marine plant, which from *algor*, coldness, or perhaps from *alligo*, to entangle.
- Algo'logy** (Bot.) *alga*, a marine plant,  $\lambda\gamma\delta\acute{\alpha}\varsigma$ , description.
- Al'iiform** (Zool.) wing-shaped, from *ala*, a wing, *forma*, resemblance.
- Ali'sma** (Bot.) the water-plantain, said to be from the Celtic *alit*, water.
- Allama'ceæ** (Bot.) *alima*, term. for natural order *aceæ*.
- Allo'dape** (Ent.) ἀλλαος, other,  $\delta\acute{\alpha}\pi\acute{\alpha}\varsigma$ , carpet, *i. e.* pattern; a genus of Hy-menoptera.
- Allantifo'rmis** (Ent.) *allantus*, a saw-fly, *forma*, resemblance.
- Allanto'dia** (Bot.) ἀλλαε, ἀλλαρτος, a saufage,  $\omega\bar{\imath}\delta\acute{\alpha}\varsigma$ , like; from resemblance in indusia.
- Alla'ntus** (Ent.) ἀλλαε, ἀλλαντος, a fausage; the saw-fly.
- Alleghannie'nsis-e** (Zool.) belonging to the Alleghany mountains.
- Allia'ceus-a-um** (Bot.) *allium*; garlic-leaved.
- Allia'ria** (Bot.) *allium*, garlic; the leaves having a similar odour.
- Allio'cera** (Ent.) ἀλλοιος, different,  $\times\acute{\iota}\pi\acute{\alpha}\varsigma$ , a horn; a genus of Diptera.
- Alliga'tor** (Zool.) Spanish *el legato*, the lizard.

- Allione'lla (Ent.) P. N. in honour of *Carlo Allioni*, an Italian naturalist.
- Allisell'a (Ent.) P. N. from *J. H. Allis*, of York.
- A'llium (Bot.) ἀλίου, to avoid, because of its offensive smell; garlic.
- Allodro'ma (Ent.) ἀλλατος, strange, δρόμος, a runner.
- Alloso'rus (Bot.) ἀλλατος, various, *forus*; the fori changing at different periods.
- Almond (Bot.) through French *amande*, from Latin *amygdalus*.
- A'linus (Bot.) perhaps from Celtic *al*, near, *lan*, a river, from its habitat.
- A'lni      } (Ent.) the insects feed on the alder, *Alnus*.
- Alnis'ria } (Ent.)
- Alnifolie'lla (Ent.) *alnus*, an alder, *folium*, a leaf, dim. *ella*; i. e. its ordinary food plant.
- Aloe (Bot.) *Hederae, ahla*, or *Arabic, allōch*, growing near the sea.
- Alo'na (Zool.) ἀλωνη, ἀλωνης, the disk of the sun or moon; a genus of Entomostacea; should be *Halona*.
- Alope'cidæ (Ichth.) *alopex*, fam. term. *ide*.
- Alopeou'rus (Bot.) ἀλώπηξ, a fox, οὐρα, a tail; fox-tail grass.
- Alope'cion (Zool.) ἀλώπηξ, a fox; a genus of Colubrine ophidians.
- A'lopex (Ichth.) ἀλώπηξ, a fox; the fox-shark.
- A'lophus (Ent.) a priv. λόφος, a ridge or crest.
- Alo'ssa (Ichth.) probably a corruption of the old name of the shad, *Lochia*.
- Alo'tria (Ent.) a priv. λουτρόν, a bath; unwashed; a genus of Lepidoptera.
- Alpe'lla (Ent.) *alpes*, mountains; from its habitat.
- Alpestra'lis (Ent.) *alpiflris*, mountainous.
- Alpe'stris, Alpe'stre (Ornith., Bot.) *Lat.* alpine.
- Alphito'bius (Ent.) ἀλφιτος, meal, βιάω, to live.
- Alphito'phagus (Ent.) ἀλφιτος, meal, φάγω, to eat.
- A'lpigene (Zool.) *alpes*, mountains, *gigno*, to produce; belonging to or found upon the Alps and other mountains.
- Alpina'lis (Ent.) *alpinus*, dwelling upon mountains.
- Alpin'a'na (Ent.) *alpinus*, dwelling upon mountains.
- Alpi'nia (Bot.) P. N. in honour of *Alpini*, an Italian physician.
- Alpi'nus-a-um (Zool., Ent.) *Lat.* alpine.
- Alseuo'smia (Bot.) ἀλσεος, a grove, εὐσεμία, a pleasant odour.
- Aisi'ne (Bot.) ἀλσος, a grove or shady place; from its habitat.
- Aisi'nes (Ent.) feeds on chickweed, *alfine* media.
- Alsinifo'lius-a-um (Bot.) *alfine*, chickweed, *folium*, a leaf.
- Alsode'a (Bot.) ἀλσωδης, leafy.
- Also'phila (Bot.) ἀλσος, a grove, φιλεω, to love.

- A**lsto'nia (Bot.) P. N. from *Dr. C. Alston*, Prof. of Medicine, Edinburgh.
- A**lstroeme'ria (Bot.) P. N. in honour of *Claude Alströmer*, a Swedish naturalist.
- A**lstroemeria'na (Ent.) P. N. in honour of *Claude Alströmer*, a Swedish naturalist.
- A**lus (Ent.) P. N., one of Virgil's shepherds.
- A**ltaius-a-um (Zool., Bot.) belonging to the *Altai* mountains.
- A**lterna'na (Ent.) *alternus*, interchangeable, alternate.
- A**lternanthe'ra (Bot.) *alternus, antherus*; the stamens being alternately fertile and barren.
- A**lterna'tus-a-um (Zool., Bot.) *Lat.* alternate.
- A**lterniflo'rus-a-um (Bot.) *alternus, flores*, flowers.
- A**lteu'tha (Zool.) the Latin name of Berwick-upon-Tweed.
- A**lthæ'a (Bot.) ἄλθη, to cure, from its healing properties.
- A**lthæoi'des (Bot.) *althaea, εἴσεις*, like; having leaves like the marshmallow.
- A**lticeps (Ent.) *altus*, high, lofty; *caput*, the head.
- A**lti'velis (Ichth.) *altus*, high, *volum*, a sail.
- A**lti'volans (Zool.) *Lat.* flying high.
- A**lu'cita (Ent.) *Lat.*, a gnat.
- A**lucl'iidae (Ent.) *alucita*, fam. term. *idae*.
- A**lucl'i'na (Ent.) *alucita*, a gnat.
- A**'lula (Ornith.) dim. of *ala*, a wing; applied to the small quill feathers or spurious wing of a bird; also to an insect.
- A**lvearie'lla (Ent.) *alvearium*, a bee-hive.
- A**live'olites (Fos. Zool.) *alveolus*, a little trough; a genus of fossil corals.
- A**live'olus (Ent.) *Lat.* a chess-board; from the chequered markings of the insect.
- A**lypum (Bot.) ἀλυπός, harmless.
- A**lysica'rpus (Bot.) αλυσίς, a chain, καρπός, fruit.
- A**ly'ssum (Bot.)  $\alpha$  priv. λύσσα, canine madness; because it was supposed to cure hydrophobia.
- A**lytes (Zool.) ἀλυτός, continuous; in allusion to its adherent tongue.
- A**ly'xia (Bot.) ἀλυξίς, anxiety; from its gloomy appearance.
- A**lzate'a (Bot.) P. N. from *J. A. de Alzate*, a Spanish naturalist.
- A**ma'bilis-e (Zool., Bot.) *Lat.* lovely.
- A**'malus (Ent.) ἀμαλός, soft, tender.
- A**mani'ta (Bot.) ἀμανίτα, a genus of fungi or mushrooms.
- A**maranta'cea } (Bot.)  $\alpha$  neg. μαραίνω, to decay; the flowers not fading
- A**maran'thus } long after being plucked.

- Amarissimus-a-um** (Bot.) *Lat.* most bitter.
- Ama'rus-a-um** (Bot.) *Lat.* bitter.
- Amaryllida'ceæ** { (Bot.) *Amaryllis*, term. for nat. order, *aceæ*.
- Amaryllis** } *Amaryllis*
- Amaryllis** (Bot.) P.N., *Amaryllis* was one of Virgil's nymphs; "the lilies of the field," are supposed by some authors to refer to *Amaryllis* or *Sternbergia lutea*.
- Amaso'nia** (Bot.) P. N. from *Thomas Amazon*, an American traveller.
- Amata'ria** (Ent.) *amatua*, loved.
- Ambigua'lis** (Ent.) *ambiguus*, uncertain.
- Ambigua'na** (Ent.) *ambiguus*, uncertain.
- Amblyme'topon** (Zool.) ἀμβλύς, blunt, μέτωπον, the forehead; a genus of Colubrine ophidians.
- Ambly'opus** (Zool.) ἀμβλύς, blunt, πόδις, a foot.
- Ambony'chia** (Zool.) ἀμβωνία, a boss or protuberance, ὄνυξ, a claw.
- Ambro'sia** (Bot.) ἀμβρόσιος, immortal; called the food of the gods, from the fragrant bruised leaves of the plant originally so called.
- Ambula'cra** (Zool.) *ambulacrum*, a gallery or place to walk in.
- Amei'va** (Zool.) αἰμίβω, to change?
- Amela'nchier** (Bot.) the Savoy name for the Medlar; a genus of *Pomaceæ*.
- Ame'llius** (Bot.) employed by Virgil to denote some plant which grew on the banks of the river *Mella*.
- Amenta'ceæ** (Bot.) *amentum*, term. for nat. order *aceæ*.
- Amenta'les** (Bot.) *amentum*, a catkin.
- Ame'ntum** (Bot.) *Lat.* a strap or thong; a catkin.
- Amerim'num** (Bot.) a priv. μέρημνα, care, which it was thought to remove; heart's-ease; now applied to another plant.
- Amethy'stea** (Bot.) ἀμεθυστος, the amethyst, from the colour of the flower.
- Amher'stia** (Ornith., Bot.) P. N., in honour of *Lady Amherst*.
- Amma'nna** (Bot.) P. N., from *J. Ammann*, Professor at St. Petersburg.
- Ammoba'tes** (Ent.) ἀμμος, sand, βαίνω, to go; a genus of Hymenoptera.
- Ammo'bium** (Bot.) ἀμμος, sand, βιώω, to live.
- Ammocæ'tes** (Ichth.) ἀμμος, sand, χαλτη, horse-hair; the mud-lamprey.
- Ammody'tes** (Ichth.) ἀμμοδύτης, a sand burrower; the sandeel.
- Ammoni'acum** (Bot.) as applied to a gum this name is a corruption of *Armeniacum*, the plant which produces it being a native of Persia.
- Ammo'phila** (Ent., Bot.) ἀμμος, sand, φιλω, to love, from its usual habitat; a genus of Hymenoptera; also a genus of grases.
- Ammyrsi'ne** (Bot.) ἀμμος, sand, μυρσινη, a myrtle; from its habitat.

- Amœ'ba** } (Zool.) ἀμοῖβη, change, from assuming a variety of forms.  
**Amœ'bea** }  
**Amœbi'na**
- Amœ'nus-a-um** (Bot.) *Lat.* delightful, showy.
- Amo'mum** (Bot.) ἀμόνυμον, blameless, free from impurity; from being considered a counter-poison.
- Amo'rphous** (Zool.) *a neg.* μορφή, form.
- Ampelida'ceæ** (Bot.) *ampelis*, term. for nat. order *accæ*.
- Ampe'lidae** (Ornith.) *ampelis*, fam. term. *ide*; a family of Incessores.
- A'mpelis** (Ornith.) an old Greek name of a bird, now applied to the Bohemian wax-wing; also a name in Botany.
- Ampelo'psis** (Bot.) ἀμπελός, the vine, οὐεις, resemblance.
- Amphaca'nthus** (Zool.) ἀμφὶ, on both sides, ἄκανθα, a thorn.
- Amphe'rephis** (Bot.) ἀμφορέφω, to cover round; from the double involucrum.
- Amphibi'chthys** (Zool.) *amphibius*, ἰχθύς, a fish; a name proposed for the Lepidosiren.
- Amphi'bious** (Zool., Bot.) ἀμφὶ, both, βίος, to live; existing in two elements.
- Amphi'bola** (Zool.) ἀμφιβολος, ambiguous, doubtful.
- Amphi'bolus** (Ent.) ἀμφιβολος, doubtful.
- Amphibry'a** (Bot.) ἀμφὶ, around, βρύον, moss.
- Amphio'cia** (Fos. Zool.) ἀμφὶ, on both sides, κοῖλος, hollow; the vertebræ being hollowed at both ends.
- Amphi'come** (Bot.) ἀμφὶ, around, κίμη, hair, in reference to the hairy appendages to the seeds.
- Amphida'sydeæ** (Ent.) *amphidafys*, fam. term. *ide*.
- Amphida'sys** (Ent.) ἀμφιδασυς, shaggy, fringed all round; the insects being covered with hair.
- Amphide'sma** (Zool.) ἀμφὶ, around, διεσμη, a band or bundle.
- Amphido'tus** (Zool.) ἀμφὶ, around, αῖς, ωτēς, an ear; a genus of Echinodermata.
- Amphi'gamous** (Bot.) ἀμφὶ, on both sides, γάμος, marriage.
- Amphigo'nidae** (Ent.) ἀμφὶ, on both sides, γωνία, a corner, fam. term. *ide*; a genus of Lepidoptera.
- Amphi'monas** (Zool.) ἀμφὶ, on both sides, *monas*; having lateral filaments.
- Amphio'xus** (Ichth.) ἀμφὶ, on both sides, οξύς, sharp.
- Amphipe'plea** (Zool.) ἀμφὶ, around, πιπλασ, a mantle.
- Amphi'poda** } (Zool.) ἀμφὶ, around, πούς, ποδός, a foot; having feet all  
**Amphi'podous** } round.

- Amphipo'gon** (Bot.) ἀμφὶ, around, πάγων, a beard.
- Amphi'pnous** (Ichth.) ἀμφὶ, around, πνοή, the breath; the breathing apparatus being situated along the sides.
- Amphi'prion** (Zool.) ἀμφὶ, around, πλαν, a saw.
- Amphyipy'ra** (Ent.) ἀμφὶ, around, πῦρ, the fire; flying round the light.
- Amphyipy'ridæ** (Ent.) *amphyypira*, fam. term, *idæ*.
- A'mphisa** (Ent.) αμφίς, both, ίσος, equal; the antennæ having tufts on both sides.
- Amphisbæ'na** (Zool.) ἀμφὶς, on both sides, βαίνω, to go.
- Amphi'stoma** (Zool.) ἀμφὶ, around, στόμα, the mouth; a genus of Entozoa.
- Amplexicauda'tus-a-um** (Zool.) *amplectior*, to furround, *cauda*, a tail.
- Amplexicau'line}** } (Bot.) *amplectior*, to furround, *caulis*, a stem.
- Amplexicau'lis** }
- Ampulla'ria** (Zool.) *ampulla*, a globular flask.
- Amso'nia** (Ent.) P. N. from *Charles Amson*, an American traveller.
- Amy'drus** (Ornith.) ἀμυδρός, dim. indistinct.
- Amy'gdalus** (Bot.) ἀμυγδών, to strain milk; from the resemblance of blanched almond curd; or from ἀμυσσω, to lacerate, in allusion to the fissured shell.
- Amy'mone** (Zool.) ἀμύμων, blameless.
- Amy'na** (Ent.) ἀμνωτις, defence, revenge?
- Amyote'lla** (Ent.) P. N. in honour of *C. J. B. Amyot*, a French naturalist.
- A'myris** (Bot.) ᾱ intens. μύρος, perfume; from its sweet odour.
- A' nabas** (Zool.) ἀναβαῖνω, to ascend, from the fish occasionally leaving the water and climbing the banks; climbing trees.
- Anable'ps** (Zool.) ἀναβλέπω, to look up; from the prominent eyes.
- Anabo'lia** (Ent.) ἀναβολή, a cloak, in allusion to the pupa-café; a genus of the Phryganidæ.
- Anaca'mpseros** (Bot.) ἀνακάμπτω, to induce to return, ἔπος, love; the name of a plant to which the ancients attributed the power of restoring love.
- Anaca'mptis** (Bot.) ἀνακάμπτω, to bend back, *i. e.* the pollen masses.
- Anaca'rdisium** (Bot.) ἀνά, like, καρδία, a heart; from the form of the nut.
- Anach'aris** (Bot.) ἀνά, like, *charis*; from its resemblance to the Hydrocharis.
- Anacy'clus** (Bot.) ἀνά, upon, κύκλος, a circle; in allusion to the rows of ovaries placed round the disk.
- Anaga'llis** (Bot.) ἀναγελάω, to laugh loud; thought to remove despondency.
- Anagy'ris** (Bot.) ἀνά, backward, γυρίς, a circle; from the curved pod.

**Anai'tis** (Ent.) P. N., an ancient divinity.

**Analogue** (Zool.) ἀνάλογος, closely allied to something else.

**Anana/ssa** (Bot.) from *nanae*, its name in Guiana.

**Ana/ntherix** (Bot.) *av* priv. ἀνθίπηξ, an awn.

**Anapepta/menus** (Fos, Zool.) sp. name of a fossil crinoid, from ἀνα, with, πεπταμένος, part. of πεπτάνυμι, to spread, stretch out.

**Ana'pheles** (Zool.) *a* intent. ἀφελῆς, slender, smooth.

**Ana/rsia** (Ent.) ἀνάρσιος, incongruous.

**Anarrhi'chas** (Ichth.) ἀναρρίχωμαι, to break through; the wolf-fish.

**Anarrhi'num** (Bot.) *av* priv. *πίν*, the nose; the plants being allied to Antirrhinum, but the flowers different.

**Ana/rta** (Ent.) "a sea-cockle mentioned by Pliny."—TREITSCHKE.

**Anas** (Ornith.) *Lat.* a duck.

**Ana'spis** (Ent.) ἀνασπάω, to draw back.

**Anasta/tica** (Bot.) ἀναστασίς, resurrection; from its recovering its form, however dry, when immersed in water.

**Ana/stomus** (Ornith.) ἀναστομός, to furnish with a mouth; from its open bill.

**Anati/fera** (Zool.) *anas*, a duck, *fero*, to bear; an allusion to the old notion of barnacles turning into geese.

**Ana/tina** (Zool.) *anatinus*, pertaining to a duck; from form of shell.

**Ana/tide** } (Ornith.) *anas*, fam. term. *ida*, and *ina*; the family and subfamily } family of ducks.

**Anatine'lla** (Zool.) dim. of *anatinus*, pertaining to a duck; duck-like.

**Anatipenne'lla** (Ent.) *anas*, a duck, *penna*, a feather.

**A'nceps** (Zool., Bot.) *Lat.* doubtful; having two heads, double-edged.

**Anchoce'lis** (Ent.) "ἄγκη, to strangle, ἄκης, a spot."—GUENEE.

**Anchoracarpa'cea** (Zool.) ἄγκυρα, an anchor, καρπός, the arm, or rather wrist; from the mode of attachment of this parasite; a tribe of Entomostraca.

**Anchoracera'cea** (Zool.) ἄγκυρα, an anchor, κίρια, a horn; a tribe of Entomostraca.

**Anchorastoma'cea** (Zool.) ἄγκυρα, an anchor, στίγμα, a mouth; from the mode of attachment of these parasites; a tribe of Entomostraca.

**Anchore'lla** (Zool.) ἄγκυρα, an anchor, dim. terminal *ella*.

**Anchu'sa** (Bot.) ἄγκη, to constringe the fauces; from its astringent quality.

**Ancilla'ria** (Zool.) *ancilla*, a maiden.

**Anci'strum** (Bot.) ἄγκιστρος, next or nearest?

**A'ncula** (Zool.) αγκύλη, a bent bow.

- Ancyl'oceras** (Fos., Zool.) ἄγκιλος, incurved, κίρας, a horn.
- Ancylhoei'ra** (Ent.) ἄγκιλος, bent, χεῖ, the hand.
- Ancy'lodon** (Zool.) ἄγκιλος, bent, οὐδός, στόντη, a tooth.
- Ancyloste'lis** (Ent.) ἄγκιλος, bent, σκίτη, a covering; a genus of Hymenoptera.
- Ancylostom'um** (Zool.) ἄγκιλος, bent, στόμα, a mouth.
- Ancy'lus** (Zool.) ἄγκιλος, a bent bow.
- Andereggie'lla** (Ent.) P. N. in honour of *Herr Anderegg*, a Swiss entomologist.
- Andra'chne** (Bot.) an old Greek botanical term for purple-flower.
- Andreni'vora** (Ent.) ανδρίνη, a genus of Hymenoptera; νύρε, to devour.
- Andro'gynous** (Bot.) ἄνδρος, ἀνθετός, a man (stamen), γυνή, a woman (pistil); hermaphrodite.
- Andro'meda** (Bot.) P. N. from the Virgin *Andromeda*.
- Andro'phorus** (Bot.) ἄνδρος, ἀνθετός, a man (anther), φέρει, to bear; a pillar supporting a number of united anthers.
- Andropo'gon** (Bot.) ἄνδρος, ἀνθετός, a man, ώντος, a beard; from tufts of hairs on flowers.
- Androssa'ce** (Bot.) ἄνδρος, ἀνθετός, male, σάκος, a buckler; alluding to the calyx.
- Androsoe'mum** (Bot.) ἄνδρος, ἀνθετός, a man, (stamen), λίμνη, blood; from the blood-colour of the berries.
- Aneile'ma** (Bot.) ἀνειλία, to roll together, to involve.
- Anei'mia** (Bot.) ἀνείμηστος, not clothed; from its naked fructification.
- Anela'sma** (Zool.) αὐτ. priv. ἐλάσσω, to wander; a genus of Cirripedes.
- Ane'lla** (Ent.) αννη, an old woman; from its grey appearance.
- Ane'mone** (Bot.) ἄνεμος, wind; because the flowers are easily moved by the wind; or from growing in exposed places; *Anemo'ne* is the classical accent, *Ane'mone* the English one.
- Anera'stia** (Ent.) ἀνεραστία, ignorance of love.
- Anes'ychia** (Ent.) αὐτ. priv. ισχύσια, rest; from its restless movement.
- Ane'thum** (Bot.) ἀνετος, upwards, θεῖος, to run; from its quick growth; Dill.
- Anfrac'tus-a-um** (Bot.) Lat. curved, bent.
- Angel'i'ca** (Bot.) *angēla*, an angel; from its cordial medicinal virtues.
- Angelice'lla** (Ent.) feeds on *angēlica sylvestris*.
- Angero'na** (Ent.) P. N. the goddess of Silence.
- Angiocarpi** (Bot.) ἄγγειος, a vessel, καρπός, fruit or seed with its covering; a division of Fungi.
- Angiospe'r'm** (Bot.) ἄγγειος, a vessel, σπέρμα, a seed; the seeds lodged in a pericarp.

- Angiospo'res** (Bot.) ἀγγεῖον, a vessel, *sporus*, the seed of a cryptogamic plant.
- Angio'stomas** (Zool.) ἀγγεῖον, a vessel, στόμα, a mouth.
- A'nglicus-a-um** (Ornith., Bot.) *Lat.* English.
- Angræ'cum** (Bot.) Latinized from *Angurek*, the Malayan name of the plant.
- Angui'lla** (Ichth.) *Lat.* an eel.
- Angui'llidae}** (Ichth.) *anguilla*, fam. term. *ide* and *ine*.
- Anguilli'næ}**
- An'guis** (Zool.) *Lat.* a snake.
- An'gulifer** (Zool.) *angulus*, a corner or angle, *fero*, to bear.
- Angui'lliform** (Ichth.) *anguilla*, an eel, *forma*, shape.
- Anguina'lis** (Ent.) *anguineus*, serpent-like.
- Anguina'ria** (Zool.) *anguis*, a snake; zoophytes having cells bearing some resemblance.
- Anguisu'rus** (Ichth.) *anguis*, a snake, *wīga*, a tail.
- Angula'ria** (Ent.) *angulus*, a corner.
- A'ngulate** (Bot.) *angulus*, a corner or angle.
- Angulifascie'lla** (Ent.) *angulus*, an angle, *fascia*, a band; dim. term. *ella*.
- Anguliro'stres** (Ornith.) *angulus*, an angle, *rostrum*, a beak.
- Angu'ria** (Bot.) the Greek name for a cucumber.
- Angusta'lis** (Ent.) *angustus*, narrow.
- Angusticolle'lla** (Ent.) *angustus*, narrow, *collum*, a neck; dim. term. *ella*.
- Angustico'llis** (Ent.) *angustus*, narrow, *collum*, a neck.
- Angustiora'na** (Ent.) *angustior*, more narrow.
- Angustu'r'a** (Bot.) from *Anguftura*, New Guiana, whence it comes.
- Anicta'ngium** (Bot.) ἀνικτός, open, ἀγγεῖον, a vessel; having an open theca.
- Anigozan'thus** (Bot.) ἀνθέω, to expand, ἀθέσ, a flower.
- Anima'lcule** (Zool.) dim. of *animal*, a living creature.
- Anisaca'ntha** (Bot.) ἀνισος, unequal, ἄκανθα, a thorn.
- Anisa'rthria** (Ent.) ἀνισος, unequal, ἀρθρον, a joint.
- A'niseed** (Bot.) *Lat.* *anisum*; *Arabic*, *anisum*.
- Aniso'ceras** (Ent.) ἀνισος, unequal, κέρας, a horn (antenna.)
- Anisoda'ctylus** (Ent.) ἀνισος, unequal, δακτυλος, a feather.
- Anisoda'ctyli** (Ornith.)
- Ani'sodus** (Bot.) ἀνισος, unequal, οδον, a tooth; from the unequal divisions of the calyx.
- Aniso'meles** (Bot.) ἀνισος, unequal, μέλος, a member or limb.
- Anisone'ura** (Ent.) ἀνισος, unequal, νεῦρον, a nerve (rib.)
- Anisope'talum** (Bot.) ἀνισος, unequal, πτεραλον, a leaf.

- Aniso'plia** (Ent.) ἀνίσος, unequal, ὅπλον, a weapon.
- Aniso'pteryx** (Ent.) ἀνίσος, unequal, πτέρυξ, a wing: the female is almost wingless.
- Anisoto'ma** } (Ent.) ἀνίσος, unequal, τομή, a cutting instrument.
- Anisoto'midae** } (Bot.) ἀνίσος, unequal, τομή, a cutting instrument.
- Ani'sum** (Bot.) ἀνίσον, or ἀνίστον, which are Ionic forms of ἀνθόν, or ἀνθόν, whence Anethum.
- Annella'ta** (Zool.) *annellus*, a little ring.
- Anno'ma'tus** (Ent.) a priv. νομαζω, to distribute.
- Annula'ta** (Zool.) *annulus*, a ring.
- Annulate'lla** (Ent.) *annulus*, a ring, dim. term. *ella*; from the white and brown rings on the antennæ.
- Annulico'rnis** (Ent.) *annulus*, a ring, *cornu*, a horn; antennæ ringed with colour.
- A'noa** (Zool.) ἀνοεις, foolish, stupid; applied to one of the antelopes.
- Ano'bium** (Ent.) ἀνω, above, βιώω, to live.
- A'nodon** (Zool.) ἀνεδοντός, without teeth; the swan-mussel.
- Anodonto'psis** (Zool.) *anodon*, the swan-mussel, ὁψης, appearance.
- Ano'mala** } (Ent., Zool.) ἀνόμαλος, unequal, unlike any other.
- Ano'malous** } (Ent., Zool.) ἀνόμαλος, unequal, unlike any other.
- Anomale'lla** (Ent.) ἀνόμαλος, unequal, dim. term. *ella*.
- Anomalo'cera** (Zool.) ἀνόμαλος, dissimilar, κερας, a horn; a genus of Entomostraca.
- Anomalu'rus** (Zool.) ἀνόμαλος, unequal, οὐρα, a tail.
- Anomathe'ca** (Bot.) ἀνεμός, singular, θήκη, a sheath or capsule.
- Ano'mia** (Zool.) ἀνόμαιος, unlike.
- Anomodo'ntia** (Fos. Zool.) ανόμαιος, without law (type), οδευς, οδοντος, a tooth.
- Ano'modon** (Bot.) do.; referring to peristome.
- Ano'na** (Bot.) from *Meronia*, its Eastern name.
- Anoploga'ster** (Ichth.) ἀνοπλός, unarmed, γαστήρ, the stomach.
- Anoplus** } (Ent.) ἀνοπλός, unarmed; parasitic insects without wings.
- Anoplura** } (Ent.)
- Anou'ra** (Zool.) αρ priv. οὐρα, a tail.
- A'nous** (Ornith.) αρ priv. νοῦς, the mind; alluding to the stupidity of the Noddy.
- A'nsor** (Ornith.) *Lat.* a goose.
- A'nseline** (Zool.) *anser*, a goose; goose-like.
- Anseri'næ** (Ornith.) *anser*; sub. fam. term. *ine*.
- Antar'cticus** (Zool.) *Lat.* relating to the Antarctic regions.

**Antechinus** (Zool.) ἄντη, implying comparison, *iχνιος*, a hedge-hog; used for the Pouched-mouse.

**Antelope** (Zool.) probably from ἄνθος, a flower, or any thing beautiful, and ὄψ, the eye.

**Antennæ** (Ent.) ante, before, *teneo*, to hold.

**Antenna'ria** (Bot.) from the *antenne* of insects, to which the down of the pappus bears some resemblance.

**Antennula'ria** (Zool.) *antennula*, dim. of antenna, an insect's feeler; from resemblance of polyps.

**Antho'cia** (Ent.) ἄνθος, a flower, *οἰκος*, a habitation.

**Anthe'a** (Zool.) ἄνθος, a flower.

**Anthemida'na** (Ent.) feeds on the stinking chamomile, *Anthemis cotula*.

**A'nthemis** (Bot.) ἄνθισ, to flower; from its profusion of flowers.

**A'nther** (Bot.) ἄνθης, flowery.

**Anthe'ricum** (Bot.) ἄνθος, a flower, *ἱππος*, a hedge; a name said to have been applied by the Greeks to the stem of the asphodel.

**Antheri'dia** (Bot.) ἄνθης, *ἴδιος*, likeness.

**Anthero'phagus** (Ent.) ἄνθηρ, an anther, φάγω, to eat.

**Anthi'dium** (Ent.) ἄνθος, a flower; a genus of Hymenoptera.

**Antho'ceris** (Bot.) ἄνθος, a flower, *κερας*, a ray; from the radiated corolla.

**Antho'ceros** (Bot.) ἄνθος, a flower, *κερας*, a horn; from form of theca.

**Antho'charis** (Bot.) ἄνθος, a flower, *χαίρω*, to delight in.

**Antho'bium** (Ent.) ἄνθος, a bud, *βιώω*, to live.

**Anthobo'sea** (Ent.) ἄνθος, a flower, *βεστω*, to feed; a genus of Hymenoptera.

**Antho'dium** (Bot.) ἄνθος, a flower; containing many flowers.

**A'nthodon** (Bot.) ἄνθος, a flower, *οδούς*, *οδορρος*, a tooth.

**Antholy'za** (Bot.) ἄνθος, a flower, λύσσα, rage: the flowers look like an animal ready to bite.

**Antho'phila** (Ent.) ἄνθος, a flower, φιλίη, to love.

**Anthophi'lidae** (Ent.) *anthophila*, fam. term. *ide*.

**Antho'physa** (Zool.) ἄνθος, a flower, φύσις, natural resemblance; from being collected in clusters at the extremities of a branching stem or polypidom; a genus of Infusoria.

**Anthopo'gon** (Bot.) ἄνθος, a flower, παργων, a beard.

**Anthoso'ma** (Zool.) ἄνθος, a flower, σῶμα, a body; a genus of Entomotricha.

**Anthoso'madæ** (Zool.) *anthosoma*, fam. term. *adæ*.

- Anthospe'rnum** (Bot.) ἄνθος, a flower, σπερμα, a feed.
- Anthoxa'nthum** (Bot.) ἄνθος, a flower, ξανθός, yellow; from the yellowish hue of the spikes, especially in age.
- Anti'ca** (Ent.) *Lat.* that is in front, foremost.
- Anticle'a** (Ent.) P.N., the mother of Ulysses.
- Antide'sma** (Bot.) ἀντί, in place of, δεσμός, a bond; from its former use in making ropes.
- Anti'opa** (Ent.) P. N., the mother of Amphion.
- Antiqua'na** (Ent.) antiquus, antient.
- Anti'quus-a-um** (Zool.) *Lat.* antient.
- Antirrhi'num** (Bot.) ἀντί, like, approaching, πίν, the nose; from the resemblance of the flowers to an animal's snout.
- Antispi'lā** (Ent.) ἀντί, opposite, σπιλά, a spot.
- Antithe'sia** (Ent.) ἀντίθεσις, opposition; from the contrast of colours.
- Anthraci'nus-a-um** (Ent.) *Lat.* black as a coal, from *anthrax*, a coal.
- Anthra'xia** (Ent.) ἀνθραξ, a burning coal.
- Anthrenei'dae** (Ent.) *anthrenus*, εἶδος, like; a family of Coleoptera.
- Anthre'nus** (Ent.) ἀνθρηνός, a wild bee; a genus of Beetles.
- Antri'ada** (Ent.) ἀντριάς, ἀντριάδος, dwelling in caverns.
- Anthri'bua** (Ent.) αὐ neg. τρίβω, to grind down.
- Anthri'scus** (Bot.) a name given by *Pliny* to the herb chervil.
- Antro'phium** (Bot.) ἀντρόν, a cavern, φύω, to grow; from its habitat.
- Antro'stomas** (Ornith.) ἀντρόν, a cavern, στόμα, a mouth; from its wide gape; the genus of Goatsuckers, to which the Whip-poor-Will belongs.
- Anthropi'thecus** (Zool.) ἀνθρωπός, a man, μιθκός, an ape.
- Anthropoi'd** (Zool.) ἀνθρωπός, a man, εἶδος, resembling.
- Anthus** (Ornith.) *Lat.* a titlark or pipit.
- Anthyllide'lla** (Ent.) feeds on the kidney-wetch, *Anthyllis vulneraria*.
- Anthyllis** (Bot.) ἄνθος, a flower, λουλός, a beard; from the downy calyces.
- Anuga** (Ent.) ἀνικέτος, not wished for?
- A'nura** (Zool.) αὐ priv. οὐρά, a tail; an order of Batrachians.
- A'nxius** (Ent.) *Lat.* uncertain, i.e. in colour.
- Any'bia** (Ent.) P. N. *Anybis* or *Anubis*, an Egyptian deity.
- Anychia** (Bot.) from its affinity to *Paronychia*.
- Aonyx** (Zool.) αὐ priv. ὄνυξ, a claw.
- A'otes** (Zool.) αὐ priv. ὄτη, ὄτες, an ear; earlefs.
- Atotus** (Bot.) αὐ priv. ὄτη, ὄτες, the ear; having no earlike appendages to calyx.
- Apame'a** (Ent.) ἀπαγάγω, to cut off.

**Apame'idae** (Ent.) *apamea*, fam. term. *ida*.

**Apa'rgia** (Bot.) the Greek name of some plant not now known.

**Apata'nia** (Ent.) ἀπατάω, to deceive.

**Apa'te** (Ent.) ἀπάτη, stratagem.

**Apa'teon** (Fos. Zool.) ἀπατεῖν, a cheat.

**Apatu'ra** (Ent.) P. N., a surname of Venus.

**Ape'talous** } (Bot.)  $\alpha$  priv. πέταλον, a leaf.  
**Ape'talum** }

**A'pex** (Zool.) *Lat.* the point or top of a thing.

**Aphana'nthe** (Bot.) ἀφανής, obscure, ἄνθος, a flower.

**A'phanes** (Bot.) ἀφανής, obscure.

**Aphani'ptera** } (Ent.)  $\alpha$  φανίζω, to hide, πτέρον, a wing; apparently  
**Aphani'pterus** } without wings.

**Aphani'sticus** (Ent.) ἀφανίζω, to hide.

**Aphanizo'menor** (Bot.) ἀφανίζω, to hide; a genus of Confervæ.

**A'phareus** (Zool.) the word ἀφαρίειν was applied by Aristotle to the belly-fin of the female tunny; or it may be from ἀφαρής, naked.

**Aphela'ndra** (Bot.) ἀφελῆς, simple, ἀνήρ, ἀνδρος, a male; the anthers being one-celled.

**Aphe'lia** (Ent.) ἀφελῆς, plain, from the simplicity of the wing markings.

**Aphele'xis** (Bot.) ἀφελῆς, simple, εξις, habit.

**Aphelo'toma** (Ent.) ἀφελῆς, simple, τέμνω, to cut.

**Aphodi'adæ** (Ent.) *aphodius*, fam. term. *adæ*.

**Apho'dius** (Ent.) ἀφοδος, going back?

**Aphredo'derus** (Zool.) ἀφρίω, to foam, δέρω, the skin.

**Aphrites** (Zool.) ἀφεῖται, the foam-fish.

**Aphrodi'te** (Zool.) P. N., the Greek name of Venus. In its application to a sea-worm there may be some allusion to the supposed derivation from ἀφεῖται, "foam of the sea." Hesiod calls Venus ἀφεγγένεια, "foam-sprung."

**Aphylla'nthes** (Bot.) ἀφυλλος, leafless, ἄνθος, a flower.

**Aphy'llous** (Bot.)  $\alpha$  neg. φύλλον, a leaf; leafless.

**Apia'ster** (Ornith.) *Lat.* a bee-eater.

**Apica'lis** (Ent.) *apex*, a point.

**Apica'ta** (Ent.) *Lat.* adorned as it were with a cap or mitre (*apex*); conically pointed.

**Apice'lla** (Ent.) dim. of *apex*—the apex of the wing is bright ochreous.

**Aplicia'ria** (Ent.) *apex*, the top; from the direction of its streaks.

**Api'era** (Bot.)  $\alpha$  neg. πικός, bitter.

- A'pidæ (Ent.) *apis*, fam. term. *idæ*.
- Apifo'rmis (Ent.) *apis*, a bee, *forma*, resemblance.
- Apilo'lius-a-um (Bot.) *apium*, *folia*, leaves; parsley-leaved.
- Apis (Ent.) *Lat.* a bee; probably from ἀπῶς, without feet, in allusion to their appearance in the pupal state; or from the old word *apio*, to cling, in reference to the curtain formed by the bees.
- A'pitæs (Zool.) ἀπίστος, not to be trusted.
- A'pium (Bot.) *apex*, the summit or crown of the head, because the head was crowned with it in the ancient triumphs; some, however, deduce it from the Celtic *apón*, water, in allusion to its common habitat; parsley and celery.
- Api'vorus (Ornith.) *apis*, a bee, *voro*, to eat.
- Apple (Bot.) Anglo-Sax. *apl*.
- Apla'na (Ent.) *ad*, *planus*, even, flat.
- Aple'cta (Ent.)  $\alpha$  priv. πλεκτής, folded; because the wings are not wrinkled.
- Apli'dium (Zool.) ἀπλόῦς, simple.
- Aplocne'mus (Ent.) ἀπλαῖς, simple, κνήμη, the leg.
- Aplodi'ctylus (Zool.) ἀπλαῖς, simple, δακτυλος, a finger.
- Aplode'rurus (Ent.) ἀπλαῖς, simple, δηξίς, long.
- Aplodo'ntia (Zool.) ἀπλαῖς, simple, οδοὺς, οδοντος, a tooth.
- Aplu'strum (Zool.) *Lat.* a ship's flag.
- Aplysia (Zool.)  $\alpha$  priv. πλύνω, to wash; the aplysia of the Greek fishermen were sponges unfit for washing.
- Apocli'sa (Ent.) ἀπὸ and κλείω, to shut or close.
- Apoory'ptes (Zool.) ἀποργύπτω, to hide from.
- Apocyna'ceæ (Bot.) *apocynum*, term. for order, *aceæ*.
- Apo'cynum (Bot.) ἀπὸ, away from, κύων, κυνος, a dog; because thought to be poisonous to them; the dogs'-bane.
- A'poda (Zool.)  $\alpha$  priv. ποῦς, ποδος, a foot; an order of Cirripedes.
- A'poda (Ornith.) ἀπῶς, αποδος, without feet; this name was given by Linnaeus to Bird of Paradise, from the circumstance that all the specimens that arrived in Europe were without feet, having been thus mutilated by the natives before drying the skins.
- A'podal (Zool.)  $\alpha$  priv. ποῦς, ποδος, a foot.
- A'podemes (Zool.) ἀποδίω, to bind fast; applied to projections of chitine, for the attachment of muscles in the Cirripedes.
- Apo'gon (Zool.)  $\alpha$  priv. πάγων, a beard.
- Apo'ica (Ent.) ἀποικία, to go away from home; its wandering habits.

- Aponoge'ton (Bot.) from Celtic *apon* or *avon*, water, γείτων, a neighbour.
- Aporo'cera (Ent.) ἀπορος, unmanageable, κεφαλη, a horn (antenna.)
- Aporo'des (Ent.) ἀπορος, stupid, dull.
- Aporophy'læ (Ent.) ἀπορος, doubtful, φυλη, a tribe.
- Aporrhais (Zool.) ἀπορριψις, to flow away; the sprout-shell.
- Appendicula'ria (Zool.) *appendicula*, a little appendage.
- Appro'ximate (Bot.) *ad*, to; *proximus*, a neighbour.
- Aprica'rius (Ent.) *aprior*, to bask in the sun.
- Apricot (Bot.) formerly spelt *aprecock*, and by our earliest writers *aprecocke*; probably from the Arabic *Bericach*, or *Bercock*, whence the Greeks probably derived their περικύκκα, and the French their *abricot*, from whom we probably derived the word. Some think it from *Lat. præcox*, being the earliest of the kind to ripen.
- Aprilina (Ent.) *Aprilis*, from the month in which it appears.
- A'prion (Zool.) & priv. πριων, a saw.
- Aprosmi'ctus (Ornith.) ἀπροσμικτος, holding no communion with; from its solitary habits.
- A'psilus (Zool.) & priv. άλες, naked, bare.
- A'pus (Ornith.) ἀπους, without feet; from appearance in flying.
- Aptenody'tes (Ornith.) ἀπτενη, unwinged, δύτης, a diver.
- Apte'mus (Ornith.) & priv. πτερη, a heel.
- Aptero'gyna (Ent.) ἀπτερος, wingless, γυν, female, i. e. the females are so.
- Aptero'peda (Ent.) ἀπτερος, unwinged, πες, pedis, a foot.
- Aptery'ginæ (Ornith.) *apteryx*, fam. term. *inæ*.
- Apteryx (Ornith.) & priv. πτερυξ, a wing; a genus of birds.
- Aphthal'michthys (Ichth.) & priv. θάλλω, to abound, ιχθύς, a fish.
- Apto'rnis (Fos. Zool.) ἀπτοναι, to grasp, σπινης, a bird.
- Apygal'lis (Ent.) & priv. πυγη, the rump.
- A'ptychus (Fos. Zool.) & priv. πτυχη, a fold, the plates or valves being without fold or hinge.
- Aqua'rtia (Bot.) P. N. from *B. Aquart*, Jacquin's companion in America.
- Aqua'ticus-a-um (Zool., Bot.) *Lat.* relating to water, aquatic.
- Aqui'ferous (Zool.) *aqua*, water, *fero*, to carry.
- Aquifolia'ceæ (Bot.) *aquifolium*, term. for nat. order *aceæ*.
- Aquifo'lium (Bot.) *acus*, a needle, *folium*, a leaf; because its leaves are prickly; the holly.
- A'quila (Ornith.) *Lat.* an eagle.
- Aquila'ria (Bot.) *aquila*, an eagle; called *bois d'aigle* by French colonists.
- Aquilaria'ceæ (Bot.) *aquilaria*, term. for nat. order *aceæ*.

- Aquile'gia (Bot.) *aquila*, an eagle, whose claws the nectaries resemble.
- Aquili'na (Ent.) *aquilus*, dark-coloured.
- Aquili'næ (Ornith.) *aquila*, fam. term. *inæ*.
- A'rachis (Bot.)  $\alpha$  priv.  $\rho\acute{a}\chi\iota$ , a branch.
- Ara'chne (Ent.)  $\rho\acute{a}\chi\iota\eta$ , a spider.
- Ara'chnida (Ent.)  $\rho\acute{a}\chi\iota\eta$ , a spider, with fam. term.; one division of the Articulata.
- Ara'chnides (Ent.)  $\rho\acute{a}\chi\iota\eta$ , a spider,  $\iota\iota\delta\delta$ , resemblance.
- Arachnothe're (Ornith.)  $\rho\acute{a}\chi\iota\eta$ , a spider, and  $\theta\acute{e}\acute{g}$ , a wild beast.
- Ara'bicus-a-um (Zool., Bot.) *Lat.* Arabian.
- Arabi'dea (Bot.) *arabit*, ordinal term. *ideæ*.
- A'rabis (Bot.) an old name of Dioscorides, now applied to the wall-crews.
- Aragua'to (Zool.) native name of one of the howling monkeys.
- Ara'lia (Bot.) *apa*, annoyance; now applied to another plant.
- Aralia'ceæ (Bot.) *aralia*, ordinal term. *aceæ*.
- Ara/neus (Zool.) *Lat.* a shrew.
- Arane'ides (Ent.) *aranea*, a spider, term, *ideæ*.
- Arara'unæ (Ornith.) from the Brazilian word *arara*; one of the Macaws.
- Arauca'ria (Bot.) from *araucanos*, its Chilian name.
- Arauca'rites (Fos. Bot.) applied to certain fossil coniferous plants resembling the *araucaria*.
- Arbo'reus-a-um (Zool. & Bot.) *Lat.* belonging to trees.
- Arbo'resent (Bot.) *arboreſcō*, to grow into a tree.
- Arbuta'na (Ent.) *arbutus*, the wild strawberry, on which it is supposed to feed.
- Ar'bütus (Bot.) the strawberry tree; from Celtic *ar boīſe*, austere bush, on account of its rough fruit.
- A'rcæ (Zool.) *Lat.* a chest or cell.
- A'rcadæ (Zool.) *arca*, fam. term. *adæ*; a family of Mollufæ.
- Arce'lla (Ent.) dim. of *arca*, a cell.
- Arceu'thina (Ent.)  $\rho\acute{a}\kappa\sigma\omega\theta\acute{h}\eta\sigma$ , belonging to the Juniper.
- Archangelica (Bot.) from its supposed *archangelic* virtues.
- Archegosau'rus (Fos. Zool.)  $\rho\acute{a}\chi\eta\gamma\acute{\eta}\sigma$ , beginning,  $\sigma\alpha\upsilon\sigma$ , a lizard; pre-medal lizard.
- Arco'pagus (Ent.)  $\rho\acute{a}\kappa\iota\omega$ , to keep off,  $\pi\acute{a}\gamma\eta$ , a snare.
- Ar'ctia (Ent.)  $\rho\acute{a}\kappa\tau\alpha$ , a bear; the larva is popularly called the "woolly bear."
- Areti'beus (Zool.)  $\rho\acute{a}\kappa\tau\sigma$ , a bear.
- Arctic'tis (Zool.)  $\rho\acute{a}\kappa\tau\sigma$ , a bear, *īrtiç*, a weasel; a genus of Mammalia, the Binturong of Nepál.

- Arc'tium** (Bot.) ἄρκτος, a bear, from the coarse texture of the involucres; the plant Burdock.
- Arctoce'phalus** (Zool.) ἄρκτος, a bear, κεφαλή, head.
- Arctocephali'na** (Zool.) *arctocephalus*, fam. term. *ina*.
- Arc'tomys** (Zool.) ἄρκτος, a bear, μῦς, a mouse; the family of Marmots.
- Arc'tonyx** (Zool.) ἄρκτος, a bear, νύξ, night; in allusion to its habits.
- Arctopithe'cus** (Zool.) ἄρκτος, a bear, πίθηκος, a monkey.
- Arc'tos** (Zool.) ἄρκτος, a bear.
- Arctosta'phylos** (Bot.) ἄρκτος, a bear, στάφυλη, a grape; equiv. to *Uva urfi*.
- Arctothe'ca** (Bot.) ἄρκτος, a bear, θήκη, a capsule, so named from the roughness of the fruit.
- Arcto'tis** (Bot.) ἄρκτος, a bear, οὖς, an ear; from the shaggy fruit.
- Ar'cuate'lla** (Ent.) dim. of *arcuatus*, curved like a bow.
- Ar'cuatus-a-um** (Zool.) *Lat.*, arched, curved, from *arcuo*, to bend like a bow.
- Arcoy'o'phora** (Ent.) ἄρχως, ἀρχών, a net, φέρω, to bear.
- A'rdea** (Ornith.) equiv. to *ardua*, fem. of *arduus*, lofty, from its high flight.
- Arde'idæ** (Ornith.) *ardea*, fam. term. *idæ*.
- Ardi'sia** (Bot.) ἀρδίς, a spear point; from the segments of corolla.
- Ardui'na** (Bot.) P. N. in honour of *Pietro Arduini*, an Italian botanist.
- Arena'ria** (Ornith. & Bot.) *arena*, sand; because growing in sandy places in the one case, and the bird frequenting similar localities in the other.
- Areno'sus** (Ent.) *Lat.* sandy.
- Are'tia** (Bot.) P. N. from *Benoit Aretius*, a Swiss botanist.
- A'rgala** (Ornith.) the native name of the Adjutant.
- Arge** (Ent.) ἀργές, white.
- Argemo'ne** (Bot.) ἀργεμόνη, from ἀργεμά, an ulcer on the eye, which it was thought to cure.
- Argenta'lis** (Ent.) *argentum*, silver; referring to colour.
- Argenta'tus** (Ornith.) *Lat.* plated with silver.
- Argente'ola** (Ichth.) *Lat.* silvered, plated with silver.
- Argentimacule'lla** (Ent.) *argentum*, silver, *macula*, a spot, dim. *ella*.
- Argenti'na** (Ichth.) *argentum*, silver; from the pearly-looking substance in the air-bladder; a genus of the family Salmonidae.
- Argentipede'lla** (Ent.) *argentum*, silver, *pēs*, a foot, dim. *ella*.
- Argen'tula** (Ent.) *argentum*, silver.
- Argillacea'lis** (Ent.) ἀργιλλάς, white clay; referring to colour of wings.
- Argi'olus** (Ent.) P. N., dim. of Argos.
- Argi'ope** (Zool.) P. N., the name of a nymph, the meaning of which is white-footed.

**Argi'va** (Ent.) Linnaeus gave this name to a division of Lepidopterous insects; it is taken from the old name of the Greeks, Argives, which is from Argos: there were several cities so called.

**Argola'sia** (Bot.) ἀργός, white, λάσιος, woolly; from outside of calyx.

**Argo'on dah** (Zool.) the native name; this word should have been written *Argunda*.

**Argona'uta** (Zool.) P. N., the Argonauts were the sailors in the ship *Argo*; applied to the Paper Nautilus.

**Argona'utidae** (Zool.) *argonauta*, fam. term. *idae*; a family of the Mollusca.

**Argu'lidae** (Zool.) *argulus*, fam. term. *idae*; a family of Entomostraca.

**A'rgulus** (Zool.) Etymology unknown to me.

**Argu'ta** (Bot.) *Lat.* clear, sharp, *i. e.* in form.

**A'rgus** (Ornith.) P. N. from *Argus*, the hundred-eyed shepherd, on account of the numerous eye-like spots on its plumage.

**Argu'tor** (Ent.) *argutus*, shrill, loud, *i. e.* the noise it makes in its flight.

**Argy'nnis** (Ent.) P. N. a surname of Venus.

**Argyra'lis** (Ent.) ἀργυρός, silver; the silvery colour of the insects.  
**Argyra'na** (Ent.)

**Argyre'sthia** (Ent.) ἀργυρός, silver, ἥθη, drefs.

**Argyresthi'i'dae** (Ent.) *argyresthia*, fam. term. *idae*.

**Argyro'come** (Bot.) ἀργυρός, silver, κόμη, hair.

**Argyrole'pia** (Ent.) ἀργυρός, silver, λέπις, a scale.

**Argyrone'ta** (Ent.) ἀργυρός, silver, νήρος, heaped up; alluding to the large silvery globules of air in which this spider envelopes itself in diving into the water.

**Argyro'peza** (Ent.) ἀργυρίπεζα, silver-footed.

**Argyroto'xa** (Ent.) ἀργυρότοξος, bearer of the silver bow, an epithet of Apollo.

**Arhi'zous** (Bot.) *a* priv., *ῥίζα*, a root.

**Arho'palus** (Ent.) *a* priv. *ῥώμαλος*, a club.

**Ariel** (Zool.) a Greek proper name; the Gazelle.

**A'ries** (Zool.) *Lat.* a ram.

**Ari'etans** (Zool.) *Lat.* butting like a ram.

**Arion** (Ent.) P. N. an ancient lyric poet.

**Ariphron** (Ent.) ἀριφράδης, easily known.

**Ari'sta** (Bot.) from *arev*, to be dry, because it is always so; the awn.

**Arista'tum** (Bot.) *Lat.* bearded, awned.

**Ariste'a** (Bot.) *arista*, a point or beard; the leaves.

**Ari'stida** (Bot.) *arista*, an ear of corn, or rather the awn or beard.

- Aristolo'chia** (Bot.) }  $\ddot{\alpha}\mu\sigma\tau\sigma$ , best,  $\lambda\omega\chi\dot{\iota}\mu\alpha$ , facilitates parturition ;  
**Aristolochia'cea** (Bot.) } from its former uses.
- Armeni'aca** (Bot.) P. N. from *Armenia*, whence it was brought.
- Arme'ria** (Bot.) Latin name for Sweet-william.
- Armerio'i'des** (Bot.) *armeria*,  $\bar{\iota}\delta\delta\sigma$ , like.
- Armi'gera** (Ent.) *armiger*, a shield-bearer.
- Armi'læ** (Ornith.) *Lat.* armlets, bracelets.
- Armora'cia** (Bot.) so named by the Romans from *Armorica* or Brittany, where it was supposed to grow abundantly.
- A'rniæ** (Ent.)  $\ddot{\alpha}\mu\pi\lambda\sigma$ , a little lamb.
- A'rnica** (Bot.)  $\ddot{\alpha}\mu\pi\lambda\dot{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , a sheep's skin, which is from  $\ddot{\alpha}\mu\pi\acute{\iota}\acute{\iota}$ , a lamb ; from the resemblance of its leaf to the soft coat of the lamb.
- Arnoglo'ssus** (Ichth.)  $\ddot{\alpha}\mu\pi\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , a lamb,  $\gamma\lambda\dot{\iota}\mu\sigma\sigma\alpha$ , a tongue.
- Arnopo'gon** (Bot.)  $\ddot{\alpha}\mu\pi\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , a lamb,  $\pi\acute{\iota}\dot{\iota}\mu\pi\pi\pi$ , a beard ; in allusion to the bearded seeds.
- Arno'tto** (Bot.) a native American name.
- Aroideæ** (Bot.) } *arum*, the wake-robin plant,  $\bar{\iota}\delta\delta\sigma$ , resemblance.  
**Aroide'ous** (Bot.) }
- Aro'ma** (Bot.)  $\ddot{\alpha}\mu\omega\mu\mu$ , a sweet-herb.
- arpa'cticus** (Zool.)  $\ddot{\alpha}\mu\pi\alpha\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , rapacious ; a genus of Entomofraca.
- Arqua'tus** (Ornith.) *Lat.* arched.
- Arrow-root** (Bot.) probably from the form of the root-stock or rhizome.
- Artabo'trys** (Bot.)  $\ddot{\alpha}\mu\pi\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , to suspend,  $\beta\acute{\iota}\pi\pi\pi\pi\pi$ , a bunch of grapes ; suggested by the mode of suspension of the fruit.
- A'rtamus** (Ornith.)  $\ddot{\alpha}\mu\pi\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , a butcher ; sometimes called the swallow-shrikes.
- Arte'dia** (Bot.) P. N. in honour of *Pietro Artedi*.
- Artemi'sia** (Bot.) P. N. from *Artemis*, the Diana of the Greeks.
- Artemisiel'la** (Ent.) feeding on the above plant.
- Artho'nia** (Bot.) unexplained.
- Arthrocl'a'dia** (Bot.)  $\ddot{\alpha}\mu\theta\pi\pi\pi$ , a joint,  $\kappa\lambda\acute{\iota}\dot{\iota}\delta\delta\sigma$ , a branch ; from its articulated frond.
- Arthrolo'bium** (Bot.)  $\ddot{\alpha}\mu\theta\pi\pi\pi$ , a joint,  $\lambda\omega\beta\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , a pod ; from the seed-vessel being jointed.
- Arthropo'dium** (Bot.)  $\ddot{\alpha}\mu\theta\pi\pi\pi$ , a joint,  $\pi\acute{\iota}\dot{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ ,  $\pi\acute{\iota}\dot{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}\acute{\iota}$ , a foot ; having jointed foot-stalks.
- Articula'ta** (Zool.) *articulatus*, jointed ; in opposition to *vertebrata* ; one of the great divisions of the animal kingdom.

- Artocarpa'cea** (Bot.) ἄρτος, bread, καρπός, fruit; the bread-fruit tree  
**Artoca'rpus** (Bot.) } and family.
- A'rum** (Bot.) ἄρυνθος, the Greek equivalent; supposed to be from an Egyptian word; the wake-robin or cuckoo-pint.
- Aruncel'la** (Ent.) frequents *Spiraea Aruncus*.
- Arundina'ceus-a-um** (Ornith., Bot.) Lat. reed-like, frequenting reeds.
- Aru'ndo** (Bot.) Lat. a reed, qu from Celtic *aru*, water.
- Arve'nsis-e** (Bot.) *arvum*, a ploughed field, referring to habitat.
- Arvicoli'na** (Zool.) *arvum*, a field, *cold*, to inhabit.
- A'saphes** (Ent.) ἀσάφης, indistinct, obscure.
- A'saphus** (Fos. Zool.) ἀσάφης, obscure; a genus of fossil Crustacea.
- Asarifo'lius-a-um** (Bot.) *asarum*, *folia*, leaves; *asarum-leaved*.
- A'sarum** (Bot.)  $\alpha$  priv. *στεφω*, to adorn; or from  $\alpha$  priv. *στεφά*, a bandage, being unfit for garlands.
- Ascalabo'tes** (Zool.) ἀσκαλαβός, the Greek name of a lizard.
- Asca'laphus** (Ornith.) ἀσχαλάψ, to be vexed.
- Asca'rides** (Zool.) plural of *ascaris*.
- Ascarici'da** (Bot.) *ascaris*, *cædo*, to kill.
- A'scaris** (Zool.)  $\alpha$  redundant, *σκαίπω*, to leap; a genus of intestinal worms.
- Asci** (Bot.) ἀσκός, a leathern bag.
- Asci'dia** } (Zool.) ἀσκός, a leather bag; a genus of Molluscs.  
**Asci'dians**
- Asci'dium** (Bot.) ἀσκίδιον, a small leather bottle; applied to the hollow receptacle called the pitcher.
- Asclepi'a'dea** (Bot.) *asclepias*, with fam. term.
- Ascle'pias** (Bot.) P. N. from *Asclepiades*, a Greek physician.
- Asooceras** (Zool.) ἀσκός, a leathern bag, *xipas*, a horn; implying, being bent on itself.
- A'scy'rum** (Bot.)  $\alpha$  priv. *σκύπω*, hard; being soft to the touch?
- Ase'llidæ** (Zool.) *acillus*, fam. term. *ide*; a family of Crustaceans.
- Ase'ilus** (Zool.) Lat. an as's colt; the name is also given to a genus of Crustaceans.
- A'semum** (Ent.) ἀσημος, without mark.
- Aset'i'gera** (Zool.)  $\alpha$  priv. *στέτα*, a bristle, *gero*, to bear.
- Ashwo'rthii** (Ent.) P. N. from the late J. H. *Ashworth*, of Manchester.
- Asidi'cola** (Zool.) ἀσίς, mud, *colere*, to inhabit.
- Asiliifo'rmis** (Ent.) *afilus*, *forma*, resemblance.
- A'silus** (Ent.) *afilus*, to assail hastily; the gad-fly.

**Asina'lis** (Ent.) *Lat.* the colour of an *afs*.

**A'sinus** (Zool.) *Lat.* the *afs*; from ἀσύν, harmlets, in reference to its disposition.

**Asipho'nida** (Zool.)  $\alpha$  priv. σιφων, a sucker; a family of Mollusca.

**Aso'pia** (Ent.) P. N., a name of Ceres.

**Asopi'idæ** (Ent.) *afopia*, fam. term. *ide*; a family of Moths.

**Aspa'lathus** (Bot.)  $\alpha$  priv. σπάν, to extract, probably in reference to the thorns.

**A'spalax** (Zool.) the Greek name for a mole.

**Aspa'ragus** (Bot.)  $\alpha$  intens. σπαραγω, to tear; Thunberg says that the “Cape asparagus” is called by the natives, *waht en beetje* (wait a bit), because its crooked thorns catch their clothes in passing.

**Aspa'sia** (Bot.) ἀσπάζομαι, to embrace; peculiar construction of flower; a genus of Orchids.

**A'sper, A'spera, A'spermum** (Zool.) *Lat.* rough.

**Aspere'lla** (Ent.) dim. of *asper*, rough.

**Asperi'llum** (Zool.) *Lat.* a watering-pot.

**Asperi'llus** (Bot.) a genus of Fungi.

**Asperococ'cus** (Bot.) *asper*, rough, *coccus*, a berry; from the appearance of its fructification.

**Asper'rimus-a-um** (Bot.) *Lat.* most rough.

**Aspersa'na** (Ent.) *asperus*, sprinkled.

**Aspe'rugo** (Bot.) *asper*, rough.

**Aspe'rula** (Bot.) dim. of *asper*, rough, *i. e.* the fruits.

**A'sphodel** } (Bot.) { ἀσφόδελος, the Greek name of the plant; from  
**Asphode'leæ** } (Bot.) {  $\alpha$  priv. σφάλλω, to supplant; a flower not to be surpassed.

**Asplan'chna** (Zool.)  $\alpha$  priv. σπλάγχνα, the viscera.

**Asplenio'lius-a-um** (Bot.) *asplenium*, *folia*, leaves; asplenium-leaved.

**Asple'nium** (Bot.) ἀσπληνον, a medicine to cure diseases of the spleen.

**Aspica'rpa** (Bot.) ἀσπίς, a shield, *καρπός*, fruit.

**Aspidi'phorus** (Ent.) ἀσπιδη-φόρος, shield-bearing.

**Aspi'dium** (Bot.) ἀσπίς, ἀσπίδος, a round shield; the indusium being of this form.

**Aspidu'ra** (Zool.) ἀσπίς, ἀσπίδος, a shield, ὄφα, a tail; a genus of Colubrine ophidians.

**Aspi'lates** (Ent.)  $\alpha$  priv. σπιλος, a spot. Pliny mentions a precious stone by this name.

**Aspis** (Ent.) ἀσπίς, a shield; from the shield-shaped mark on the forewings.

**Assafec'tida** (Bot.) probably from the Persian *lafer*, with the addition of the Latin *fatidus*, stinking. The word seems to have been introduced by the monks into the school of Salernum.

**Assimila'ta** } (Ent.) *affimilis*, resembling the neighbouring species.  
**Assi'milia** }

**Asso'nia** (Bot.) P. N. from *Ignatius de Aijo*, a Spanish botanist.

**Assu'rgent** (Bot.) *affurgo*, to rise up.

**A'stacus** (Zool.) *άστακος*, a lobster.

**Astarte** (Zool.) P. N., an antient Syro-Phoenician goddes.

**A'stata** (Ent.) *άστατος*, uncertain, unstable.

**Aste'lia** (Bot.)  $\alpha$  priv. *στίλχος*, a stem.

**Aste'ima** (Bot.)  $\alpha$  priv. *στίλμα* or *στίμμα*, a crown; in allusion to the fruit.

**A'stenus** (Ent.)  $\alpha$  neg. *στενός*, narrow.

**Asteph'anos** (Bot.)  $\alpha$  priv. and *στιλίδος*, a crown, in reference to the stamens.

**A'ster** (Zool., Bot.) *άστρη*, a star.

**Asteraca'ntha** (Bot.) *άστρη*, a star, and *ἄκανθα*, a spine.

**Asteri'adæ** (Zool.) *asterias*, fam. term. *ade*.

**Aste'rias** (Zool.) *άστρη*, a star; a genus of Star-fishes.

**Aste'ricum** (Bot.) *άστρη*, a star; from the form of its flowers.

**A'steris** (Ent.) feeds on *After Chinensis*.

**Astroceph'alus** (Bot.) *άστρη*, a star, and *κέφαλος*, a head; inflorescence.

**Asteroph'ora** (Bot.) *άστρη*, a star, and *φέρω*, to bear; a genus of Fungi.

**Astro'scopus** (Ent.) *άστρα*, the stars, *σκοπός*, a looker or watcher; from the upward-pointed attitude of the larvæ.

**A'sthena** (Ent.) *άσθενή*, weak, small.

**Asti'lbe** (Bot.) }  $\alpha$  neg. *στίλβω*, to glitter.  
**Asti'ibus** (Ent.) }

**A'stomus** (Bot.)  $\alpha$  priv. *στόμα*, a mouth.

**Astragalo'ides** (Bot.) *astragalus*, *εἶδος*, like.

**Astra'galus** (Zool.) *άστραγαλος*, the ankle-bone.

**Astra'galus** (Bot.) *άστρη*, a star, *γάλα*, milk; the milk-vetch.

**Astra'nthus** (Bot.) *άστρη*, a star, *ἀνθος*, a flower.

**Astra'ntia** (Bot.) *άστρον*, a star, *ἀντί*, comparison; referring to the umbels.

**Astrapæ'a** (Bot.) *άστραψη*, a flash of lightning; from the bright colour of the flowers.

**Astrapæ'us** (Ent.) } *άστραψη*, a flash of lightning.  
**Astra'pia** (Ornith.) }

**Astroca'ryum** (Bot.) *άστρη*, a star, *κάρυον*, a nut.

- Astrolo'ma** (Bot.) ἀστρον, a star, λαῖμα, a fringe.
- Astroph'yton** (Zool.) ἀστρίς, a star, φύρόν, a plant; a genus of Echino-dermata.
- A'stūr** (Ornith.) *Lat.* a hawk or buzzard.
- Asty'nomus** (Ent.) ἀστυνόμος, social.
- Asy'chna** (Ent.)  $\alpha$  priv. συχνός, frequent; the uncommon.
- Atala'nta** (Ent.) P. N., an antient celebrated beauty.
- A'teles** (Zool.) ἀτέλες, imperfect; applied to monkeys having only rudimentary thumbs.
- Ate'meles** (Ent.) ἀτημελής, careless.
- Ater, Atra, Atrum** (Zool., Ent.) *Lat.* black.
- Ate'rīmus** (Ent.) *Lat.* very black.
- Athali'a** (Ent.) P. N., daughter of Ahab, king of Israel.
- Athama'nta** (Bot.) P. N. from Mount *Athamas*, in Sicily.
- Atheri'na** (Ichth.) perhaps from  $\alpha$  priv. θερινός, summer-time, as I find that the fish is seldom caught except during the winter months.
- Atherospe'rma** (Bot.) ἀθέρη, an awn, σπίρα, a seed.
- Atheru'ra** (Zool.) ἀθέρη, a tuft, σύρα, a tail.
- Athe'tmia** (Ent.) ἀθετος, rejected, void.
- Athoüs** (Ent.) ἀθόης, harmlefs.
- Athri'xia** (Bot.)  $\alpha$  priv. θριξ, hair; being absent from receptacle.
- Athy'ris** (Zool.)  $\alpha$  priv. θυρίς, a door.
- Athy'rium** (Bot.)  $\alpha$  priv. θυρίς, a door.
- Athy'rma** (Ent.) ἀθυρος, without any entrance.
- Atla'nta** (Zool.) } found in the *Atlantic*; a genus and family of Mol-
- Atla'ntidæ** (Zool.) } luca.
- Atoma'lis** (Ent.) *atomus*, an atom, a speck.
- Atoma'ria** (Ent.) *atomus*, a speck; the wings being sprinkled with dark dots.
- Atopa** (Ent.) ἀτοπος, strange, out of place.
- Atractaspi'dadæ** (Zool.) }  $\alpha$ τρακτός, a spindle, ἄσπις, a snake; a genus
- Atracta'spis** (Zool.) } of Colubrine ophidians.
- Atra'ctylis** (Bot.) ἀτρακτός, a spindle; from its light stems being formerly used for making spindles.
- Atrage'ne** (Bot.) a name applied by Theophrastus to a species of Clematis.
- Atra'lis** (Ent.) *ater*, black.
- Atrapha'xis** (Bot.)  $\alpha$  priv. τρίψω, to nourish.
- Atra'tus-a-um** (Ornith.) blackened, dark-coloured.
- Atre'lla** (Ent.) *ater*, black.

- A'trica** (Ent.) *ater*, black.
- Atricapi'lla** (Ornith.) *ater*, black, *capillus*, hair.
- Atricapita'na** (Ent.) *ater*, black, *caput*, the head.
- Atrici'lla** (Ornith.) *ater*, black, and *cilla*, as in Motacilla.
- Atrico'llis** (Ent.) *ater*, black, *collum*, the neck ; alluding to the larva.
- Atricomel'la** (Ent.) *ater*, black, *coma*, hair, dim. *ella*.
- Atrifronte'lla** (Ent.) *ater*, black, *frons*, *frontis*, the brow, dim. *ella*.
- A'triplex** (Ent., Bot.) Pliny's name for the Orache, or Golden herb ; from *ater*, black.
- Atriplice'lla** (Ent.) } the insects feed upon Orache, *Atriplex*.
- Atripli'cis** (Ent.) }
- A'tropa** (Bot.) *Atropos*, one of the Fates, whose special duty it was to cut the thread of life ; on account of its deadly effects.
- A'tropos** (Zool.) P. N., one of the three Fates ; a genus of Ophidians.
- Atry'pa** (Zool.)  $\alpha$  neg. *τρύπα*, a foramen or hole.
- Atta'genus** (Ent.) *attagen*, a snipe ; snipe-shaped.
- A'ttagis** (Ornith.) *ἄτταγις*, a long-billed shore-bird, which Dr Adams thinks was the Godwit.
- Atta'lia** (Bot.) *attalicus*, brilliant, splendid.
- Attela'bidae** (Ent.) *attelabus* ; a family of Beetles.
- Atte'labus** (Ent.) the Greek name for some insect like the locust.
- Aty'pus** (Ent.)  $\alpha$  priv. *τύπος*, a representative ; a genus of Arachnida.
- Auche'nia** (Ent.) *αὐχήνη*, the throat.
- Au'cuba** (Bot.) the original Japanese name of the shrub.
- Audonina'na** (Ent.) P. N. in honour of *J. V. Audoin*, a French naturalist.
- Auguste'lla** (Ent.) dim. of *augustus*, princely.
- Aulaco'des** (Ent.) *αὐλακός*, a furrow ; a genus of Lepidoptera.
- Aulacorhy'nchus** (Ornith.) *αὐλακός*, a furrow, *ρύγχος*, a beak.
- Au'lax** (Bot.) *αὐλαξ*, a furrow ; from the appearance of the under side of the leaf.
- Au'lica** (Bot.) *Lat.* princely, courtly.
- Aura'go** (Ent.) *aurum*, gold, *i. e.* golden-coloured.
- Auranti'aca** (Zool.) *Lat.* orange-coloured.
- Aurantia'cea** (Bot.) *aurantium*, term. for order *acea*.
- Aura'ntium** (Bot.) *Lat.* an orange.
- Aurelia** (Zool.) fame as chrysalis, and refers to the golden colour.
- Aurella** (Ent.) *Lat. aureus*, of a golden colour.
- Aureola** (Ornith.) *Lat. aureolus*, golden.

- A'ureus-a-um** (Zool.) *Lat.* golden.
- Aurico'ma** (Ent.) *aurum*, gold, *coma*, hair.
- Aurico'madæ** (Zool.) *auricoma*, fam. term. *ida*; a family of Annelids.
- Auri'cula** (Zool., Bot.) *Lat.* a little ear.
- Auricu'lidae** (Zool.) *auricula*, fam. term. *ida*.
- Aurimacule'lla** (Ent.) *aurum*, gold, *macula*, a spot, dim. *ella*.
- Auris-felis** (Zool.) *Lat.* cats'-eared.
- Auris-Midæ** (Zool.) *Lat.* Midas-eared.
- Auris-Judeæ** (Zool.) *Lat.* Judas-eared.
- Auris-vulpi'na** (Zool.) *Lat.* wolf-eared.
- Aurite'lla** (Ent.) *auritus*, eared; referring to the eye-caps.
- Auri'tus-a-um** (Zool. *Lat.* eared.
- Aurive'nter** (Zool.) *aurum*, gold (colour), *venter*, the belly.
- Aurocosta'lis** (Ent.) *aurum*, gold (colour), *cofta*, the side.
- Aurogutte'lla** (Ent.) *aurum*, gold, *gutta*, a spot, dim. *ella*.
- Aurora'ria** (Ent.) P. N., from *Aurora*, the goddess of morning.
- Aurulente'lla** (Ent.) *aurulentus*, golden-coloured.
- Ausonia'lis** (Ent.)
- Austra'lis, Australe** (Ornith.) *Lat.* Southern.
- Austral'a sicus** (Zool.) *Lat.* Australasian.
- Auto'genous** (Zool.) *aīrōs*, itself, *γενέω*, to beget.
- Auto'phagæ** (Ornith.) self-feeders, applied to those birds whose young can provide for themselves early.
- Autumna'lis-e** (Bot.) appearing in Autumn.
- Avellana** (Bot.) spec. name of the hazel-nut. The more ancient name of these nuts was *Abellinae*, from the name of their country.
- Avellana'rius** (Zool.) *avellana*, a filbert.
- Avellane'lla** (Ent.) feeds on the hazel, *Corylus avellana*.
- Ave'na** (Bot.) *aveo*, to desire, because cattle are fond of it; or perhaps from *fenum*, hay.
- Ave'ntia** (Ent.) perhaps from *Mons Aventinus*.
- Aventi'idae** (Ent.) *aventia*, fam. term. *ida*; a family of Moths.
- Averrho'a** (Bot.) P. N. from *Averrhoes* of Cordova, a celebrated physician.
- Aversa'lis** (Ent.) *aversus*, turned back.
- Aversa'tus** (Ent.) *Lat.* turned away, avoided.
- Aves** (Ornith.) *Lat.* birds, pl. of *avis*, a bird.
- Avice'nna** (Bot.) P. N. in honour of *Avicenna*, a famous Persian physician.
- Avi'cula** (Zool., Ornith.) *Lat.* a little bird.

- 
- Avicu'lidae** (Zool.) *avicula*, fam. term. *idea*; a family of Mollufca.
- A'vida** (Ent.) *Lat.* greedy, voracious.
- Avoce'tta** (Ornith.) dim. formed from *avoco*, to call off.
- Awn** (Bot.) the sharp point or beard of the husk of grasses.
- Axi'lla** (Zool., Bot.) *axis*, on which a wheel revolves, *ala*, a wing; the arm-pit; the inner angle formed by a branch and the stem.
- Axillariflo'ræ** (Bot.) *axillaris, flores*, flowers; whorls of flowers axillary.
- Axilla'ris-e** (Bot.) *Lat.* axle-shaped, or growing in the axils.
- A'xogams** (Bot.) the mosses and liverworts.
- Axo'ponus** (Bot.) *ἀξων*, *axis*, *πούς*, a foot.
- Axy'lia** (Ent.) *a* intens. *ἄξιος*, wood; from its wood-like appearance.
- Axy'ris** (Bot.) *ἄξυρος*, rough, *i. e.* the leaves.
- Aye'nia** (Bot.) P. N. in honour of the *Duc D'Ayen*, of the house of Noailles.
- Aza'lea** (Bot.) *ἀζαλείας*, parched, arid; from its habitat.
- Azaleo'i'des** (Bot.) *azalea*, *ἴδης*, like; azalea-leaved.
- Aze'ta** (Ent.) *ἀζέτητος*, august, venerable; a genus of Lepidoptera.
- Azo'ricus-a-um** (Bot.) Latinized, belonging to the *Azores*.
- Azu'reous** (Ent.) *azureus*, of an azure blue colour.

- 
- Babia'na** (Bot.) derived by *Mr. J. B. Ker* from *babianer*, because the roots are the favourite food of baboons.—PAXTON.
- Babingto'nii** (Bot.) P. N. from *Dr. C. C. Babington*, of Cambridge.
- Bacca'tus-a-um** (Zool.) *Lat.* having berries; with berry-like excrescences.
- Bac'charis** (Bot.) a name given by the Greeks to a plant dedicated to Bacchus; applied to the Ploughman's spikenard, from its vinous odour.
- Bacilla'ria** (Bot.) *bacillum*, a little stick; from the arrangement of the frustules; a division of Diatomaceæ.
- Baci'llum** (Bot.) *Lat.* a wand or staff; *Ehrenberg's* term for the frustule of the Diatoms.
- Ba'ctr'a** (Ent.) P. N. from *Bactra*, the chief town of Bactria.
- Bactri'a'nus** (Zool.) *Lat.* belonging or relating to Bactria; used as the spec. name of the camel.
- Bactri'dium** (Bot.) *βάκτρον*, a staff, and *εἶδος*, resemblance; a genus of Fungi.
- Ba'ctris** (Bot.) *βάκτρον*, a cane, on account of the small stems being used for walking-sticks.

**Baculiform** (Fos. Zool.) *baculum*, a walking-stick, *forma*, shape.

**Baculite** (Fos. Zool.) *baculum*, a staff; from the straight tapering form of the shell.

**Badia'na** (Ent.) *badius*, brown, chestnut-coloured.

**Badiipenne'lla** (Ent.) *badius*, bay, chestnut-coloured, *penna*, a wing.

**Badi'ster** (Ent.) *βαδιστής*, a walker.

**Badius-a-um** (Bot.) *badius*, brown, chestnut-coloured.

**Badius** (Zool.) *Lat.* brown, chestnut-coloured.

**Bæ'ckia** (Bot.) P. N. from *A. Bæck*, a physician to the King of Sweden.

**Bæobo'trys** (Bot.) *βαϊός*, small, *βόργυτ*, a bunch of grapes.

**Bæomy'ces** (Bot.) *βαϊός*, small, *μύκης*, a fungus; a genus of Cryptogamia.

**Bæ'eria** (Bot.) in honour of *Professor Baer*, of the University of Dorpat.

**Bai'a** (Ent.) P. N., a town in Italy.

**Baillo'nii** (Ornith.) P. N. from *M. Baillon*, a French naturalist.

**Bajula'lis** (Ent.) *bajulo*, to carry a burden.

**Balæ'noiceps** (Ornith.) *balæna*, a whale, *caput*, the head; having a large head with broad depressed bill.

**Balæ'nidæ** (Zool.) *balæna*, a whale, fam. term. *ide*; a family of Mammalia.

**Balæ'nidæ** (Zool.) *balanus*, a barnacle, primarily an acorn; a division of Cirripedes.

**Balæno'ptera** (Zool.) *balæna*, a whale, *πτεξάν*, a fin; finned whale.

**Balæ'nodon** (Fos. Zool.) *balæna*, a whale, *οδούς*, *οδόντος*, a tooth.

**Ba'lanite** (Fos. Zool.) *balanus*, a barnacle.

**Balano'ides** (Zool.) *balanus*, a barnacle, *ἴδες*, resemblance.

**Ba'lanus** (Zool.) *Lat.* a barnacle, but primarily an acorn.

**Balbi'sia** (Bot.) P. N. in honour of *John Baptij Balbis*, a writer on Botany.

**Balioda'ctylus** (Ent.) *βαλιώτης*, dappled, *δάκτυλος*, a plume.

**Bali'stes** (Ichth.) *balestra*, an implement of war; from a resemblance between some part of the fish's structure to a part of a gun-lock.

**Ballo'ta** (Bot.) *βάλλω*, to reject, on account of its offensive odour; stinking horehound.

**Balsa'mita** (Bot.) *balsamum*, balm or balsam.

**Baltim'ora** (Bot.) P. N. in honour of *Lord Baltimore*, proprietor of Maryland.

**Baltimore** (Ornith.) sp. name of an American Oriole. The name was given from its black and orange plumage, these colours being the livery of *Lord Baltimore*, the former proprietor of Maryland.

- Bambu'sa (Bot.) from *Bambos*, its name in India.
- Ba'ngia (Bot.) P. N. in honour of *Christian Frederick Bang*, a botanical teacher; a genus of Cryptogamia.
- Baniste'ria (Bot.) P. N. in honour of *Rev. John Banister*, a diligent botanist.
- Ba'nsksia (Bot.) P. N. in honour of *Sir Joseph Banks, Bart., F.R.S.*, a distinguished patron of the Natural History Sciences.
- Ba'nsksia (Ent.) P. N. in honour of *Sir Joseph Banks*; a genus of Lepidoptera.
- Ba'phetes (Fos. Zool.) *βάπτω*, to dip or dive; in reference to the depth of its position and the shape of its head.
- Bapti'sia (Bot.) *βάπτω*, to dye, alluding to the application of some species.
- Barba'lis (Ent.) *barba*, a beard, alluding to a tuft upon the fore-feet.
- Barbare'a (Bot.) P. N. on account of its having been formerly called the herb of St. Barbara.
- Ba'rbarus (Zool.) *Lat.* relating to Barbary.
- Barbaste'llus (Zool.) *French*, *barbastelle*.
- Barba'tulus (Ichth.) *Lat.* having a little beard.
- Barbatus-a-um (Zool., Ornith., Bot.) *Lat.* bearded.
- Ba'rbus (Ichth.) *Lat.* the barbel; from the fish having a pendent beard.
- Barke'ria (Bot.) P. N. in honour of *George Barker, Esq.*, of Springfield, Birmingham.
- Barle'ria (Bot.) P.N. in honour of the *Rev. James Barrelier*, a Dominican, and M.D. of Paris.
- Barley (Bot.) from *beard* and *ley*, i. e. *lea*, or "bearded graft."
- Ba'rnaclie (Zool.) *Sax.* *bearn*, child, *aac*, oak, expressive of the old belief that the barnacle or acorn-shell grew on trees.
- Barringo'nia (Bot.) P. N. from the *Hon. Daines Barrington, F.R.S.*
- Bartholi'na P. N. in honour of the celebrated Danish anatomist and physiologist, *Thomas Bartholin*.
- Barto'nia (Bot.) P. N. in honour of *Dr. B. S. Barton*, a botanist in Philadelphia.
- Bartra'mia (Bot.) P. N. from *John Bartram*, an American botanist; a genus of Mosses.
- Ba'rtisia (Bot.) P. N., dedicated by Linnæus to his friend *John Bartfch, M.D.*
- Baryno'tus (Ent.) *βαρύς*, heavy, *νῶτος*, the back.
- Basa'lis (Ent.) *basis*, the base of the wing.

- Base'lla (Bot.) its native Malabar name.
- Ba'sil (Bot.) from  $\beta\delta\sigma\iota\lambda\iota\nu\varsigma$ , a king, because formerly esteemed so highly that its use was limited to royal tables.
- Basili'nea (Ent.) *basis*, a base or border, *linea*, a line; in allusion to a wing-mark.
- Basilosa urus (Fos. Zool.)  $\beta\delta\sigma\iota\lambda\iota\nu\varsigma$ , king,  $\sigma\alpha\iota\varsigma\sigma\varsigma$ , a lizard, i. e. king of the Saurians.
- Bassa'na (Ornith.) from being found in great numbers on the *Bassi*-rock, in the Firth of Forth.
- Ba'ssaris (Zool.)  $\beta\alpha\sigma\sigma\alpha\varsigma\mu\alpha$ , a fox.
- Ba'ssia (Bot.) P. N. in honour of *Ferdinando Baffi*, curator of the Botanic Garden at Bologna.
- Bata'ra (Ornith.) name applied by the Guaranis of South America to the birds of the genus *Thamnophilus*.
- Bata'tas (Bot.) a native Mexican name; the sweet-potato.
- Bathye'rgidæ (Zool.) *bathyergus*, fam. term. *idæ*.
- Bathye'rgus (Zool.)  $\beta\alpha\theta\iota\varsigma$ , deep,  $\iota\pi\gamma\varsigma\sigma$ , a work (of industry); applied to the sand-mole.
- Bathygna'thus (Fos. Zool.)  $\beta\alpha\theta\iota\varsigma$ , deep,  $\gamma\acute{a}\theta\sigma\varsigma$ , the jaw.
- Batilla'ria (Zool.) *batilla*, a shovel, from the lengthened form of the shell, and the conformation of the base of the aperture.
- Ba'tis (Ent.)  $\beta\acute{a}\tau\varsigma$ , a bramble, on which the larva feeds.
- Bato'des (Ent.)  $\beta\alpha\tau\acute{a}\beta\eta\varsigma$ , overgrown with thorns; from certain projections.
- Batono'ta (Ent.)  $\beta\acute{a}\tau\varsigma\sigma$ , a thorn,  $\nu\tilde{\omega}\tau\varsigma$ , the back; applied to the thorn-backed *Casida*.
- Batrache'dra (Ent.)  $\beta\acute{a}\tau\pi\chi\sigma\varsigma$ , a frog,  $\iota\delta\varsigma\mu\alpha$ , a seat, from the singular sitting position of the insect.
- Batra'chnis (Fos. Zool.)  $\beta\acute{a}\tau\pi\chi\sigma\varsigma$ , a frog,  $\iota\chi\sigma\varsigma$ , footprint; fossil frog-like footprints.
- Batra'cholites (Fos. Zool.)  $\beta\acute{a}\tau\pi\chi\sigma\varsigma$ , a frog,  $\lambda\iota\theta\sigma\varsigma$ , a stone.
- Batrachospe'rnum (Bot.)  $\beta\acute{a}\tau\pi\chi\sigma\varsigma$ , a frog,  $\sigma\pi\iota\mu\mu\alpha$ , a feed, from growing in marshes; a genus of Algae.
- Bat'schia (Bot.) P. N. in honour of *John George Batsch*, a Professor of Botany in Germany.
- Bau'era (Bot.) P. N. in honour of *Francis and Ferdinand Bauer*, celebrated German botanical draughtsmen.
- Bauhi'nia (Bot.) P. N. in honour of *John and Caspar Bauhin*, botanists of the sixteenth century.
- Baumannia'na (Ent.) P. N. in honour of Senator *Baumann*, of Leipzig.

- Béania (Zool.) P. N. in honour of *Mr. William Bean*, of Scarborough, a most laborious, intelligent, and successful naturalist; a genus of Polyzoa.
- Bear (Zool.) *Anglo-Sax. bera*; *Germ. bar*; *Dutch, bear*.
- Beast (Zool.) *Lat. bestia*; *Ital. and Sp. bestia*; *Fr. bête*; *Dutch, beefst.*
- Beaufortia (Bot.) P. N. in compliment to *Mary, Duchess of Beaufort*, a botanical patroness.
- Be'aver (Zool.) *Lat. fiber*; *Anglo-Sax. befer*; *Germ. biber*; *Dutch, bever*; *Fr. bœvre*.
- Becafico (Ornith.) *Ital. beccafico*, from *bucare*, to peck.
- Beche-de-mer (Zool.) *Fr. sea-spade*; applied to the prepared sea-cucumber or trepang; a species of Holothuria.
- Be'chei (Fos. Zool.) P. N. in honour of *Sir H. de la Beche*.
- Bechsteinii (Zool.) P. N. in honour of —— *Bechstein*, a German naturalist.
- Beckma'nnia (Bot.) P. N. in honour of *Beckman*, author of "The History of Inventions."
- Bede'llia (Ent.) P. N. in honour of *Mr. George Bedell*, of London.
- Bed-straw (Bot.) the popular name of certain plants, particularly *Galium verum*, from their use in olden times.
- Bee (Ent.) *Anglo-Sax. bee*; *Dutch, bie*.
- "So work the honey bees,  
Creatures that by a ruling nature teach  
The art of order to a peopled kingdom." —SHAKSPEARE.
- Beech (Bot.) *Anglo-Sax. bece* or *boc*; *Germ. büche*; *Dutch, buche*.
- Beet (Bot.) *Lat. beta*; *Germ. bette*; *Fr. bette*.
- Beetle (Ent.) *Anglo-Sax. bell* or *bitel*.
- Bego'nia (Bot.) P. N. given by Linnæus in honour of *Michael Begon*, a promoter of Botany.
- Beja'ria (Bot.) P. N. in honour of *M. Bejar*, a Spanish botanist.
- Belcheri (Zool.) P. N. in honour of *Sir E. Belcher, R.N.*
- Belemnite (Fos. Zool.) *βελεμνίτης*, a dart; a genus of tapering dart-like fossils.
- Belemnote'uthis (Fos. Zool.) *ειδεψορος*, a dart, *τευθίς*, a cuttle-fish.
- Bellado'nna (Bot.) *Ital. beautiful lady*; refers to the use once made of its berries by the Italian ladies as a cosmetic.
- Be'llii (Zool.) P. N. in honour of *Thomas Bell, Esq., F.R.S.*
- Be'llis (Bot.) *Lat. a daisy*, so called from its beauty.
- Be'llium (Bot.) *bellis*, a daisy, from some similarity of flowers.
- Be'llulus (Zool.) *Lat. pretty, elegant*.
- Bel'one (Ichth.) *βελώνη*, a needle or spear-head; an old name of a fish; the sea-pike.

- Belo'nia (Bot.) βελόνη, a needle or spear-point; a genus of Algæ.
- Belonoga'ster (Ent.) βελόνη, a spear-point, γυαστής, the belly; a genus of Hymenoptera.
- Belop'tera (Fos. Zool.) βέλος, a dart, πτερίς, a wing; a pointed fossil, having a wing-like projection or process on each side.
- Beloteu'this (Fos. Zool.) βέλος, a dart, ταύθις, a cuttle-fish.
- Be'mbex (Ent.) βίμβιξ, a buzzing insect; a genus of Hymenoptera.
- Bembi'cidæ (Ent.) bembex; a family of Hymenoptera.
- Bembicifor'mis (Ent.) bembex, a Hymenopterous insect, *forma*, shape.
- Bembidi'ides (Ent.) a group of Coleopterous insects, of which *bembidium* is the type.
- Bembi'dium (Ent.) βίμβιξ, εἶδος, little bembix.
- Bembycifo'rmis (Ent.) resembling a *bembex*, one of the Aculeate Hymenoptera.
- Benedictus (Bot.) special name of a Centaurea, obtained its name from the extraordinary medical virtues it was thought to possess.
- Bengale'nsis (Zool.) Lat. belonging to Bengal.
- Berbera'ta (Ent.) feeds on *Berberis vulgaris*, the Berberry.
- Be'rberis (Bot.) from *berberis*, its Arabic name.
- Berbery (Bot.) Lat. *berberis*; Arabic, *berberys*.
- Berckle'ya (Bot.) P. N. in honour of John Lefranc de Berckley, a Dutch botanist.
- Bérgamot (Bot.) the variety of *Citrus Medica* from which this perfume is obtained, was first cultivated at Bergamo in Italy.
- Bergmannia'na (Ent.) P. N. in honour of T. O. Bergmann, a Swedish entomologist.
- Berkeleya (Bot.) P. N. in honour of Rev. M. J. Berkeley, a well-known writer on cryptogamic botany.
- Berna'rdus (Zool.) P. N. from St. Bernard of Menthon, the benevolent founder of the Great and Little St. Bernard.
- Beroë (Zool.) P. N. taken from Ovid; the nurse of Semele, the mother of Bacchus; applied to a genus of marine animals.
- Bero'ssus (Ent.) P. N., one of Pliny's names arbitrarily applied.
- Berry (Bot.) Anglo-Sax. *beria*, *berga*, a grape or berry, from *beran*, to bear.
- Bertholle'tia (Bot.) P. N. in honour of Berthollet, the celebrated chemist.
- Berycidæ (Ichth.) *Beryx*, fam. term. *ide*; a family of Acanthopterygian fishes.
- Berylla'lis } βέρυλλος, *beryllus*, were the names given by the ancients to  
Beryllus } precious stones of a sea-green colour.

**Beryx** (Ichth.)

**Besle'ria** (Bot.) P. N. in honour of *Basil Besler*, an apothecary at Nuremberg.

**Besse'ra** (Bot.) in honour of *Dr. Beffer*, a German botanist.

**Beta** (Bot.) the word is used by Pliny, Cicero, and Martial, and was probably applied to our *beet*; certainly it was insipid: "ut sapiant fatuæ fabrorum prandia betæ." Mart. xiii. 13.

**Betcke'a** (Bot.) in honour of *M. Betcke*, who has described many species of Valerianella.

**Be'tel** (Bot.) an Indian name.

**Beto'nica** } from *beautonie* its Celtic name; or perhaps from the antient  
Be'tony } *Vetttones*.

**Be'tula** (Bot.) from *betu*, its Celtic name.

**Betula'ria** (Ent.) *betula*, a birch-tree, on which the insect was erroneously thought to feed.

**Be'tulæ** (Ent.) feeds on the *Betula alba*, the birch.

**Betuleta'na** (Ent.) *betula*, a birch-tree.

**Betulletel'l'a** (Ent.) *betuletum*, a birch-grove.

**Betuli'cola** (Ent.) *betula*, birch, *colere*, to frequent.

**Bewic'kii** (Ornith.) P. N. in honour of the celebrated *Bewick*, of Newcastle.

**Beyric'hia** (Fos. Zool.) P. N. in honour of *M. Beyrich*, a German geologist.

**Bezoar** (Zool.) from the Arabic *bâd-zahr*, poison-expeller.

**Bi** (Zool., Bot.) *bit*, twice; a prefix implying two, twice, or in twos, as *bimana*, two-handed, *biennial*, living for two years, *bifurcate*, two-forked, &c.

**Biaculeatus** (Ichth.) *bi*, two, *aculeati*, pointed, stinging.

**Biarti'culata** (Zool.) *bis*, twice, *articulatus*, jointed.

**Bias'tes** (Ent.) *βιαστής*, strong, forceful; a genus of Diptera.

**Biatome'lla** (Ent.) *bis*, twice, *atomus*, a speck.

**Biauri'culate** (Zool.) *bis*, twice, *auricula*, an auricle or little ear,

**Bi'bio** (Ent.) *βιβίω*, to take large strides.

**Bibio'nidæ** (Ent.) a sub-family of dipterous insects, of which *bibio* is the type.

**Bibitrix** (Ent.) *βιβίω*, to take long strides.

**Bibos** (Zool.) a genus of Ruminant animals.

**Bibro'nii** (Zool.) P. N. in honour of *M. Bibron*, joint author of the "Erpetologie Générale."

**Bibulous** (Zool., Bot.) *bibulus*, absorbing moisture, from *bibo*, to drink.

**Bica'psular** (Bot.) *bis*, twice, *capsula*, a little box; having two capsules.

- Bicaud'alis** (Zool.) *bis*, double, *cauda*, a tail.
- Bicolor** (Ornith., Ent., Bot.) *Lat.* of two colours,
- Bicolora'go** } (Ent.) *bicolor*, of two colours.
- Bicolora'lis** } (Ent.) *bicolor*, of two colours.
- Bicornis** (Zool., Ent., Bot.) *bis*, twice, *cornu*, a horn.
- Bicu'spid** (Zool., Ent., Bot.) *bis*, twice, *cuspis*, the point of a spear ; in the case of the insect, from having double-tailed larvæ.
- Biddulphia** (Bot.) a genus of Diatoms.
- Bidens** (Bot.) *bis*, twice, *dens*, a tooth, alluding to the seed.
- Bidentatus-a-um** (Zool., Ent., Bot.) *bidens*, having two teeth ; in the case of the insect, from the form of the wings.
- Biennial** (Bot.) *bis*, *annus*, a year ; living two years.
- Bifascia'lis**
- Bifascia'na** } (Ent.) *bis*, twice, *fascia*, a band ; having two stripes.
- Bifascia'ta**
- Bifida** (Ent.) } *bifidus*, cleft in two.
- Bifid** (Zool., Bot.)
- Bif'orate** (Zool.) *bis*, twice, *foris*, a door ; having two openings.
- Biformis-e** (Bot.) *Lat.* two-shaped.
- Bifrons** (Ent.) *bis*, twice, *frons*, the forehead.
- Bifu'rcated** } (Zool., Bot.) *bis*, twice, *furca*, a fork ; having two heads or branches.
- Bige'minal** (Zool.) *bis*, twice, *gemini*, twins ; implying arrangement in pairs.
- Bigno'nia** (Bot.) P. N. in honour of *M. Bignon*, a celebrated French writer.
- Bignonia'ceæ** (Bot.) *bignonia*, term. for natural order, *aceæ*.
- Bigoroon** (Bot.) a cherry is so called from *Bigorre*, the French province where it is grown.
- Biju'gate** (Bot.) *bis*, double, *jugum*, a yoke ; from the pinnate leaves consisting of two pairs of leaflets.
- Bila'biate** (Bot.) *bis*, twice, *labium*, a lip ; two-lipped.
- Bilamella'tus** (Bot.) *bis*, twice, *lamella*, a little plate.
- Bila'teral** (Zool., Bot.) *bis*, twice, *latus-eris*, the side.
- Bi'berry** (Bot. *Sax. bilig*, a bladder, and *berry* ; one of the names of the *Vaccinium myrtillus*.
- Bili'gula** (Ent.) *bis*, two, *ligula*, a strap ; in allusion to wing-markings.
- Billinea** (Ent.) *bis*, twice, *linea*, a line, *i. e.* on the wings.
- Billinea'ta** (Ent.) *bis*, twice, *lineatus*, lined, ruled.

- Bili'tura (Ent.) *bis*, twice, *litura*, a blot or smear, *i.e.* on the wings.  
 Biliz (Ent.) *Lat.* having a double thread.  
 Biloculi'næ (Zool.) *bis*, twice, *loculus*, a small compartment.  
 Bimacula'na (Ent.) *bis*, twice, *macula*, a spot.  
 Bimacula'tus (Ichth.) *bis*, twice, *macula*, a spot, two-spotted.  
 Bimaculo'sa (Ent.) *bis*, twice, *maculosis*, spotted.  
 Bima'na (Zool.) *bis*, twice, *manus*, a hand; having two hands.  
 Bi'rary (Zool., Bot.) *bini*, two and two, arranged in pairs.  
 Bi'nneyi (Fos. Zool.) P. N. from *E. Binney*, the geologist, of Manchester.  
 Bino'culus (Zool.) *bis* twice, *oculus*, an eye; a genus of Phyllopods.  
 Bino'mial (Zool.) *bis*, *nomen*, a name; the system of Linnæus which gives  
     two names to each animal or plant, the first to imply *genus*, the other  
     *species*.  
 Binotapenne'lla (Ent.) *bis*, twice, *nota*, a mark, *penna*, a wing.  
 Biocula'tus (Zool.) *bis*, twice, *oculus*, an eye.  
 Bio'logy (Zool.) *bios*, life, *λόγος*, a discourse or doctrine; the science  
     of life.  
 Biolo'gical (Zool.) relating to biology, or the science of living things.  
 Biophlœ'us (Ent.) *βιόω*, to live, *φλοίς*, the bark of trees.  
 Biorna'ta (Ent. Bot.) *bis*, twice, *ornatus*, adorned.  
 Biparti'te (Ent., Bot.) *bis*, twice, *partita*, divided.  
 Bipe'ltae (Zool.) *bis*, double, *pelta*, a target or buckler; two-shielded.  
 Bipes (Zool.) *bis*, twice, *pes*, a foot; having two feet.  
 Bipi'nnate (Bot.) *bis*, double, *pinna*, a leaflet.  
 Bipla'ga (Ent.) *bis*, twice, *plaga*, a stripe.  
 Biplica'tus (Zool.) *bis*, twice, *plicatus*, folded.  
 Bipuncta'ria } (Ent.) *bis*, twice, *punctatus*, dotted.  
 Bipuncta'ta } (Ent.) *bis*, twice, *punctum*, a spot.  
 Bipunctell'a (Ent.) *bis*, twice, *punctum*, a spot.  
 Bipunctidae'tylus (Ent.) *bis*, twice, *punctum*, a dot, *dactylus*, a plume.  
 Bipuncti'na } (Ent.) *bis*, twice, *punctum*, a dot.  
 Bipuncto'sa } (Ent.) *bis*, twice, *punctum*, a dot.  
 Birch (Bot.) *Anglo-Sax. biree*; *Dutch, berke*; *Germ. birke*; it is thought to be  
     from *brechen*, to be bright.  
 Bird (Ornith.) *Anglo-Sax. bird* or *bridde*, from *brædan*, to spread out.  
 Birdel'læ (Ent.) P. N. in honour of the late *C. S. Bird*, of Liverpool.  
 Bisoute'læ (Bot.) *bis*, twice or double, *scutella*, a saucer; from the form of  
     the feed-vessel when bursting.  
 Biselliæ'læ (Ent.) dim. of *bisellium*, a seat of honour.

**Bironæ'a** (Bot.) P. N., dedicated to *Antoine Birone Bernardi*, a Professor of botany in Sicily; a genus of Cruciferae.

**Biser'rula** (Bot.) *bis*, twice, *ferrula*, a small saw; the pods being furnished with teeth something like a saw.

**Biseta'ta** (Ent.) *bis*, twice, *seta*, a bristle.

**Bi'son** (Zool.) the name is derived from the flesh smelling of musk, the native name of which is *bifam*.

**Bisontel'la** (Ent.) *bisaw*, the bison, in allusion to the thick antennæ.

**Bi'ston** (Ent.) P. N. from *Biston*, a Thracian; the *Bistons* were a tribe dwelling between Mount Rhodope and the Ægean sea.

**Bi'stort** (Bot.) *bis*, twice, *tortus*, twisted; from its crooked root.

**Bistria'ris** (Ent.) *bis*, twice, *stria*, a furrow; in allusion to wing-markings.

**Bistriga'ta** (Ent.) *bis*, twice, *striga*, a stripe or furrow; referring to wing-markings.

**Bistrigella** (Ent.) *bis*, twice, *striga*, a streak, a stripe.

**Bisuffarciana'tus** (Fos. Zool.) *bis*, twice, *suffarcino*, to stuff full; double stuffed or swollen.

**Bisulcatus** (Zool.) *Lat.* having two furrows.

**Bitænia'tus** (Ichth.) *bis*, twice, *tænia*, a fillet; having two villi below the lateral line.

**Bi'toma** (Ent.) *bis*, twice, *roué*, a cut.

**Bittern** (Ornith.) *Ital. bittore*; *Span. bitor*; *French, butor*; *Dutch, buitor*; formerly spelt *bittore* and *bittour*.

“ And as a *bittore* bumbleth in the mire.” —CHAUCER.

“ And as a *bittour* bumps within a reed.” —DRYDEN.

**Biundula'ria** (Ent.) *bis*, twice, *undulatus*, marked with wavy lines.

**Bivalve** } *bis*, twice, *valva* or *volva*, because they fold inwards.  
**Biva'lular**

**Bi'xa** (Bot.) a native South American name.

**Blackwa'llii** (Zool.) P. N. in honour of *William Blackwall*, of Llanrwst, a writer on the Arachnida.

**Blackwe'llia** (Bot.) P. N. in honour of *Elizabeth Blackwell*, artist, and authoress of a celebrated Herbal.

**Blæ'ria** (Bot.) P. N. in complement to *Patrick Blair*, a physician at Boston, in Lincolnshire.

**Bla'kea** (Bot.) in honour of *Martin Blake*.

**Blanda'lis** (Ent.) *blandus*, smooth.

**Blandfor'dia** (Bot.) P. N. in honour of *George, Marquis of Blandford*.

**Blandia'ta** } (Ent.) *blandus*, winning, pleasing.  
**Blandi'atrix**

- Blandi'na (Ent.) P. N. from one of the early Christian martyrs.
- Blaps (Ent.) *βλάπτω*, to damage or hurt; a genus of Heteromerous coleoptera.
- Blapsidae (Ent.) *blaps*, fam. term. *ide*.
- Bla'stoderm (Zool.) *βλαστάνω*, to germinate, *δέρμα*, the skin; equiv. to the germinal membrane.
- Bla'tta (Ent.) *βλάττω*, to hurt or injure; the cockroach.
- Bla'ttidæ (Ent.) *blatta*, fam. term. *ide*.
- Ble'chnum (Bot.) *βλαχνόν*, a Greek name for a fern.
- Ble'chum (Bot.) taken from the Greek name of a plant resembling marjoram.
- Ble'mus (Ent.) *βλῆμα*, a wound.
- Ble'nnius } (Ichth.) *βλεινος*, antient name of a fish, from *βλέψιν*, mucus.
- Blenny }
- Blephili'a (Bot.) *βλεφαρίς*, the eyelash, from the petals being fringed; a genus of Labiateæ.
- Blepti'na (Ent.) *βλεπτός*, worth seeing.
- Bletia (Bot.) P. N. in honour of *Don Louis Blet*, a Spanish physician and botanist.
- Bli'ghia (Bot.) P. N. in honour of *Captain Bligh*, who first carried the bread-fruit to the West Indies.
- Blinks (Bot.) because it opens and closes its little white flowers, with sun and shade, like winking.
- Bli'tum (Bot.) the name *βλίτος* was given by the antients to some unrecognized plant, perhaps the strawberry-blite.
- Blumenba'chia (Bot.) etymology same as following; a genus of Loasaceæ.
- Blumenba'chii (Zool.) P. N. from *J. F. Blumenbach*, the celebrated physiologist.
- Boa (Zool.) Pliny's name for a large snake; a genus of Ophidians.
- Boar (Zool.) *Anglo-Sax. bar*; *Latin, aper*; *Sanskrit, varaha*.
- Boar'mia (Ent.) Boärmia, "the ox-yoker," an epithet of the goddess Athene.
- Boarmi'dæ (Ent.) Boarmia; fam. term. *ide*; a family of Lepidoptera.
- Boarmioides (Ent.) Boärmia, *αιδος*, like.
- Boarula (Ornith.)
- Boba'rtia (Bot.) P. N. from *Jacob Bobart*, a celebrated professor of botany at Oxford; a genus of Iridaceæ.
- Bocco'nia (Bot.) P. N. derived from a Sicilian monk and *M.D.*, named *Paolo Bocccone*.
- Bodo (Zool.) etymol. unknown to me; a genus of Infusoria.

- Boe'bers** (Bot.) P. N. from *Boeber*, a Russian professor of botany; a genus of Compositæ.
- Bochme'ria** (Bot.) P. N. in honour of *George Rudolph Bochmer*, a German botanist.
- Boerhaa'veria** (Bot.) P. N. in honour of the famous Dutch physician, *Boerhaave*.
- Bo'idae** (Zool.) *boa*, fam. term. *ide*; a family of Ophidians.
- Boisduval'li** (Ent.) P. N. from *M. Boisduval*, a French writer on the Lepidoptera.
- Bolbo'cerus** (Ent.) βολβός, a bulb, κίρας, a horn.
- Bolbophy'lum** (Bot.) βολβός, bulb, φύλλων, a leaf; from the leaves rising from a pseudo-bulb; a genus of Orchidaceæ.
- Boldo'a** (Bot.) P. N. from *D. Boldo*, a Spanish naturalist; a genus of Nyctaginaceæ.
- Bole'ti** (Ent.) *boletus*, a fungus on which it feeds.
- Boleto'bia** (Ent.) *boletus*, a mushroom, a fungus.
- Boletobi'idae** (Ent.) *boletobia*, fam. term. *ide*; a family of Lepidoptera.
- Bole'tus** (Bot.) βόλων, a clod or lump; from the irregular globular shape of this fungus.
- Bo'leum** (Bot.) βόλων, a ball, from the round pods; a genus of Cruciferæ.
- Boli'na** (Ent.) βόλων, a round mass.
- Boli'nidae** (Ent.) *bolina*, fam. term. *ide*.
- Bolino'ides** (Ent.) *bolina*, ιδος, resemblance.
- Bolito'bius** (Ent.) βόλιτος, dung, manure, βιών, to live.
- Bolitoch'ara** (Ent.) βόλιτος, dung, χάρις, a delight.
- Bolito'phagus** (Ent.) βόλιτος, dung, φάγω, to eat.
- Boliva'ria** (Bot.) P. N. from the patriot *Bolivar*; a genus of Jasminaceæ.
- Bolo'cera** (Zool.) βάλλων, to cast, κίρας, the horn.
- Bolto'nia** (Bot.) P. N. dedicated to *J. B. Bolton*, an English botanist.
- Boley'ria** (Zool.) etymology unknown; a genus of Ophidians.
- Bomba'ceæ** (Bot.) *bombax*, term. for nat. order, *aceæ*.
- Bo'mbax** (Bot.) βόμβυξ, the silk-worm, in allusion to the flocculent pods: the silk-cotton tree.
- Bombina'tor** (Zool.) *bombio*, to buzz.
- Bo'mbus** (Ent.) βέμπος, a buzzing noise; a genus of Hymenoptera.
- Bombyca'lis** (Ent.) having a resemblance to *bombyx*.
- Bo'mbyces** (Ent.) pl. of *bombyx*.
- Bomby'cidæ** (Ent.) a family of Lepidoptera, of which the genus *Bombyx* is the type.

- Bombyci'vora (Ornith.) *bombyces*, moths, *vora*, to devour.
- Bombycoi'dæ (Ent.) a family of Lepidoptera resembling the *bombyces*; the hairy larvæ being easily mistaken for those of *bombyces*.
- Bombylifor'mis (Ent.) *bombylius*, a family of Diptera, *forma*, resemblance.
- Bom'byx (Ent.) βούβηξ, a silk-worm.
- Bonapa'rtea (Bot.) P. N. in honour of *Napoleon Bonaparte*.
- Bona'sus (Zool.) βοῦστος, applied by *Aristotle* to a wild ox.
- Bona'tea (Bot.) P. N. from *M. Bonat*, a celebrated botanist and professor at Padua; a genus of Orchidaceæ.
- Boni'to (Ichth.) the Spanish name of the fish.
- Bonna'ya (Bot.) P. N. from — *Bonnay*, a German botanist; a genus of Schrophulariaceæ.
- Bonnemaiso'nia (Bot.) P. N. from *M. Bonnemaison*, a French cryptogamic botanist; a genus of Cryptogamia.
- Bonne'tia (Bot.) P. N. from *Charles Bonnet*, a celebrated French naturalist; a genus of Ternstromiaceæ.
- Bonpla'ndia (Bot.) P. N. in honour of *M. Bonpland*, the companion of Humboldt.
- Bo'ntia (Bot.) P. N. from *James Bont*, a Dutch physician; a genus of Myoporaceæ.
- Booby (Ornith.) *Germ. bube*; *Span. bobo*, dunce, *bubo*, an owl; in consequence of the bird's stupidity.
- Boödon (Zool.) βοῦς, an ox, δόν, δόντος, a tooth; a genus of Colubrine ophidians.
- Boö'pis (Ent.) βοῶπις, ox-eyed.
- Boöps (Zool.) βοῶπις, ox-eyed.
- Bora'go (Bot.) βορά, food, from the nourishing qualities of the plant.
- Bora'ssus (Bot.) βοραστος, the date; the Palmyra or Fan-palm.
- Borbo'nia (Bot.) P. N. from *Gaston de Bourbon*, Duke of Orleans, son of Henry IV. of France.
- Borea'ta (Ent.) *Boreas*, the north wind.
- Bo'reus (Ent.) *Boreas*, the north; from the insect having always been found in the winter.
- Borkhau'sia (Bot.) P. N. from *Moritz Borkhausen*, a German professor of botany; a genus of Compositeæ.
- Boro'nia (Bot.) P. N. in memory of *Francesco Boroni*, an Italian attendant of Dr. Sibthorp.
- Borre'ra} (Bot.) P. N. in honour of *J. W. Borrer*, F.L.S., an eminent  
Borre'ri} cryptogamist.

- Borre'ria** (Bot.) same etymol. as *Borrera*; a genus of Cinchonaceæ.
- Bory'a** (Bot.) P. N. in honour of *Colonel Bory de St. Vincent*, a French traveller, and promoter of natural history.
- Bory'phora** (Ent.)  $\beta\sigma\pi\alpha$ , food,  $\phi\pi\varphi\omega$ , to carry.
- Bos** (Zool.) *Lat.* a bull or ox.
- Bo'schas** (Ornith.) applied by Aristotle to a kind of duck; literally, "well-fed," from  $\beta\sigma\pi\omega$ , to feed.
- Bo'scia** (Bot.) P. N. in honour of *Louis Boſc*, a French agriculturist.
- Bo'sea** (Bot.) P. N. in honour of *Ernest Gottlieb Boſe*, a German botanist.
- Bose'laphus** (Zool.) *bos*, an ox, *elephas*, an elephant; used for the Eland.
- Bo'smina** (Zool.) P. N. from *Boſmina*, the daughter of Fingal.
- Bossie'a** (Bot.) P. N. in honour of *M. Boffeau Lamartinière*, a French naturalist, who accompanied the unfortunate La Perouse round the world.
- Bostri'chidæ** (Ent.) *hostrichus*, fam. term. *ida*.
- Bostri'chus** (Ent.)  $\beta\sigma\pi\tau\rho\xi\zeta\sigma$ , a lock of hair.
- Boswe'llia** (Bot.) P. N. from *Dr. John Boswell* of Edinburgh; a genus of Burseraceæ.
- Botany** (Bot.)  $\beta\sigma\tau\alpha\eta$ , a plant.
- Bota'urus** (Ornith.)  $\beta\sigma\alpha\omega$ , to call out,  $\tau\alpha\pi\omega\sigma$ , a bull; from the resemblance of the cry of the bittern to a bull's bellowing.
- Bothre'nchyma** (Bot.)  $\beta\delta\theta\pi\sigma$ , a pit or cavity,  $\xi\chi\mu\mu\alpha$ , an infusion, juice; vasiform or pitted tissue.
- Bothrio'phalus** (Zool.)  $\beta\delta\theta\pi\mu\sigma$ , a little pit,  $\kappa\pi\alpha\lambda\lambda$ , a head; from some depressions on the head of the tape-worm.
- Bothrode'ndron** (Fos. Bot.)  $\beta\delta\theta\pi\sigma$ , a pit or cavity,  $\delta\pi\delta\gamma\pi$ , a tree; in allusion to the oval depressions on the surface of the fossil.
- Bothyno'deres** (Ent.)  $\beta\delta\theta\pi\pi\sigma$ , a pit,  $\delta\pi\pi$ , the neck; indentations on neck.
- Botia** (Ichth.)  $\beta\sigma\tau\pi\zeta$ , a herdsman?
- Botryade'nia** (Bot.)  $\beta\delta\tau\pi\zeta\sigma$ , a cluster,  $\alpha\delta\pi$ , a gland; a genus of Compositæ.
- Botry'ceras** (Bot.)  $\beta\delta\tau\pi\zeta\sigma$ , a raceme,  $\kappa\pi\pi\zeta$ , a horn; a genus of Aquifoliaceæ.
- Botry'chium** (Bot.)  $\beta\delta\tau\pi\zeta\sigma$ , a bunch of grapes; from the cluster-like form of the fructification.
- Botry'dium** (Bot.)  $\beta\delta\tau\pi\zeta\sigma$ , a bunch of grapes; a genus of Fungi.
- Botryo'i'des** (Bot.)  $\beta\delta\tau\pi\zeta\sigma$ , a cluster of grapes,  $\kappa\pi\delta\zeta$ , like; resembling a bunch of grapes.
- Bo'trys** (Bot.)  $\beta\delta\tau\pi\zeta\sigma$ , a cluster of grapes.

- Botrytis** (Bot.) *βότρυς*, a bunch of grapes, which the seed-vessels resemble.
- Bo'tydæ** (Ent.) a family of Lepidoptera, of which the genus *Botys* is the type.
- Botyda'lis** (Ent.) from some resemblance to *Botys*.
- Botyo'des** (Ent.) resembling *Botys*.
- Botyo'ides** (Ent.) *Botys*, *ἴδης*, resemblance.
- Bo'tys** (Ent.) perhaps from *βῶτης*, a shepherd.
- Bougainvi'lla** (Zool.) P. N. in honour of the French *Admiral Bougainville*; also a genus in Botany.
- Bourguetici'r'ius** (Fos. Zool.) P. N. in honour of *M. Bourguet*; a genus of Encrinites.
- Bourre'ria** (Bot.) P. N. from *Bourrer*, an apothecary of Nuremberg; a genus of Cordiaceæ.
- Boussingau'tha** (Bot.) P. N. from *J. B. Bouffingault*, the celebrated naturalist and traveller; a genus of Chenopodiaceæ.
- Bou'tia** (Bot.) P. N. from *James Bout*, a Dutch physician.
- Bouva'rdia** (Bot.) P. N.) from *M. Bouvard*, a French botanist.
- Bo'videæ** (Zool.) *bos*, *bovis*, an ox; the ox-tribe.
- Bo'veform** (Zool.) *bos*, *bovis*, an ox, *forma*, resemblance.
- Bovi'sta** (Bot.) Latinized from *bofſt* its German name.
- Bowerba'nkia** (Zool.) P. N. in honour of *Mr. Bowerbank*, an eminent naturalist.
- Bowie'a** (Bot.) P. N. from *J. Bowie*, a collector of plants for Kew; a genus of Liliaceæ.
- Bowle'sia** (Bot.) P. N. from —— *Bowles*, an Irish botanist; a genus of Umbelliferæ.
- Box-tree** (Bot.) *πούξις*, *Lat. buxus*.
- Boyere'lla** (Ent.) P. N. in honour of *Boyer de Fonscolombe*, a French entomologist.
- Brabe'jum** (Bot.) *βαρβίον*, a sceptre; from the form of its racemes of flowers.
- Brachely'tra** (Ent.) *βράχυς*, short, *ἱλυτρον*, a case or wing-cover having short elytra; a family of Coleoptera.
- Brachia'tus-a-um** (Zool., Bot.) *Lat.* branched.
- Brachi'nidae** (Ent.) *brachinus*, fam. term. *ide*.
- Brachi'nus** (Ent.) *βράχυς*, short.
- Brachioli'tes** (Fos. Zool.) *βράχιων*, an arm, *λιθος*, a stone; from the lateral processæ.
- Brachio'poda** (Zool.) *βράχιων*, an arm, *πεῦς*, *ποδός*, a foot; a division of Mollusca.

- Brachy-** (Fos. Zool.) *βραχύς*, short; a prefix frequently occurring in scientific compounds.
- Brachycéntrus** (Ichth., Ent.) *βραχύς*, short, *κέντρον*, a spur.
- Brachyocephalic** (Zool.) *βραχύς*, short, *κεφαλή*, the head; where the development of the skull is in the parietal diameter.
- Brachycera** (Ent.) *βραχύς*, short, *κέρας*, a horn; an order of Diptera.
- Brachycerus** (Zool.) *βραχύς*, short, *κέρας*, a horn.
- Brachydactylus** (Ornith., Ent.) *βραχύς*, short, *δάκτυλος*, a finger or toe, a plume.
- Brach'yderes** (Ent.) *βραχύς*, short, *δερμ*, the neck.
- Brachyglo'ttis** (Bot.) *βραχύς*, short, *γλώττα*, the tongue; a genus of Compositæ.
- Brachygo'num** (Bot.) *βραχύς*, short, *γωνία*, an angle; sp. name of a Diatom.
- Brachylaë'na** (Bot.) *βραχύς*, short, *χλαινία*, a cloak; from form of calyx; a genus of Compositæ.
- Brachyor'rhos** (Zool.) *βραχύς*, short, *ῥέπος*, the tail or rump; a genus of Colubrine ophidians.
- Brachy'otus** (Ornith.) *βραχύς*, short, *τις*, *ώτη*, an ear.
- Brachyphy'llum** (Bot.) *βραχύς*, short, *φύλλον*, a leaf.
- Brachypodi'næ** (Ornith.) *βραχύς*, short, *ποδός*, *ποδός*, a foot, sub-fam. term. *ine*; a sub-family of Incessores.
- Brachypo'dium** (Bot.) *βραχύς*, short, *ποδός*, *ποδός*, a foot; in reference to its short stalks.
- Brachypte'rヌス** (Ornith.) *βραχύς*, short, *πτέρνα*, the heel.
- Brachypygop'terus** (Fos. Zool.) *βραχύς*, short, *πυγή*, the rump, *πτέρνα*, a fin; having a short sub-dorsal fin.
- Brachyrhy'nochus** (Ichth.) *βραχύς*, short, *ρύγχος*, a beak.
- Brachyse'ma** (Bot.) *βραχύς*, short, *σῶμα*, a standard; the flowers having a very short standard.
- Brachyso'ma** (Zool.) *βραχύς*, short, *σῶμα*, a body; a genus of Colubrine ophidians.
- Brachysomophis** (Ichth.) *βραχύς*, short, *σῶμα*, a body, *ὄφις*, a snake.
- Brachyso'mus** (Ent.) *βραχύς*, short, *σῶμα*, a body.
- Brachyste'lma** (Bot.) *βραχύς*, short, *στέλμα*, a crown.
- Brachytia'rsus** (Ent.) *βραχύς*, short, *tarsus*.
- Brach'yteles** (Zool.) *βραχύς*, short, *τέλος*, an extremity.
- Brachyu'ra**
- Brachyu'rous**
- Brachyu'rus**
- } (Zool.) *βραχύς*, short, *οὐρα*, a tail; short-tailed.

- Bracken (Bot.) Scotch form of *Brake*, *Pteris aquilina*.
- Bractea (Bot.) *Bráktiā*, to crepitate.
- Bracte'a'tus (Bot.) having floral leaves, from *bractea*.
- Bracte'ola (Bot.) *Læt.* a little floral leaf.
- Bradle'ya (Bot.) P. N. from *Richard Bradley*, professor of botany at Cam-bridge; a genus of Euphorbiaceæ.
- Bradynobes'nus (Ent.) *Braññōñus*, to delay, *baññōñ*, to go; a genus of Hymenoptera.
- Brady'pidæ (Zool.) *bradypus*; a family of Mammalia; the Sloths.
- Bra'dypus (Zool.) *Braññōñ*, slow, heavy, *mōñ*, a foot; the Sloth.
- Bra'dytus (Ent.) *Braññōñ*, slow, heavy.
- Bra'ma (Ichth.) *Læt.* a bream.
- Bramble (Bot.) *Anglo-Sax. brambel*.
- Brambling (Ornith.) a name for the mountain-finch; called also *bramble* by Bewick.
- Branchiobdella (Zool.) *Bráññōñyxa*, gills, *Bráññōñla*, a leech.
- Branchio'poda (Zool.) *Bráññōñyxa*, branchia or gills, *mōñ*, *mōñ*, a foot; a division of Entomotricha.
- Branchio'stagala } *Bráññōñyxa*, a fish's gills, *strīyes*, a covering; having gill.
- Branchio'stagousa } covers.
- Branderi'a (Ent.) P. N. from *Göteborus Brander*, a Swede.
- Bra'ntsii (Zool.) P. N. in honour of — *Braunt*, a Dutch naturalist.
- Brasilien'sis (Zool.) *Læt.* relating to Brazil.
- Brassa'vola (Bot.) P. N. from *Asternis Myxa Brassavola*, a noble Venetian.
- Bra'ssia (Bot.) P. N. in honour of *Mr. Brasi*, an intelligent gardener, who collected seeds and plants in Africa, about the year 1790, for Sir Jos. Banks, Dr. Fothergill, and Dr. Pitcairn.
- Bra'ssica (Bot.) from *bræfie*, the Celtic name of the cabbage.
- Brassica'ceæ (Bot.) *bræffica*, term, for natural order, *acea*.
- Bras'sicæ (Ent) feeds on *Brassica oleracea*, the common cabbage.
- Bra'u'la (Ent.) *Bráññōñla*, a louse.
- Bra'ya (Bot.) P. N. from *Count Bray*, a German botanist.
- Bremiel'la (Ent.) P. N. in honour of *Bremi-Wolff*, of Zurich.
- Bremontie'ra (Bot.) P. N. from *M. Bremontier*, a French physician, genus of Leguminosæ.
- Bre'nta (Ornith.) } *Brahmæ*, arragon.
- Bre'ntus (Ent.) }
- Bre'phos (Ent.) said by J.
- Brevicauda'tus (?)

- Bre'veiceps** (Zool.) *brevis*, short, *caput*, the head.
- Brevipa'pis** (Ent.) having short *palpi*.
- Bre'vipes** (Ent.) *brevis*, short, *pēs*, a foot.
- Breviro'stris** (Ichth.) *brevis*, short, *rostrum*, a beak or snout; short-beaked.
- Brevis, Breve** (Zool., Bot.) *Lat.* short.
- Brevise'tum** (Bot.) *brevit*, short, *sēta*, a bristle.
- Bre'xia** (Bot.)  $\beta\rho\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}$ , a wetting; said to be so called from the protection against rain afforded by some of the large leaves.
- Brexia'ceæ** (Bot.) *brexia*, term for natural order *aceæ*.
- Bride'lia** (Bot.) P. N. from *Professor Bridel*, a great bryologist.
- Brigno'lia** (Bot.) P. N. from *J. L. Brignoli*, a Professor at Vienna; a genus of Umbelliferae.
- Bristle** (Zool.) *Anglo-Sax.* *brifl*; in *Lat.* *sēta*.
- Br'i'za** (Bot.)  $\beta\rho\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}$ , to nod, on account of the quaking of the spikelets.
- Brizopy'rūm** (Bot.) *briza*, and *wheat*.
- Brochel'la** (Ent.) P. N. in honour of *J. K. Broch*, a German entomologist.
- Brodie'a** (Bot.) P. N. in honour of *James J. Brodi*, a Scotch cryptogamist.
- Brodie'i** (Fos. Zool.) P. N. in honour of *Mr. Brodie*, author of "Fossil Insects."
- Brodrī'cii** (Zool.) P. N. in honour of *Mr. Broderick*.
- Bromel'lia** (Bot.) P. N. from *Olaus Bromel*, a Swedish botanist.
- Bro'mius** (Ent.)  $\beta\rho\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}$ , buzzing; a genus of Coleoptera.
- Bro'mus** (Bot.)  $\beta\rho\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}$ , from  $\beta\rho\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}$ , food; the  $\beta\rho\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}\acute{\imath}$  of the ancients was the *Avena sativa* of Linnaeus.
- Brongniar'tea** (Bot.) P. N. in honour of *Adele Brongniart*, a French botanist.
- Brongniar'tellum** (Ent.) P. N. in honour of *Alexander Brongniart*, a French naturalist.
- Bron** (Fos.) *French woodlark*.
- B** *equally one of the Cyclopes,*  
*Tribolites,*  
*an animal.*
- shably from its small*
- ian to Louis XIII.*  
*a Portuguese bot-*  
*or Broughton, an Eng-*  
*uralist.*

- Broussone'tia (Bot.) P. N. in honour of *P. N. V. Broussonet*, a French naturalist.
- Browa'llia (Bot.) P. N. in honour of *J. Browallius*, Bishop of Abo.
- Bro'wnea (Bot.) P. N. in honour of *Dr. Patrick Browne*.
- Brownia'na } (Fos. Bot.) P. N. in honour of the late *Robert Brown*, the  
Bro'wnii } profound botanist.
- Brownlo'via (Bot.) P. N. in honour of the late *Lady Brownlow*, daughter  
of Sir A. Hume; a genus of Tiliaceæ.
- Bru'cea (Bot.) P. N. in honour of *James Bruce*, the Abyssinian traveller.
- Bru'chidæ (Ent.) *bruchus*, fam. term. *ide*.
- Bru'chus (Ent.)  $\beta\rho\imath\kappa\omega$ , to bite, or from  $\beta\rho\imath\chi\omega$ , to roar, bellow?
- Brugma'nsia (Bot.) P. N. from *Professor S. J. Brugmans*; a genus of Solanaceæ.
- Bruma'ta (Ent.) *bruma*, winter.
- Bru'nia (Bot.) P. N. in honour of *Cornelius Brun*, a traveller in the Levant and Russia.
- Brunia'ceæ (Bot.) *brunia*, term. for nat. order, *accæ*.
- Bru'nneus-a-um (Zool., Ent., Bot.) Low Latin, brown.
- Brunniche'lla (Ent.) } P. N. in honour of *M. T. Brünnich*, a Danish  
Brunni'chia (Bot.) } naturalist.
- Brunni'chii (Ornith.) }
- Bruno'nia (Bot.) P. N. in honour of *Robert Brown*, the celebrated botanist; the typical genus of Brunoniaceæ.
- Brunsfel'sia (Bot.) P. N. in honour of *O:ho Brunffelt*, of Mentz.
- Brunsvi'gia (Bot.) P. N. in honour of the *Royal Family* of Brunswick.
- Bru'ta } (Zool.) *brutus*, heavy, stupid; *Ital.* and *Span.* *bruto*; *French*, *brute*.  
Brute }
- Bry'a (Bot.)  $\beta\rho\imath\omega$ , to sprout, because the seeds commence germination while on the parent plant; a genus of Leguminosæ.
- Bryax'is (Ent.)  $\beta\rho\imath\zeta\omega$ , to teem with plenty, to overflow.
- Bryo'bium (Bot.) etymology uncertain; a genus of Orchidaceæ.
- Bryo'nia (Bot.)  $\beta\rho\imath\eta\imath\alpha$ , from  $\beta\rho\imath\omega$ , to push or sprout; in allusion to its rapid growth.
- Bryo'phila (Bot.)  $\beta\rho\imath\omega$ , to grow,  $\phi\imath\lambda\lambda\omega$ , a leaf; the leaves throwing out roots when laid upon damp earth.
- Bryo'phila (Ent.)  $\beta\rho\imath\omega$ , moss,  $\phi\imath\lambda\omega$ , fond of; the larvæ feed on lichens.
- Bryophil'idæ (Ent.) a family of Lepidoptera, of which the genus *Bryophila* is the type.

- Bryo'phyllum** (Bot.) *βρύω*, to grow, *φύλλον*, a leaf; from the leaves sending out roots when laid on damp earth.
- Bryo'psis** (Bot.) *βρύων*, moss, *εἴμισ*, resemblance; a genus of Cryptogamia.
- Bryozo'a** (Zool.) *βρύων*, moss, *ζώον*, an animal; in allusion to their branched and moss-like aggregation.
- Bry'um** (Bot.) *βρύω*, to abound, because it flourishes everywhere; a genus of Musci.
- Bu'balus** (Zool.) *Lat.* a buffalo, or wild ox.
- Bu'bo** (Ornith.) *Lat.* a long-eared owl.
- Bu'bon** (Bot.) *βουβόνη*, the groin; in allusion to its medicinal qualities.
- Buccino'idea** (Fos., Zool.) resembling the shell *buccinum*.
- Buccinum** (Zool.) *Lat.* a trumpet or horn.
- Bu'cco** (Ornith.) *bucca*, a cheek.
- Bucconi'næ** (Ornith.) a sub-family of Passeres, of which *bucco* is the type.
- Buccula'trix** (Ent.) *buccula*, a little mouth or cheek.
- Buce'phala** (Ent.) *βοῦς*, a bull, *κεφαλή*, the head; from its large head.
- Buce'phalus** (Zool.) *βοῦς*, an ox or bull, *κεφαλή*, the head; a genus of Colubrine ophidians.
- Bu'ceros** } (Ornith.) *βοῦς*, an ox, *κέρας*, a horn; a genus, family, and  
**Bucero'tidæ** } sub-family of Passeres; from some resemblance of the  
**Buceroti'næ** } bill to an ox's horn.
- Buchana'nia** (Bot.) P. N. from *Dr. F. Buchanan*; a genus of Anacardiaceæ.
- Buchne'rā** (Bot.) P. N. in honour of *J. G. Buchner*, a German naturalist.
- Buci'da** (Bot.) *βοῦς*, an ox; having fruit like an ox's horn.
- Buck** (Zool.) applied to a he-goat; from *Anglo-Sax. bucca*.
- Buckbean** (Bot.) properly “*bog-bean*” from its marshy habitat, *Menyanthes trifoliata*.
- Buckland'i** (Fos., Zool.) P. N. in honour of *Dr. Buckland*, Dean of Westminster, and a celebrated geological writer.
- Bucku** (Bot.) native Caffre or Hottentot name of the *Diosma crenata*.
- Buckwheat** (Bot.) i. e. *beech-wheat*, (*Fagopyrum esculentum*) the triangular fruits (mislabelled seeds), resemble *beech-mast* in shape, and are full of sweet white farina.
- Buddle'a** (Bot.) P. N. from *Adam Buddle*, a celebrated English botanist.
- Bu'falis** (Ent.) *bufo*, a toad; alluding to its wing-marks.
- Bu'ffalo** (Zool.) *βούβαλος*; *Lat. bubalus*; *Fr. buffle*.
- Buffo'nia** (Bot.) P. N. in honour of *Count de Buffon*, the celebrated naturalist.
- Bu'fo** (Zool.) *Lat.* a toad.

- Bu'fonite (Fos. Zool.) *bufo*, a toad; referring to the vulgar notion that these organisms were originally formed in the heads of frogs and toads.
- Bug (Ent.) Gothic and Icelandic *puke*, a spectre or demon; *Weljb*, *brug*: “The bug, which you would fright me with, I seek.”—SHAKESPEARE.
- Bugle (Bot.) appears to be a corruption of *bugula*, a contracted dim. of *buglossum*.
- Bulb (Bot.) *βολβός*; Lat. *bulbus*; French, *bulbe*; akin to *volvere*, from the layers or folds of a bulb.
- Bulbi'ferous (Bot.) *bulbus*, a bulb, *fero*, to bear.
- Bulbi'ne (Bot.) *bulbus*, a bulb; a genus of Liliaceæ.
- Bulbochaë'te (Bot.) *bulbus*, bulb, *χαίτη*, bristle; from its primary filaments; a genus of Algeæ.
- Bulbooo'dium (Bot.) *bulbus*, a bulb, *κάστον*, a fleece; the bulb being wrapped in a woolly covering.
- Bulga'ria (Bot.) *bulga*, a leather bag; a genus of Fungi.
- Bu'lla (Zool.) Lat. a bubble.
- Bullaoi'dea (Zool.) *bulla*, *ειδος*, resemblance; like the genus *Bulla*.
- Bulla'tus-a-um (Bot.) *bulbata* signifies “decked with studs,” and is given in allusion to the studded appearance which the anthers produce in the raceme of flowers.
- Bullia'rda (Bot.) P. N. from *M. Bulliard*, a French botanist; a genus of Crassulaceæ.
- Bull-rush (Bot.) the bull-rush of Scripture was the *Papyrus antiquorum*.
- Bumal'da (Bot.) P. N. in honour of *J. A. de Bumalda*, a botanist of Bologna.
- Buma'stus (Fos. Zool.) “a bunch of large grapes—literally each large as a cow’s nipple, *βοῦ* and *μαστός*.”—PAGE.
- Bume'lia (Bot.) the Greek name of the common ash.
- Buncho'sia (Bot.) etymol. unknown to me; a genus of Malpighiaceæ.
- Bu'ngarus (Zool.) etymology unknown; a genus of Colubrine ophidians.
- Bu'nias (Bot.) same etymol. as *Bunium*; now applied to a different plant.
- Bu'nium (Bot.) *βουνός*, a hill, from its habitat.
- Bunting (Ornith.) etymology unknown.
- Buolia'na (Ent.) P. N. in honour of *Baron Buol*, of Vienna.
- Bu'phaga (Ornith.) *βοῦς*, an ox, *φάγω*, to eat; the Ox-pecker or Beef-eater of Africa.
- Buphtha'l'mum (Bot.) *βοῦς*, an ox, *ἴρθαλμός*, an eye, from the resemblance of the disk of flowers.

Bupleu'rum (Bot.) not explained satisfactorily; a genus of Umbelliferæ.

Bupre'stidæ (Ent.) a family of Coleoptera of which *buprestis* is the type.

Bupre'stis (Ent.) “*βοῦ*, an augmentative particle; or *βοῦς*, an ox, and *πυρθω*, to inflame; because if eaten among the grafts, by cattle, it kills them.”—MAYNE.

Bur or Burr (Bot.) French, *bourre*, the prickles on herbs and fruits.

Burcha'rdia (Bot.) P. N. from *Henry Burchard, M.D.*, a botanical author; a genus of Melanthaceæ.

Burche'lli (Zool.) P. N. in honour of *W. Burchell, Esq., LL.D.*

Burche'llia (Bot.) P. N., same etymol. as Burchelli; a genus of Cinchonaceæ.

Burdock (Bot.) common name of the *Arctium Lappa*.

Burhi'nus (Ornith.) *βοῦ*, monstrous, *ἴν*, a nose; a genus of Birds.

Burlace (Bot.) a corruption of *Bourdelais*, from which part of France the plum came.

Burlingto'nia (Bot.) P. N. in honour of the amiable and accomplished Countess of Burlington; a genus of Orchidaceæ.

Burnet (Bot.) derivation uncertain.

Burrie'lia (Bot.) P. N. in honour of *John Mark Burrid*, who published, in 1758, the journey of Venegas into California; a genus of Compositæ.

Bu'rса (Zool.) *Lat.* a purse or pouch.

Bu'rsaria (Bot.) *burſa*, a pouch.

Bu'rsera (Bot.) P. N. in honour of *Joachim Burger*, a botanist of Naples.

Burto'nia (Bot.) P. N. in compliment to *D. Burton*, who collected for the Kew Garden.

Bury (Bot.) applied to a pear, from *beurré*, melting.

Bu'talis (Ent.) “*βυτάλις*, a night-bird,” (Treitsche), from the somewhat sombre colours.

Bute'a (Bot.) P. N. from *John, Earl of Bute*, a lover and patron of botany; a splendid genus of Leguminosæ.

Bute'o (Ornith.) *Lat.* a buzzard.

Buteoni'nae (Ornith.) a sub-family of birds, of the order Raptore, of which *buteo* is the type.

Bu'tomus (Bot.) *βοῦς*, an ox, *τίμω*, to cut; causing the mouths of cattle to bleed when eaten by them.

Butterfly (Ent.) *Anglo-Sax.* *buter flegge* or *buter flegz*.

Buxbau'mia (Bot.) P. N. from *John Christian Buxbaum*, a German botanist; a genus of Mufci.

**Bux'us** (Bot.) *Lat.* *buxus*, from πυξος, the pale evergreen box-tree; Ovid has—"buxus densi foliis," and "ora buxo pallidiora."

**Buz'zard** (Ornith.) French, *buzzard*; Germ, *buzzard*.

**By'blis** (Bot.) P. N., the daughter of Miletus; a genus of Droseraceæ.

**Byrsoni'na** (Bot.) *bursa*, a hide, being useful in tanning; a genus of Malpighiacæ.

**Byssa'ceus-a-um** (Bot.) *Lat.* byssus-like.

**Byssocla'dium** (Bot.) θιστος, fine flax, κλαδος, a branch; from its fine branches; a genus of Algaræ.

**By'ssus** (Zool.) βισσος, fine flax; the fibres by which some marine animals are attached to rocks, &c.; also, in Botany, a genus of Cryptogamia.

**Bystropo'gon** (Bot.) βισω, to close, πάγω, a beard; the throat of the corolla being closed by hairs.

**By'thinus** (Ent.) βιθιον, a water animal.

**Byttne'ria** (Bot.) P.N. from *D. S. A. Büttner*, Professor of Botany at Gottingen.

**Byttneria'cea** (Bot.) *byttneria*, term. for nat. order, *aceæ*.

**Caba'llus** (Zool.) *Lat.* a pack-horse.

**Cabe'ra** (Ent.) P. N., the daughter of Proteus.

**Cabera'lis** (Ent.) implying some resemblance to the genus *Cabera*.

**Cabe'ridæ** (Ent.) *cabera*; a family of Lepidoptera.

**Cacaja'o** (Zool.) native name of a monkey—Pithecia melanocephala.

**Caca'lia** (Bot.) κακός, bad, λίπη, exceedingly, from being supposed to be hurtful to the foil.

**Cacatu'a** (Ornith.) Latinized form of the sound it makes, which resembles the word *kakatoé*.

**Ca'ccabis** (Ornith.) κακαβις, a partridge.

**Cao'hinnans** (Ornith.) *Lat.* laughing.

**Cac'hrys** (Bot.) κάχρης was used by the ancients for the young blossom buds of the oak, or perhaps for a kind of gall that grows upon them.

**Cacomi'xle** (Zool.) native Mexican name of the *Baßlaris astuta*.

**Caco'sis** (Ent.) κακός, bad; a genus of Diptera.

**Cacto'rnis** (Ornith.) *cactus*, ὄφης, a bird; the Cactus bird.

**Ca'ctus** (Bot.) the κακτός of the ancients was a prickly plant with edible stalks.

**Cacumina'lis** (Ent.) *cacumen*, a point or tip.

**Ca'dia** (Bot.) from its Arabic name *gadhy*.

**Ca'dmia** (Ent.) *Lat.* the drops or flag of a furnace *i. e.* in colour.

**Ca'du'ca** (Ent.) } *caducus*, easily falling.  
**Ca'du'cous** (Bot.) }

**Caducibra'nchiate** (Zool.) *caducus*, easily falling, *branchiae*, the gills of a fish.

**Cæci'lia** (Zool.) *Lat.* a kind of lizard; a genus of Batrachians.

**Cæcima'cula** } (Ent.) *cæcus*, blind, *macula*, a spot, alluding to certain  
**Cæcimacula'na**} spots on the fore-wings.

**Cælesti'na** (Bot.) *cælestis*, the colour of the sky, referring to the blue flowers; a genus of Compositeæ.

**Cænomy'ia** (Ent.) *καινός*, strange, *μύια*, a fly.

**Cæno'pteris** (Bot.) *καινός*, new, *πτερίς*, a fern.

**Cæno'sus-a-um** (Ent., Bot.) *cænosus*, marshy; growing in mud, or muddy places.

**Cæruleoce'phala** (Ent.) *cæruleus*, dark blue, *κεφαλή*, the head.

**Cæruleo'scens** (Ent.) somewhat blue.

**Cæru'leus-a-um** (Ornith., Bot.) *Lat.* dark blue, azure.

**Cæsa'lia** (Bot.) *cæsius*, beaten, trampled upon.

**Cæsalpi'nia** (Bot.) P.N. in honour of *C. Casalpinus*, physician to Clement VIII.

**Cæ'sia** (Bot.) P. N. from *Frederico Cæsio*, who died 1703.

**Cæsia'ta** (Ent.) *cæsius*, gray.

**Cæsie'lla** (Ent.) dim. form of *cæsius*, bluish gray.

**Cæ'sius-a-um** (Ornith., Bot.) *cæsius*, bluish gray.

**Cæspita'lis**} (Ent.) *cæspes*, *cæpitis*, turf, a green field.  
**Cæspita'na**}

**Cæspittie'lla** (Ent.) *cæspes*, *cæpitis*, turf, dim. *ella*.

**Cæsu'lia** (Bot.) *cæsius*, beaten, as if trampled upon; a genus of Compositeæ.

**Caffer** (Zool.) *Lat.* relating to the Cape of Good Hope.

**Cai'a** (Ent.) P. N.; a Roman proper name.

**Caja'nus** (Bot.) alteration of Malabar name *catjang*; a genus of Leguminosæ.

**Caki'le** (Bot.) the Arabic name of the plant.

**Calade'nia** (Bot.) *καλάδη*, beautiful, *ἀδήν*, a gland; from the disk of labellum.

**Caladium** (Bot.) etymology unknown.

**Calamagro'stis** (Bot.) *κάλαμος*, a reed, and *γραῦστις*, grafts, *i. e.* reed-grafts.

**Calama'ria**} (Zool.) *calamarius*, resembling a writing-reed or fishing-rod; a genus and family of Colubrine ophidians; in  
**Calama'ridæ**} Botany, *Calamaria* is applied to certain grasses.

**Calami'ntha** (Bot.) *καλάδη*, beautiful, *μέθη*, mint; a genus of Labiatæ.

**Calamo'philus** (Ornith.) *calamus*, *φιλίω*, to love.

- Cala'mpelis (Bot.) καλός; beautiful, ἀμπελίς; vine, *i. e.*, beautiful climbing plant; a genus of Bignoniaceæ.
- Calamus (Bot.) from Arabic *kalam*, a reed.
- Cala'ndra (Ornith.) κάλανδρα, a kind of lark.
- Calandri'nia (Bot.) P. N. from *J. L. Calandrini*.
- Cala'nthe (Bot.) καλάντη; beautiful, ἄνθος, a flower.
- Cala'thea (Bot.) κάλαθος, a basket; from the form of the stigma.
- Ca'lathus (Ent.) κάλαθος, a basket.
- C-album (Ent.) *Lat.* the white C; from the mark on the posterior wings.
- Calca'ria (Ornith.) *calcar, calcari*, a spur; the spurs of birds.
- Calcoela'ria (Bot.) *calceolus*, a little slipper; in allusion to the shape of the lower lip.
- Caloe'olus (Zool. Bot.) *Lat.* a little slipper.
- Calda'sia (Bot.) P. N. from *J. Caldas*, a Bogotan botanist.
- Ca'lea (Bot.) καλός, beautiful.
- Caleacte (Bot.) καλός, beautiful, ἄκτη, the sea-shore, which it ornaments; a genus of Compositæ.
- Caleana (Bot.) same etymology as Caleya; a genus of Orchidaceæ.
- Cale'ndula (Bot.) from *calenda*, the calends or first day of the month, because it flowers monthly.
- Calepi'na (Bot.) not explained; a genus of Cruciferæ.
- Cale'ya (Bot.) P. N. from *George Caley*, the celebrated Manchester botanist, sometime superintendent of Botanic garden at St. Vincent.
- Cali'cium (Bot.) dim. of *calyx*, a little cup; a genus of Lichenes.
- Cali'dipes (Ent.) *calidus*, swift, *pes*, a foot.
- Cali'dris (Ornith.) καλός, beautiful, θρήσ, knowing, skilful.
- Cali'gidæ (Zool.) *caligus*, fam. term, *ida*; a family of Entomostraca.
- Caligino'sa (Ent.) *Lat.* obscure, gloomy.
- Cali'gus (Zool.) *caligo*, dimness, obscurity.
- Ca'lla (Bot.) κάλλος, beauty.
- Calla'rias (Ichth.) the Greek name for the cod-fish.
- Callico'rpa (Bot.) κάλλος, beauty, καρπός, fruit.
- Callice'phalus (Zool.) κάλλος, beauty, κεφαλή, the head.
- Calli'cerus (Ent.) κάλλος, beauty, κίρα, horn.
- Calliche'lys (Ichth.) κάλλος, beauty, χέλυς, a tortoise.
- Callib'o'ma (Bot.) κάλλος, beauty, κέρας, hair.
- Calli'dium (Ent.) κάλλος, beauty, ἡτος, noble.
- Callige'nia (Ent.) καλλιγένεια, "the mother of beauty."

- Callig'onom** (Bot.) καλλος, beauty, γόνυ, a joint; having joints instead of leaves.
- Calli'grapha** (Ent.) καλλος, beauty, γραφι, writing.
- Callimo'rpha** (Ent.) καλλος, beauty, μορφη, form.
- Callio'nymus** (Ichth.) καλλος, beauty, ονυμα, a name; a fanciful name of Linnaeus, applied to a prettily marked species.
- Calliope'** (Ornith.) P. N., the chief of the Muses.
- Calliope'a** (Bot.) P. N., same etym. as Calliope; a genus of Compositæ.
- Calliop'sis** (Bot.) καλλος, beauty, οψι, appearance; a genus of Compositæ.
- Callipe'pla** (Ornith.) καλλιπεπλος, with beautiful robe.
- Callipro'ra** (Bot.) καλλος, pretty, πρωρα, front, from its pretty appearance; a handsome liliaceous plant.
- Callis'ace** (Bot.) καλλος, pretty, σακη, a buckler; in allusion to form of seeds; a genus of Umbelliferæ.
- Calli'sia** (Bot.) καλλος, pretty.
- Calli'stachys** (Bot.) καλλος, pretty, στάχυς, a spike.
- Calliste'mma** (Bot.) καλλιστος, prettiest, στημα, crown; the China Aster.
- Calliste'mon** (Bot.) καλλιστος, prettiest, στημον, stamen, from the beautiful scarlet colour of the stamens; a lovely genus of Leguminosæ.
- Calli'stus** (Ent.) καλλιστος, most beautiful.
- Callitha'mnion** (Bot.) same etymology as Calothamnus.
- Ca'llithrix** (Zool.) καλος, beautiful, θριξ, hair.
- Calli'triche** (Bot.) καλλος, beauty, θριξ, τριχος, hair.
- Ca'llitris** (Bot.) καλλος, beauty, in allusion to its appearance; a genus of Coniferæ.
- Ca'llomys** (Zool.) καλλος, beauty, μυς, a mouse.
- Callu'na** (Bot.) καλλινω, to beautify, to adorn.
- Cally'na** (Ent.) καλλινω, to beautify.
- Caloca'lia** (Ornith.) καλος, beautiful, καλια, a bird's nest; the genus of birds to which belongs the swallow which builds the edible nests consumed in China.
- Calooa'mpa** (Ent.) καλος, beautiful, καμπη, a caterpillar; a genus of Lepidoptera.
- Calo'cera** (Bot.) καλος, beautiful, κρας, a horn; a genus of Fungi.
- Calochi'lus** (Bot.) καλος, beautiful, χιλιος, a lip; a very showy genus of Orchids, with purple lip, covered with rich brown hairs.

- Calocho'rtus** (Bot.) *καλός*, beautiful, *χρότος*, graft; from the beautiful flowers borne by grafty herbage.
- Calochro'a** (Ent.) *καλός*, beautiful, *χρόα*, the surface of the body.
- Calode'ndron** (Bot.) *καλός*, beautiful, *δενδρον*, a tree.
- Calo'dera** (Ornith., Ent.) *καλές*, beautiful, *ἵρη*, the neck.
- Caloe'nas** (Ornith.) *καλός*, beautiful, *oena*, sp. name of the stock-dove.
- Calogra'mma** (Ent.) *καλός*, beautiful, *γράμμα*, a drawing or marking.
- Calo'miorus** (Ent.) *καλός*, beautiful, *μικρός*, small.
- Calo'phaca** (Bot.) *καλός φακα*, beautiful vetch; a genus of Leguminosæ.
- Calo'phanes** (Bot.) *καλός*, beautiful, *φαινω*, to appear, from its elegant flowers; a genus of Acanthaceæ.
- Calopha'sia** (Ent.) *καλός*, beautiful, *φάσις*, appearance.
- Calophyl'la** { (Ent.) *καλός*, beautiful, *φυλλω*, a leaf.  
Calophyl'lum { (Bot.) *καλός*, beautiful, *φυλλω*, a leaf.
- Calopo'gon** (Bot.) *καλός*, beautiful, *πώγων*, a beard; from the fringe of the lip.
- Calopsi'tta** (Ornith.) *καλός*, beautiful, *ψιττα*, a woodpecker.
- Calop'u's** (Ent.) *καλός*, beautiful, *πούς*, a foot.
- Caloso'ma** (Ent.) *καλός*, beautiful, *σῶμα*, the body.
- Caloso'ter** (Ent.) *καλός*, beautiful, *σωτήρ*, a preserver.
- Calospí'za** (Ornith.) *καλός*, beautiful, *ψίζα*, a bunting.
- Caloste'mma** (Bot.) *καλός*, beautiful, *στέμμα*, a wreath or garland.
- Calotha'mnus** (Bot.) *καλός*, beautiful, *θάμνος*, a bush.
- Ca'lothrix** (Bot.) *καλός*, beautiful, *θρίξ*, hair; from the beauty of its filaments; a genus of Cryptogamia.
- Calo'tis** (Bot.) *καλός*, beautiful, *οὖς*, *ωτος*, the ear; referring to the paleæ of pappus.
- Calo'tropis** (Bot.) *καλός*, beautiful, *τρόπις*, a ship's keel; from form of flower.
- Ca'ltha** (Bot.) a contraction of *κάλαθος*, a goblet; from the cup-shape of the flower.
- Calve'scens** (Ent.) *Lat.* becoming bald.
- Calyciflo'ræ** (Bot.) *calyx*, *calycis*; *flos*, *floris*; stamens on the calyx.
- Caly'psy** (Bot.) P. N. a well-known mythological personage; a genus of Orchids.
- Calyptor'ynchus** (Ornith.) *καλυπτός*, covered, *βυγχος*, a beak.
- Caly'ptra** (Bot.) *καλύπτρα*, a cover or veil.
- Calyptra'nthes** (Bot.) *καλύπτρα*, a covering, *ἄθροι*, a flower.
- Caly'ptrion** (Bot.) *καλύπτρα*, a lid, from form of flower; a genus of Violaceæ.

- Calve'lia** (Ent.) *calvus*, bald, without hair.
- Calycan'thus** (Bot.) *calyx*, καλύξ, a flower; from the coloured calyx.
- Calyste'gia** (Bot.) *calyx*, and στεγη, a covering, from the large bracts outside the flower. The common white convolvulus.
- Ca'lythrix** (Bot.) *calyx*, and θριξ, hair; from the attenuated points of the sepals.
- Ca'lyx** (Bot.) κάλυξ, the cup or calyx of a flower.
- Camarhy'nchus** (Ornith.) καμάρα, with vaulted or arched roof, πυγχος, a beak.
- Camari'dium** (Bot.) καμαρίδη, a vaulted or arched roof; from the tip of stigma being arched.
- Camaro'tis** (Bot.) *Camera*, a vault, in allusion to the chambered lip; a genus of Orchidaceæ.
- Cama'ssia** (Bot.) *camass*, its native North American name; a genus of Asphodelaceæ.
- Cambogia'lis** (Ent.) expressive of its *gamboge* colour.
- Ca'mbricus-a-um** (Ent.) Lat. Welsh; from *Cambria*, the antient name of Wales; growing in, or connected with, Wales.
- Cambrica'ria** (Ent.) from *Cambria*, the antient name of Wales.
- Cambri'dgia** (Ent.) P. N. in honour of the Rev. O. P. Cambridge, of Bloxworth, Dorset.
- Cameli'na** (Ent.) *camelus*, a camel; from the projecting hump; also a genus in Botany.
- Came'llia** (Bot.) P. N. from George Joseph Kamel, or *Camellus*, a Jesuit.
- Camelopa'r'dalis** (Zool.) *camelus*, a camel, *pardalis*, a panther.
- Came'lus** (Zool.) Lat. a camel.
- Camera'ria** (Bot.) P. N. from J. Camerarius, a botanist of Nuremberg.
- Campa'nula** (Bot.) Lat. a little bell.
- Campanula'ria** (Zool.) *campanula*, a little bell; a genus and family
- Campanulari'adæ** of Zoophytes.
- Campe'lia** (Bot.) καμπη, a bending, ἥλιος, the sun; a genus of Com-melinaceæ.
- Campe'phaga** (Ornith.) καμπη, a caterpillar, φαγω, to eat.
- Campe'philus** (Ornith.) καμπη, a caterpillar, φιλιω, to love; a genus of foreign Woodpeckers.
- Campe'stres** (Ornith.) *campestre*, a level country or plain.
- Campe'stris, Campestre** (Bot.) Lat. growing in the open fields.
- Camphoros'ma** (Bot.) *camphora*, camphor, οσμη, smell.
- Campolilia'na** (Ent.) *campus*, a field, *lilium*, a lily.

- Campome'tra** (Ent.) καμπη, a caterpillar, μετριω, to measure; from its singular mode of progression, as if it were measuring the ground.
- Ca'mpta** (Ent.) καμπτός, bent.
- Camptoce'recus** (Zool.) καμπτός, flexible, κίρκος, a tail; a genus of Entomofastraca.
- Camptogra'mma** (Ent.) καμπτός, bent, γέγαμα, a mark; from its wavy lines.
- Camptorhy'nchus** (Ornith.) καμπτός, bent, βυγχός, a beak.
- Campyla'nthus** (Bot.) καμπύλος, bent, ἄνθος, a flower; a genus of Primulaceæ.
- Ca'mpylis** (Ent.) καμπύλος, bent, curved.
- Canade'nsis-e** (Zool., Bot.) *Lat.* relating to Canada.
- Canalicula'ti** (Zool.) pl. of *canalculus*, a little channel.
- Canari'na** (Bot.) a native of the *Canaries*.
- Canava'lia** (Bot.) *canavali* is its native Malabar name; a genus of Leguminosæ.
- Canoella'tus-a-um** (Bot.) *Lat.* net-like, cross-barred.
- Cancrifo'rmis** (Zool.) *Lat.* crab-shaped.
- Cancri'vera** (Zool.) *cancer*, a crab, *voro*, to devour.
- Canero'ma** (Ornith.) etymology unknown to me.
- Candef'a'cta** (Ent.) *candefacio*, to bleach, to make red hot.
- Can'dens** (Ent.) *Lat.* bright, shining.
- Candida'na}** (Ent.) *candidus*, white.  
**Candida'ta}** (Ent.) *candidus*, white.
- Ca'ndidus-a-um** (Zool., Bot.) *Lat.* white and shining.
- Cando'lea** (Bot.) P. N. from *Augustus Pyramus De Candolle*, of Geneva, one of the greatest botanists of the age; a genus of Dilleniaceæ.
- Cando'na** (Zool.) χανδάν, gaping? a genus of Entomostraca.
- Canel'la** (Ent., Bot.) dim. of *canus*, gray, ashy.
- Canes'cens** (Ornith., Ent., Bot.) Latin participle, signifying hoary.
- Ca'niceps** (Zool.) *Lat.* gray-headed, ashy-headed.
- Cani'cula** (Ichth.) *Lat.* a little dog.
- Cani'na** (Zool.) *canis*; a sub-family of Mammalia.
- Cani'na** (Bot.) fit only for dogs.
- Canis** (Zool.) *Lat.* a dog.
- Ca'nna** (Bot.) *canna*, a reed.
- Cannabi'na** (Ornith.) *Lat.* relating to hemp.
- Can'nabis** (Bot.) from *Celtic can*, reed, *ab*, small; or from *qaneb*, its Arabic name.

- Canna'bium** (Bot.) resembling hemp cannabis.
- Cano'rūs** (Ornith.) *Lat.* tuneful, melodious.
- Can'talupe** (Bot.) from a place of that name near Rome, where melons have been cultivated since the time of the Mithridatic war. The originals of these varieties are said to have been brought from Armenia by Lucullus.
- Canthare'llus** (Bot.) altered from the French *chanterelle*; a genus of Fungi.
- Cantha'ridæ** (Ent.) *cantharit*, fam. term. *ide*.
- Ca'ntharīs** (Ent.) *κανθαρίς*, a beetle or blistering fly.
- Can'tharus** (Ichth.) *Lat.* one of Pliny's names for a spiny fish.
- Ca'nthium** (Bot.) *cantix* is the Malabar name of the Cinchonaceæ.
- Canthocam'ptus** (Zool.) *ἄκανθα*, a spine, *καμπτός*, flexible; a genus of Entomostraca.
- Canti'aca** } (Ornith.) *Lat.* relating to the county of Kent.
- Cantia'nus** }
- Ca'nus-a-um** (Ornith., Bot.) *Lat.* white, gray.
- Canu'tus-a-um** (Ornith.) gray-coloured.
- Cape/nsis-e** (Zool., Bot.) *Lat.* of the Cape of Good Hope.
- Capillalis** (Ent.)
- Capilla'ris-e** (Bot.) *capillus*, hair.
- Capis'tratus** (Zool.) *Lat.* muzzled, haltered.
- Ca'pnea** (Zool.) *κάπνη*, a chimney, from its tubular shape; a genus of Zoophytes.
- Capno'des** (Ent.) *καπνος*, smoke, *ἴδος*, like; smoke-coloured.
- Capnoi'des** (Bot.) *καπνός*, smoke, *ἴδος*, like; same as Fumaria.
- Capnophyl'lum** (Bot.) *καπνός*, smoke, *φύλλον*, leaf; Greek form of Fumaria.
- Ca'pparis** (Bot.) *Arabic*, *kabar*, capers; the caper-tree.
- Caprea'na** (Ent.) feeds on *Salix caprea*.
- Capra'ria** (Bot.) *capra*, a goat; the leaves being chosen by these animals.
- Capreole'lla** (Ent.) *capreola*, a wild-goat, alluding to colour.
- Caprico'rnis** (Zool.) *capra*, a she-goat, *corma*, a horn.
- Caprifol'iūm** (Bot.) *capra*, a she-goat, *folium*, leaf; goat-leaf, in reference to its clambering habit; honeyfuckle.
- Caprimulgel'la** (Ent.) dim. of *caprimulgus*, the goat-fucker, from a resemblance in the feathers.
- Caprimul'gidæ** (Ornith.) *caprimulgus*, fam. term. *ide*; the Goat-fuckers.
- Caprimu'lgus** (Ornith.) *capra*, a she-goat, *mulgo*, to milk, from a mistaken idea as to the habits of the bird.

- Ca'pros (Ichth.) *κάπρος*, the wild boar; the boar-fish.
- Capse'lla (Bot.) dim. of *capsula*.
- Ca'psicum (Bot.) *κάπτω*, to bite; from its pungent qualities.
- Capsin'cola (Ent.) *capsa*, a capsule or seed-pod, *incola*, an inhabitant.
- Capso'phila (Ent.) *capsa*, a seed-pod, *φιλέω*, to love.
- Capsula'ris (Ent.) *capsula*, a chest or casket.
- Ca'pua (Ent.) P. N. from *Capua*, in Italy.
- Capula'ris (Ent.) Lat. pertaining to a coffin, from the form of its wing-markings.
- Caput-Medu'sæ (Bot.) so called from the circumstance of the prime shoots or branches producing from their extremities numerous small branches round a sort of head which is formed there.
- Cara'bidae (Ent.) *carabus*, fam. term. *ide*.
- Ca'rabus (Ent.) *κάραβος*, a beetle, i. e. scarabæus: the word was also used by the antiquits for a shell-fish.
- Ca'ractal (Zool.) from the Turkish, signifying "black-eared," equiv. to the specific name, *melanotis*.
- Carac ara (Ornith.) is said to derive its name from its peculiar guttural cry, which is compared by Mr. Darwin "to the sound of the Spanish guttural, g, followed by a rough double r, r."
- Caradri'na (Ent.) P. N. of a river in Albania.
- Caradrina'lis (Ent.) resembling *caradrina*.
- Caradri'nidae (Ent.) *caradrina*, fam. term. *ide*; a family of Lepidoptera.
- Caradrino'ides (Ent.) *caradrina*, *εἴδος*, resemblance.
- Caraga'na (Bot.) *carachana*, its name in Tartary; a genus of Leguminosæ.
- Caragna'ta (Bot.) its name in South America; a genus of Bromeliaceæ.
- Cara'llia (Bot.) *carillie*, the name of *C. Lucida*, in Hindooftan; a genus of Ternströmiaceæ.
- Carallu'ma (Bot.) its Indian name; a genus of Asclepiadaceæ.
- Ca'rapa (Bot.) *caraipe*, the name of *C. Guianensis*, in Guiana; a genus of Meliaceæ.
- Ca'raway (Bot.) *carum*; native of *Caria*. (Pliny) Cleland, however, states that it is "corrupted from Celtic *garwin*, seeds that produce the expulsion of wind."
- Cara'nx (Ichth.) derived from the French; *C. trachurus* is the shad or Horse-mackerel.
- Ca'rapace (Zool.) the dorsal shield of a tortoise.
- Ca'rapus (Ichth.) *κάρη*, top or summit, *πούς*, a foot.
- Ca'rbo (Ornith., Ent.) Lat. a coal, referring to colour.

- Carbons'lis** (Ent.) implying coal colour.
- Carbone'na** (Ent.) *carbo*, coal, charcoal.
- Carbone'ria** (Ent.) *carbo*, charcoal.
- Carbone'rius** (Ichth.) *Lat.* pertaining to charcoal ; a name of the coal-fish.
- Carcha'rias** (Ichth.) *καρχαρός*, sharp-pointed or jagged ; a shark.
- Carda'mine** (Bot.) *καρδαμίνη*, was applied by Dioscorides to a cress ; now used for Lady's smock and allied plants.
- Carda'mines** (Ent.) feeds on *Cardamine impatiens*, and others of the genus.
- Cardiapu's** (Ent.) *καρδιά*, heart, *πούς*, a foot.
- Cardio'phorus** (Ent.) *καρδιά*, heart, (*shape*) *φορίω*, to carry.
- Cardiosper'mum** (Bot.) *καρδιά*, heart, *σπέρμα*, a seed ; the seeds are marked with a heart-shaped spot.
- Cardo'patum** (Bot.) *carduus*, a thistle, *πάτος*, a beaten path ; from its habitat and appearance.
- Cardue'lis** (Ornith.) applied by Pliny to a bird which feeds amongst thistles.
- Cardue'lla** (Ent.) dim. of *carduus*, a thistle, on which it feeds.
- Ca'rdui** (Ent.) feeds on *Carduus nutans*, the thistle.
- Cardun'celus** (Bot.) dim. of *cardunculus*, the cardoon ; a genus of Compositæ.
- Ca'rduuus** (Bot.) *Lat.* a thistle.
- Care'bara** (Ent.) *καρπελαγής*, heavy in the head.
- Ca'rex** (Bot.) *careo*, to want ; the upper spikes being without seeds.
- Care'ya** (Bot.) P. N. in honour of its discoverer, *William Carey*.
- Cargi'llia** (Bot.) P. N. from *James Cargill, M.D.*, Aberdeen ; a genus of Ebenaceæ.
- Cari'acus** (Zool.) Latinized form of the native name *carjacou*.
- Ca'rica** (Bot.) sp. name of *Ficus*, from its abundance in *Caria*.
- Cario'sus-a-um** (Zool.) *Lat.* worm-eaten, rotten.
- Caripe'nsis** (Ornith.) Latinized form of the cavern of Caripe, in South America.
- Cari'ssa** (Bot.) etymology unknown.
- Carli'na** (Bot.) the Carline thistle is stated to have derived its name from Charlemagne, who is said to have preserved his army from the plague by its use.
- Carlowiz'ia** (Bot.) P. N. from *Carlowiz*, an unknown, probably Polish, botanist.
- Carludovi'ca** (Bot.) P. N. from *Charles IV*, of Spain, and *Louisa*, his queen, noble patrons of botany ; a genus of Compositæ.

- Carmeli'ta (Ent.) from the hoods of the *Carmelite* friars.
- Carmelito'des (Ent.) *carmelita*, θάσος, like.
- Carmicha'elia (Bot.) P. N. from *Captain Dugald Carmichael*, F.R.S., author of the "Flora of Tristan de Acunha," a genus of Leguminosæ
- Ca'rnea } (Ent.) *caro, carnis*, flesh.  
Carnea'lis } (Ent.) *carneus*, flesh.
- Carnea'go (Ent.) *caro, carnis*, flesh.
- Carneicoo'sta (Ent.) *carneus*, flesh-coloured, *casta*, the side.
- Carnei'gera (Ent.) *caro, carnis*, flesh, *gero*, to carry.
- Carne'lla (Ent.) *carneus*, fleshy, flesh-coloured.
- Carne'ola (Ent.) dim. of *carneus*, fleshy.
- Carneoma'cula (Ent.) *carneus*, fleshy, *macula*, a spot; having rose-coloured wing-spots.
- Ca'rneus-a-um (Zool., Bot.) *Lat.* flesh-coloured.
- Ca'rnicia (Ent.) *carneus*, fleshy; referring to colour.
- Carno'sus-a-um (Zool., Bot.) *Lat.* fleshy.
- Ca'rob (Bot.) *Arabic, Kharroub.* It is thought by some that the shells of the Carob tree were the "hukks" of the parable of the Prodigal Son.
- Caroli'nea (Bot.) P. N. from *Sophia Caroline*, Margravine of Baden; a genus of Sterculiaceæ.
- Caroline'nsis (Zool.) *Lat.* relating to Carolina, N. A.
- Caroli'num (Ent.) *carolus*; French, *carolin*; Charles; given to a species of spider (gen. Theridion) by Baron Walckenaer in honour of his son Charles, the discoverer. *Hist. Ins. Apt.* tom. II. 316.
- Carpa'limus (Ent.) καρπάλιμος, rapid, swift.
- Carpe'lla (Bot.) καρπως, fruit; the component cells of a compound fruit.
- Carpe'sium (Bot.) Galen applies καρπήσιον to an aromatic wood.
- Ca'rphophis (Zool.) κάρφος, a dry stick, φίς, a serpent; from resemblance to a log of wood; a genus of Colubrine ophidians.
- Carpinicole'lla (Ent.) *carpinus*, the horn-beam, *colere*, to frequent, dim. term *ella*.
- Carpí'nus (Bot.) said to be from Celtic *car*, wood, *pin*, head; because the Hornbeam was formerly used for making yokes.
- Carpoca'psa (Ent.) καρπώς, fruit, κάπτειν, to gulp down.
- Carp'o'dacus (Ornith.) καρπως, fruit, δέκος, a bite; fruit-biter.
- Carpod'inus (Bot.) καρπως, fruit, δισος, a circle, from its round fruit; a genus of Apocynaceæ.
- Carpodon'tos (Bot.) καρπως, fruit, οδορρεις, toothed, from the carpels being toothed at the apex; a genus of Hypericaceæ.

- Carpo'logy** (Bot.) *καρπός*, fruit, *λόγος*, a description.
- Carpo'phaga** (Ornith., Ent.) *καρπός*, fruit, *φαγεῖν*, to eat.
- Carpo'philus** (Ent.) *καρπός*, fruit, *φιλίω*, to love.
- Carpopo'gon** (Bot.) *καρπός*, fruit, *πώγων*, a beard.
- Carrich'tera** (Bot.) etymology unknown; a genus of Cruciferæ.
- Ca'rsia** (Ent.) *κάρσιος*, crosswise; from its wing-markings.
- Ca'rteri** (Ent.) P. N. in honour of *Mr. Samuel Carter*, of Manchester.
- Ca'rthamus** (Bot.) constructed from the Arabic *quortom*, to paint; red paint having been prepared from the florets.
- Ca'rum** (Bot.) P. N. from *Caria*, in Asia Minor.
- Caru'nculæ** (Ornith.) *Lat.* little pieces of flesh; the wattles of birds.
- Cartone'ma** (Bot.) *καρτός*, horn, *νήμα*, a thread or filament.
- Cary'chium** (Zool.) *κάρχης*, *Dor.* for *κῆνεκ*, a herald.
- Caryo'borus** (Ent.) *κάρυον*, a nut, *βορός*, devouring.
- Caryocata'ctes** (Ornith.) *κάρυον*, a nut, *κατάγνυμι*, to break in pieces; equiv. to *nucifraga*.
- Caryophyl'lia** (Zool.) *καρπός*, a nut, *φύλλον*, a leaf, the plates being considered as a "nut of leaves;" a genus of Zoophytes.
- Caryophyl'lus** (Bot.) the Carnation is so called because it smells like cloves.
- Caryo'ta** (Bot.) the Greek name of the cultivated date, so named from the resemblance to a walnut, *κάρυον*.
- Ca'rythus** (Ornith.) *κάρυον*, a nut; its food.
- Cassentinie'llus** (Ent.) P. N. from the insect being first taken in the valley of *Caffentino*, in Tuscany.
- Ca'ssia** (Bot.) from Arabic *katfa*, to tear off; from the bark being stripped off the tree.
- Ca'ssicus** (Ornith.) *κασσίκιον*, to sew together; from its interweaving vegetable fibres to form a penile nest.
- Ca'ssida** (Ent.)
- Cassida'lis** (Ent.) resembling *caffida* in some respects.
- Cassi'didæ** (Ent.) *caffida*, fam. term. *ide*.
- Cassi'ne** (Bot.) its name among the Indians of Florida.
- Cassi'nia** (Ent.) P. N. in honour of *John Dominic Caffini*, the astronomer.
- Cassi'nia** (Bot.) P. N. from *M. Henri Caffini*, a celebrated French botanist.
- Cassiope'** (Ent.) P. N., the mother of Andromeda.
- Ca'ssis** (Zool.) *Lat.* a helmet; the helmet-shell.
- Ca'ssytha** (Bot.) the Greek name of the Dodder, which it resembles.

- Casta'lis (Ent.) *caflus*, pure.
- Casta'lia (Bot.) *Lat.* pure; the white water-lily.
- Casta'nea (Bot.) *Lat.* a chestnut tree; it took its name from a town of Theßaly.
- Castanosper'mum (Bot.) the seeds taste like chestnuts; a genus of Leguminosæ.
- Caste'lea (Bot.) P. N. from *M. Cafel*, author of a poem upon plants.
- Castiga'ta (Ent.) *cafligatus*, small, slender.
- Castille'ja (Bot.) P. N. from *Don Caffilleja*, a Spanish botanist.
- Ca'stor (Zool.) *Lat.* a beaver.
- Castori'na (Zool.) *cavtor*; a sub-family of Mammalia.
- Castr'e'nsis (Ent.) *Lat.* living in a camp; the larva being gregarious.
- Ca'stus-a'um (Zool., Bot.) *Lat.* chaste.
- Casuari'na (Bot.) from supposed resemblance to the feathers of the cassowary.
- Casua'rius (Ornith.) a genus of Birds.
- Catabro'sa (Bot.) καταβρωσις, that which is eaten; a genus of Graminae.
- Catacly'sta (Ent.) κατακλυστις, funk under water; the larva feeding on aquatic plants.
- Cata'lpa (Bot.) an Indian name.
- Catanan'che (Bot.) κατανάγκη, strong incentive; formerly used in philtres, or rather the plant mentioned by Dioscorides, which cannot now be identified.
- Cata'phanes (Ent.) καταφανής, clearly seen, visible.
- Cataphra'ota (Zool.) καταφεντος covered up, shut in; the shielded reptiles.
- Cataphra'ctus (Ichth.) κατάφακτος, covered up, shut in.
- Catarra'ctes (Ornith.) καταρράκτης, broken, precipitous; from καταρρέγμει, to break in pieces.
- Cata'scopus (Ent.) κατά, downward. σκοπίω, to look at.
- Catase'tum (Bot.) κατά, downward, *seta*, bristle; from the two horns of corolla.
- Cata'stomus (Ichth.) κάτω, downwards, στόμα, a mouth.
- Cate'illa (Ent.) *Lat.* a little chain.
- Cate'na (Ent.) *Lat.* a chain; also, in Botany sp. name of a Diatom.
- Catena'lis (Ent.) *catena*, a chain.
- Catene'illa (Bot.) dim. of *catena*, a chain; a genus of Cryptogamia.
- Cateno'sa (Ent.) *catena*, a chain.

- Cate'phia** (Ent.) καταφής, downcast, obscure.
- Catephi'dæ** (Ent.) *catephia*, fam. term. *idæ*.
- Catephioi'des** (Ent.) *catephia*, οἶδος, resemblance.
- Cate'retes** (Ent.) κατηρίς, to denounce; or, κατηρέψω, to cover or roof?
- Catesbe'a** (Bot.) P. N. in honour of *M. Catesby*, author of the Natural History of Carolina.
- Catharan'thus** (Bot.) καθαρός, pure, ἀθότι, flower; neat and beautiful flowers; a genus of Apocynaceæ.
- Catha'rites** (Ornith.) καθαρτίς, a cleanser, or purifier; applied to certain vultures.
- Cathartice'lla** (Ent.) feeds on Rhamnus *catharticus*, buckthorn.
- Cathartocar'pus** (Bot.) καθαρίω, to purge, καρπός, fruit; a genus of Leguminosæ, to which the purgative cassia belongs.
- Catoble'pas** (Zool.) κάτω, down, βλέπω, to look.
- Cato'cala** (Ent.) κάτω, below, καλός, beautiful, alluding to the under-wings.
- Catoca'lidæ** (Ent.) *catocala*; a family of Lepidoptera.
- Catocaloi'des** (Ent.) *catocala*, οἶδος, resemblance.
- Ca'todon** (Ichth.) κάτω, below, οδοντος, οδοντος, a tooth; having teeth in the lower jaw.
- Catodon'tidæ** (Ichth.) the family of Toothed whales, of which preceding is the type.
- Catophrag'mus** (Zool.) κατά, against, φράγμα, a defence or protection.
- Cato'ps** (Ent.) κάτω, below, ωψ, the face.
- Cato'ptria** (Ent.) κάτωτρον, a mirror.
- Cattleya** (Bot.) P. N. so called by Dr. Lindley, in honour of *W. Cattley*, Esq., of Barnet, Hertfordshire.
- Cauca'lis** (Bot.) a Greek name used by Theophrastus, now applied to the Bur parsley.
- Caudacu'ta** (Ornith.) *cauda*, a tail, *acutus*, sharp.
- Cauda'na** (Ent.) *cauda*, a tail.
- Cauda'tus-a-um** (Zool., Ornith., Bot.) having a tail, tailed.
- Caude'lla** (Ent.) *cauda*, a tail, dim. *ella*.
- Caudimacula'tum** (Ichth.) *cauda*, a tail, *maculatus*, spotted.
- Caudivol'vulus-a-um** (Zool.) *cauda*, a tail, *volvere*, to curl.
- Caule'rpa** (Bot.) *caulis*, a stem, ἐρπω, to creep; a genus of Cryptogamia.
- Caule'rpites** (Fos. Bot.) same etymology; a fossil genus allied to former.

Cau'liflower (Bot.) *caulis*, a stem, *flos*, a flower; i. e. the flowering stem or stalk.

Caulophyllum (Bot.) *καυλόφυτον*, a stem, *φυλλάσιν*, so terminated by the stalks that the leaves seem to be a continuation of the stem; a genus of Berberaceæ.

Cau'sus (Zool.) *καῦσις*, a burning heat, referring to its bite; a genus of Ophidians.

Cau'ta (Ent.) *cautus*, safe, secure, cautious.

Cave'lla (Ent.) *cavus*, hollow.

Caverno'sa (Ent.) *cavernosus*, having hollows.

Ca'veia (Zool.) a genus of Mammalia.

Cavoli'na (Zool.) *cavus*, hollow, full of holes.

Ceano'thus (Bot.) *κεανόθος*, a kind of thistle; term used by Theophrastus, from *κέανει*, to cleave.

Ce'bidae (Zool.) *cebus*, fam. term. *ide*; a family of Mammalia.

Ceblepyri'næ (Ornith.) *ceblepyris*, the Red Caps; a sub-family of the Incessores.

Ceblep'yris (Ornith.) *κίβλην* for *κεφαλή*, the head, *πῦρ*, fire; from the bright colour of the head; the Red Caps.

Ce'brio (Ent.) a genus of Coleoptera.

Cebrio'nidæ (Ent.)

Ce'bus (Zool.) *cebus*, a long-tailed monkey.

Cecidomy'ia } (Ent.) *κηκίς*, *κηκίδος*, excrescence or gall-nut, *μύia*, a fly;

Cecidomy'idae} a genus and family of Diptera.

Cecro'pia (Bot.) P. N., so called from *Cecrops*, King of Athens, whose legs were fabled to be snakes; snake-wood.

Cecro'pidæ (Zool.) *Cecrops*, fam. term. *ide*; a family of Entomostraca.

Cecro'ps (Zool.)

Cede'stis (Ent.) *καὶστίς*, a relation by marriage.

Cedre'la (Bot.) *cedrus*, the cedar-tree; from its aromatic resin.

Cedrela'ceæ (Bot.) the mahogany-tree family, of which *cedrela* is the type.

Ce'drus (Bot.) Hebrew name Latinized. Brook Cedron?

Celæ'na (Ent.) *καλαύρις*; black, referring to its colour.

Cela'ndine (Bot.) derived from the name of *Chelidonium*, given to it by Gerarde and Parkinson, because the plant which comes in bloom when the *χιλιδών*, (swallow) appears.

Celastr'a'ceæ (Bot.) the family of spindle-trees, of which *celastrus* is the type.

- Celas'trus** (Bot.) κέλαστρος, an evergreen tree, according to some, privet, to others, holly; now applied to the Spindle tree.
- Cela'ta** (Ent.) part. of *celo*, to conceal; concealed.
- Celebe'nsis** (Zool.) *Lat.* relating to the island of *Celebes*.
- Celerel'la** (Ent.) *celer*, swift, dim. term. *ella*.
- Celer'io** (Ent.) *celer*, swift; applied to one of the Hawk-moths.
- Ce'cery** (Bot.) from σέλινον?
- Ce'lia** (Ent.) κέλια, a spot.
- Cell'ptera** (Ent.) κέλις, a spot, πτερόν, a wing.
- Cellepo'r'a** (Zool.) *cella*, a cell, *porus*, a pore or little pole; a genus of Polyzoa.
- Cellepo'ridæ** (Zool.) *cellepora*, fam. term. *idæ*; a family of Polyzoa.
- Cellulla'lis** (Ent.) *cellula*, a little chamber.
- Cellula'ria** (Zool.) *cellula*, a little cell or chamber; a genus of Polyzoa.
- Celo'sia** (Bot.) καλός, burnt; the flowers of some species appear singed; a genus of Amarantaceæ.
- Celsia** (Ent., Bot.) P. N. from *Olaus Celsius*, Greek Professor at Upsal, a friend of Linnæus.
- Celtis** (Bot.) one of the names antiently given to the lotus; applied by Tournefort to a genus of the modern Ulmaceæ.
- Cembra'lis** (Ent.) from the *Pinus Cembra*, being found on fir-trees.
- Cemio'stoma** (Ent.) κεμίας, a muzzle, στόμα, the mouth.
- Ce'monus** (Ent.) κεμόνος, a muzzle; a genus of Hymenoptera.
- Cena'ngium** (Bot.) κενός, empty, ἄγγειον, a vessel; a genus of Cryptogamia.
- Ce'nchris** (Zool.) a genus of Ophidians.
- Ce'nchrus** (Bot.) κενχρός, the Greek name of the Millet Latinized; a genus of Graminae.
- Cenia** (Bot.) κενός, empty? from inflated calyx; a genus of Compositæ.
- Cenococ'cum** (Bot.) κενός, empty, κοκκος, a berry; a genus of Fungi.
- Cenomy'ce** (Bot.) κενός, empty, and μύκη, a fungus; from the little hollow receptacles; a genus of Lichenes.
- Centau'rea** (Bot.) κενταυρία, the herb centaury.
- Centaurea'ta** (Ent.) feeds on *Centaurea scabiosa*.
- Cente'tes** (Zool.) κεντίω, to prick or sting; from the short thorn-like spine on the body.
- Centothe'ca** (Bot.) κεντέω, to prick, and θήκη, a sheath; a genus of Graminae.
- Centran'thus** (Bot.) κεντρόν, a spur, αρθος, a flower; the spurred corolla; a genus of Valerianaceæ.

- Ce'ntris (Ent.) a genus of Hymenoptera.
- Centri'scus (Ichth.) κεντρίζω, to prick; the Trumpet-fish.
- Centrocar'pha (Bot.) κεντρόν, a sharp point, καρφη, chaff; the paleæ being bristly; a genus of Compositeæ.
- Centrocli'num (Bot.) κεντρόν, a point, κλινη, a bed; a genus of Compositeæ.
- Centroglo'ssa (Ent.) κεντρόν, a sharp point, γλῶσσα, the tongue.
- Centrolo'phus (Ichth.) κεντρόν, a sharp point, λόφος, the back of the neck; the Blackfish.
- Centropo'mus (Ichth.) κεντρόν, a point, πώμα, a lid or cover; a genus of the family Percidae.
- Centropri'stes (Ichth.) κεντρόν, a prick, προστής, the saw-fish.
- Centro'pus (Ornith.) κεντρόν, a spur, ποῦς; from the great length of the claw of the hind toe.
- Centrosper'mum (Bot.) κεντρόν, a point, σπερμα, seed; from spiny points of pappus; a genus of Compositeæ.
- Centrou'rhus (Ornith.) κεντρόν, a sharp point, ὕψη, the tail; it should be *centrurus*.
- Centru'rophis (Ichth.) κεντρόν, a point, ὕψη, a tail, φίς, a serpent.
- Centu'nculus (Bot.) Lat. a genus of Primulaceæ.
- Centu'rio (Zool.) Lat. a commander; applied to the Epaulet bat.
- Centu'rus (Ornith.) κεντρόν, a point, ὕψη, a tail; a genus of Woodpeckers.
- Ce'pa (Bot.) from *caput*, the head; in allusion to its round form; the Onion.
- Cephæ'lis (Bot.) from κεφαλή, a head; it flowers in heads or bunches.
- Cephala'nthus (Bot.) κεφαλή, a head, θυμος, a flower.
- Cephal' epis (Ornith.) κεφαλή, the head, λεπις, a scale.
- Cephalo'phora (Bot.) from κεφαλή the head, φέρω, to bear.
- Cephalo'phorus (Zool.) κεφαλή, a head, φέρω, to bear or carry.
- Cephalop'terus (Ornith.) κεφαλή, head, πτερον, feather; from the large and spreading crest; the Umbrella bird.
- Cephalo-tho'rax (Zool.) κεφαλή, the head, θώραξ, breast-plate.
- Cephalo'trichum (Bot.) κεφαλή, head, θρύξ, τρίχως, hair; from heads being covered with hair; a genus of Fungi.
- Cephalo'tus (Bot.) κεφαλοτος, headed, capitate stamens, being type of order Cephalotaceæ.
- Ce'pola (Ichth.) etymology unknown.
- Cera'go (Ent.) *cera*, wax.
- Cerambi'cidæ (Ent.) *cerambyx*, fam. term. *ida*.
- Cera'mbyx (Ent.) κεράμβυξ, a horned beetle.
- Cera'mica (Ent.) κερα, a horn, μικρος; fame as μικρός, small.

- Ceramidium** (Bot.) *ceramium*, Κέραμος, form.
- Ceramium** (Bot.) κεράμιον, a pitcher; it has the appearance of capsules; a genus of Algae.
- Cerano'ta** (Ent.) κέρας, a horn, ράτα, pl. of ράτος, the back.
- Cera'nthera** (Bot.) κέρας, a horn, ανθηρ; from the horned lobes of anthers; a genus of Violaceæ.
- Cera'ptila** (Ent.) κέρας, a horn, πτίλον, a plume.
- Cera'stes** (Zool.) κεράστης, horned: the former is applied to a genus of **Cera'stis** (Ent.) } Ophidians; the latter, to a beetle.
- Cera'stium** (Bot.) κέρας, a horn.
- Cera'ssus** (Bot.) first brought from *Cerasus*, a town of Asia Minor; the cherry.
- Cera'tiola** (Bot.) κερατίον, a little horn, which the stigma resembles; a genus of Empetraceæ.
- Ceratiso'len** (Zool.) κερατίον, a pod, σωλήν, the razor-shell.
- Cera'tium** (Bot.) same derivation; a genus of Fungi.
- Cerato'ca'rpus** (Bot.) κέρας-ατος, a horn, καρπός, fruit
- Ceratoce'phalus** (Bot.) κέρας-ατος, a horn, κεφαλή, the head.
- Cerato'chloa** (Bot.) κέρας-ατος, a horn, χλόα, grass.
- Ceratohy'al** (Zool.) κέρας-ατος, a horn, ὥλος, glass.
- Cerato'nia** (Bot.) κέρας-ατος, a horn; it has horn-like pods.
- Ceratoniel'la** (Ent.) κέρας-ατος, a horn, dim. term. *ella*.
- Ceratope'talon** (Bot.) κέρας-ατος, a horn, πτελον, from the form of petals; a genus of Cunoniaceæ.
- Cerato'phorus** (Ent.) κέρας-ατος, a horn, φέρω, to bear; a genus of Hymenoptera.
- Ceratophy'llum** (Bot.) κέρας-ατος, a horn, φύλλον, a plant.
- Ceratosa'nthes** (Bot.) κέρας-ατος, a horn, αιθος, from the form of petals; a genus of Cucurbitaceæ.
- Cer'bera** (Bot.) P. N. from *Cerberus*, the famous dog of Mythology; from being poisonous; a genus of Apocynaceæ.
- Cerca'spis** (Zool.) κέρκος, a tail, ἀσωίς, a viper; a genus of Colubrine ophidians.
- Cer'ceris** (Ent.) a genus of Hymenoptera.
- Cerc'ois** (Bot.) κερκίς, a name used by Theophrastus; its common name, Judas-tree, is derived from its having been supposed to be the tree upon which Judas hanged himself; but Gerarde gravely assures us that this was not the case, as he hanged himself on an Elder!
- Ceroce'bus** (Zool.) κέρκος, a tail, κῆρος, a monkey.

- Cercocelus** }  
**Chœrop'sis** } (Zool.) a genus of Quadrupeds.  
**Cephalophus**
- Cerco'bes** (Zool.) *κέρπος*, a tail, *λαβή*, a handle.
- Cerco'ptes** (Zool.) *κέρπος*, a tail, *λεπτός*, slender.
- Cerco'monas** (Zool.) *κέρπος*, a tail, *μονας*; a genus of Infusoria.
- Cercopithe'cus** (Zool.) *κέρπος*, a tail, *μίθηκος*, a monkey.
- Ce'royon** (Ent.)
- Cerella** (Ent.) *cera*, wax; from the larva being found in bees' nests.
- Cereo'psis** (Ornith.) *κερός*, wax, *άντις*, resemblance.
- Cere'sia** (Bot.) P. N. from *Ceres*, inventress of tillage; a genus of Gramineae.
- Ce'reus** (Bot.) *cereus* signifies pliant, like wax, from *cera*, wax; being easily bent in some species; a genus of Cactaceæ.
- Ceria'nthus** (Zool.) *κερας*, a horn, *ἄνθος*, a flower; a genus of Actiniæ.
- Ceri'go** (Ent.) P. N., the modern name of the island of Cythera.
- Ceri'ntha** (Ent.) *κερός*, wax.
- Ceri'nthe** (Bot.) *κερός*, wax. Bees obtain a large supply of wax from it.
- Cerio'rnis** (Ornith.) *κερας*, a horn, *Ὥρνις*, a bird; the Horned pheasant of Nepaul.
- Cerithi'dæ** (Zool.) *cerithium*, fam. term. *idæ*.
- Ceri'thium** (Zool.) etymology uncertain; a genus of Mollusca.
- Cero'cala** (Ent.) *κερός*, a horn, *καλός*, beautiful.
- Ceroce'phala** (Ent.) *κερας*, a horn, *κεφαλή*, the head.
- Cero'coma** (Ent.) *κερας*, a horn, *κόμη*, hair, from peculiarity of antennæ; a genus of Coleoptera.
- Cero'macra** (Eut.) *κερας*, a horn, *μακρίς*, long.
- Cero'pales** (Ent.) *κερός*, wax, *πάλη*, fine meal; a genus of Hymenoptera.
- Cerope'gia** (Bot.) *κερός*, wax, *πηγή*, a fountain.
- Cero'phytum** (Ent.) *κερός*, wax, *φυτόν*, a plant.
- Cero'platus** (Ent.) *κερας*, horn, *ωλατνος*, broad; a genus of Diptera.
- Cero'stoma** (Ent.) *κερός*, wax, *στόμα*, a mouth.
- Cero'xylon** (Bot.) *κερός*, wax, *ξύλον*, wood; the Wax-palm of South America.
- Certa'ta** (Ent.) *certus*, established, sure.
- Cer'thia** (Ornith.) *Lat.* for a tree Creeper.
- Certhi'dæ** (Ornith.) *certhia*, fam. term. *idæ*; the Creeper family.
- Certhila'uda** (Ornith.) *certhia*, *alauda*, a lark.
- Cer'thiola** (Ornith.) dim. of the preceding.

- Cerusicoo'sta** (Ent.) *ceruffa*, white lead, *custa*, the fide.
- Cerusse'lla** (Ent.) *ceruffa*, white lead, *cerufe*, alluding to colour.
- Cerusse'llus** (Ent.) *ceruffa*, white lead, referring to colour.
- Cerva'lis** (Ent.) *cervia*, a doe ; being fawn-coloured.
- Cervante'sia** (Bot.) P. N. after the celebrated *Cervantes*; a genus of Santalaceæ.
- Cervico'pra** (Zool.) *cervus*, a stag, *capra*, a goat.
- Cervi'na** (Zool.) *cervus*, a stag ; a sub-family of Mammalia.
- Cervina'ria** (Ent.) *cervinus*, belonging to a deer, either from its fawn-colour, or from some resemblance of the markings to stags' horns.
- Cervi'nus-a-um** (Bot.) pertaining to a deer.
- Ce'rvus** (Zool.) *Lat.* a stag.
- Ce'rylon** (Ent.) *xipas*, a horn, *oīλος*, entire.
- Cespita'lis** (Ent.) *cespes-itis*, turf.
- Cespiti'colis** (Ent.) *cespes-itis*, turf, *colo*, to inhabit.
- Ce'spitis** (Ent.) *cespes*, *cespitis*, turf; on which it feeds.
- Ce'stode** (Zool.) *xistōs*, a girdle, or band.
- Cestoi'dea** (Zool.) resembling *ceftode*.
- Cestracion** (Ichth.) *xistopa*, a fish held in esteem among the Greeks, doubtful whether a pike or a conger ; now used for the New Holland sharks.
- Cestri'nus** (Bot.) P. N., the son of Hector and Andromache ; a genus of Compositæ.
- Ces'trum** (Bot.) *xistropoν*, the name applied by Dioscorides to the Betony.
- Ce'te** (Zool.) *xītōs*, or *xītūn*, a whale ; an order of Mammalia.
- Ce'terach** (Bot.) *Arab.* and *Persian chetherak*, French *ceterac*, Welsh *cedor y urach*, the double rake ; a genus of Ferns.
- Ceti'osau'rus** (Fos. Zool.) *xītōs*, a whale, *σαῦρος*, a lizard.
- Cetochi'lidae** (Zool.) *xītōs*, a whale, *χιλίδης*, food ; a family of Entomostraca.
- Ceto'chilus** (Zool.) *xītōs*, a whale, *χιλίδης*, food ; a genus of Entomostraca.
- Ceto'nia** (Ent.) unexplained.
- Cetoni'idae** (Ent.) *cetonia*, fam. term. *idae*.
- Cetra'ria** (Bot.) *cetra*, a buckler ; a genus of Lichenes.
- Ceuthoca'rpus** (Bot.) *xīθω*, to hide, *καρπός*, fruit.
- Ceutho'spora** (Bot.) *xīθω*, to hide, *σπορά*, seeds, from the hidden sporules ; a genus of Fungi.
- Ceutorhy'nchus** (Ent.) *xīθω*, to hide, *ρύγχος*, a beak.
- Chabro'lii** (Ichth.) P. N. from the celebrated *M. Chabrol*.

- Chae'ma (Zool.) native Hottentot name of a baboon.
- Chærop'hylla'ta (Ent.) feeds on *Chærophyl'lum syloef're*, the Cow parsley.
- Chærop'hylle'llus (Ent.) dim. of *chærophyl'lum*, the plant which it frequents.
- Chærop'hylli (Ent.) feeds on *Chærophyl'lum temulentum*, rough Cow parsley.
- Chærop'hyllum (Bot.) χαίρω, to rejoice, φύλλον, a leaf; from its luxuriant foliage.
- Chætachlœ'na (Bot.) χαΐτη, bristle, χαῖτης, covering; from the points of involucre being concealed; a genus of Compositæ.
- Chæta'nthera (Bot.) χαΐτη, bristle, ἀνθη, having hairy anthers; a genus of Compositæ.
- Chæta'ria (Bot.) χαΐτη, bristle; a genus of Gramina.
- Chæta'rthria (Ent.) χαΐτη, a bristle, ἄρθρον, a joint.
- Chæto'calyx (Bot.) χαΐτη, bristle, καλύξ, calyx; covered with bristles; a genus of Leguminosæ.
- Chætocne'ma (Ent.) χαΐτη, a bristle, κνήμη, the leg.
- Chæ'todon (Ichth.) χαΐτη, a mane, δόιος, οδοντος, a tooth.
- Chætoto'ntidae (Ichth.) *chatodon*, fam. term. *ide*; a family of Acanthopterygious fishes.
- Chætoga'stra (Bot.) χαΐτη, bristle, γαστήρ, the belly; the tube of calyx bristly; a genus of Melastomaceæ.
- Chæto'mium (Bot.) χαΐτη, bristle; from the hairy appearance; a genus of Fungi.
- Chætomys (Zool.) χαΐτη, long flowing hair, μῦς, a mouse.
- Chæto'phora (Bot.) χαΐτη, bristle, φέρω, to bear; bristle-bearer, alluding to the form; a genus of Algæ.
- Chæto'phora (Bot.) χαΐτη, a bristle, φέρω, to bear, from the branched filaments; a family of Confervoid algæ.
- Chætophor'a'ceæ (Bot.) *chætophora*, fam. term. *aceæ*.
- Chæto'poda (Zool.) χαΐτη, a bristle, πούς, ποδος, a foot; an order of Annelida.
- Chæto'pteryx (Ent.) χαΐτη, hair, πτερυξ, a wing; a genus of the Phryganidæ.
- Chæto'spora (Bot.) χαΐτη, a bristle, σπορά, feed; a genus of Algæ.
- Chætoto'lius (Ent.) χαΐτη, hair, ἕυς, ὄρος, an ear; having a black beard on the apex of the posterior wings.
- Chætu'rurus (Bot.) χαΐτη, bristle, οὐρά, a tail; from the silky appearance of panicle; a genus of Gramina.
- Chagri'nea (Ichth.) *Lat.* flaggreened.
- Chailletia (Bot.) from *M. Chaillet*, a Swiss botanist; the typical genus of Chailletiacæ.

- Chalcedo'nia (Ent.) χάλκη, a purple colour.
- Chalcedo'nious-a-um (Bot.) the colour of Chalcedony.
- Cha'loidæ (Zool.) *chalcis*, fam. term. *ida*.
- Cha'loidæ } (Ent.) χαλκός, copper; from their copper colour.
- Chalci'dites } (Ent.) χαλκός, brafs; a genus of Lizards.
- Cha'lcis } (Ent.) χαλκός, copper (colour); a genus of Hymenoptera.
- Chalcites } (Ent.) χαλκός, brafs, *γράμμα*, a mark, dim. term. *ella*.
- Chalco'gramme'lla (Ent.) χαλκός, brafs, *γράμμα*, a mark, dim. term. *ella*.
- Chalope'pla (Ornith.) χαλκός, copper, πέπλος, a covering.
- Chaleoso'ma (Ent.) χαλκός, brafs, (colour), σῶμα, a body.
- Chaleo'stoma (Zool.) χαλκός, copper (colour), στόμα, a mouth.
- Cha'limus (Zool.) χάλκος, a bridle; a genus of Entomostraca.
- Chalybæ'us (Ornith.) χάλυψ-υθος, steel, from the metallic colours of the Birds.
- Cha'lybe (Ent.) χάλυψ-υθος, hard iron or steel; referring to colour.
- Cha'ma (Zool.) χήμη, a cockle, which from χείω, to gape; a genus of Mollusca.
- Chamædo'rea (Bot.) χαμαι, on the ground, δωρεά, a gift; the flowers hanging low.
- Chamædrys (Bot.) χαμαι, on the ground, δρῦς, the oak; the germander is named *Teucrium Chamædrys*.
- Chamæ'ledon (Bot.) χαμαι, dwarf, λεῖον, cistus; a genus of Ericaceæ.
- Chamæ'leon (Zool., Ent.) χαμαι, on the ground, λίον, a lion; the name is not apt either to the lizard or the insect; when applied to the latter, the reference is to its varying in colour.
- Chamæli'rion (Bot.) χαμαι, dwarf, λείριον, a lily; dwarf-lily; a genus of Melanthaceæ.
- Chamæpe'lia (Ornith.) χαμαι, on the ground, μηλός, mud; the Ground Dove. The latter part of the name probably from its ashy-brown colour.
- Chamæ'petes (Ornith.) χαμαι, on the ground, πέτομαι, to fly.
- Chamæ'pitys (Bot.) χαμαι, on the ground, πίτυς, the pine-tree.
- Chamærhode'ndron (Bot.) χαμαι, on the ground, φοδόδενδρον, the Rose-laurel.
- Chamæ'rops (Bot.) χαμαι, on the ground, βώλη, a young shoot.
- Chamæ'sipho (Zool.) χαμαι, on the ground, σίφων, a tube; a genus of Cirripedes.
- Cha'meek (Zool.) native name of a monkey of the family Cebidæ; *Ateles Chameek*.

**Chame'leon** (Zool.) *χαμαιλίων*, a little lion ; from *χαμαι*, on the ground, *λίων*, a lion.

**Cha'midæ** (Zool.) a family of Mollusca of which *chama* is the type.

**Chamiss'oa** (Bot.) P. N. from *M. Chamisso*, a celebrated botanist ; a genus of Amarantaceæ.

**Cha'momile** (Bot.) *χαμαι*, *μῆλον*, dwarf or ground apple ; because the plant smells like apples, or rather like quinces.

**Chamomil'la** (Bot.) *χαμαι*, on the ground, *μῆλον*, an apple ; chamomile.

**Chamomil'læ** (Ent.) feeds on the Chamomile.

**Chamo'strea** (Zool.) *chama*, a genus of shells, *oſtrea*, the oyster ; a genus of bivalve Mollusca.

**Chao'nia** (Ent.) P. N., a district in Epirus.

**Chapta'lia** (Bot.) P. N. from *M. Chaptal*, a famous French chemist.

**Cha'ra** (Bot.) *χειρός*, to delight ; it delights in water ; a genus of Cryptogamia.

**Charadri'nidæ** (Ornith.) the Plovers ; *charadrius*, fam. term. *inæ*.

**Chara'drius** (Ornith.) *χαραδρίος*, dwelling in clefts or gullies ; the curlew.

**Charæ'as** (Ent.) *χάρης*, grace ; beauty of shape.

**Charca'rodon** (Ichth.) *καρχαρόδον* ; *οδοντος*, with sharp or jagged teeth.

**Charicle'a** (Ent.) P. N. from *Charicles*, a tyrant of Athens.

**Chari'dea** (Ent.) *chara*, *εἴδος*, resemblance.

**Charip'tera** (Ent.) *chara*, *πτερόν*, a wing, i. e. resembling that genus.

**Charlwo'odia** (Bot.) P. N. from *G. Charlwood*, *Efg.*, *F.L.S.*, an enthusiastic English botanist ; a beautiful genus of Liliaceæ.

**Charmos'yna** (Ornith.) a beautiful parrot.

**Charter'gus** (Ent.) *χάρτης*, paper, *ἱρύων*, work ; because this Hymenopterous insect makes its nest of a substance like paper.

**Chasmarhy'nothus** (Ornith.) *χάσμα*, a hollow or chasm, *ρύγχος*, a beak.

**Chasmo'nia** (Bot.) *χασμάτης*, to gape wide, from the expanded calyx ; a genus of Labiatæ.

**Chau'liodes** (Ornith.) *χαύλιος*, gaping.

**Chaulio'dus** (Ent.) *χαυλιόδοντος*, with outstanding teeth.

**Cha'una** (Ornith., Ent.) *χαῦνος*, gaping.

**Chaunomure'sna** (Ichth.) *χαῦνος* gaping, *μύρειν*, an eel.

**Chaunopro'ctus** (Ornith.) *χαῦνος*, gaping, *πρωκτός*, the anus.

**Chella'nthes** (Bot.) *χεῖλος*, the lip, *ἄνθος*, a flower.

**Chello'dia** (Bot.) *χεῖλος*, a lip, and *δόντος*, a tooth ; from the toothed lips of the corolla ; a genus of Labiatæ.

- Cheiloglottis χεῖλος, lip, γλῶττα, tongue; tongue-like appendage to the lip of corolla; a genus of Orchidaceæ.
- Cheiloneurus (Ent.) χεῖλος, the lip, νεῦρον, a rib.
- Cheimatobia (Ent.) χείμων, αὐτος, winter, βιος, life; appearing in winter.
- Cheiranthus (Bot.) χειρ, the hand, ἄνθος, a flower; because suited for carrying in the hand? or perhaps from Arabic, *kheyrey*, and ἄνθος, a flower.
- Cheiroga'leus (Zool.) χειρ, a hand, γαλῆ, a weasel; applied to some quadrumanous Lemurs.
- Cheirolepis (Fos. Ichth.) χειρ, hand, λεπίς, a scale.
- Cheiromys (Zool.) χειρ, a hand, μῦς, a mouse.
- Cheiro'pachus (Ent.) χειρ, hand, παχύς, thick.
- Cheiroptera (Zool.) χειρ, the hand, πτερόν, a wing; a family of Mammalia; the Bats.
- Cheiroste'mon (Bot.) from the striking resemblance of the fine erect anthers to the fingers of a hand.
- Cheiro'style (Bot.) χειρ, a hand, στῦλος, a pillar; a genus of Orchidaceæ.
- Cheli'dones (Ornith.) χελιδών, a swallow; an order of Birds.
- Chelido'niun (Bot.) χελιδών, the swallow; in allusion to its time of flowering.
- Chel'i'fer (Zool.) χελώνη, a claw, φέρω, to bear.
- Chel'mon (Ichth.) χελμών, a fish with a long snout, mentioned by Aristotle.
- Chelo'ne (Bot.) χελώνη, a tortoise; the back of the helmet of the flower is compared to a tortoise.
- Chelo'nia (Zool.) χελώνη, a tortoise; an order of Reptilia.
- Chelo'nia (Ent.) χελώνια, a spotted beetle.
- Cheloni'dæ (Ent.) *chelonia*, fam. term. *ide*; a family of Lepidoptera.
- Chelono'bia (Zool.) χελώνη, a shell, βίος, existence; a genus of Cirripedes.
- Chelonyc'teris (Zool.) χελώνη, a tortoise, νυκτερίς, a bat; the Fringe-nosed bat.
- Chelo'stoma (Ent.) a genus of Hymenoptera.
- Chely'dra (Zool.) χέλυς, a tortoise, ιδρα, a water-serpent.
- Che'lys (Zool.) χέλυς, a tortoise.
- Chelytryp'e'tes (Zool.) χέλυς, a tortoise, τρυπητής, a borer.
- Chen (Ornith.) χήν, a goose.
- Chenal'opex (Ornith.) χήν, a goose, αλάπηξ, a fox.
- Cheno'lea (Bot.) χήν, a goose, λεία, prey.
- Chenopodi'l'a (Ent.) *chenopodium* the goose-foot, on which it feeds.

- Chenopodi'phaga** (Ent.) *chenopodium*, φέρω, to eat; alluding to the insects' food.
- Chenopo'dium** (Bot.) χῆν, a goose, πόνος, πόδος, a foot; in allusion to the shape of its leaves; the plant goosefoot.
- Cherle'ria** (Bot.) P. N. from *John Henry Cherler*, who assisted John Baukin in the compilation of his History of Plants; a genus of Caryophyllaceæ.
- Cherry** (Bot.) is from *Cerasus*, in Asia Minor.
- Cher'sydrus** (Zool.) χείρος, dry land, θερα, a water-serpent; a genus of Ophidians.
- Chervil** (Bot.) contraction of *charophyllum*; from χαίρω, to rejoice, φύλλον, a leaf; luxuriant foliage.
- Che'sias** (Ent.) P. N. a name of Diana.
- Chesnut** (Bot.) *Lat. castanea*.
- Che'tah** (Zool.) a native name.
- Chi'** (Ent.) from a wing-mark resembling the Greek letter χ.
- Chicken** (Ornith.) *Anglo-Sax. cicen*; *Germ. kucklein*.
- Chicory** (Bot.) *Arabic. chikouryeh*.
- Chilide** (Ent.) *chile*; a family of Lepidoptera.
- Chilien'sis** (Zool., Ent.) relating to *Chili*.
- Chilo** (Ent.) χεῖλος, a lip; from the elongated palpi.
- Chilobo'thrus** (Zool.) χεῖλος, a lip, βόθρος, a hole; a genus of Ophidians.
- Chiloc'hoa** (Bot.) χιλός, fodder, χλόη, grass; a genus of Graminae.
- Chiloc'orus** (Ent.) χεῖλος, a lip, κύπεος, fulness.
- Chilogna'tha** (Zool.) χεῖλος, a lip, γνάθος, a jaw; an order of Annulosa.
- Chilo'monas** (Zool.) χεῖλος, a lip, *monas*; having a projection above the mouth of a lip-like appearance.
- Chilo'poda** (Zool.) χιλιας, a thousand, πόνος, πόδος, a foot; a division of the Annulosa.
- Chimæ'ra, Chimæ'ridæ** (Ichth.) Χίμαιρα, the Chimæra, a reputed monster.
- Chimæ'roid** (Ichth.) *chimæra-like*.
- Chima'phila** (Bot.) χειμών, winter, φιλέω, to love; Evergreens; a genus of Pyrolaceæ.
- Chimona'nthus** (Bot.) χειμών, winter, ἄνθος, a flower; in allusion to its time of flowering.
- Chinchill'a** (Zool.)
- Chinchilli'na** (Zool.) *chinchilla*; a sub-family of Mammalia.
- Chine'nsis** (Zool., Bot.) *Lat.* relating or belonging to China.

- Chioco'cca (Bot.) χιώσ, snow, κόκκος, a berry.
- Chio'leuca (Ent.) χιώσ, winter, λευκός, white.
- Chiona'nthus (Bot.) χιώσ, snow, ἄνθος, a flower.
- Chi'o'ne (Zool.) P. N., the daughter of Deucalion.
- Chionea'lis (Ent.) χιόνιος, snowy.
- Chioni'dida (Ornith.) chionis, fam. term. idæ; a family of the Gallinæ.
- Chio'nis (Ornith.) χιώσ, χιόνιος, snow.
- Chiosgna'thus (Ent.) a genus of Exotic stag-beetles.
- Chiroce'phalus (Zool.) χειρίς, a hand, κεφαλή, the head; a genus of Entomstraca.
- Chiro'dota (Zool.) χειρόδοτος, given by the hand; a genus of Echino-dermata.
- Chiroga'leus (Zool.) χειρίς, the hand, γελᾶ, a weasel.
- Chirone'ctes (Ichth.) χειρίς, hand, νήπτης, a swimmer; the Hand-fish.
- Chiro'nia (Bot.) P. N. from Chiron, one of the fathers of medicine, botany, and surgery.
- Chiron'omus (Ent.) a genus of Dipterous insects.
- Chiro'scelis (Ent.) χειρίς, the hand, σκέλος, the leg.
- Chirrhœ'a (Bot.) κίρρος, yellow or fulvous; from colour of flowers.
- Chito'nia (Bot.) χιτών, a coat of mail; from the seeds being covered with scales; a genus of Melastomaceæ.
- Chitu'lia (Zool.) etymology unknown.
- Chlæ'snius (Ent.) χλαινία, a cloak.
- Chlamy'dera (Ornith.) χλαμύδη; a mantle, δέρος, the skin; having, across the back of the neck, a rose-coloured band.
- Chlamydosau'russ (Zool.) χλαμύδης, χλαμύδος, a mantle, σαῦρος, a lizard; the Frilled lizard.
- Chlida'nthus (Bot.) χλιδάω, to be delicate, ἄνθος, a flower.
- Chloa'nthes (Bot.) χλόα, grass, ἄνθος, a flower; from its green flowers; a genus of Verbenaceæ.
- Chloē'phaga (Ornith.) χλέων, grass, φαγεῖν, to eat; should be written Chloēphaga.
- Chlo'ra (Bot.) χλωρός, green.
- Chloræ'a (Bot.) χλωρίς, green, from the hue of the flower; a genus of Orchidaceæ.
- Chlora'na (Ent.) χλωρίς, light-green.
- Chlora'nthus (Bot.) χλωρός, green, ἄνθος, a flower.
- Chlora'ster (Zool.) χλωρός, green, ἀστέρ, a star; a genus of Infusoria.

- Chlo'rea** } (Ent.) *χλωρός*, green.  
**Chlo'rion** } (Ent.) *χλωρός*, green.
- Chloridi'um** (Bot.) *χλωρός*, pallid, *ειδος*, appearance; *i. e.*, the aspect of the plants; a genus of Fungi.
- Chlo'ris** (Ornith.) *χλωρίς*, was the name anciently applied to a bird, probably the Greenfinch.
- Chlo'ris** (Bot.) *χλωρός*, green; from the colour of the herbage.
- Chlori'za** (Ent.) *χλωρίζω*, to be greenish or pale.
- Chlorococ'eum** (Bot.) *χλωρέα*, green, *κόκκος*, a berry; a curious genus of Algæ.
- Chlorola'mpis** (Ornith.) *χλωρός*, green, *λάμπω*, to shine; a genus of Humming-birds.
- Chloro'phanus** (Ent.) *χλωρός*, green, *φαίνω*, to appear.
- Chloro'phytum** (Bot.) *χλωρός*, green, *φυτόν*, a plant.
- Chlo'ropus** (Ornith.) *χλωρός*, green, *ποῦς*, a foot.
- Chlororhy'ncchos** (Ornith.) *χλωρός*, green, *ρύγχος*, a beak.
- Chlorostil'bon** (Ornith.) *χλωρίς*, green, *στιλβώ*, to glitter; a genus of Humming-birds.
- Chloro'ticus-a-um** (Bot.) *Lat.* pale-green.
- Chlorox'ylon** (Bot.) *χλωρός*, green, *ξυλον*, wood; from the deep greenish-yellow colour of the wood; a genus of Cedrelaceæ.
- Chœroca'mpa** (Ent.) *χοῖρος*, a hog, *κάμπη*, a caterpillar, from the extended neck of the larva resembling a hog's snout.
- Chœropotamus** (Fos. Zool.) *χοῖρος*, a hog, *ποταμός*, a river; an extinct genus of Mammalia.
- Choiropo'tamus** (Zool.) *χοῖρος*, a hog, *ποταμός*, a river.
- Cho'ijsy** (Bot.) P. N. from *Choisy*, a Genevese botanist; an ornamental genus of Rutaceæ.
- Cholæ'pus** (Zool.) *χωλής*, lame, imperfect, *ποῦς*, a foot.
- Chole'va** (Ent.) *χωλίων*, to go lame.
- Chome'lia** (Bot.) P. N. from *J. B. Chomel*, a French botanist, Physician to Louis XV.
- Chonde'stes** (Ornith.) unexplained.
- Chondracan'thidae** (Zool.) *chondracanthus*, fam. term. *ide*; a family of Entomostraca.
- Chondrae'nthus** (Zool.) *χόνδρος*, cartilage, *ἄκαρθα*, a spine.
- Chon'dria** (Bot.) *χόνδρος*, a cartilage, referring to texture of plant; a genus of Algæ.

Chondri'lla (Bot.) *χόνδρος*, a lump; in allusion to the lumps of gummy matter on the stems.

Chondroptery'gia (Ichth.) *χόνδρος*, a cartilage, *πτερυξ*, *νύσ*, a wing or fin; an order of Fishes.

Chon'drus (Bot.) *χόνδρος*, a lump; a genus of Algae.

Cho'nnea (Ent.) *χών*, a funnel, *λίστη*, the nape of the neck.

Chora'gus (Ent.) *χοραγός*, a chorus-leader.

Cho'rda (Bot.) *χορδή*, a cord; a genus of Algae.

Chorda'ria (Bot.) *χορδή*, a cord; in allusion to the appearance of the plants; a genus of Algae.

Cho'retis (Bot.) *χωρίτης*, rustic; a very beautiful Mexican genus of Amaryllidaceæ, the flowers resembling those of Ismene.

Choreu'tes (Ent.) *χορεύτης*, a dancer.

Chorine'mus (Ichth.) unexplained.

Choris'pora (Bot.) *χωρίς*, separate, and *πορφύρα*, feed; from the very distinct seeds in pods; a pretty genus of Cruciferae.

Choroze'ma (Bot.) Sir J. E. Smith remarks, with reference to this name, "M. Labillardière originally discovered this plant (*C. ilicifolium*, the species first found, and which was introduced in 1803) on the Southern coast of New Holland, at the foot of the mountains, in a loamy soil, near a spot where, after being tantalized with finding many salt springs, his party had just met with an ample supply of fresh water. This welcome refreshment seems to have suggested a name for his plant, which he had properly determined to constitute a new genus. He called it Chorizema, evidently, as I presume, from *χορός*, a dance or joyful assembly, and *ζέμα*, a drink; in allusion to the circumstance just mentioned. This occasioned me to take the liberty of changing the gender of the name, which he had made feminine; and I have taken the further liberty of changing the *i* for an *o*, an alteration which the derivation seems to authorize and, indeed, to render indispensable."

Chorto'bius (Ent.) *χόρτος*, grass, *βίος*, life.

Christate'l'a (Ent.) *cristatus*, crested.

Christiernina'na (Ent.) P. N. in honour of *Christiernin*, a friend of Linnæus.

Christula'lis (Ent.) *cristula*, a small crest.

Chroma'lis (Ent.) *χρώμα*, colour.

Chroma'tium (Zool.) a genus of Infusoria possessing brilliant colours from *χρώμα*, colour.

Chro'modes (Ent.) *χρόμις*, a kind of fish or *χρώμα*, colour.

- Chroō'lepis** (Bot.) χρόση, the skin, λίπω, to decorticate; alluding to the inner membrane changing to powder; a genus of Cryptogamia.
- Chro'sis** (Ent.) χρόσις, a colouring, tinting.
- Chry'ophrys** (Ichth.) χρυσέες, gold, ὄφεις, the eyebrow; the fish called the Gilt-head.
- Chrysæ'ta** (Ornith.) χρυσέας, gold, ἄετος, an eagle.
- Chrysal'i'dina** (Zool.) resembling a *chrysalis* in its form; a genus of Formicifera.
- Chry'salis** (Zool.) χρυσαλλής, the gold-coloured sheath of insects, equiv. to Aurelian.
- Chrysanthe'da** (Ent.) χρυσέας, gold, ἀνθηδών, a bee; a genus of Hymenoptera.
- Chrysanthe'lum** (Bot.) dim. of Chrysanthemum; an uninteresting genus.
- Chrysa'nthemi** (Ent.) feeds on the following plant.
- Chrysa'nthemum** (Bot.) χρυσέας, gold, ἀνθεμος, a flower; a genus of Compositæ.
- Chryse'is** (Bot.) P. N., Homer's famous beauty and heroine, *Chrysis*; alluding to the brilliancy of flowers; a genus of Papaveraceæ.
- Chrysidifo'rmis** (Ent.) *chrysis*-*idis*, a ruby-tail fly, *forma*.
- Chrysiphi'a'la** (Bot.) χρυσέας, gold, φιάλη, a goblet, from its golden cup-like flowers; a genus of Amaryllidaceæ.
- Chry'sis** (Ent.) χρυσέας, gold; the ruby-tail fly; a genus of Hymenoptera.
- Chrysi'tis** (Ent.) χρυσέας, gold.
- Chrysoba'lanus** (Bot.) χρυσέας, gold, βάλανος, an acorn; in allusion to the fruit.
- Chrysobo'hris** (Ent.) χρυσέας, gold, βέθρος, a hole.
- Chrysochlo're** (Ent.) a genus of Diptera.
- Chrysochlo'ris** (Zool.) χρυσέας, golden, χλωρός, light-green; applied to the changeable or golden mole.
- Chrysoe'la** (Zool.) χρυσέας, gold, ἥλος, a nail; i.e. "studded with golden nails."
- Chrysoely'sia** (Ent.) χρυσέας, gold, ελύστρος, washed.
- Chrysoco'cyx** (Ornith.) χρυσέας, gold, *coccyx*; (*κόκκυξ*,) the cuckoo.
- Chryso'coma** (Bot.) χρυσέας, gold, κόμη, hair; in allusion to the tufts of yellow flowers.
- Chryso'crys** (Ent.) χρυσέας, gold, κόρυς, a helmet.
- Chrysoga'ster** (Zool.) χρυσέας, gold, γαστήρ, the belly.
- Chrysog'omum** (Bot.) χρυσέας, gold, γόνη, a knee; the yellow flowers are mostly produced at joints of the stem; a pretty genus of Compositæ.
- Chrysola'mpis** (Ornith.) χρυσος, gold, λαμπω, to shine; a genus of Humming-birds.

- Chrysome'la (Ent.) χρυσές, gold, τα μέλα, the limbs.
- Chrysome'lidæ (Ent.) chrysomela, fam. term. *ide*.
- Chrysomy'ia (Ent.) χρυσές, gold, μύια, a fly; a genus of Diptera.
- Chry'somys (Zool.) χρυσές, gold, μῦς, a mouse.
- Chrysone'tus (Ornith.) χρυσός, gold, νῶτος, the back.
- Chrysonyche'llus (Ent.) χρυσός, gold, ὄνυξ-υχος, a claw, dim. *ellus*.
- Chryso'pa (Ent.) χρυσές, gold, πούς, ποδές, a foot; a genus of Neuroptera.
- Chrysopelea (Zool.) a genus of Colubrine ophidians.
- Chrysophy'lum (Bot.) χρυσές, gold, φύλλων, a leaf.
- Chrysopo'gon (Bot.) χρυσός, gold, πάγων, a beard, from the yellow awns; a beautiful genus of Graminae.
- Chry'sops (Ent.) χρυσέψ, shining like gold; a genus of Diptera.
- Chrysorrhœ'a (Ent.) χρυσός, gold, ρέων, to flow; from the golden anal tuft.
- Chrysosple'nium (Bot.) χρυσές, gold, σπλήν, spleen.
- Chrysoste'mma (Bot.) χρυσός, gold, στέμμα, a crown; from colour of flowers; a very pretty genus of Compositæ.
- Chryso'tis (Ornith.) χρυσές, gold, ὠτε, ὠτίς, an ear.
- Chrysuro'nia (Ornith.) χρυσές, gold, οὐρά, a tail; a genus of Humming-birds.
- Chrysu'rus (Bot.) χρυσός, gold, οὐρά, a tail; in allusion to the flowers.
- Chthamali'næ (Zool.) chthamalus, fam. term. *inæ*; a sub-family of Cirripedes.
- Chtham'alus (Zool.) χθαμαλός, on the ground.
- Chu'va (Zool.) native name of one of the spider monkeys.
- Chydo'rūs (Zool.) etymology unknown; a genus of Entomostraca.
- Chyloclo'a'dia (Bot.) a genus of Algae.
- Chy'sis (Bot.) χύσις, fusion, because the pollen masses appear to be fused together; a splendid, but very rare, Orchidaceous plant from Venezuela.
- Ci'a (Ornith.) etymology unknown.
- Cibo'tium (Bot.) κιβωτίον, a little chest; from form of indusium. A noble tree-fern from New Holland.
- Cica'da (Ent.) the Latin *cicada* is from κικάς, the accusative of which is κικᾶς. The ancients used *cicada* for the cricket, not the grasshopper, which they called *locusta*.
- Cicade'lla (Ent.) cicada, a grasshopper.
- Cica'didæ (Ent.) cicada, fam. term. *ide*.
- Cicatrice'ilus (Ent.) cicatrix, a scar.
- Ci'cca (Bot.) P. N. from Peter Cicca, who wrote in 1553.

Ci'cer (Bot.) *κίκυς*, force; in allusion to its qualities.

Cicho'rium (Bot.) an Egyptian name adopted by the Greeks; succory.

The Greeks used sometimes *i* and sometimes *ei* diphthong; thus Horace has:—

“ me Cichorea levesque malvæ.”

Cicinde'la (Ent.) Lat. a glow-worm.

Cicinde'lidæ (Ent.) *cicindela*, fam. term. *idæ*.

Cicinu'rus (Ornith.) *κικυρός*, curled hair, *οὐρά*, a tail; from the long spiral filaments of the extremity of the tail.

Cico'nia (Ornith.) Lat. a stork.

Cicu'ta (Bot.) a name of doubtful meaning.

Cidare'l'a (Ent.) dim. of *cidaris*, a head-dress or diadem.

Cida'ria (Ent.) P. N., a name of *Ceres*, according to Treitschke; or perhaps from *cidaris*, a Persian diadem, *tiara*.

Ci'daris (Zool.) Lat. a diadem; a genus of Echinodermata.

Cilie'lla (Ent.) *cilia*, fringe, dim. ella.

Cili'gera (Ent.) *cilium*, an eyelid, *gerere*, to bear.

Cil'i'um (Ent.) Lat. the eyelid.

Cil'ix (Ent.) Lat. a Cilician.

Cille'ni'um (Ent.) *cilleo*, to move or twinkle.

Cimici'fuga (Bot.) *cimex*, a bug, *fugo*, to drive away.

Cimo'lia (Ent.) *κιμωλία*, fuller's-earth, referring to colour.

Cincho'na (Bot.) P. N. from the *Counts of Cinchon*, whom it cured of a fever.

Cinclid'otus (Bot.) *κιγκλίς*, a lattice, *οδοῦς*, *οδούτος*, a tooth; a genus of Musci.

Ci'nclis, plural Cinclides (Zool.) used by Mr. Goffe to express certain orifices in Actiniaæ, resembling the spiracula of insects.

Cinchorha'mphus (Ornith.) sometimes written *cincloramphus*, from *κιγκλίς*, a lattice, *ράμφος*, a beak.

Ci'nclus (Ornith.) *κιγκλίς*, a lattice.

Cincta'lis (Ent.) *cinctus*, girt about; being striped.

Cincta'ria (Ent.) *cinctus*, girt, ringed.

Cinera'ceus-a-um (Ornith., Ent.) Lat. ash-coloured.

Cinera'ris (Bot.) *cineras*, ashes; from the ash-coloured down covering the surfaces of the leaves.

Cineral'l'a (Ent.) *cineret*, ashes; ash-coloured.

Cinereo-argenta'tus (Zool.) silvery-grey.

Cine'reola (Ent.) dim. of *cineretus*, ash-coloured.

- Cinereopunctel'la** (Ent.) *cinerous*, ash-coloured, *punctum*, a spot.
- Cine'reus-a-um** (Zool., Bot.) *Lat.* colour of ashes.
- Cinero'sa** (Ent.) *cineres*, ashes, in reference to colour.
- Cingellel'la** (Ent.) *cingillum*, a small girdle, or band.
- Cingula'lis** (Ent.) *cingula*, a girdle; referring to the bands across the wings.
- Cin'iflo** (Ent.) *Lat.* a slave.
- Ciniflonel'la** (Ent.) *ciniflo*, a hair-curler.
- Cinifo'nidae** (Ent.) *ciniflo*; a family of Arachnida.
- Ci'nna** (Bot.) P. N., an ancient town in Italy.
- Cinnabari'nus** (Ent.) κιννάρειος, an Indian gum; vegetable scarlet.
- Cinnamomea'na** (Ent.) κιννάμων, cinnamon; referring to colour.
- Cinnamo'mum** (Bot.) Latinized from the Arabic name.
- Cinnamo'nica** (Ent.) colour of *cinnamon*.
- Cin'xia** (Ent.) P. N., a surname of Juno, connected with *cingulus*, a girdle.
- Ci'onus** (Ent.) κίονις, a small pillar?
- Circoë'a** (Bot.) P. N. from *Circe*, the famous enchantress of mythology.  
The fruit, being covered with little hooks, lays hold of the clothes, as  
Circe did of the attention with her voice. A well-known and pretty  
genus of Onagraceæ; enchanter's night-shade.
- Cir'ce** (Zool., Ent.) P. N., an ancient enchantress.
- Circo'e'adæ** (Zool.) *Circe*, fam. term. *ide*; a division of naked-eyed Medusæ.
- Circocella'ta** (Ent.) *circellus*, a small ring.
- Cir'cia** (Ornith.) κίρκος, a falcon or kite.
- Circoina'lis** (Bot.) *circus*, a circle; from the ring-like joints of the trunk.
- Circoc'e'tus** (Ornith.) κίρκος, a falcon, ἀστρος, an eagle.
- Circumfle'xa** } (Ent.) *circumflexio*, to bend round.
- Circumflexa'lis** } (Ent.) *circumflexio*, to bend round.
- Circumscript'i'ta** (Bot.) *circum*, around, *scriptus*, written.
- Circumsigna'ta** (Ent.) *circum*, round, *signatus*, marked.
- Circumspe'cta** (Ent.) *Lat.* prudent, cautious.
- Ci'rcus** (Ornith.) κίρκος, a hawk, which flies in wheels or circles.
- Cir'lus** (Ornith.)
- Cirrhimuræ'na** (Ichth.) κιρρημον, yellow, μύραινα, an eel.
- Cir'rhaea** (Bot.) *cirrus*, a tendril, fm. form of flower; a genus of Orchidaceæ.
- Cirrhœ'dia** (Ent.) κιρροειδής, tawny.
- Cirrhope'talum** (Bot.) *cirrus*, a tendril, and πεταλον, fm. form of flower;  
a genus of Orchidaceæ.

- Cirri'pedes* (Zool.) *cirrhos*, a lock of hair, *pes*, a foot; a clasp of the Cirripe'dia. Annulosa.
- Cirros'pilus* (Ent.) *κίρρος*, yellow, *σπιλος*, a spot.
- Cirsia'na* (Ent.) *cirsium*, a thistle, on which it feeds.
- Cirsium* (Bot.) *κίρρος*, a swelled vein, from supposed healing properties; a genus of Compositæ.
- Cis* (Ent.) *κίς*, *κιός*, a wood-worm, a weevil; a genus of Beetles belonging to the family Ptinidæ.
- Cisa'lpina* (Ornith.) *cis*, on this side, *Alpes*, the Alps, i.e., the south side of those mountains.
- Cissa'mpelos* (Bot.) *κισσός*, ivy, *ἀμπελος*, a vine.
- Cis'sus* (Bot.) *κισσός*, ivy.
- Ciste'la* (Ent.) dim. of *κιστη*, a box or chest.
- Ciste'lidae* (Ent.) *cistella*, fam. term. *ideæ*.
- Cisti'cola* (Ornith.) sometimes written *cysticola*, from *cistus*, and *cole*, to frequent.
- Cisto'pteris* (Bot.) *κιστος*, a bladder, *πτηνη*, a fern; the indusium being like a bladder.
- Cis'tus* (Bot.) *κιστη*, a box.
- Cithare'xylum* (Bot.) *κιθάρα*, a lyre, *ξύλον*, wood.
- Citra'go* (Ent.) *citrus*, the citron-tree, referring to colour.
- Citra'ria* (Ent.) *citrus*, the citron; lemon-coloured.
- Citrinei'la* (Ornith.) dim. of *citrinus*, of a citron colour.
- Citrio'batus* (Bot.) *Citrus*, and *βάτος*, a thorn; "Orange-thorn;" a genus of Pittosporaceæ.
- Citrus* (Bot.) *Lat.* a citron-tree.
- Civett'a* (Zool.) *Arab. zebed*, a scent.
- Clada'nthus* (Bot.) *κλάδος*, a branch, *θυμος*, a flower, fm. form of Inflorescence; a genus of Compositæ.
- Clad'ium* (Bot.) *κλάδος*, a branch.
- Clado'cera* (Zool.) *κλάδος*, a branch, *κέρας*, a horn; an order of Entomofraca.
- Cladoba'tes* (Zool.) *κλάδος*, a branch, *βαινω*, to go; a branch-traverser.
- Cladocri'nites* (Fos. Zool.) *κλάδος*, a branch, *χρίνω*, a lily.
- Cladogra'psus* (Fos. Zool.) *κλάδος*, a branch, *γραπτός*, written.
- Clad'o'nia* (Bot.) *κλάδος*, a branch; a genus of Lichenes.
- Cla'dosporium* (Bot.) *κλάδος*, a branch, and spora, form of fructification; a genus of Fungi.
- Clado'stachys* (Bot.) *κλάδος*, a branch, and *στάχυς*, from form of inflorescence; a genus of Amarantaceæ.

- Clado'stephus** (Bot.) *κλάδος*, a branch, *στέφος*, a crown; a genus of Cryptogamia.
- Clad'yodon** (Fos. Zool.) *κλάδος*, a branch, *οδούς*, *οδοντός*, a tooth.
- Clam'ibus** (Ent.) *κλαμβός*, mutilated.
- Clan'culus** (Zool.) *clanculus*, by stealth.
- Clan'gula** (Ornith.) *Lat.* the noise made by a goose.
- Clany'ma** (Ent.) *κλάμα*, to break, *νήμα*, a thread.
- Clara'**ra (Ent.) *Lat.* clear, bright.
- Clararia** (Bot.) *Clara*, a club, fm. form of plant; a genus of Fungi.
- Clares'oens** (Ent.) *clareſco*, to grow bright.
- Clarkia** (Bot.) P. N. fm. *Captain Clark*, a North American botanist and traveller; a genus of Onagraceæ.
- Clarkii** (Ent.) P. N. in honour of the *Rev. Hamlet Clarke*.
- Clary** (Bot.) is the name of several species of sage, and is corrupted from *clear-eye*, because the seeds, powdered and mixed with honey, were supposed to clear the sight.
- Clathra'lis** (Ent.) *clathrum*, a lattice.
- Clathra'ta** (Ent.) *clathratus*, latticed.
- Clathrum** (Ent.) *Lat.* a bar or lattice.
- Clau'dicans** (Ent.) *Lat.* halting, limping.
- Clau'sena** (Bot.) unexplained; a genus of Aurantiaceæ.
- Clava'va** (Zool.) *Lat.* a club.
- Clava'lis** (Ent.) *clava*, a club.
- Clavi'ga** (Bot.) P. N. from *J. Clavijo Faxardo*, a Spanish naturalist.
- Clav'i'ger** (Ent.) *Lat.* one who bears a club.
- Clayto'nia** (Bot.) P. N. from *J. Clayton*, a botanical collector in Virginia.
- Cleiso'stoma** (Bot.) unexplained; a genus of Orchidaceæ.
- Cledeo'bria** (Ent.) *κληδός* (?), a hedge, *βίω*, to live.
- Cle'matis** (Bot.) *κλήματις*, a tendril.
- Cleo'me** (Bot.) *κλείω*, to shut up.
- Cleo'nia** (Bot.) a Greek name employed by Theophrastus.
- Cleo'nymus** (Ent.) *κλείος*, fame, *ὄνομα*, a name.
- Cleopha'na** (Ent.) *κλείος*, honour, *φαίνω*, to appear.
- Cleop'us** (Ent.) *κλείος*, fame, *ποῦς*, *ποδός*, a foot.
- Cleo'ra** (Ent.) P. N., the wife of one of the kings of Sparta.
- Cle'psis** (Ent.) *κλέψταινειν*, to conceal, deceive.
- Cler'ckii** (Ent.) P. N. in honour of *Carl Clerck*, *F.R.S.S.*, Upsal, in the 18th century.
- Clerode'ndron** (Bot.) *κληδόνιος*, a lot, *διδύμοι*, a tree.

**Cle'rus** (Ent.) Pliny applies this word to a worm which breeds in bee-hives.

**Cle'thra** (Bot.) κλήθρα, the Greek name for the Alder.

**Cleye'ra** (Bot.) P. N. from *Andrew Cleyer*, a Dutch botanist ; a genus of Fernstromiaceæ.

**Clia'nthus** (Bot.) κλείς, noble, κλῆθε, flower ; fm. its splendid appearance ; a genus of Leguminosæ.

**Clide'mia** (Bot.) P. N. from *Clidemi*, an ancient Greek botanist ; a genus of Melastomaceæ.

**Cliffo'rtia** (Bot.) P. N. from *G. Clifftor*, of Holland, the first patron of Linnæus.

**Clina'ndrium** (Bot.) κλίνη, a bed, ἀνίπη, a stamen, from an excavation on its extremity.

**Clinio'des** (Ent.) κλίνη, a couch, termination expressing resemblance—ωδης.

**Clio'stومum** (Bot.) κλίσις, to shut up, στόμα, a mouth.

**Clinopo'dium** (Bot.) κλίνη, a bed, πούς, ποδός, a foot.

**Clinto'nia** (Bot.) P. N. from *De Witt Clinton*, governor of New York ; a genus of Lobeliaceæ.

**Clitella'ria** (Ent.) a genus of Diptera.

**Clito'ria** (Bot.) κλιτορίς, an anatomical term ; from form of flower.

**Cli'via** (Bot.) P. N. from *Duchesn of Northumberland*; a genus of Amaryllidaceæ.

**Cloace'lla** (Ent.) cloaca, a sewer.

**Cloa'ntha** (Ent.) P. N. from *Cloanthus*, one of the companions of Æneas ; a genus of Lepidoptera.

**Closte'ra** (Ent.) κλωστήρη, a spindle, from the shape of its body.

**Clo'tho** } (Zool.) κλάθω, to twist or spin round ; genera of Ophidians.  
**Clotho'nia** } (Bot.) κλάθη, a genus of Ophidians.

**Cloti'lda** (Ent.) P. N. *Clotilde*.

**Cloud-berry** (Bot.) from the lofty nebulous situations in which it grows.

**Clove** (Bot.) from French, clou, a nail ; which it resembles in form.

**Clover** (Bot.) the plant with the cloven or three-cleft leaf.

**Clu'pea** (Ichth.) Lat. Pliny's name for a small fish.

**Clupei'dæ** (Ichth.) *clupea* ; the family of the Herrings.

**Clu'sia** (Bot.) P. N. from *Charles de l'Ecluse*, a celebrated botanist of the 16th century.

**Cluy'tia** (Bot.) P. N. from *Otgers Cluyt*, a Dutchman, Professor of botany at Leyden.

**Clyp'eata** (Ornith.) *clypeus*, a shield.

**Clyp'eola** (Bot.) *clypeus*, a shield.

**Cly'tia** (Ent.) *κλυτίς*, noble, splendid.

**Clytolæ'ma** (Ornith.) *κλυτρός*, famous, λαμπός, the throat; a genus of Humming-birds.

**Cly'tus** (Ent.) *κλυτός*, loud, audible; from emitting a peculiar sound; a genus of Coleoptera.

**Cnemido'stachys** (Bot.) *κνημίς-τάχυς*, spoke of a wheel, and *στάχυς*, a spike; a genus of Euphorbiaceæ.

**Cnemido'tus** (Ent.) *κνημίς-τός*, armour.

**Cneor'rum** (Bot.) *κνιφός*, Theophrastus applies this name to a shrub resembling the Olive.

**Cnepha'sia** (Ent.) *κνέφας*, darkness.

**Cne'stis** (Bot.) *κνέω*, to scratch; from the prickly capsules; a genus of Connaraceæ.

**Cnethoca'mpa** (Ent.) *κνέθω*, to excite great itching, *κάμπη*, a caterpillar; a genus of nocturnal Lepidoptera.

**Cnic'a'na** (Ent.) *cnicus*, a thistle.

**Cni'cus** (Bot.) *κνῖκος*, the Greek name of a plant of the thistle kind, the leaves of which were used like rennet to curdle the milk in making cheese.

**Cni'dæ** (Zool.) name given by Mr. Gosse to the thread-cells of the Actiniæ, from *κνίδη*, a nettle.

**Cnidium** (Bot.) the ancient name of the Orache; a genus of Umbelliferæ.

**C-ni'grum** (Ent.) *Lat.* the black C, i. e. a wing-spot.

**Coarcta'lis** (Ent.) *coarctare*, to compress, to narrow; referring to the wings.

**Coa'ssus** (Zool.) *Latinized* form of the native word *cuguaçu*.

**Cobi'tis** (Ichth.) *κωβίτης*, a fish, probably the smelt or loach.

**Cobœ'a** (Bot.) P. N. in honour of *B. Cobo*, a Spanish botanist.

**Cobur'ghia** (Bot.) P. N. in honour of Prince Leopold of Saxe Coburg; a genus of Amaryllidaceæ.

**Co'cidæ** (Ent.) *coccus*, fam. term. *idae*.

**Cocci'dium** (Bot.) *κόκκος*, a berry, *ιδός*, like.

**Cocci'lophis** (Ichth.) *κόκκος*, scarlet, λίφος, a crest.

**Coccine'lla** (Ent.) dim. of *coccus*, a red berry, from appearance.

**Coccinel'lidæ** (Ent.) *coccinella*, fam. term. *idae*.

**Coccoocy'pselum** (Bot.) *κόκκος*, fruit, κύπελλη, a vase.

**Cocco'loba** (Bot.) *κόκκος*, a berry, λοβός, a lobe.

**Cocco'phagus** (Ent.) *κόκκος*, a kernel, φάγος, an eater.

**Coco'osteus** (Fos. Zool.) *κόκκος*, a berry, οστός, a bone.

- Coccothrau'stes (Ornith.) κοκκοθραύστης, a kernel-breaker.
- Coc'culus (Bot.) κόκκος, a berry; a genus of Menispermaceæ.
- Coc'eus (Ent.) κόκκος, a berry; a genus of Coleoptera.
- Coccy'stes (Ornith.) κόκκυς, a cuckoo.
- Coc'eyx (Zool., Ent.) κόκκυξ, the cuckoo.
- Coccy'zus (Ornith.) κόκκιζω, to cry like a cuckoo.
- Cochineal' (Ent.) Spanish *cochinella*.
- Cochlea'ria (Bot.) cochlear, a spoon; alluding to the shape of its leaves.
- Cochliopodidæ (Ent.) κοχλιάς, a snail, τεῦς, πεδος, the foot; a family of Lepidoptera.
- Cochlospe'rnum (Bot.) κόχλιος, any thing twisted spirally, σπιρους, a feed.
- Cochylio'ides (Ent.) *cochylis*, εἶδος, like.
- Cochy'lis (Ent.) καρχίσιον, to lift, raise up.
- Cock (Ornith.) Anglo-Sax. *coc*; Fr. *coq*.
- Cockatoo' (Ornith.) taken from the peculiar cry of the birds.
- Cocos (Bot.) Portug. *coco*; the end of the nut is like a monkey's head; the coco-nut tree.
- Cocyta'lis } (Ent.) resembling *cocytus*.
- Cocyto'des }
- Cocy'tus (Ent.) κακυτός, a shrieking, wailing.
- Coda'rium (Bot.) καθάπορ, a leathern pouch; alluding to the pods.
- Co'dium (Bot.) κάδιον, a skin; a genus of Cryptogamia.
- Co'don (Bot.) κάδων, a bell, from the corolla.
- Codon'o'idea (Bot.) *codon*, εἶδος, resemblance.
- Codon'o'phora (Bot.) κάδων, a little bell, and φέρειν, to carry; a genus of Gesneraceæ.
- Cœlaca'nthi (Fos. Zool.) κοῖλος, hollow, ἀστήρ, a star; a group of fossil sauroïd fishes, deriving their name from the central cavity in their fin rays.
- Cœla'strum (Bot.) κοῖλος, hollow, ἀστήρ, a star; hexangular cells arranged to form a hollow globular frond; a genus of Desmidieæ.
- Cœlebogy'ne (Bot.) *celebs*, a bachelor, and γυνη, a pistil; seeds produced apparently by virgin power alone; a genus of Euphorbiaceæ.
- Cœlebs (Ornith.) *celebs*, a bachelor; Linnæus states that the female bird migrates during the winter.
- Cœlentera'ta (Zool.) κοῖλος, hollow, ἴντερον, the intestine.
- Cœlia (Bot.) unexplained; a genus of Orchidaceæ.
- Cœlio'rys (Ent.) κοῖλος, hollow, ὅξυς, sharp; a genus of Hymenoptera.

- Cœlodont** (Fos. Zool.) κοῖλος, hollow, ὁδούς, ὁδόντος, a tooth.
- Cœlo'genys** (Zool.) κοῖλος, hollow, γένυς, the cheek.
- Cœlogy'ne** (Bot.) κοῖλος, hollow, and γυνή, a pistil; from form thereof; a genus of Orchidaceæ.
- Cœlope'ltes** (Zool.) κοῖλος, hollow, μίλτη, a shield, having the scales grooved; a genus of Colubrine ophidians.
- Cœlorhy'nchus** (Fos. Zool.) κοῖλος, hollow, ρυγχός, a beak.
- Cœlo'tes** (Zool.) κοῖλοτης, a cavity, hollow; a genus of Arachnida.
- Cœno'sus-a-um** (Ent., Bot.) *Lat.* marshy.
- Coffee** (Bot.) the Arabic name of this plant is *Quahouck*; and of this word the Persian *Cahwa*, the Turkish *Cahvci*, the French *Café*, and our Coffee, are evident corruptions.
- Co'ita, or Quata** (Zool.) native name of a monkey.
- Coix** (Bot.) the name of a reed-leaved plant, used by Theophrastus.
- Cola'ptes** (Ornith.) κολάπτης, to peck with the bill; a genus of Wood-peckers.
- Colbe'r'tia** (Bot.) P. N. in honour of *M. Colbert*, a patron of the cultivators of the science of botany.
- Co'lichicum** (Bot.) P. N. from *Colchis*, its native country.
- Col'chicus** (Ornith.) P. N. from *Colchis*, whence the pheasant came.
- Colde'nia** (Bot.) P. N. in honour of *C. Golden*, a North American botanist.
- Colebro'okia** (Bot.) P. N. in honour of *H. T. Colebrooke*, an accomplished botanist; a genus of Labiatæ.
- Coleone'ma** (Bot.) κολεός, a sheath, νῆμα, a thread, that which is spun.
- Coleo'phora** (Ent.) κολεός, a case, φόρητος, to bear.
- Coleopho'ridæ** (Ent.) a family of Lepidoptera.
- Coleo'ptera** (Ent.) κολεός, a sheath, πτερον, a wing.
- Coleorhi'za** (Bot.) κολεός, a sheath, πίκη, a root.
- Co'leus** (Bot.) κολεός, a sheath; from form of stamens; a genus of Labiatæ.
- Cole'wort** (Bot.) *Anglo-Sax.* carolvyrta.
- Co'lias** (Ichth.) *Lat.* ancient name of a fish.
- Co'lius** (Ornith.) κολιός, Aristotle's name for a kind of woodpecker.
- Colla'ris** (Ornith.) collarē, a collar or neckerchief.
- Colle'ma** (Bot.) κόλλημα, that which is glued; a genus of Cryptogamia.
- Colle'tia** (Bot.) P.N. in honour of *Collect*, author of a book on the plants of Breft; a genus of Rhamnaceæ.
- Colligu'a** (Bot.) native name; a genus of Euphorbiaceæ.
- Colli'nsia** (Bot.) P. N. in honour of *Zachariah Collins*, of Philadelphia; a genus of Scrophulariaceæ.

- Collinso'nia** (Bot.) P. N. in honour of *P. Collinson*, a distinguished promoter of botany.
- Co'llix** (Ent.) κόλλιξ, a roll of bread.
- Collo'mia** (Bot.) κόλλα, glue, the seeds are covered with a glue-like substance.
- Colluricin'cla** (Ornith.) compounded of *collurio* and *cincus*; the Port Jackson thrush.
- Collu'rio** (Ornith.) κολληρίον, a bird probably of the thrush kind (Aristotle.)
- Colmar** (Bot.) this pear takes its name from *Colmar*, in Alsace.
- Co'lobus** (Zool.) κολοβός, stunted, maimed; from the rudimentary condition of the thumbs on the anterior members.
- Coloca'sia** (Bot.) κολοκασία, the root of the Egyptian bean.
- Cologa'nia** (Bot.) P.N. in honour of the family of *Colegan*, of Teneriffe; a genus of Leguminosæ.
- Colopho'nia** (Bot.) altered from its native name in the Isle of France; a genus of Burseraceæ.
- Colop'tera** (Ent.) κόλπος, stunted, πτερόν, a wing; a genus of Hymenoptera.
- Colossoche'lys** (Fos. Zool.) κολοσσός, a statue of great size, χιλῦ, a tortoise.
- Colpo'dium** (Bot.) κολπόδιον, loofe, diffuse.
- Colpotau'lius** (Ent.) κόλπως, a fold, ὠς, ὠτός, an ear, or apex; a sub-genus of the Phryganidæ.
- Colquhona'na** (Ent.) P. N. in honour of *Dr. Colquhoun*, of Glasgow.
- Co'luber** (Zool.) *Lat.* a serpent.
- Colube'ridæ** (Zool.) *coluber*, a serpent, fam. term. *idae*; a family of Ophidians.
- Colubra'lis** (Ent.) *coluber*, a serpent; in allusion to its wing-marks.
- Colubri'na** (Zool.) *coluber*, fam. term. *inae*; the Water-snakes and Boas; also a genus in Botany.
- Colu'mba** } (Ornith.) *Lat.* a pigeon,  
**Colu'mbæ** } (Ornith.) *Lat.* a dove, *i. e.* in colour.
- Columba'lis** (Ent.) *columba*, a dove, *i. e.* in colour.
- Columbine** (Bot.) *columba*, a dove, which bird the nectaries resemble.
- Colum'e'llia** P. N. in honour of *L. J. M. Columella*, who lived A.C. 42.
- Colu'mnea** (Bot.) P. N. in honour of *Fabius Columna*, a member of the *Colonna* family in Italy.
- Colu'ria** (Bot.) καλυψός, stump-tailed; a genus of Rosaceæ,
- Colu'tea** (Bot.) καλύψη, to cut short,

- Colvillea** (Bot.) P. N. from *Charles Colville*, Governor of the Mauritius ; a genus of Leguminosæ.
- Colymbetes** (Ent.) κολυμβητής, a diver ; a genus of Water-beetles.
- Colymbidæ** (Ornith.) *columbus*, fam. term. *idae* ; the Divers.
- Colymbus** (Ornith.) *Lat.* a pond to swim in ; the Diver.
- Comal'lis** (Ent.) *coma*, a lock of hair.
- Comandra** (Bot.) *coma*, hair, and ἄνθη, stamen ; from the tufted stamens ; a genus of Santalaceæ.
- Comarop'sis** (Bot.) *comarum* and ὄψις, because it resembles that plant ; a genus of Rosaceæ.
- Co'marum** (Bot.) κόμαρος, the Greek name for the Arbutus.
- Comata** (Ornith.) *comatus*, having hair or locks.
- Comatula** (Zool.) dim. of *coma*, a bush of hair ; a genus of Echinodermata.
- Combre'tum** (Bot.) a name given by Pliny to a climbing plant.
- Combusta'lis** (Ent.) *combustus*, burnt, *i. e.*, in colour.
- Comespe'rma** (Bot.) κέρας, hair, and σπίρα, a seed, having hairy seeds ; a genus of Polygalaceæ.
- Co'metes** (Ornith.) κομήτης, a comet, from its brilliant appearance ; a genus of Humming-birds.
- Comita'ta** (Ent.) *comitatus*, accompanied, attended.
- Com'ma** (Ent.) *Lat. comma*, from the mark on the fore-wings.
- Commeli'na** (Bot.) P. N. in honour of *J. and G. Commelin*, Dutch botanists.
- Commerso'nia** (Bot.) P. N. in honour of *M. Commerson*, a French traveller and botanist.
- Commu'nis-e** (Zool., Bot.) *Lat. common*.
- Commuta'ta** (Ent., Bot.) *commutatus*, changed entirely.
- Comocla'dia** (Bot.) κόμη, a tuft, κλάδος, a branch.
- Compare'i'tia** (Bot.) P. N. in honour of *Andreas Comparetti*, Professor at Padua ; a genus of Orchidaceæ.
- Compla'n'a** (Ent.) *complanare*, to level.
- Complanell'a** (Ent.) *complanare*, to make even or level ; "the mined oak-leaves remain perfectly flat."—STANTON.
- Compla'nula** (Ent.) dim. of *complana*.
- Complecta'lis** (Ent.) *complector*, to clasp or encircle.
- Complica'tus-a-um** (Bot.) *Lat.* folded or twisted together.
- Composa'na** (Ent.) *compositus*, well-disposed, ornamental.
- Compre'ssus-a-um** (Bot.) *Lat.* pressed together.
- Compo'soma** (Ornith.) κομψός, well-dressed, κέρας, hair ; a genus of Humming-birds.

- Compta'lis (Ent.) } *comptus*, smart, spruce.  
 Compta'na (Ent.) } *comptus*, smart, spruce.
- Compto'nia (Bot.) P. N. in honour of *Henry Compton*, Bishop of London.
- Comptula'lis (Ent.) *comptus*, smart, spruce.
- Conanthe'ra (Bot.) κώνος, a cone, ανθηρός, flowery.
- Concha (Bot.) Greek name for a large shell.
- Concha'na (Ent.) *conchatus*, shell-shaped.
- Conchi'fera (Zool.) κέγχη, a shell, *fero*, to bear.
- Conchoder'ma (Zool.) *concha*, a shell, δέππα, integument; a genus of Cirripedes.
- Conchot'rya (Zool.) *concha*, a shell, *τρίω*, to rub.
- Conchyla'lis (Ent.) resembling *conchylis*.
- Conchylidæ (Ent.) *conchylis-idae*, a family of Lepidoptera.
- Conchylidel'l'a (Ent.) *conchylis*, from a resemblance.
- Con'chylis (Ent.) κογχύλη, a cockle-shell.
- Conchylo'des (Ent.) κογχύλη, εῖδος, like an oyster, or κογχυλιῶδης, dyed of a purple colour; the first is best, unless it be a *specific* name.
- Concin'nus-a-um (Zool., Ichth., Bot.) *Lat.* elegant.
- Con'color (Zool., Ornith., Bot.) *Lat.* of a similar colour.
- Concorda'lis (Ent.) *concordia*, harmony.
- Conda'lia (Bot.) P. N. in honour of *A. Condal*, a Spanish physician.
- Condylöca'rpus (Bot.) κόνδυλος, a knob, and καρπός, fruit; a genus of Umbelliferae.
- Conepatus (Zool.) unexplained.
- Confe'rtus-a-um (Bot.) *Lat.* full, thick, close together.
- Confe'rva (Bot.) *confervæ*, to consolidate, to knit together; a genus of Algae.
- Confervi'tes (Fos., Bot.) Fossil plants allied to the aquatic *confervæ*.
- Con'flua (Ent.) *confluere*, to flow together, *i. e.*, the striped markings.
- Conflu'ens (Bot.) *Lat. part.* confluent, flowing into.
- Confusa'lis (Ent.) *confusus*, obscure, confused, *i. e.*, in colour.
- Con'ger (Ichth.) γῆγης, a sea-eel; the Conger-eel.
- Congermur'sna (Ichth.) *conger*, *muraena*.
- Con'gicus (Zool.) *Lat.* relating to Congo.
- Con'ica (Ent.) *conus*, a cone; conical.
- Conifera'na (Ent.) found amongst the *Coniferae*, cone-bearing trees.
- Coniomyce'tes (Bot.) κένος, dusty, μύκης-ητος, a mushroom.
- Coniosau'rurus (Fos., Zool.) σίνης, κένος, chalk, σαῦρος, a lizard; being found in chalk strata.

- Coniros'tres** (Ornith.) *conus*, a cone, *rostrum*, a beak; an order of Passeres.
- Coni'um** (Bot.) *κυνέω*, to whirl round; in allusion to its causing giddiness and death when taken.
- Conjuga'te** (Bot.) equivalent to Zygnumea.
- Conjug'e'lla** (Ent.) *conjux*, a consort.
- Con'narus** (Bot.) P. N. an ancient Greek name; the type of nat. order, Connaraceæ.
- Conne'xa** (Ent.) *connexus*, tied together, connected.
- Connubia'lis** (Ent.) *Lat.* conjugal.
- Conoca'rpus** (Bot.) *κώνος*, a cone, *καρπός*, fruit.
- Conoce'phalus** (Zool.) a genus of Colubrine ophidians.
- Conogna'tha** (Ent.) *κώνος*, a cone, *γνάθος*, a jaw.
- Cono'idea** (Bot.) *κώνος*, a cone.
- Conopa'ipus** (Ent.) the *palpi* being conical.
- Conopo'dium** (Bot.) *κώνος*, a cone, and *πούς*, *ποδός*, form of flower; a genus of Umbelliferæ.
- Cono'psis** (Zool.) *κώνος*, a cone, *ψήσις*, resemblance; a genus of Colubrine ophidians.
- Conospe'rnum** (Bot.) *κώνος*, a cone, and *σπέρμα*; a genus of Proteaceæ.
- Cono'stومum** (Bot.) *κώνος*, a cone, *στόμα*, a mouth; the teeth of the theca being united; a genus of Cryptogamia.
- Cono'styles** (Bot.) *κώνος*, a cone, *στῦλος*, a pillar, or pistil.
- Cono'stylis** (Bot.) *κώνος*, a cone, and *στῦλος*, a pistil; a genus of Hæmodoraceæ.
- Conquisita'lis** (Ent.) *conquiritus*, selected, chosen.
- Consanguina'lis** (Ent.) *confanguineus*, related by blood.
- Consigna'ta** (Ent.) *confignatus*, stamped, marked.
- Consi'milis** (Ent.) *Lat.* very like, *i. e.* resembling neighbouring genera.
- Consobri'na** (Ent.) *Lat.* a relative.
- Consocie'lla** (Ent.) *confocius*, united, connected.
- Co'nsona** (Ent.) *Lat.* harmonious.
- Consona'ria** (Ent.) *confonus*, harmonious, suitable.
- Con'sors** (Ent.) *Lat.* a colleague.
- Consorta'lis** (Ent.) } *confors*, a colleague.
- Consorta'na** (Ent.) } *confors*, a colleague.
- Consorta'ria** (Ent.) *confors*, allied; *i. e.* to its neighbouring species.
- Consorte'lla** (Ent.) *confors*, a confort, colleague.
- Conspersa** (Ent.) *confersus*, sprinkled.

- Conspicilla'ris* } (Ent.) *conficillum*, a pair of spectacles.  
*Conspicilla'tor* }  
*Conspicilla'tus-a-um* (Zool., Ornith.) *conficillum*, a pair of spectacles.  
*Conspicua'ta* (Ent.) } *conficuisse*, conspicuous, remarkable.  
*Conspicue'lla* (Ent.) }  
*Constricta'ta* (Ent.) *constrictatus*, drawn together.  
*Constric'tor* (Zool.) *constringo*, to bind fast.  
*Contamina'na* (Ent.) *contaminare*, to stain, to spot.  
*Contamine'ilus* (Ent.) *contaminatus*, stained.  
*Contermine'lla* (Ent.) *conterminus*, bordering near; the larva being found  
 in the terminal shoots of Sallows.  
*Contigua'ria* (Ent.) *contiguus*, near, allied to.  
*Contorta'lis* (Ent.) *contortus*, twisted.  
*Conturbate'lla* (Ent.) *conturbatus*, confused.  
*Conula'ria* (Zool.) *conulus*, a little cone.  
*Conu'rūs* (Ent.) κώνος, a cone, ὄφελος, a tail.  
*Convallaria* (Bot.) *convallis*, a valley, in allusion to the localities in  
 which it is found.  
*Convolvuli* (Ent.) feeds on *Convolvulus arvensis*, the birdweed.  
*Convol'vulus* (Bot.) *convolvere*, to entwine; i. e. its stems.  
*Conway'a'na* (Ent.) P. N. in honour of —— *Conway*, an English ento-  
 mologist.  
*Cony'za* (Bot.) κόνις, dust; the powder sprinkled to kill fleas.  
*Co'okia* (Bot.) P. N. in honour of *Captain Cook*, the celebrated navigator;  
 a genus of Auranthiaceæ.  
*Copai'fera* (Bot.) *copaiba*, Brazilian name of a balsam, *fero*, to bear.  
*Cope'poda* (Zool.) κόπην, an oar, πόδις, πόδος, a foot; an order of Entomo-  
 straca.  
*Coope'ria* (Bot.) P. N. in honour of *Joseph Cooper*, a botanist; a genus of  
 Amaryllidaceæ.  
*Copho'sus* (Ent.) κόπωσις, torpor.  
*Copri'nus* (Bot.) κοπηλα, a dunghill; in allusion to the place where it is found.  
*Co'pris* (Ent.) κόπτος, dung.  
*Copro'philus* (Ent.) κόπτος, dung, φίλος, a lover.  
*Copros'ma* (Bot.) κόπτος, dung, στρεψίς, smell.  
*Co'ptis* (Bot.) κόπτω, to cut; in allusion to its leaves.  
*Coptoce'recus* (Ent.) κόπτω, to cut off, κίρκη, the tail.  
*Coptop'terus* (Ent.) κοπτάς, cut off, πτερόν, a wing.  
*Copu'rūs* (Ornith.) κάπη, an oar, ὄφελος, a tail.

- Cora'cias (Ornith.) κόραξ, κόρακος, a raven.
- Corallo'ides (Bot.) *corallium*, a coral, εἶδος, like.
- Corallorhi'za (Bot.) κοράλλιον, a coral, μίζα, a root.
- Cora'llus (Zool.) a genus of Ophidians.
- Co'rax (Ornith.) *Gr. κόραξ*, a raven.
- Corbul'a'ria (Bot.) *corbula*, a little basket; shape of nectary; a genus of Amaryllidaceæ.
- Corchorus (Bot.) κόρη, the pupil of the eye, καρέω, to purge.
- Corda'tus-a-um (Zool., Bot.) *Lat.* heart-shaped.
- Co'rdia (Bot.) P. N. in honour of *E. Cordus*, a German botanist of the 16th century.
- Cordi'gera (Ent.) *cor*, a heart, gerere, to bear.
- Cordyli'ne (Bot.) κορδύλη, a club; a genus of Liliaceæ.
- Cordylo'phora (Zool.) κορδύλος, a water-newt, φορά, a burden.
- Core'gonus (Ichth.) κορεώμα, to satisfy, to fill.
- Core'ma (Bot.) κόρημα, a broom.
- Core'mia (Ent.) κορήμια, sweepings, refuse.
- Corene'tes (Ent.) unexplained.
- Coreniu'm (Bot.) κόρημα, filth, from its habitat; a genus of Fungi.
- Coreop'sis (Bot.) κόρη, a bug, and ὅμις, resemblance, from form of seeds; a genus of Compositæ.
- Coria'ndrum (Bot.) κόρηπις, a bug; in allusion to the smell of its leaves.
- Coria'ria (Bot.) corium, a hide; it is used in tanning.
- Co'ris (Bot.) a Greek name used by Dioscorides.
- Coris'cium (Ent.) κόρισκιον, dim. from κόρη, a little maiden.
- Corispe'rnum (Bot.) κόρης, a bug, σπέρμα, a seed.
- Cork (Bot.) from *cortex*, bark; some say from *quercus*, the oak.
- Corne'lia (Ornith.) P. N. given by Prince Bonaparte in honour of the lady of Dr. Schlegel, of Amsterdam.
- Cornicula'ria (Bot.) *corniculus*, a little horn; a genus of Cryptogamia.
- Co'rnix (Ornith.) *Lat.* a crow.
- Cornubie'nsis (Ichth., Bot.) *Lat.* Cornish.
- Cornuco'piæ (Bot.) *cornu*, a horn, *copia*, plenty.
- Cor'nus (Bot.) *cornu*, a horn; in allusion to the hardness of the wood.
- Cornu'tia (Bot.) P. N. from *f. Cornutus*, a physician of Paris.
- Cornu'tus-a-um (Ornith., Bot.) *Lat.* horned.
- Coro'lia (Bot.) *Lat.* a garland, a little crown.
- Corollifo'ræ (Bot.) *corolla*, *flores*, flowers; having stamens on the corolla.
- Corona'tus (Ent.) *Lat.* crowned, from *corona*, a crown.

- Coro'ne (Ornith.) *κορώνη*, a sea-bird, sea-crow.
- Corone'lla (Zool.) } Lat. a little crown.
- Coronel'lidae (Zool.) }
- Coroni'lla (Bot.) Lat. a little crown, from the inflorescence; a genus of Leguminosæ.
- Coro'nopus (Bot.) *κορώνη*, a crow, *πτούς*, a foot.
- Coro'nula (Zool.) dim. of *corona*, a crown; a genus of Cirripedes.
- Corophi'adæ (Zool.) *corophium*, with fam. term.; a family of Crustacea.
- Coro'phium (Zool.) this name was applied by Pliny to a kind of crab-fish.
- Corras'a (Bot.) P. N. in honour of *J. Correa de Serra*, a celebrated Portuguese botanist.
- Corrig'iola (Bot.) dim. of *corrugia*, a leather thong.
- Corruga'tus-a-um (Zool., Bot.) Lat. wrinkled.
- Corsi'ra (Zool.) unexplained.
- Cortica'lis (Ent.) adj. from *cortex*, bark.
- Cortica'na (Ent.) *cortex*, bark.
- Corti'cea (Ent.) *cortex*, bark.
- Cortice'l'a (Ent.) *cortex*, bark.
- Cortu'sa (Bot.) P. N. in honour of *J. A. Cortusus*, Professor of Botany at Padua.
- Coru'phium (Ent.) *κορυφή*, the top of the head.
- Cor'vidæ (Ornith.) *corvut*, fam. term. *ide*; a family of Conirostres.
- Corvisa'rtia (Bot.) P. N. in honour of *Corvisart*, a Continental botanist; a genus of Compositæ.
- Corvu'lur (Ornith.) *corvut*, a crow, *vultur*, a vulture; the Crow-vulture of Caffraria.
- Cor'vus (Ornith.) Lat. a crow.
- Cory'a'nthes (Bot.) *κέραυς*, helmet, and *καρπός*, fruit, from form of flower; a genus of Orchidaceæ.
- Coryca'rpus (Bot.) *κέραυς*, helmet, and *καρπός*, fruit, from form thereof; a genus of Graminaceæ.
- Cory'cia (Ent.) P. N., the name of a nymph.
- Cory'cium (Bot.) *κέραυς*, a helmet, from form of flower; a genus of Orchidaceæ.
- Coryda'lis (Bot.) the old Greek name for fumitory.
- Coryla'lis } (Ent.) *corylus*, the hazel, on which the insects feed.
- Coryla'na } (Ent.) *corylus*, the hazel.
- Coryla'ta (Ent.) feeds on *Corylus avellana*, the hazel.
- Cor'yli (Ent.) *corylus*, the hazel, on which it feeds.

- Corylifolia (Ent.) *corylus*, the hazel, *folium*, a leaf.
- Cory'lophus (Ent.) κέρας, a helmet, λόφος, a crest.
- Cory'lulus (Bot.) κέρας, a helmet.
- Cory'mo'rpha (Zool.) κέρας, a club, μορφή shape; a genus of Zoophytes.
- Cory'na (Ent.) κεράνη, a club.
- Coryna'ctis (Zool.) κεράνη, a club, ἀκτίς, a ray; a genus of Zoophytes.
- Cory'ne (Zool.) κεράνη, a club.
- Cory'neum (Bot.) κεράνη, a club, from form of plant; a genus of Fungi.
- Cory'nidae (Zool.) *coryne*, fam. term. *idæ*; a family of Zoophytes.
- Coryne'phorus (Bot.) κεράνη, a club, φέρω, to bear; a genus of Græs; also a genus of Algæ.
- Corynoca'rus (Bot.) κεράνη, and κερωτός, from its club-shaped fruit; a genus of Myrsinaceæ.
- Cory'rypha (Bot.) κερυφή, a summit; the leaves being only at the top.
- Cory'phodon (Zool.) κερυφή, summit, θύσις, θύσιος, a genus of Colubrine ophidians.
- Corysan'thes (Bot.) κέρας, a helmet, and αἴθος, flower; from the helmet-like flower; a genus of Orchidaceæ.
- Corytha'ix (Ornith.) κερυθάξ, with waving plume.
- Cory'thus (Ornith.) κέραθος, a crested bird of the wagtail or sand-piper kind.
- Cosci'num (Bot.) κοσκίνιον, a little sieve; from the perforated cotyledons; a genus of Menispermaceæ.
- Cosecinodis'cus (Bot.) κοσκίνιον, a little sieve, and δίσκος, a shield; a fossil diatom, circular and dotted.
- Cosinea (Bot.) literally "adorned;" a genus of Compositæ.
- Cosmelia (Bot.) κοσμίω, to adorn; a genus of Epacridaceæ.
- Cos'mia (Ent.) κόσμιος, adorned; a genus of Lepidoptera.
- Cosmi'idae (Ent.) *cosmia*; a family of Lepidoptera.
- Cosmophora'na (Ent.) κόσμος, an ornament, φορᾶν, to wear.
- Cosmo'pteryx (Ent.) κόσμος, an ornament, πτερυξ, a wing.
- Cos'mus (Bot.) κόσμος, beautiful; a genus of Compositæ.
- Cossig'nia (Bot.) P. N. in honour of M. *Cossigny*, a French naturalist who travelled in the East Indies.
- Cossonus (Ent.) unexplained.
- Cos'ssus (Ent.) a name given by Pliny to a larva found under the bark of trees.
- Cos'syphus (Ichth.) κόσσοψ, a sea-fish, from its dark colour.
- Costæstriga'lis (Ent.) *colla*, the anterior margin of the wing, *striga*, a streak.

- Costa'na (Ent.) } *cōfā*, the anterior margin of the wings.  
 Costel'la (Ent.) }  
 Costella'ris (Zool.) *cōfā*, a rib.  
 Costiflexalis (Ent.) *cōfā*, anterior margin of wing, *flexus*, bent.  
 Costipuncta'na (Ent.) *cōfā*, the anterior margin, *punctatus*, spottet.  
 Costo'sa (Ent.) *cōfōtūs*, ribbed.  
 Costus (Bot.) Arabic name; a genus of Scitamineæ.  
 Cotonea'ster (Bot.) *Cotoneum*, a quince-tree *aſer*; alluding to its downy leaves.  
 Co'ttidæ (Ichth.) the family to which the Bull-head belongs.  
 Cot'toid} (Ichth.) *κάττας*, Greek name of the Bull-head.  
 Co'ttus }  
 Co'tula (Bot.) dim. of *cota*, an old name for a species of Anthemis.  
 Coturni'culus (Ornith.) dim. of *coturnix*.  
 Cotu'rnix (Ornith.) Lat. a quail.  
 Coty'le (Ornith.) *κοτύλη*, a shallow cup; in allusion to its nest.  
 Cotyle'don (Bot.) *κοτύλη*, a cavity; in allusion to its cuplike leaves.  
 Coulteria (Bot.) P. N. in honour of *Thos. Coulter, M.D.*; a genus of Leguminosæ.  
 Couta'rea (Bot.) from *coutari*, its name in Guiana; a genus of Cinchonaceæ.  
 Coutou'bea (Bot.) native name in Guiana; a genus of Gentianaceæ.  
 Coverts (Ornith.) name applied to the soft feathers of birds, from concealing the bases of the tail-feathers.  
 Cow'a'nia (Bot.) P. N. in honour of the late Mr. James Corwan, who introduced many plants from Mexico and Peru; a genus of Rosaceæ.  
 Crab (Zool.) Anglo-Sax. *crabba*.  
 Cra'bro (Ent.) Lat. a wasp; a genus of Hymenoptera.  
 Crabro'nidæ (Ent.) *crabro*, fam. term. *idæ*.  
 Cra'cidæ (Ornith.) *crax*, fam. term. *idæ*; the Curassows.  
 Cra'cticus (Ornith.) *κρακτικός*, clamorous.  
 Cramba'lis (Ent.) from some resemblance to *crambus*.  
 Cra'mbe (Bot.) a Greek name for sea-cabbage, or colewort.  
 Cra'mbidæ (Ent.) *Crambus*; a family of Lepidoptera.  
 Cra'mbodes (Ent.) resembling *crambus*.  
 Cra'mbus (Ent.) *κράμβης*, dry, shrivelled.  
 Cramera'lis} (Ent.) P. N. in honour of P. Cramer, a German lepidop-  
 Cramere'lla} terist.  
 Cra'nia (Fos. Zool.) *κράνιος*, a helmet.

- Craspedo'phalus** (Zool.) *κρασπεδόν*, an edge or border, *κεφαλή*, the head; the rat-tailed serpent; a genus of Ophidians.
- Cra'spedum** (Zool.) *κράσπεδον*, the edge or border; from resemblance to the bolt-rope of a ship's sails.
- Cras'salis** (Ent.) *craffus*, solid, grosf, *i. e.*, from its thick body.
- Crassicorna'lis** (Ent.) *craffus*, solid, *cornu*, a horn.
- Cras'sula** (Bot.) dim. of *craffus*, thick, solid.
- Cras'sus-a-um** (Bot.) *Lat.* solid.
- Cratæga'lis** (Ent.) } *crataegus*, the hawthorn, on which it feeds.
- Cratæga'na** (Ent.) } *crataegus*, the hawthorn.
- Cratæga'ta** (Ent.) feeds on *crataegus oxyacantha*, the hawthorn.
- Cratægel'la** (Ent.) *crataegus*, on which it feeds.
- Cratæ'gi** (Ent.) feeds on the *crataegus oxyacantha*, the hawthorn.
- Cratæ'gus** (Bot.) *κράτερος*, strength; alluding to the hardness of the wood; the hawthorn.
- Cratæ'va** (Bot.) P. N. in honour of *Cratævus*, a Greek botanist.
- Crate'rium** (Bot.) from the cup-like involucre; a genus of Fungi.
- Crateropodi'næ** (Ornith.) *κρατερόποδης*, strong, *πούς*, *ποδης*, a foot; a sub-family of Incessores.
- Cra'x** (Ornith.) *κράξω*, to scream, or cry aloud; a genus of the Gallinæ.
- Cre'cca** (Ornith.) *κρίκω*, to make a sharp noise.
- Crena'na** (Ent.) *crenatus*, wrinkled, crenate.
- Crena'tus-a-um** (Zool., Bot.) *Lat.* crenate, having rounded notches.
- Crenila'brus** (Ichth.) *crena*, a notch, *labrum*, the lip; notch-lipped.
- Creo'philus** (Ent.) *κριέις*, flesh, *φίλος*, a lover.
- Crepita'ns** (Ornith.) part. of *crepito*, to crackle.
- Cre'pis** (Bot.) a name given by Pliny to a plant of which he gave no description; now the Lady's-slipper.
- Crepuscule'l'a** (Ent.) *crepusculum*, twilight, dusk.
- Crepido'dera** (Ent.) *crepido*, the top or edge, *δίπη*, the neck.
- Cresce'ntia** (Bot.) P. N. in honour of *Pietro Cresceni*, of Bologna.
- Cress** (Bot.) *Anglo-Sax. cerse*; *Lat. crescere?*
- Cres'sa** (Bot.) from *Crete*, where the plant is plentiful; a genus of Convolvulaceæ.
- Crex** (Ornith.) *κρίξ*, a bird with a sharp notched bill; now applied to the Corn-crake.
- Cribe'lla** (Zool.) *cribellum*, a little sieve; a genus of Echinodermata.
- Cribra'ria** (Bot.) *cribrum*, a sieve, the upper part of the peridium being perforated; a genus of Fungi.

- Cribra'lis**} (Ent.) *cirriform*, a sieve.  
**Cribrel'la**} (Ent.) *cirriform*, a sieve.
- Cri'brum** (Ent.) *Lat.* a sieve, from the crossed wing-markings.
- Crice'tomys** (Zool.) *cricetus*, the hamster, *mus*, a mouse.
- Cri'cetus** (Zool.) *κρικης*, to screech or squeak; the Hamsters.
- Crina'lis** (Ent.) *Lat.* pertaining to hair.
- Crinoi'dea** (Zool.) *κρινος* a lily, *ειδος*, like; a class of Echinodermata.
- Cri'num** (Bot.) *κρινος*, Greek name of the lily.
- Crio'ceras** (Fos. Zool.) *κριος*, a ram, *κριας*, a horn.
- Crioce'ridæ**} (Ent.) *κριος*, a ram, *κριας*, a horn.
- Crio'ceris**} (Ent.) *κριος*, a ram, *κριας*, a horn.
- Cripti'colens** (Ent.) *crypta*, a vault, *colens*, dwelling in.
- Cri'sia** (Zool.) *κρισις*, separation; a genus of Polyzoa.
- Crisi'dia** (Zool.) formed from *cripha*; a genus of Polyzoa.
- Crispus-a-um** (Ornith., Bot.) *Lat.* curled.
- Crista'na** (Ent.) *cripha*, a crest or tuft.
- Crista'ria** (Bot.) *cripha*, a crest.
- Crista'ta** (Ent.) *Lat.* crested.
- Cristate'l'a** (Zool.) dim. of *criphata*, crested; a genus of Polyzoa.
- Cristate'l'idæ** (Zool.) *criphatella*, fam. terpi. *ide*; a family of Polyzoa.
- Crista'tus-a-um** (Ornith., Bot.) *Lat.* crested.
- Cri'thida** (Zool.) *κριθη*, barley, *ειδος*, likeness.
- Cri'thum** (Bot.) *κριθη*, barley; in allusion to the similarity of its seeds.
- Crocal'iis** (Ent.) *crocallis*, a precious stone, probably of a saffron colour.
- Croca'tus-a-um** (Bot.) *Lat.* yellow-juiced.
- Crocea'go** (Ent.) } *croceus*, saffron-coloured.
- Crocea'lis** (Ent.) } *croceus*, saffron-coloured.
- Crocidu'ra** (Zool.) *κρικη*, a thread, *ουρα*, a tail; applied to the shrew-mice.
- Croci'sa** (Ent.) *κροκος*, a woolly nap; a genus of Hymenoptera.
- Crocodiluri'na** (Zool.) *crocodilus*, *ουρα*, a tail.
- Cro'cus** (Bot.) *Chaldee*, *krokin*.
- Crocu'ta** (Zool.) *κρωκη*, f. *κρωκη*; to croak or howl; applied to the hyena.
- Croicoce'phalus** (Ornith.) *χραικος*, painted, *κεφαλη*, head; it should be *chræcocephalus*.
- Crossa'ndra** (Bot.) *κροστος*, a fringe, *ανη*, *κρεπος*, *αρδης*, a male.
- Cro'ssopus** (Zool.) *κροστος*, a fringe, *πεν*, a foot; applied to the water-shrew.
- Crosso'stoma** (Zool.) *κροστος*, a fringe, *στομα*, the mouth; a genus of Annelids.

- Crotala'ria** (Bot.) κρόταλον, a rattle; in allusion to the rattling of the seeds.
- Crota'lidae** (Zool.) κρόταλον, a rattle; the Rattlesnake family of Reptiles.
- Crotalo'phorus** (Zool.) κρόταλον, a rattle, φέρειν, to carry; a genus of Ophidians.
- Cro'talus** (Zool.) κρόταλον, a rattle or castanet; the Rattlesnake; a genus of Ophidians.
- Cro'ton** (Bot.) κροτών, a tick; from the resemblance of the seeds.
- Croto'phaga** (Ornith.) κροτών, a tick (parasite), φαγεῖν, to eat; the Horn-bill cuckoos.
- Cro'wea** (Bot.) P. N. in honour of *J. Crowe* of Norwich, a celebrated British botanist.
- Crozo'phora** (Bot.) unexplained; a genus of Euphorbiaceæ.
- Cruciane'lla** (Bot.) dim. of *crux*, a cross.
- Crucifera'rum** (Ent.) crucifera, on which class of plants it feeds.
- Cru'da** (Ent.) Lat. rough, unpolished.
- Cruenta'lis** (Ent.) cruentatus, dyed with blood; i. e. in colour.
- Crupi'na** (Bot.) specific name of a centaurea; from Dutch, *cruypen*, to creep; because the pappus is so stiff as to make the seeds creep when held in the hand.
- Crura'lis** (Ent.) Lat. belonging to the leg or knee.
- Crybe** (Bot.) κρίβει, concealed, i.e., the column in the floral envelopes; a genus of Orchidaceæ.
- Crymo'des** (Ent.) κρυμμάθης, frost-like.
- Crypsirli'na** (Ornith.) κρυπτός, hidden, ἡ, the nose; it should be *cryptirhina*.
- Cry'psis** (Bot.) κρύψειν, to conceal; the flowers concealed in the leaves.
- Cryptandra** (Bot.) i. e., "hidden stamens;" a genus of Rhamnaceæ.
- Crypta'rohus** (Ent.) κρυπτός, covered, ἄρχοντος, a defence.
- Cryptarrhe'na** (Bot.) κρυπτός, hidden; ἄρχοντος, a male.
- Cryptella** (Ent.) dim. κρυπτός, hidden.
- Cry'pticus** (Ent.) κρυπτικός, fit for hiding.
- Crypto'bium** (Ent.) κρυπτός, concealed, βίων, to live.
- Crypto'blabes** (Ent.) κρυπτός, hidden, θλάβη, injury.
- Cryptoce'phalus** (Ent.) κρυπτός, concealed, κεφαλή, head.
- Cryptochilus** (Bot.) i. e., "hidden lip;" a genus of Orchidaceæ.
- Cryptogle'na** (Zool.) κρυπτός, hidden, γλά̄νη, the eye-ball; a genus of Infusoria.
- Cryptogra'mic** } (Bot.) κρυπτός, covered, γράμμα, a line; applied to a  
**Cryptogra'mma** } genus of Ferns; from the concealed lines of thecæ.

- Cryptophy'pnus** (Ent.) *κρυπτός*, concealed, *ὕπνος*, sleep.
- Crypto'lepis** (Bot.) *κρυπτός*, *λειωτις*, hidden, *i. e.*, scale-covered, seeds; a genus of Apocynaceæ.
- Cryptomonadi'na** (Zool.) *κρυπτίς*, hidden, *μονας*, a monad; a section of Cryptomo'nas      Infusoria; having distinct gelatinous coverings.
- Cryptomyces** (Bot.) literally “hidden fungus;” from the minuteness of the plant; a genus of Fungi.
- Cryptomy'cteres** (Ichth.) *κρυπτός*, concealed, *μυκτήρις*, the nose or snout.
- Cryptophi'alus** (Zool.) *κρυπτός*, hidden, *φιάλη*, a shallow cup; a genus of Cirripedes.
- Cryptopro'cta** (Zool.) *κρυπτός*, hidden, *πρωκτός*, the hinder parts.
- Cryptorhyn'chus** (Ent.) *κρυπτός*, concealed, *βούρχος*, a beak.
- Cryptosper'mum** (Bot.) seeds concealed in involucrum; a genus of Cinchonaceæ.
- Cryptoste'gia** (Bot.) *κρυπτός*, concealed, *στεγή*, a covering.
- Cryptoste'mma** (Bot.) *κρυπτός*, concealed, *στέμμα*, a crown.
- Cryptosty'lis** (Bot.) literally “hidden style;” a genus of Orchidaceæ.
- Cryptu'r'us** (Ornith.) *κρύπτω*, to conceal, *οὐρά*, the tail.
- Cteni'cerus** (Ent.) *κτείς*, *κτενός*, a comb, *κίρας*, a horn.
- Ctenioschelus** (Ent.) *κτείς*, *κτενός*, a comb, *κηλίς*, a spot; a genus of Hymenoptera.
- Cteni'opus** (Ent.) *κτείς*, *κτενός*, a comb, *πούς*, a foot.
- Ctenobranchia'ta** (Zool.) *κτείς*, *κτενός*, a comb, *βράγχια*, gills.
- Cte'n'cerus** (Ent.) *κτείς*, *κτενός*, a comb, *κίρας*, a horn; a genus of Hymenoptera.
- Ctenodac'tylus** (Zool.) *κτείς*, *κτενός*, *δάκτυλος*, a toe.
- Cte'nodus** (Ichth.) *κτείς*, *κτενός*, a comb, *δόδος*, a tooth; having serrated teeth.
- Cte'noid** (Ichth.) *κτείς*, *κτενός*, a comb; fishes having the free posterior margin serrated or pectinated.
- Cte'nomys** (Zool.) *κτείς*, *κτενός*, a comb, *μῦς*, a rat.
- Cte'no'nychus** (Ent.) *κτείς*, *κτενός*, a comb, *ονυξ*, *ονυχος*, a claw.
- Cte'nopty'chius** (Fos. Zool.) *κτείς*, *κτενός*, a comb, *πτυχη*, a wrinkle.
- Cte'nopus** (Zool.) *κτείς*, *κτενός*, a comb, *πούς*, a foot.
- Ctenosto'mata** (Zool.) *κτείς*, *κτενός*, a comb, *στόμα*, a mouth.
- Cubicula'ris** (Ent.) *Lat.* belonging to a bed-chamber; occurring in out-houses.
- Cucu'balus** (Bot.) altered from *cacabulus*, which from *κακός*; bad, *βίλος*; a shoot.

- Cucujidæ (Ent.) *cucujus*, fam. term. *ide*; a family of Coleoptera.
- Cucujus (Ent.) etymology unknown.
- Cuculidæ (Ornith.) *cuculus*, a cuckoo, fam. term. *ide*; the cuckoos.
- Cuculipenne'lum (Ent.) *cuculus*, a cuckoo, *penna*, a feather.
- Cucullate'lla (Ent.) *cucullus*, a hood, dim. terminal *ella*.
- Cuculla'tus (Ornith.) *Lat.* hooded.
- Cucullilia (Ent.) *cuculus*, a hood; “the collar well developed, and raised in the form of a hood.”—STAINTON.
- Cucullina (Ent.) *cucullus*, a hood.
- Cucul'lus (Ornith.) *Lat.* a cuckoo.
- Cucuma'ria (Zool.) from resemblance to a cucumber.
- Cu'cumis (Bot.) the Roman name for a cucumber.
- Cucurbita } (Bot.) *cucurbita*, a gourd.
- Cucurbita'ceæ } (Bot.) *cucurbita*, a gourd, on which it feeds.
- Culci'tium (Bot.) *culcita*, a stuffed bed; referring to heads of paleæ; a genus of Compositæ.
- Culicifor'mis (Ent.) *culex*, a gnat, *forma*, shape.
- Cullu'mia (Bot.) P. N. in honour of Sir Thomas Cullum, F.R.S., F.L.S.
- Culme'ilus (Ent.) dim. of *culmus*, a stalk or stem.
- Cultripa'lpi (Ent.) *cultrum*, a knife, *palpus*, a feeler.
- Cumi'num } (Bot.) Arabic, *qamoun*.
- Cu'mmin } (Bot.) Arabic, *qamoun*.
- Cummin'gia (Bot.) P. N., dedicated to Lady Cumming Gordon.
- Cuneate'lla (Ent.) *cuneus*, a wedge; from certain markings.
- Cunicula'lis (Ent.) *cuniculus*, a rabbit; referring to colour.
- Cunicula'ria (Ornith.) *cunicularis*, pertaining to a rabbit, burrowing like a rabbit.
- Cuni'la (Bot.) P. N. from *Cunila*, the name of a town.
- Cunningha'mia (Bot.) J. and A. Cunningham, botanical travellers in N. S. Wales; a genus of Coniferae.
- Cuno'nia (Bot.) P. N. in honour of J. C. Cuno of Amsterdam.
- Cu'on (Zool.) *xiāw*, a dog.
- Cupa'nia (Bot.) P. N. in honour of Father Francis Cupani, an Italian monk and botanical author, who died in 1710.
- Cuphe'a (Bot.) *xvphōs*, curved, from the curved tube of the calyx.
- Cu'pia (Bot.) *Cupi* is the Malabar name of one of the species of Cincho-naceæ.

- Cuprea'lis (Ent.) *cupreus*, copper-coloured, *i. e.*, the wings.
- Cupre'lla (Ent.) *cupreus*, coppery.
- Cupre'ssus (Bot.) *Lat.* a Cypress-tree, which from *κύπελλος*, to produce, *παρατάσθι*, equal, from its regular branches.
- Cup'reus-a-um (Zool., Bot.) *Lat.* copper-coloured.
- Cupriacel'lus (Ent.) *cupreus*, coppery.
- Cupula'ris (Bot.) *cupula*, a little cup.
- Curate'lla (Bot.) *xυφίων*, to shave; the natives in Guiana use the leaves to polish their bows.
- Curcu'ligo (Bot.) *curculio*, a weevil.
- Curcu'lio (Ent.) *Lat.* a weevil.
- Curculio'nidæ (Ent.) *curculio*, fam. term. *ide.*
- Curcu'ma (Bot.) Arabic, *karkum*.
- Currant (Bot.) corrupted from *Uva Corinthiaca*, Corinthian grapes, which they are, being a variety of *Vitis vinifera*.
- Curru'ca (Ornith.) *Lat.* the Hedge-sparrow.
- Curso'ria (Ent.) }  
Curso'rius (Ornith.) } *curfor*, a runner.
- Curtisel'lus (Ent.) } P. N. in honour of *William Curtis*, founder of the  
Curti'sia (Bot.) } "Botanical Magazine."
- Curto'gyne (Bot.) literally "curved style;" a genus of *Craffulaceæ*.
- Curtome'rurus (Ent.) *xυρτός*, curved, *μηνός*, the thigh.
- Curtono'tus (Ent.) *xυρτός*, curved, *νῶτος*, the back.
- Cu'rtula (Ent.) dim. of *curtus*, broken, short,
- Cu'rtus (Ichth.) *Lat.* short.
- Curvel'la (Ent.) *curva*, a curve.
- Curviro'stra (Ornith.) }  
Curviro'stris (Zool.) } *curvus*, crooked, *rostrum*, a bill.
- Cu'scus (Zool.) Latinized form of native name, *couscous*.
- Cu'scuta (Bot.) Arabic, *kechout*.
- Cuso'ria (Zool.) *cufor*, one who strikes, from *cudo*, to strike; a genus of Ophidianas.
- Cuspida'tus-a-um (Zool., Bot.) *Lat.* part. of *cuspido*, to make pointed.
- Cusso'nia (Bot.) P. N. in honour of *M. Cussou*, a celebrated French botanist.
- Cuteria (Bot.) etymology unknown; a genus of *Cryptogamia*.
- Gu'xis (Zool.) native name of a monkey—*Brachyurus Sátanas*.
- Cyamo'psis (Bot.) *κύμητος*, bean, *ἴδει*, resemblance; a genus of Leguminosæ.

- Cya'nea** (Ornith.) *κυάνεας*, dark blue.
- Cyane'lla** (Bot.) dimin. of *κύανος*, blue; in allusion to the colour of its flowers.
- Cya'neus** (Ornith.) *κυάνεος*, dark-blue.
- Cyanomyia** (Ornith.) *κύανος*, dark-blue, *μύια*, a fly; a genus of Humming-birds.
- Cyano'tis** (Bot.) literally "blue ear," from the colour of flowers; a genus of Commelynaceæ.
- Cyanu'rus** (Ornith.) *κύανος*, blue, *οὐρα*, tail; the Blue Jay.
- Cy'anus** (Ornith., Bot.) *κύανος*, dark blue.
- Cyathe'a** (Bot.) *κυάθησιον*, a little cup.
- Cyatho'des** (Bot.) literally "cup-like," i. e. the nectary; a genus of Epacridaceæ.
- Cyathophy'lum** (Fos. Bot.) *κυάθος*, a cup, *φύλλον*, a leaf.
- Cyb'i'ster** (Ent.) *κυβίστης*, a tumbler.
- Cy'cas** (Bot.) the Greek name of a palm said to grow in Ethiopia.
- Cyclado'ides** (Zool.) *cyclas*, *εἶδος*, like.
- Cy'clamen** (Bot.) *κυκλάνης*, circular, from the mouth of the corolla.
- Cyclan'thus** (Bot.) literally "circle-flower," from the inflorescence; type genus of Cyclanthaceæ.
- Cyclo'rhis** (Ornith.) *κύκλως*, a ring or circle, *μύς*, a nose.
- Cy'clas** (Zool.) *κύκλως*, orbicular; a genus of fresh-water Mollusca.
- Cy'clica** (Ent.) *κύκλως*, a circle, from the rounded body of the insect; a division of Coleoptera.
- Cycli'dium** (Zool.) *κύκλως*, a circle; a genus of Infusoria.
- Cyclobo'thra** (Bot.) literally "circle pit," from form of calyx; a genus of Liliaceæ.
- Cycloc'orus** (Zool.) *κύκλως*, a circle, *ρόψις*, a helmet; a genus of Colubrine ophidians.
- Cy'clodes** (Ent.) *κύκλως*, *εἴδος*, form.
- Cycloga'ster** (Ent.) *κύκλως*, circle, *γαστήρ*, the belly; a genus of Diptera.
- Cycloid** (Ichth.) *κύκλως*, a circle, from the rounded form.
- Cyclono'tum** (Ent.) *κύκλως*, circle, *ώπος*, the back.
- Cyclo'phis** (Zool. Ent.) *κύκλως*, *ὄφις*, a serpent; a genus of Colubrine ophidians.
- Cyclo/pia** (Bot.) *κύκλως*, a circle, *πούς*, a foot.
- Cyclo'pis** (Ent.) resembling *cyclops*.
- Cy'clopis** (Zool., Ent.) *κύκλωψ*, Cyclops, literally round-eyed.
- Cyclopsi'na** (Zool.) *cyclops*, with family terminal.

- Cyclopterus* (Ichth.) *cyclopterus*, the family of the Sucking-fishes.
- Cyclopterus* (Ichth.) κύκλωψ, a Cyclops, πτερόν, a fin.
- Cyclopteryx* (Ent.) κύκλος, a circle, πτέρυξ, a wing.
- Cyclorhynchus* (Ornith.) κύκλος, a circle, φίς, the nostril.
- Cyclosaura* (Zool.) κύκλος, a circle, σάυρος, a lizard; a family of Reptilia.
- Cyclosis* (Bot.) implying molecules in circular movement.
- Cyclostoma* (Zool.) } κύκλος; a circle, στόμα, a mouth.
- Cyclostomus* (Ichth.) } κύκλος; a circle, στόμα, a mouth.
- Cyclothurus* (Zool.) κύκλος, a ring or circle, ὄφεα, a tail.
- Cycloum* (Zool.) κύκλος, a circle, ἄον, an egg, in reference to the arrangement of the ova.
- Cyclura* (Zool.) κύκλος, a circle, ὄφεα, tail; a genus of Reptiles.
- Cyanoches* (Bot.) κύκνος, a swan; from the gracefully bent form of the slender column.
- Cydonia* (Bot.) P. N., a native of Cydon in Crete.
- Cydonia* (Ent.) feeds upon *cydonia*.
- Cygnipenneilla* (Ent.) *cygnus*, a swan, *penna*, a feather.
- Cygnus* (Ornith.) *Lat.* a swan.
- Cylindera* (Ent.) κύλινδρος, a cylinder, δέρη, the neck.
- Cylindrophis* (Zool.) κύλινδρος, a cylinder, ὄφη, a snake; a genus of Ophidians.
- Cylindrosporium* (Bot.) κύλινδρος, a cylinder, σπορά, a spore; from form of spores; a genus of Fungi.
- Cylista* (Bot.) κυλιστίς, rolled, from κυλίω, to wallow about.
- Cymatophora* (Ent.) κύμα, κύματος, a wave, φόρητος, to bear.
- Cymatopterus* (Ent.) κύμα, κύματος, a wave, πτερόν, a wing.
- Cymbiformis* (Zool.) boat-shaped; from *cymba*, a boat, *forma*, shape.
- Cymbaria* (Bot.) κύμβη, boat; in allusion to the shape of the fruit.
- Cymbella* (Bot.) dimin. of *cymba*, a boat; a genus of Algae.
- Cymbella* (Bot.) *cymbella*; a division of Algae equiv. to Diatomaceæ.
- Cymbidæ* (Ent.) *cymba*, a boat; a family with boat-shaped larvæ.
- Cymbidium* (Bot.) κύμβη, a boat.
- Cymbiformis* (Zool., Bot.) κύμβη, a boat, *forma*, shape.
- Cymbirhynchus* (Ornith.) κύμβη, hollow vessel, φίγχος, a beak.
- Cymbopogon* (Bot.) κύμβη, a boat, πέγων, a beard; the valves of calyx are boat-shaped and hairy; a genus of Gramineæ.
- Cymindinae* (Ornith.) *cuminidis*, the night-hawk; a sub-family of Birds, of the order Raptoreæ.
- Cymosina* (Bot.) fruit swells like *Cumin* seed; a genus of Rutaceæ.

- Cymodo'cea (Zool.) P. N. of a sea-nymph mentioned by Virgil.
- Cymori'za (Ent.) κύμα, a wave, πορεία, the course or origin.
- Cyna'nchum (Bot.) κύων, a dog, ἄγχω, to strangle; in allusion to its poisonous properties.
- Cyna'pium (Bot.) κυνές ἄπιον, dogs' parley.
- Cy'nara (Bot.) κύανη, a dog.
- Cyni'ctis (Zool.) κύων, κυνές, a dog, ἵτης, a weasel; one of the Viverridæ.
- Cynipifor'mis (Ent.) cynipis, the gall-fly, forma.
- Cyno'phalus (Zool.) κύων, κυνές, a dog, κεφαλή, head; dog-headed.
- Cyno'don (Bot.) Dog's-tooth grass, from κύων, κυνές, a dog, ὅδος, οδοντος, a tooth.
- Cyno'gale (Zool.) κύων, κυνές, a dog, γαλῆ, a weasel.
- Cynoglos'sum (Bot.) κύων, κυνές, a dog, γλῶσσα, a tongue.
- Cynome'tra (Bot.) κύων, κυνές, a dog, μήτρα, a matrix.
- Cyno'phis (Zool.) κύων, κυνές, a dog, ὄφις, a serpent; a genus of Colubrine ophidians.
- Cynop'terus (Zool.) κύων, κυνές, a dog, πτερόν, a wing; the winged dog.
- Cyno'rchis (Bot.) the double bulbs resemble certain parts of a dog (κύων, ὄφις); a genus of Orchidaceæ.
- Cynosba'na (Ent.) κυνόβατος, a dog-thorn.
- Cynosu'rus (Bot.) κύων, κυνές, a dog, οὐρά, a tail.
- Cypel'l'a (Bot.) κύπελλα, a goblet; from shape of flowers; a genus of Iridaceæ.
- Cype'rus (Bot.) P. N. from *Cypris*, a name of Venus; the roots are aphrodisiacal.
- Cypho'lium (Bot.) } κυψός, curved.  
Cy'phia (Bot.) } κυψός, bent.
- Cyphom'yia (Ent.) κυψός, bent forward, μυῖα, a fly; a genus of Diptera.
- Cy'phon (Ent.) κυψός, bent.
- Cypho'nidae (Ent.) cyphon, fam. term. *ide*.
- Cyphonoce'phalus (Ent.) κυψός, bent, κεφαλή, head; a genus of Goliath-beetles.
- Cyphoso'ma (Ent.) κυψός, bent forward, σῶμα, the body.
- Cy'pridæ } (Zool.) P. N., *Cypris*, a name of Aphrodite; a family of  
Cypri'dinadæ } Entomostraca.
- Cypri'dina (Zool.) a genus of Entomostraca.
- Cypri'nidae (Ichth.) the family of the Carps.
- Cypri'nus (Ichth.) *Lat.* a carp.
- Cypripe'dium (Bot.) κύρπις, a name of Venus, πέδιον, a flipper.

- Cy'pris (Zool.) *Cypris*, a name of Aphrodite; a genus of Entomostraca.
- Cy'pselus (Ornith.) *κύψελος*, the sand-martin; a name used by Aristotle.
- Gypsna'gra (Ornith.) an intolerable word, compounded by a French writer from *Cypselus* and *Tanagra*.
- Cyre'bria (Ent.) feeds on *κύρηβια*, bran.
- Cyri'lla (Bot.) P. N. in honour of *Dominico Cyrillo*, M.D., Professor of botany at Naples, and F. R. S. London.
- Cyrt'a'nthus (Bot.) *κυρτός*, curved, *ἄνθος*, a flower.
- Cyrtochi'lum (Bot.) literally "concave lip;" from form of corolla; a genus of Orchidaceæ.
- Cyrtoderus (Ent.) *κυρτός*, curved, *δίρη*, the neck.
- Cyrtodon (Bot.) *κυρτός*, curved, *δόντης*, *δόντος*, a tooth; a genus of Cryptogamia.
- Cyrtoga'ster (Ent.) *κυρτός*, curved, *γαστήρ*, the belly.
- Cyrtophis (Zool.) *κυρτός*, curved, *ὄφις*, a serpent; a genus of Colubrine ophidians.
- Cyrtopo'dium (Bot.) *κυρτός*, convex, *ποῦς*, *ποδός*, a foot; in reference to the convex claw of the labellum.
- Cyr'tulus (Zool.) *κυρτός*, bent, *στῦλος*, a column; referring to the shell-pillar.
- Cystica'pnos (Bot.) *κύστης*, a bladder, *καπνός*, smoke.
- Cysti'dæ (Fos. Zool.) *κύστης*, a bladder.
- Cystophori'na (Zool.) a sub-family of Mammalia.
- Cystosei'ra (Bot.) a genus of Cryptogamia.
- Cythere're (Zool.) P. N. from *Cytherea*, a surname of Aphrodite; a genus of Entomostraca.
- Cythere'a (Ent.) P. N. a surname of Venus; from the island of Cythera.
- Cythere'is (Zool.) P. N. from *Cytherea*, a surname of Aphrodite; a genus of Entomostraca.
- Cythe'ridæ (Zool.) P. N. from *Cytherea*, a surname of Aphrodite; a family of Entomostraca.
- Cytisa'ria (Ent.) feeds on *Cytisus nigricans*.
- Cytisus (Bot.) said to be derived from *Cythnos*, one of the Cyclades, where it was first found. The *Cytisus scoparius*, was probably the flowering cytisus mentioned by Virgil:—
- "Florentem cytisum sequitur lasciva capella."—VIR. Ecl. ii. 64.

Da'ce (Ichth.) *Dutch, dace.*

Dacryd'ium (Bot.) δάκρυ, a tear; from the gummy exudation; a genus of Taxaceæ.

Dacrymy'ces (Bot.) δάκρυ, a tear, and μύκης, a fungus; from the deliquescent nature of plant; a genus of Fungi.

Dactylica'pnos (Bot.) δάκτυλος, and κυνωδίς, fumitory; the pods being finger-shaped; a genus of Fumariaceæ.

Dactyli'fera (Bot.) specific name of the date-tree, from δάκτυλος, a finger, φέρω, to bear; from the resemblance of the bunches of dates to a hand.

Da'ctylis (Bot.) δάκτυλος, a finger; Finger-grafts.

Dactylis'onans (Ornith.) δάκτυλος a finger, (wings) sonans, sounding.

Dactylocte'nium (Bot.) δάκτυλος, a finger, κτείς, κτενός, a comb.

Dæda'lea (Bot.) δαιδαλεός, curiously wrought; from the appearance of sinuosities; a genus of Fungi.

Dæ'mia (Bot.) from the Arabic name.

Daffodil (Bot.) query, corrupted from Asphodelus?

Da'fila (Ornith.) etymology unknown.

Dah'lia (Bot.) P. N. in honour of Andrew Dahl, a Swedish botanist, and pupil of Linnæus.

Da'is (Bot.) unknown.

Dai'sy (Bot.) the "day's eye;" Chaucer says:—

"The daifie or els the eye of dale."

Dalbe'rgia (Bot.) P. N. in honour of Nicholas Dalberg, a Swedish botanist.

Da'lea (Bot.) P. N. in honour of Thomas Dale, an English botanist.

Dalecha'mpia (Bot.) P. N. in honour of James Dalc'hamp, a French botanist of the 16th century.

Daliba'rda (Bot.) P. N. in honour of Denis Dalibard, a French botanist.

Dalrym'plea (Bot.) P. N. in honour of Alexander Dalrymple, author of the "Oriental Repertory."

Dalto'nia (Bot.) P. N. in honour of Rev. James Dalton, an English bryologist; a genus of Musci.

Da'ma (Zool.) *Lat.* a Fallow-deer.

Damæco'rnis (Zool.) *dama*, a deer, *cornu*, a horn; deer-horned.

Dama'lis (Ent.) appertaining to a deer; fawn-coloured.

Dama'lis (Zool.) δάμαλος, a calf.

Damaso'nium (Bot.) δαμάζειν, to subdue.

Da'mmara (Bot.) its name in Amboyna; the dammar pine.

Dampie'ra (Bot.) P. N. in honour of Captain W. Dampier, a celebrated traveller and botanist.

**Damsons** (Bot.) "Old writers have called those that grow in Syria, near Damascus, *damsons*, or *damašk* plums, and those that grow in Spain, Spanish prunes or plums; others, from the countries, are called prunes of Hungary, France, &c." The Counts of Anjou introduced the "prunes *damyfyns*" into Europe.—HARLAND's *Illustrations of Shuttleworth Acts.*

**Danœ'a** (Bot.) in honour of *Pierre Martin Dana*, who wrote on the plants of Piedmont.

**Dan'delion** (Bot.) French, *dent de lion*, lion's tooth.

**Da/ne-wort** (Bot.) this fetid plant (*Sambucus ebulus*) was supposed, by our ancestors, to have sprung from the blood of their enemies the Danes.

**Dantho'nia** (Bot.) P. N. in honour of *M. Danthoine*, a French botanist.

**Dape'dius** (Fos. Zool.) δάπεδον, a pavement; a genus of ganoid fishes, the arrangement of the rhomboidal scales of which resembles a tessellated pavement.

**Da'phne** (Bot.) δαφνή, to burn, φωνή, a noise; because it crackles when burning.

**Daphne'lla** (Zool.) dim. of *Daphne*; a genus of Entomostraca.

**Daph'nia** (Zool.) P. N. from *Daphne*.

**Daphni'adæ** } (Zool.) *Daphnia*; with family and sub-family term.  
**Daphni'na** } (Zool.)

**Dap'tion** (Ornith.) δάπτω, to devour.

**Darlingto'nia** (Bot.) P. N. from *Dr. Darlington*, an American botanist.

**Da'rnel** (Bot.) Anglo-Sax. *derian*, to hurt; darnel is in all probability the ζέάνια of St. Matthew, ch. xiii.

**Darvallia'na** (Bot.) P. N. in honour of *Dr. Darwall*, of Birmingham.

**Darwi'nia** (Bot.) P. N. from *Dr. Darwin*, author of "The Botanic Garden."

**Da'sya** (Bot.) δασύς, hairy; a genus of Cryptogamia.

**Dasy'basis** (Ent.) δασύς, hairy, βίστη, a foot; a genus of Diptera.

**Dasy'pidæ** (Zool.) *dasypus*; a family of Mammalia.

**Dasyp'i'na** (Zool.) *dasypus*; a sub-family of Mammalia.

**Dasyca'mpa** (Ent.) δασύς, hairy, νάμπην, a caterpillar.

**Dasy'cera** (Ent.) δασύς, thick, κίρα, a horn.

**Dasy'dia** (Ent.) δασύς, covered with hair.

**Dasyga'ster** } (Ent.) δασύς, hairy, γυαστής, a belly; a genus and family of  
**Dasyga'stræ** } Hymenoptera.

**Dasyor'nis** (Ornith.) δασύς, hairy, ὄψη, a bird.

**Dasype'l'tis** (Zool.) δασύς, hairy, πέλτη, a shield; a genus of Colubrine ophidians.

**Dasypo'dia** (Ent.) δασύς, hairy, πόδι, πόδος, a foot.

**Dasypo'lia** (Ent.) δασύς, hairy, πελεός, grey.

**Dasypro'cta** (Zool.) δασύς, hairy, περικτός, the back part, the tail.

**Dasyproct'i'na** (Zool.) *dasyprocta*; a sub-family of Mammalia.

**Da'sypus** (Zool.) δασύς, hairy, πόδι, a foot; a term for the Armadilloes, alluding to the fact of the soles of their feet being covered with hair.

**Dasy'stoma** (Ent.) δασύς, thick, hairy, στόμα, the mouth.

**Das'ytes** (Ent.) δασύτης, roughness, hairiness.

**Dasyu'r'ina** (Zool.) the sub-family of Marsupials, of which *Dasyurus* is the type.

**Dasyu'r'us** (Zool.) δασύς, hairy, ωῆρα, a tail; a genus of Marsupials.

**Date** (Bot.) from δάκτυλος, a finger; shape of fruit.

**Datu'ra** (Bot.) alteration of the Arabic name *tâtonah*, the Thorn-apple.

**Daubento'n'ia** (Bot.) P. N. from *M. Daubenton*, a celebrated naturalist.

**Dau'cus** (Bot.) δαίω, to divide; the carrot.

**Dava'llia** (Bot.) P. N. from *Edmund Davall*, a Swiss botanist.

**Davie'sia** (Bot.) P. N. from *Rev. H. Davies*, F.L.S., a Welsh botanist.

**Daw** (Ornith.) so called from the sound it utters.

**Deca'ctis** (Zool.) δέκα, ten, ἀκτίς, a ray.

**Decagy'nia** (Bot.) δέκα, ten, γυνή, a female; the plants have ten pistils.

**Deca'ndria** (Bot.) δέκα, ten, ἄνδρος, a man; having ten stamens.

**Deca'poda** (Zool.) δέκα, ten, πόδι, πέδος, a foot; the highest order of Crustacea.

**Deca'toma** (Ent.) δέκα, ten, τομή, separation; a genus of Hymenoptera.

**Decli'vis** (Zool.) Lat. bending downwards, steep.

**Deco'rus** (Zool.) Lat. handsome.

**Decuma'ria** (Bot.) *decuma*, a tenth; in allusion to the ten-fold structure of the flower and fruit.

**Decuma'nus** (Zool.) Lat. the tenth.

**Deer** (Zool.) Anglo-Sax. *deer*.

**Deeri'ngia** (Bot.) P. N. from *Dr. C. Deering*, an English botanist.

**Degee'rii** (Ent.) P. N. in honour of *De Geer*, a celebrated naturalist.

**Deile'phila** (Ent.) δειλη, the evening, φιλεῖν, to love.

**Deino'psis** (Ent.) δεινός, dreadful, φύει, appearance.

**Deino'rnis** (Fos. Zool.) δεινός, terrible, ὄρνις, a bird.

**Deinosa'urians** (Fos. Zool.) δεινός, terrible, σαῦρος, a lizard.

**Deinothe'e'rium** (Fos. Zool.) δεινός, terrible, θηρίον, a wild beast.

- Deiopel'a** (Ent.) Δηϊοπελά, one of Juno's nymphs.
- Delea'ster** (Ent.) δελέαστρον, a baited trap.
- Delesse'ria** (Bot.) P. N. from *M. Benjamin Deleffert*, a French botanical patron; a genus of Algæ.
- Delica'talus** (Zool.) Lat. somewhat dainty or delicate.
- De'liphrum** (Ent.)
- Delphi'nidae** (Zool.) *dolphinus*, a dolphin.
- Delphi'nium** (Bot.) *dolphin*, a dolphin, its unexpanded flowers having been supposed to resemble the imaginary figures of the dolphin.
- Delphi'nus** (Ichth.) Lat. a dolphin.
- Deltoi'dae** (Ent.) δελτοειδής, delta-shaped, triangular; from the form in which they arrange their wings when in repose.
- De'mas** (Ent.) Δέμας, a proper name.
- Demeta'na** (Zool.) given by Mr. Gosse to a variety of Sagartia; from the circumstance of being found on the Pembroke coast, formerly inhabited by the *Demeti*.
- Dendraspi'didae** (Zool.) *dendraspis*, fam. term. *idae*; a family of Colubrine ophidians.
- Dendra'spis** (Zool.) δενδρόψ, woody, ἄσπις, a viper; a genus of Colubrine ophidians.
- Dendre'rpeton** (Fos. Zool.) δενδρόπον, a tree, ῥετετόν, a lizard.
- Dendro'bium** (Bot.) δενδρόπον, a tree, βίων, to live; in allusion to its growing on trees.
- Dendroche'lidon** (Ornith.) δενδρόπον, a tree, χελιδών, a swallow; the Tree-swallow.
- Dendrocola'ptes** (Ornith.) δενδρόπον, a tree, κολαπτών, to peck; a genus of Tree-creepers.
- Dendrodo'a** (Zool.) δενδρόπον, a tree, ἀόν, an egg; a sub-genus of Tunicated molluscs; so called from the ramified form of the ovary.
- Dendro'ctonus** (Ent.) δενδρόπον, a tree, κτηνών, to destroy.
- De'ndrodonts** (Fos. Zool.) δενδρόπον, a tree, οδούς, θόρυτος, a tooth.
- Dendro'legus** (Zool.) δενδρόπον, a tree, λιγών, to lie down; applied to the Tree-kangaroo.
- De'ndrolite** (Fos. Bot.) δενδρόπον, a tree, λιθος, a stone; a general term for fossil wood.
- Den'dromys** (Zool.) δενδρόπον, a tree, μῦς, a mouse; a South African genus of rodents, resembling mice but inhabiting trees.
- Dendrono'tus** (Bot.) δενδρόπον, a tree, νῆτος, the back; a genus of Nudibranchiate mollusca.

- Dendro'phidæ (Zool.) *dendrophis*, fam. term. *ide*; a family of Colubrine ophidians.
- Dendro'philus (Ent.) δινός, a tree, φίλος, a lover.
- Den'drophis (Zool.) δινός, a tree, ὄφη, a serpent; a genus of Colubrine ophidians.
- Dendrosau'ra (Zool.) δινός, a tree, σαύρα, a lizard; the Tree-lizards.
- Denta'lium (Zool.) *dens*, a tooth; the Tooth-shell; a genus of Mollusca.
- Denta'ria (Bot.) *dens*, a tooth; alluding to the tooth-like structure of the roots.
- Denta'tus-a-um (Ent., Bot.) *Lat.* toothed.
- Dente'lla (Bot.) dim. of *dens*, a tooth.
- Den'tex (Ichth.) *Lat.* the ancient name of a fish.
- Denticula'tum (Ent.) *Lat.* having teeth; in allusion to the toothed or vandyked stripes on the abdomen.
- Denticula'tus-a-um (Bot.) *denticulus*, a little tooth.
- Dentiro'stres (Ornith.) *dens*, *dentis*, a tooth, *rostrum*, a beak; a division of the order Incessores.
- Denuda'tæ (Ent.) *denudatus-a-um*, stripped; a sub-family of Hymenoptera.
- Deppe'ana (Bot.) P. N. in honour of *J. Deppe*, a collector and traveller in Mexico.
- Depressa'ria (Ent.) *depressus*, flat; in allusion to their flat bodies.
- Depressico'rnis (Zool.) *depressus*, lying low, depressed, *cornu*, a horn.
- Depre'ssus-a-um (Zool., Ent., Bot.) *Lat.* flat, funk.
- Derasa'lis (Ent.) *derafus*, shaved, scraped off.
- Derbia'nus (Zool.) P. N. in honour of one of the great patrons of Natural History, the late Lord Derby.
- Derce'tis (Fos. Zool.) P. N., a sea-god; a ganoid, eel-like fish of the chalk formation.
- Derma'ptera (Zool.) δικτυα, skin, πτερόν, a wing; this name was given by Aristotle to the Bats, and may be considered equivalent to the Cheiroptera of Cuvier.
- Dermato'des (Bot.) δέρματοδενσ, like skin.
- Derme'stes (Ent.) δέρματτης, an eater of skin or leather.
- Derme'stidæ (Ent.) *dermestes*, fam. term. *ide*.
- Descham'psia (Bot.) P. N. in honour of *Dr. D'eschamps*, a French botanist.
- Desma'nthus (Bot.) δισμήν, a bundle, διθος, a flower; in allusion to the fascicles of the flowers.
- Desmare'stia (Bot.) a genus of Algæ; same etymology as the next.

- Desmaretii** (Ornith.) P. N. in honor of *M. Desmargé*, a French naturalist.
- Desmia** (Ent.) δισμία, a bundle; from the fasces-like markings.
- Desmidæ** (Bot.) δεσμίδιον, with fam. term.; a division of Algæ.
- Desmidium** (Bot.) δεσμός, a bond; from the parts cohering when in a state of dissolution.
- Desmochæta** (Bot.) δεσμός, a bond, χειρίς, hair.
- Desmodium** (Bot.) δεσμός, a band.
- Desmodous** (Bot.) δεσμός, a band, ὄγκος, a hook; alluding to the tendrils at the apex of the leaves.
- Desmonota** (Ent.) δεσμός, a band, ῥῶτος, the back; knotted back.
- Desmophylax** (Fos. Bot.) δεσμός, a bundle, φύλλον, a leaf.
- Desmotau'lius** (Ent.) δεσμός, a band, ὄυξ, ἀτός, an ear or apex; a genus of the Phryganidæ.
- Dia'basis** (Ent.) διάβασις, a passing over; a genus of Diptera.
- Dia'bolus** (Zool.) διάβολος, the devil.
- Diac'hea** (Bot.) διαχέω, to dispense; applied to a straggling fungus.
- Diachro'mus** (Ent.) δια, through, χρῶμα, colour.
- Diade'ma** (Ichth., Ent.) *Lat.* a diadem, the emblem of royalty.
- Diolithis** (Ent.) διάλιθος, set with precious stones, jewelled.
- Dial'ysis** (Ent.) διάλυσις, a separation, parting; a genus of Diptera.
- Diam'ma** (Ent.) διάμμος, very fandy; a genus of Hymenoptera.
- Dian'a** (Zool.) P. N., applied to a monkey on account of the crescent-shaped line of white hairs on the forehead.
- Dia'ndria** (Bot.) δις, two, ἄνθη, a man; having two stamens.
- Diane'lla** (Bot.) P. N. from *Diana*, the sylvan goddess; it inhabits woods.
- Dianthoë'cia** (Ent.) Διάνθοις, οἰλος, a dwelling; the larvæ dwelling in the seed-pods of Dianthus.
- Dian'thus** (Zool.) δῖος, divine, ἄνθος, a flower; or it may be from its tendency to become double, δι, the sign of duplication, ιανθίς, a flower, having full or double flowers.
- Diap'e'nsia** (Bot.) διάπεντες, composed of five; alluding to its flowers.
- Diape'ridæ** (Ent.) diaperis, fam. term. *id.*
- Diaperis** (Ent.) διαπεράω, to go over.
- Diaphana'lis** (Ent.) διαφανής, transparent.
- Diap'tomus** (Zool.) διά, through, πτημα, to fly; from its rapid dartings through the water.
- Diascia** (Bot.) δις, two, ἄσκιον, a little bladder; alluding to the two protuberances at the base of the corolla.

- Diase'mia (Ent.) διάσημος, clear, distinct.
- Diaste'ma (Ent.) διάστημα, an interval.
- Diasto'pora (Zool.) διάστημα, an interval, πόρος, a passage, "having pores at intervals;" a genus of Polyzoa.
- Diat'enes (Ent.) διατενής, stretching, tending.
- Diat'o'ma (Bot.) δια, through, τίμω, to cut; the frustules being almost separated.
- Diatoma'ceæ (Bot.) *diatoma*, fam. term. *aceæ*; a great division of the Algae.
- Dibol'ia (Ent.) διβολία, a double-edged lance, halbert.
- Dicer'as (Fos. Zool.) διέ, twice, κέρας, a horn.
- Dico'er'ca (Ent.) διέ, twice, κέρκος, a tail.
- Dicer'ma (Bot.) διέ, twice, ἐρμα, a prop.
- Dichela'cera (Ent.) δίχελος, cloven, κέρας, a horn; a genus of Diptera.
- Dichelas'pis (Zool.) δίχηλος, cloven, ἀσπίς, a shield; a genus of Cirripedes.
- Diche'lia (Ent.) δίχηλος, cloven-hoofed.
- Dichi'lus (Bot.) διέ, twice, χεῖλος, a lip.
- Dichlam'ydeous (Bot.) διέ, twice, χλαμύδης, a cloak; having both calyx and corolla.
- Dichlo'ria (Bot.) διέ, twice, χλωρός, green; a genus of Cryptogamia.
- Dichobu'ne (Fos. Zool.) διχα, divided, βουνός, a ridge; so called from the deeply-cleft ridges of the upper molars.
- Di'chodon (Fos. Zool.) διχα, in two parts, εἴδος, οδοντος, a tooth; so called from the double crescent-shaped lines of enamel on the upper surface of its true molars.
- Dicho'lophus (Ornith.) διχα, in two, bifid, λόφος, a crest; a genus of Birds.
- Dicho'ndra (Bot.) διέ, twice, χθόνος, a grain.
- Dichoriza'ndra (Bot.) διέ, twice, χωρίζω, to part, ἄνηρ, an anther.
- Dicho'sma (Bot.) διχα, without, ὅταν, smell.
- Dicho'tomus-a'um (Zool., Bot.) διχότομος, divided equally.
- Dichro'mia (Ent.) διέ, twice, χρῶμα, colour.
- Dickso'nia (Bot.) P. N. from *James Dickson*, a British cryptogamist.
- Diclidurus (Zool.) δικλίδης, double, οὐρά, a tail.
- Di'clip'tera (Bot.) διέ, double, κλείω, to shut.
- Dicotyle'donous (Bot.) διέ, double, κοτυληδών, seed-lobe; a division comprising all plants whose seeds are composed of two lobes.
- Dico'tyles (Zool.) διέ, double, κετούλη, a cup or socket.
- Dicrano'phora (Ent.) διέ, two, κράνος, a helmet, φέω, to bear; a genus of Diptera.
- Dicra'num (Bot.) δικράνη, two-headed.

- Dicranu'ra (Ent.) δίκρανος, forked, ὄφελος, a tail.
- Dicranu'ridæ (Ent.) dicranura, fam. term. *idae*.
- Dicroram'pha (Ent.) δικρόπη, forked, cloven, φάγητόν, a hooked knife, a bill.
- Dicruri'næ (Ornith.) dicrurus, fam. term. *inae*; a sub-family of Incessores.
- Dicrurus (Ornith.) δίχ, double, ὄφελος, a tail; having a long forked tail.
- Dicta'mnus (Bot.) P. N., a Cretan city, on the mountains near which it grows.
- Dicty'dium (Bot.) δίκτυον, a net, εἰδος, similar.
- Dictyophy'llum (Fos. Bot.) δίκτυον, a net, φύλλον, a leaf.
- Dictyop'teryx (Ent.) δίκτυον, a fishing-net, πτέρυξ, a wing; from the net-like markings of the wings.
- Dictyo'siphon (Bot.) δίκτυον, a net, σίφων, a reed or tube; a genus of Cryptogamia.
- Dictyo'ta (Bot.) δίκτυον, a net; a genus of Cryptogamia.
- Dicy'cla (Ent.) δίς, twice, κύκλος, a circle.
- Dicy'clus (Ent.) δίς, twice, κύκλος, a circle.
- Dicy'nodon (Fos. Zool.) δίς, two, κυνόδοντος, a canine tooth.
- Didelphi'na (Zool.) a sub-family of Mammalia, of which *didelphys* is the typical genus.
- Didel'phys (Zool.) δίς, two, δελφίς, a womb; the Opossum family.
- Dide'lta (Bot.) δίς, double; Δ, the Greek letter delta.
- Dide'smis (Bot.) δίς, twice, δισκός, a band; it has filicles of two joints.
- Didin'eis (Ent.) δίς, twice, δινεῖω, to turn round; a genus of Hymenoptera.
- Didun'culus (Ornith.) dim. of *didus*; the bird being the nearest living representative of the latter.
- Di'dus (Ornith.) Latinized form of the Dodo.
- Didymochlæ'na (Bot.) διδυμός, double, χλαῖνα, a covering.
- Didy'modon (Bot.) διδυμός, double, οδούς, a tooth; the teeth of the fringe are in pairs; a genus of Musci.
- Didymopri'um (Bot.) διδυμός, double, πρίων, a saw.
- Didy'namous (Bot.) having two long and two short stamens.
- Diely'tra (Bot.) δίς, two, ἰλευτρόν, a sheath.
- Diervi'lla (Bot.) P. N. from *Dierville*, a French surgeon, who travelled in Arcadia.
- dia (Zool.) *diffluo*, to flow, to dissolve.
- 'lis (Ent.) *difflus*, scattered.
- ra'da (Zool.) *digitus*, the toe, *gradus*, a step; an extensive tribe of carnivorous animals whose feet are constructed for walking on the

**Digitalis** (Bot.) *digitale*, the finger of a glove ; alluding to the form of the flower ; the Foxglove.

**Digitalaria** (Bot.) *digitus*, a finger ; from the heads being fingered ; finger-grafts.

**Digitalis-a-um** (Zool., Bot.) that has fingers, toes, or claws.

**Diglossa** (Ent.) *δίς*, two, γλῶσσα, a tongue.

**Diglyphus** (Ent.) *διγλυφος*, doubly indented.

**Diographis** (Bot.) *δίς*, twice, γράψω, to mark.

**Digynia** (Bot.) *δίς*, twice, γυνή, a female ; having two styles.

**Dilatris** (Bot.) *dis*, two, later, a tile.

**Dillenia** (Bot.) P. N. from *J. J. Dillenius*, Professor of botany at Oxford.

**Dillynna** (Bot.) P. N. from *L. W. Dillyn*, a celebrated botanist.

**Dilo'ba** (Ent.) *δίς*, twice, λόβος, the lobe ; from the lobe-shaped spots on the forewings.

**Dilucida'lis** (Ent.) *dilucidus*, clear, bright.

**Dimades** (Zool.) *διμαδης*, very wet ; a genus of Ophidians.

**Dimerocri'nites** (Fos. Zool.) *διμερηπης*, of two parts, κήπωρ, a lily ; a genus of Crinoidea.

**Dimoca'rpus** (Bot.) *διμός*, fear, καρπός, fruit.

**Dimo'rphodon** (Fos. Zool.) *διμορφος*, two-formed, διός, οδότος, a tooth ; having two kinds of teeth.

**Dimyria** (Zool.) *δίς*, twice, μύς, a muscle ; the shells of these bivalves being closed by two adductor muscles.

**Din'ebra** (Bot.) the Arabic name.

**Dine'ma** (Zool.) *δίς*, twice, νήμα, a thread.

**Dinemou'ra** (Zool.) *δίς*, two, νήμα, a thread, ουρά, a tail ; a genus of Eato-mostraca.

**Dine'tus** (Ent.) *δινήτος*, whirled round ; a genus of Hymenoptera.

**Dino'derus** (Ent.) *δίνος*, twisted, *δίρη*, the neck.

**Di'odon** (Zool., Ichth.) *δίς*, double, δόνος, δόντος, a tooth ; this name is applied to a whale, a sunfish, and a shell.

**Diodon'tus** (Ent.) *δίς*, twice, δόνος, οδότος, a tooth ; a genus of Hymenoptera.

**Dice'cia** (Bot.) *δίς*, double, οἰκία, a house ; having stamen-bearing flowers on one plant, and pistil-bearing flowers on another.

**Diomedea** (Ornith.) P. N. from *Diomedes* ; a genus of Sea-birds.

**Diome'dia** (Bot.) P. N. from *Diomedea*, the daughter of Phorbas.

**Dionæ'a** (Bot.) P. N. one of the names of Venus,

- Diosco'rea (Bot.) P. N. from *Pedacius Dioscorides*, a Greek physician.
- Dio'sma (Bot.) δίος, divine, ὁσμή, a smell.
- Dios'pyros (Bot.) διός, divine, πυρός, wheat; the *diospyros lotus* is the European Date-plum.
- Dio'stulus (Zool.) διός, excellent, στολή, a garment.
- Dio'tis (Bot.) διός, double, οὖς, ἀτος, an ear; it has two appendages at the base of florets.
- Dio'xys (Ent.) διός, double, δέρνει, sharp; a genus of Hymenoptera.
- Di'phaca (Bot.) διός, two, φάκη, a lentil; it has two seeds in the pods.
- Diphaglo'ssa (Ent.) διφας, a kind of serpent, γλῶσσα, a tongue; a genus of Hymenoptera.
- Diph'hera (Ent.) διφθερα, a prepared hide.
- Diphy'l'a (Zool., Bot.) διός, double, φύλλον, a leaf.
- Diphyll'e'ia (Bot.) διός, twice, φύλλον, a leaf; there are always two leaves.
- Diphyl'lodes (Ornith.) διός, twice, φύλλον, a plume; from the presence, on each side of the neck, of two peculiar tufts of feathers.
- Diphy'odonts (Zool.) διφυής, of double form, διόνυσ, a tooth; the term used by Professor Owen to denote those animals which have two successive sets of teeth.
- Diphy'sa (Ent.) διός, twice, φύσα, a pair of bellows; a genus of Diptera.
- Diphy'sa (Bot.) διός, two, φύσα, a bladder; it has two inflated appendages to pods.
- Diphy'scium (Bot.) διός, twice, φύσιον, a bladder; a genus of Musci.
- Di'pina (Zool.) *dipus*; a sub-family of Mammalia.
- Di'placus (Bot.) διός, two, πλακοῦς, placenta; in reference to the seed having two placentæ.
- Diplade'nia (Bot.) διπλαῖναι, double, αὐτή, a gland.
- Diplocolobe'æ (Bot.) διπλαῖναι, double, λαβός, a lobe; cotyledons twice folded transversely.
- Diplo'coma (Bot.) διπλάῖναι, double, κόμη, hair.
- Diplodo'ma (Ent.) διπλαῖναι, double, διπλαῖναι, a house; the larva being remarkable for its double case.
- Dip'lodus (Fos. Zool.) διπλαῖναι, double, διδύνει, a tooth; a genus of fossil placoid fishes found in the coal formation.
- Diplogra'psus (Fos. Zool.) διπλαῖναι, double, *graptolite*; double graptolite.
- Diplo'lobæ (Bot.) διπλαῖναι, double, λαβός, a pod.
- Dipla'zium (Bot.) διπλαῖναι, to double.
- Diplochei'lus (Ent.) διπλαῖναι, double, χειλοῦς, a lip.
- Diplo'lepis (Bot.) διπλαῖναι, double, λεπίδη, a scale.

Diplo'prion (Ichth.) διπλαῖος, double, πίλων, a saw; a genus of the family Percidae.

Diplop'tera (Ent.) διπλάεις, double, πτερόν, a wing; a tribe of Hymenoptera.

Diplota'xis (Bot.) διπλάσιος, double, τάξις, a series; in allusion to the seeds.

Dipod'omys (Zool.) δίποδος, διπόδος, two-footed, μῦς, a mouse.

Dipro'todon (Fos. Zool.) δίς, two, πρώτος, first, οδούς, οδοντος, tooth; from the large scaliform character of its incisors or front teeth.

Di'psacus (Bot.) διψάω, to thirst; the leaves hold water.

Dipsa'didæ (Zool.) *dipsa*, fam. term. *ide*; a family of Colubrine ophidians.

Dipsadobo'a (Zool.) a genus of Colubrine ophidians.

Dipsadomo'rphus (Zool.) a genus of Colubrine ophidians.

Di'psas (Zool.) δίψη, a venomous serpent, whose bite caused intense thirst; a genus of Colubrine ophidians.

Di'ptera (Ent.) διπτερος, with two wings.

Di'pterix (Bot.) δίς, double, πτερυξ, a wing.

Diptery'gia (Ent.) δίς, double, πτερυξ, a wing.

Di'pus (Zool.) δίποδος, two-footed.

Dirce'a (Ent.) P. N. from *Dirce*, the wife of Lycus, king of Thebes.

Dischi'dæ (Zool.) equiv. to bisulcate; applied by Aristotle to animals having divided hoofs; from δίς, double, and σχίζω, to divide.

Dischi'dia (Bot.) δίς, twice, σχίζω, to split.

Disco'e'lius (Ent.) δίσκος, a disk, ἡλιος, the sun; a genus of Hymenoptera.

Dis'color (Zool.) Lat. party-coloured.

Discolora'lis (Ent., Bot.) *discolor*, party-coloured.

Disco'pora (Zool.) δίσκος, a disk, πόρος, a passage or pore.

Dis'opus (Ent.) δίς, double, πούς, a foot.

Dis'par (Ornith.) Lat. unequal.

Dispara'lis (Ent.) *dispar*, unequal.

Dispe'ris (Bot.) δίς, two, πήρη, a pouch.

Dis'porum (Bot.) δίς, twice, πόρος, a passage or pore.

Di'ssodon (Bot.) δίς, twice, οδόντος, οδοντος, a tooth.

Dissole'na (Bot.) δίς, twice, σωλήνη, a tube; referring to the tube of the corolla.

Di'stoma (Zool.) δίς, twice, στόμα, a mouth; having both branchial and anal orifices.

Di'stomas (Ent.) δίς, twice, στόμα, a mouth.

Dithyro'caris (Fos. Zool.) διθυρος, having two valves, καρίς, a shrimp.

Ditio'la (Bot.) διττός, double, ιουλος, down.

Dit'uла (Ent.) διτυλος, with two humps.

- Diurna'lis (Ent.) *diurnus*, of the day.
- Diur'nea (Ent.) *diurnus*, of the day, daily.
- Diur'ni (Ent.) *Lat. pl.* of *diurnus*, daily, applied to the Day-flying moths.
- Diu'ris (Bot.) δις; double, οὐρά, a tail.
- Dixo'ni (Fos. Zool.) P. N. from —— *Dixon*, author of "The Fossils of Sussex."
- Dock (Bot.) *Anglo-Sax. docce*; name of plants of the genus *Rumex*.
- Dodar'tia (Bot.) P. N. from *F. Dodart*, a French botanist.
- Dodeca'ctis (Zool.) δωδεκά, twelve, ἀκτίς, a ray.
- Dodecagy'na (Bot.) δωδεκά, twelve, γυνή, a female; having twelve pistils.
- Dodecan'dria (Bot.) δωδεκά, twelve, ἄνης, a male; having twelve stamens.
- Dodeca'theon (Bot.) δωδεκά, twelve, θεός, a divinity.
- Do'do (Ornith.) *Ital., Span., Port., and French*, name of a bird now extinct, discovered by the Portuguese in 1499.
- Dodonæ'a (Bot.) P. N. from *R. Dodonea*, a celebrated botanist.
- Doe (Zool.) *Anglo-Sax. da*, *Lat. dama*.
- Dolicho'e'phalic (Zool.) δολιχός, long, κεφαλή, the head; where the development of the skull is in the occipito-frontal diameter.
- Dolichode'irus (Fos. Zool.) δολιχός, long, δειρή, the neck.
- Dolich'onyx (Ornith.) δολιχός, long, ὄνξ, a claw.
- Do'lichos (Bot.) δολιχός, long; referring to the length of the climbing stem.
- Dolichosau'russ (Fos. Zool.) δολιχός, long, σαῦρος, a lizard.
- Dolicho'so'ma (Ent.) δολιχός, long, σῶμα, a body.
- Dolicho'tis (Zool.) δολιχός, long, οὖς, ὥτος, the ear.
- Dolicho'toma (Ent.) δολιχός, long, τομή, a cutting or division.
- Dolichu'russ (Zool.) δολιχός, long, οὐρά, a tail.
- Dolichu'russ (Ent.) δολιχός, long, οὐρά, a tail; a genus of Hymenoptera.
- Dolioca'rus (Bot.) δόλιος, deceitful, καρπός, fruit; in allusion to its poisonous qualities.
- Do'liops (Ent.) δόλιος, deceitful, δῆμος, appearance.
- Dolome'des (Ent.) δολομένης, crafty, wily; a genus of Arachnidæ.
- Dolo'pius (Ent.) δολοποιός, treacherous, ensnaring.
- Dolphin } (Ichth.) δελφίς, a dolphin.  
Dolphis }
- Dombe'ya (Bot.) P. N. in honour of *Joseph Dombe*y, a celebrated French botanist.
- Domestica'lis (Ent.) *domesticus*, tame.
- Domes'ticus-a-um (Ornith., Bot.) *Lat.* tame,

- Don'dia** (Bot.) P. N. in honour of *Dondie Dupré*, a French botanist.
- Doo'dia** (Bot.) P. N. in honour of *Samuel Doody*, a London apothecary, and first British cryptogamist.
- Dor** (Ent.) *Anglo-Sax. dora*, a locust, a drone.
- Do'ris** (Zool.) P. N., the mother of the sea-nymphs, called Nereides.
- Do'r'mouse** (Zool.) *Anglo-Sax. dora*, a drone, sleeping, *mus*, a mouse.
- Dorste'nia** (Bot.) P. N. from *T. Dorsten*, a German botanist.
- Do'ry** (Ichth.) French, *dorée*, gilded; John Dory is probably from *jaune doré*, from its golden yellow colour.
- Dory'a'nthes** (Bot.) δόρψ, a spear, ἄνθη, a blossom.
- Dory'enium** (Bot.) δόρψ, a spear; the ancient plant was poisonous.
- Dory'lidae** (Ent.) δορύλιδος, fam. term. *idæ*; a family of Hymenoptera.
- Do'rylus** (Ent.) δόρψ, a spear; a genus of Hymenoptera.
- Dory'tomus** (Ent.) δόρψ, shaft of a spear, τομή, a part cut off.
- Dothi'dea** (Bot.) δοθίνη, a tubercle, οὐδος, similar; a fungus.
- Douga'llii** (Ornith.) P. N. in honour of *M. Dougall*, an eminent ornithologist.
- Dougl'a'sia** (Ent.) P. N. in honour of *Mr. J. W. Douglas*, author of the "World of Insects."
- Douronco'uli** (Zool.) native name of a monkey—*Nyctipithécus Trivergatus*.
- Doxococ'cus** (Zool.) δοκέω, to seem, κόκκος, a berry; a genus of Infusoria.
- Dra'ba** (Bot.) a plant mentioned by Dioscorides.
- Dracæ'na** (Bot.) δράκαινα, a she-dragon; the juice is like dragon's blood.
- Dra'co** (Zool.) *Lat.* a dragon; this dreaded name has been given by modern naturalists to an innocent winged genus of Reptiles.
- Dracoce'phalum** (Bot.) δράκεων, a dragon, κεφαλή, a head.
- Dracon'tium** (Bot.) δράκων, a dragon.
- Dracun'culus** (Ichth.) *Lat.* dim. of *draco*, a dragon, equivalent to the popular name, dragonet.
- Drake** (Ornith.) perhaps from *Dutch* and *German* *dreck*, mud, because it delights in mud.
- Draparna'ldia** (Bot.) P. N. in honour of *James Philip Ralf. Draparnaud*, a French botanist.
- Dra'ssidæ** (Ent.) *draffus*, fam. term. *idæ*.
- Dra'ssus** (Ent.) δράσσομαι, to grasp.
- Draste'ria** { (Ent.) δραστήριος, vigorous.  
**Draste'rius** }
- Dre'pane** (Ichth.) δρεπάνη, a sickle; the Reaper-fish.

- Dre'panis (Ornith.) δρεπάνη, a sickle, from the shape of the bill; a genus of Birds.
- Drepano'crys (Bot.) δρεπανόν, a scimeter, κυρπίς, fruit.
- Drepanu'lidae (Ent.) δρεπανόν, a reaping-hook or sickle; moths having their wings hooked at the tip.
- Dri'mia (Bot.) δριμία, bitter, from the juice of the roots being bitter.
- Dromada'rius (Zool.) Lat. a dromedary.
- Droma'ius (Ornith.) δρομαῖος, swift; generic name of the Emeu.
- Dromathe'rium (Fos. Zool.) δρομαῖος, swift-running, θηρίον, beast.
- Dro'medary (Zool.) δρομάς, swift, δραμεῖν, to run.
- Dromi'cia (Zool.) δρομεῖα, a runner.
- Dro'micus (Zool.) δρομεῖος, good at running; a genus of Colubrine ophidians.
- Dro'mius (Ent.) δρομεῖος, a runner.
- Dro'sera (Bot.) δρόσος, dew; from the dewlike glands on the leaves.
- Drummo'ndii (Zool.) P. N. from Mr. Drummond.
- Dru'sa (Bot.) P. N. from M. Le Dru, a botanist.
- Drya'didae (Zool.) δρύας, fam. term. idæ; a family of Colubrine ophidians.
- Drya'ndra (Bot.) P. N. from Joseph Dryander, a distinguished botanist.
- Dry'a's (Bot.) having leaves like the oak, which was sacred to the *Dryads*.
- Dryo'phidae (Zool.) dryophis, fam. term. idæ, a family of Colubrine ophidians.
- Dryo'phis (Zool.) δρυφίς, a serpent living in hollow oaks; δρῦς, a serpent.
- Dryma'ria (Bot.) δρυμαῖος, a wood; referring to its habitation.
- Drymo'des (Ornith.) δρυμαῖος, woody; a lover of woodland places.
- Dryoba'tes (Ornith.) δρύος, a wood or thicket, θεῖναι, to go.
- Dryoca'lamus (Zool.) δρῦς, an oak, *calamus*, a reed, from resemblance; a genus of Colubrine ophidians.
- Dryo'philus (Ent.) δρῦς, the oak, φιλία, to love.
- Dryopithe'cus (Fos. Zool.) δρῦς, δρύος, a tree, πίθηκος, an ape.
- Dry'ops (Ent.) δρῦς, oak, δημητρία, resemblance.
- Dryop'taris (Bot.) δρυσπέτηρις, a fern resembling the oak in profile.
- Dry'petes (Bot.) δριπτώ, to lacerate.
- Dry'pis (Bot.) δριπτώ, to lacerate.
- Dryp'ta (Ent.) δριπτώ, to lacerate.
- Dubius-a-um (Zool., Bot.) Lat. doubtful.
- Duck (Ornith.) Dutch, duiken.
- Dufou'r'i (Bot.) P. N. in honour of M. Dufour.

**Dulcama'ra** (Bot.) *dulcis*, sweet, *amarus*, bitter; because the taste of the stem and root is at first bitter and afterwards sweet.

**Duli'chium** (Bot.) P. N., the name of the island where it is found.

**Duma'sia** (Bot.) P. N. in honour of *M. Dumas*, one of the Editors of the "Annals of Natural History."

**Dumeti'cola** (Zool.) *dumetum*, a copse, *colo*, to frequent.

**Dumeto'sus** (Zool.) *Lat.* bushy, tufty.

**Dumo'ntia** (Bot.) P. N., a genus of Cryptogamia.

**Dura'nta** (Bot.) P. N. from *Gastor Durante*, a physician and botanist of the 16th century.

**Duva'llia** (Bot.) P. N. from *M. Duval*, a French botanist.

**Dyna'stes** (Ent.) *δυνάστης*, a master.

**Dyna'stidae** (Ent.) *dynastes*, fam. term. *idae*.

**Dyschi'rius** (Ent.) *δύσχιρος*, hard, *χείρ*, hand.

**Dy'sdera** (Ent.) *δύσδερα*, hard, *δέρας*, a skin, or perhaps *δέρη*, the neck.

**Dyt'i'cidæ** (Ent.) *dyticus*, fam. term. *idae*.

**Dy'ticus** (Ent.) *δυτικός*, fond of diving.

**Eari'na** (Bot.) *Ιαρά*, the spring; a genus of Orchidaceæ.

**Ea'ris** (Ent.) *Ιαρά*, spring, from the time of its appearance; a genus of Lepidoptera.

**Eato'nia** (Bot.) P. N. in honour of —— *Eaton*; a genus of Grafies.

**Ebarba'tus** (Zool.) } *Lat.* without *barbe*, or beards, or fringes; the  
**Ebarbu'latus** (Ornith.) } latter applied to the unfeathered portions of  
the cassowary's wing.

**Ebelin'gia** (Bot.) P. N. in honour of *M. Ebeling*, a German botanist; a genus of Simarubaceæ.

**Ebena'ceæ** (Bot.) *ebenus*, fam. term. *acea*.

**E'benu's** (Bot.) *Heb. Hebnim, Gr. Ιβσνος, Lat. ebenus*, the ebony-tree; the typical genus of Ebenaceæ.

**Ebeni'dium** (Bot.) *ebenus*, *εβός*, like; a genus of Leguminosæ.

**Ebermey'era** (Bot.) P. N. in honour of *M. Ebermeyer*, a German botanist; a genus of Acanthaceæ.

**Ebu'lea** (Ent.) *ebulus*, the dwarf elder-tree, on which it feeds.

**Ebu'rila** (Ent.) *ebur*, ivory, from the yellowish ivory spots on the elytra; a genus of Coleoptera.

**Ebur'na** (Zool.) *ebur*, ivory; the ivory-shell; a genus of Mollusca.

**Ebur'neus-a-um** (Zool.) *Lat.* white, like ivory.

- Ecalyp'tria (Bot.) *ἰξ*, out, *καλύπτειν*, a lid or covering.
- Ecastophyllum (Bot.) *ἴκαστος*, each, *φύλλον*, a leaf.
- Ecba'lium (Bot.) *ἴκεβάλλω*, to throw outwards; bursts and discharges its seeds when ripe; a genus of Cucurbitaceæ; "the Spirting cucumber."
- Eccliso'pteryx (Ent.) *ἴκκλισις*, to shut out, *πτίρυξ*, a wing; from the peculiarity of the posterior wings; a genus of Phryganidæ.
- Eccremocar'pus (Bot.) *ἴκκρηματής*, pendent, *καρπός*, fruit.
- Eodysan'thera (Bot.) *ἴκνυσις*, excrescence, *αὐθηρ*, an anther; a genus of Apocynaceæ.
- Echenei'didæ (Ichth.) } *ἴχνω*, to hold, *ιαῦειν*, a ship; from the supposed power of detaining ships at sea; the Sucking-fish, or Remora family.
- Echenei's (Ichth.) } power of detaining ships at sea; the Sucking-fish, or Remora family.
- Echena'is (Ichth.) *ἴχνείας*, holding ships back; from the reputed action of the Sucking-fish; also, in Botany, a genus of Compositæ.
- Echeve'ria (Bot.) P. N. from *M. Echeveri*, artist of the splendid drawings of the "Flora Mexicana;" a genus of Crassulaceæ.
- Echimy'na (Zool.) *ἴχνιος*, a spine, *μύριν*, a guard; a sub-family of Mammalia.
- Echimys (Zool.) *ἴχνος*, a spine, *μύριν*, a mouse.
- Echinaca'nthus (Bot.) *ἴχνιος*, rough, *acanthus*; a genus of Compositæ.
- Echina'cea (Bot.) *ἴχνιος*, rough; a genus of Compositæ.
- Echinaly'sium (Bot.) *ἴχνιος*, rough, *ἀλύσιον*, a chain; a genus of Gramina.
- Echina'nthus (Bot.) *ἴχνιος*, rough, *ἄνθος*, a flower; a genus of Compositæ.
- Echinarach'nius (Zool.) *ἴχνιος*, a hedge-hog, *άράχνη*, a spider's web; a genus of Echinodermata.
- Echina'ria (Bot.) *ἴχνιος*, rough; a genus of Graminaceæ.
- Echid'na (Zool.) *ἴχνιδια*, a viper.
- Echine'lla (Zool., Bot.) dim. of *echinus*, a spine, from its bristly appearance; also a genus of Animalcules.
- Echi'nidæ (Zool.) *ἴχνιοτε*, the sea-urchin; fam. term. *ide*.
- Echinobo'trys (Bot.) *ἴχνιος*, rough, *βότρυς*, a cluster of grapes; a genus of Fungi.
- Echinobo'tryum (Bot.) *ἴχνιος*, rough, *βότρυς*, a cluster; a genus of Fungi.
- Echinoca'ctus (Bot.) *ἴχνιος*, a sea-urchin, *cactus*; resemblance of plant to the animal; a genus of Cactaceæ.
- Echinoca'rpus (Bot.) *ἴχνιος*, rough, *καρπός*, fruit; a genus of Flacourtiaceæ.
- Echinocau'lon (Bot.) *ἴχνιος*, rough, *καυλός*, a stalk; a genus of Polygonaceæ.
- Echino'ceras (Bot.) *ἴχνιος*, rough, *κεράς*, a horn; a genus of Algæ.

- Echino'chloa (Bot.) ἐχῖνος, a spine, χλόες, grafs.
- Echinocri'nus (Fos. Zool.) ἐχῖνος, a spine, κρίνων, a lily; a genus of Crinoideæ.
- Echinocy'anus (Zool.) ἐχῖνος, a sea-urchin, κύανος, purple; a genus of Echinodermata.
- Echinocystis (Bot.) ἐχῖνος, rough, κύστις, a pouch; a genus of Cucurbitaceæ.
- Echinoder'mata (Zool.) ἐχῖνος, a hedge-hog, δέρμα, the skin.
- Echinodi'scus (Bot.) ἐχῖνος rough, δίσκος, a disk; a genus of Leguminosæ.
- Echino'dium (Bot.) ἐχῖνος, a hedge-hog, εἶδος, like; a genus of Compositæ.
- Echino'dorus (Bot.) ἐχῖνος, rough, δέρδος, a wallet; a genus of Alismaceæ.
- Echino'gyna (Bot.) ἐχῖνος, rough, γυνή, a female; a genus of Marchantiaceæ.
- Echinolai'na (Bot.) ἐχῖνος, rough, λαῖνα, a cloak or covering; a genus of Graminae.
- Echinole'ma (Bot.) ἐχῖνος, rough, λίμα, will, purpose; a genus of Calyceraceæ.
- Echinolo'bium (Bot.) ἐχῖνος, rough, λόβιον, a pod; a genus of Leguminosæ.
- Echinoly'trum (Bot.) ἐχῖνος, rough, ἔλυτρον, a covering; a genus of Cyperaceæ.
- Echinome'ria (Bot.) ἐχῖνος, rough, μερία, thighs; a genus of Compositæ.
- Echinomi'trium (Bot.) ἐχῖνος, rough, μετρίον, a girdle; a genus of Marchantiaceæ.
- Echinoph'ora (Bot.) ἐχῖνος, a hedge-hog, φορίω, to bear; alluding to its flowers; a genus of Umbelliferae.
- Echinopla'oa (Bot.) ἐχῖνος, rough, πλάξ, πλακός, a flat surface; a genus of Lichenes.
- Echinopo'gon (Bot.) ἐχῖνος, rough, πάγων, the beard.
- Ech'inops (Bot.) ἐχῖνος, the hedge-hog, ἄψις, appearance; referring to its heads; the Globe-thistle.
- Echinopsi'lon (Bot.) ἐχῖνος, rough, φίλον, a feather; a genus of Chenopodiaceæ.
- Echinop'teris (Bot.) ἐχῖνος, rough, πτερίς, a fern; so called from its feathery leaves; a genus of Malpighiaceæ.
- Echinopus (Bot.) ἐχῖνος, rough, πόνος, a foot; a genus of Compositæ.
- Echinorhi'nus (Ichth.) ἐχῖνος, rough, ρίνος, the skin.
- Echinoschœ'nus (Bot.) ἐχῖνος, rough, σχοῖνος, a reed; a genus of Cyperaceæ.

- Echinospermum (Bot.) ἑκινός, a spine, σπίρμα, feed; a genus of Boraginaceæ.
- Echinophæ'ra (Bot.) ἑκινός, rough, σφαιρα, a sphere; a genus of Euphorbiaceæ.
- Echinosta'chys (Fos. Bot.) ἑκινός, rough, στάχυς, a head of flowers.
- Echi'nus (Zool.) ἑκινός, a hedge-hog; a genus of Echinodermata.
- Echiochil'on (Bot.) ἑκιλίς, a viper, χιλός, graft; a genus of Boraginaceæ.
- Echiod'on (Ichth.) ἑκις, a viper, ὀδούς, a tooth.
- Echiogl'o'ssum (Bot.) ἑκις, a viper, γλῶσσα, a tongue; a genus of Orchidaceæ.
- Echioi'des (Bot.) *echium*, and εἶδος, like; resemblance to the *Echium*; a genus of Boraginaceæ; also, an adjective term denoting prickly.
- Echio'psis (Ichth.) ἑκις, a viper, ὁψις, appearance; also a genus in Botany.
- E'chis (Zool.) ἑκις, a viper; a genus of Ophidians.
- Echi'tes (Bot.) ἑκις, a viper, in allusion to its smooth shining shoots; a genus of Apocynaceæ.
- E'chium (Bot.) ἑκις, a viper, referring to its seeds; a genus of Boraginaceæ.
- Echi'u'rus (Zool.) ἑκις, a viper, ὄψη, a tail; a genus of Echinodermata.
- Echthrone'ma (Bot.) ἑκθρόνης, hostile, νῆμα, a thread; a genus of Iridaceæ.
- Ecka'rdia (Bot.) P. N. in honour of *M. Eckard*, a German botanist; a genus of Orchidaceæ.
- Ecklo'nia (Bot.) P. N. in honour of *M. Ecklon*, a German botanist; a genus of Algae.
- Eclec'tus-a-um (Zool., Ornith.) επλεκτός, chosen, select.
- Eclip'ta (Bot.) ἐκλειπω, to be wanting; alluding to its want of seed-crown or wing.
- Eclo'pes (Bot.) ἐκλαπίζω, to lay bare, strip; a genus of Compositæ.
- Ecta'dium (Bot.) ἐκταῖδιος, η, ον, stretched out; a genus of Asclepiadaceæ.
- Ectasis (Bot.) ἐκτασίς, extension; a genus of Ericaceæ.
- Ectenop'sis (Ent.) ἐκτενής, stretched out, ὁψις, appearance; a genus of Diptera.
- Ecthor'e'um (Zool.) ἐκθίω, to run, or fall out; a term applied by Mr. Gosse to certain wire-like organs of the Actiniæ.
- Ecthrus (Bot.) ἐκθρόνης, to leap forth; sudden expansion of flower; a genus of Papaveraceæ.
- Ecti'nus (Ent.) ἐκτίνω, to take vengeance; a genus of Coleoptera.
- Ecto'bria (Ent.) ἐκτός, without, βίος, to live; a genus of Coleoptera.
- Ectoca'rpus (Bot.) ἐκτός, outside, καρπός, fruit; a genus of Algae.
- Ectocune'iform (Zool.) ἐκτής, outside, and the *cuneiform* bone.

- Ectopistes** (Ornith.) ἐκτοπιστικός, migratory; the Passenger-pigeon of America.
- Ectostro'ma** (Bot.) ἀκτός, without, στρώμα, a layer.
- Ectro'sia** (Bot.) ἐκτρωσίς, a miscarriage; a genus of Graminaceæ.
- Eda'phodont** (Ichth.) ἑδαφός, the bafe, ὁδούς, ὁδότος, a tooth.
- Edenta'ta** (Zool.) edentula, toothless.
- Edere'sa** (Ent.) etymology unknown; a genus of Lepidoptera.
- Edgwor'thia** (Bot.) P. N. in honour of — *Edgeworth*; a genus of Thymelacæ.
- Edmo'ndia** (Bot.) P. N. in honour of — *Edmond*; a genus of Compositeæ.
- Edo'lius** (Ornith.) ἑδάλιος, a seat for rowers; from the form of the two outer feathers of the tail.
- Edraian'thus** (Bot.) ἑδραιός, fixed, sessile, ἄνθος, a flower.
- Edraiophthal'ma** (Zool.) ἑδραιός, fixed, οφθαλμός, an eye; an order of Crustacea, with sessile eyes, situated on the sides of the head.
- Edu'lis-e** (Zool., Bot.) *Lat.* eatable.
- Edu'sa** (Ent.) P. N. from *Edufa*, a Roman divinity, worshipped as the protectress of children, and supposed to bless their food (*edere*, to eat); a species of Lepidoptera.
- Edward'sia** (Bot.) P. N. from *S. Edwards*, a celebrated botanical draughtsman; a genus of Leguminosæ.
- Eel** (Ichth.) *Anglo-Sax. ael.*
- Effræ'nis** (Zool.) *Lat.* unbridled.
- Egena'ria** (Ent.) *eugenüs*, poor, needy; a species of Geometræ.
- Ege'ria** (Bot.) P. N. a nymph changed into a fountain by Diana; a genus of plants.
- Egerto'ni** (Fos. Zool.) P. N. from *Sir Philip Egerton*, an eminent fossil ichthyologist.
- Egregia'lis** (Ent.) *egregius*, excellent, singular.
- Ehre'tia** } (Bot.) P. N., a family and genus of plants named in honour of *D. G. Ehret*, a celebrated German botanical draughtsman.
- Ehretia'ceæ** } microscopist.
- Ehrhar'tia** (Bot.) P. N. from *F. Ehrhart*, a Swiss naturalist.
- Ehrenbe'rgia** (Bot.) P. N. from *M. Ehrenberg*, the celebrated Prussian microscopist.
- Elachi'sta** (Ent.) ελαχίστος, very small, the least; a genus of Lepidoptera; also a genus in Botany.
- Elachi'stea** (Bot.) ελαχίστρος, the smallest; a genus of Algae.

**Elæag'nus** (Bot.) ελαιά, the olive-tree, ἀγνός, holy; the olive was sacred to Athena; the typical genus of Elæagnaceæ.

**Elæ'ina** (Bot.) ελαιά, the olive-tree.

**Elæ'eis** (Bot.) ελαιά, olive; the natives of Guinea extract an oil from the fruit; the Oily Palm.

**Elæoeca'rpus** (Bot.) ελαιά, olive, καρπός, fruit, referring to its resemblance.

**Elæode'ndron** (Bot.) ελαιά, olive, δίνδρον, a tree; a genus of Celastraceæ.

**Ela'nus** (Ornith.) this kite is said to pounce upon its prey with the rapidity of lightning, and has therefore probably got its name from the French *élan*.

**Elaphoglos'sum** (Bot.) ελαφός, a deer, γλῶσσα, tongue.

**Elaphomy'ces** (Bot.) Ελαφός, a deer (referring to branched horns), μυκής, a fungus; a genus of Fungi.

**Ela'phridæ** (Ent.) elaphrus, fam. term. *idæ*.

**Ela'phrium** (Bot.) ελαφρός, light in weight; referring to its wood.

**E'laphrus** (Ent.) ελαφρός, nimble; a genus of Coleoptera.

**Elapoce'phalus** (Zool.) elaps, a serpent, κεφαλή, head.

**Ela'ps** (Zool.) a name used by Pliny for a serpent; a genus of Colubrine ophidians.

**Elap'sidæ** (Zool.) elaps, fam. term. *idæ*; a family of Colubrine ophidians.

**Elapso'pis** (Ichth.) elaps, a serpent, ωψ, face; a genus of Ichthyology.

**Elapoidis** (Zool.) elaps, a serpent, ἰδος, resemblance; a genus of Colubrine ophidians.

**Elasmati'na** (Zool.) ελασμα, a thin plate.

**Elas'modus** (Fos. Zool.) ελασμα, a plate, ὅδος, a tooth.

**Ela'smus** (Ent.) ελασμα, a plate.

**E'late** (Bot.) ελατη, the pine.

**Ela'ter** (Ent.) ελατή, a driver, an impeller; a genus of Coleoptera; also the name for the organs, which eject the seeds in Jungermaunias.

**Elate'ridæ** (Ent.) elater, fam. term. *ida*.

**Elate'rium** (Bot.) ελατή, an impeller; it has elastic seed-vessels.

**Ela'tine** (Bot.) ελατίνη, was applied by Dioscorides to denote a kind of toad-flax; now applied to another plant.

**Eld'er** (Bot.) Anglo-Sax. elbarn.

**Elecampa'ne** (Bot.) from the Spanish *Enula Campana*, Field Inula.

**Elec'tra** (Ent.) P. N., the daughter of Agamemnon, and sister of Orestes; a genus of Lepidoptera; also a genus in Botany.

**Eledo'ne** (Zool.) ιλεδώνη, a name applied by Aristotle to a kind of polypus.

**El'egans** (Ornith., Bot.) Lat. handsome, graceful.

- Eleganta'lis (Ent.) *elegans*, graceful.
- Ele'gia (Bot.) ἐλέγος, a lament ; referring to the sad colour of the plants.
- Eleo'tes (Bot.) ἐλειός, the dormouse, ὄτος, ὄτος, an ear ; alluding to the appearance of its leaves.
- Eleochariel'la (Ent.) ἐλος, a marsh, χάρις, favour ; it was first taken among rushes.
- Eleo'charis (Bot.) ἐλος, a marsh, χαῖρε, to delight.
- Eleotra'gus (Zool.) ἐλος, a marsh, τράγος, a he-goat.
- Elepha'ntipes (Bot.) *elephas*, an elephant, and *pes*, a foot ; form of rhizome.
- Elepha'ntopus (Bot.) ἐλέφας, an elephant, πούς, a foot.
- El'ephias (Zool.) *Lat.* an elephant.
- El'ephus (Zool.) ἐλέφας, an elephant.
- Eleusi'ne (Bot.) P. N., *Eleysis*, one of the appellations of Ceres ; a genus of Indian Grasses, yielding grain.
- Eleutherococ'cus (Bot.) ἐλεύθερος, free, κόκκος, a berry.
- Eleutheropo'mi (Ichth.) ἐλεύθερος, free, πώμα, a lid or cover ; a sub-order of Fishes.
- Elichry'sum (Bot.) ἑλίος, the sun, χρυσόν, golden ; referring to its blossoms.
- Elingua'ria (Ent.) *elinguis*, tongueless ; the spiral tongue being obsolete.
- Elimus (Ent.) etymology unknown ; a genus of Hymenoptera.
- Elk (Zool.) *Anglo-Sax. elch* ; the largest of the genus *Cervus*.
- Elli'scus (Ent.) ἐλλεῖχος, talked of ; a genus of Coleoptera.
- Elliot'tia (Bot.) P. N. from *Stephen Elliott*, a North American botanist.
- Ellipsipr'yminus (Zool.) ἐλλειψής, a falling short, a defect, πρωτός, the hind part ; from the greyish-white oval patch round the base of the tail.
- Elli'sia (Bot.) P. N. from *J. Ellis*, an eminent naturalist.
- Elloboca'rpus (Bot.) εν, in, λοβός, a pod, καρπός, fruit.
- Ell'o'pia (Ent.) the ancient name of the island of Eubœa, now Negropont ; a genus of Lepidoptera.
- Elm (Bot.) *Lat. ulmus*.
- Elmin'iua (Zool.) ἐλμης, a worm ; a genus of Cirripedes.
- E'lmis (Ent.) Aristotle uses ἐλμης, as equivalent to ἐλμης, a worm.
- Elo'dea (Bot.) ἐλαδης, marshy ; referring to the places where it grows.
- Elpe'nor (Ent.) P. N. from *Elpenor*, a friend of Ulysses ; a species of Lepidoptera.
- Elsho'ltzia (Bot.) P. N. from *J. S. Elsholtz*, a Prussian botanist ; a genus of Labiate.
- Eluta'lis (Ent.) *elutus*, washed.
- Eluta'ta (Ent.) *elutus*, washed out ; a species of Geometræ.

- Eluvie'l'a (Ent.) *cluviae*, a deluge.
- E'lymus (Bot.) ελύμος, to cover; Lyme grass.
- Ely'na (Bot.) ελύνω, to cover; a genus of Cyperaceæ.
- Elytra'ria (Bot.) ἐλυτρόν, a sheath; alluding to its scaly stem.
- Ely'tra (Ent.) ἐλυτρόν, a sheath.
- Ely'traform (Zool.) *elytra* and *formis*, i.e., shaped like an insect's wing-cover.
- Ely'tropus (Bot.) ἐλυτρόν, a sheath, ποδός, a foot.
- Emargin'a'ta (Ent.) *emarginatus*, taken out of the margin; the margins of the wings being angulated.
- Embalonu'r'a (Zool.) εμβαλλών, to sheath, σῶμα, a tail.
- Ember'i'za (Ornith.) etymology unknown.
- Emerite'l'a (Ent.) *emeritus*, conspicuous
- Emmele'sia (Ent.) εμμελής, graceful; a genus of Lepidoptera.
- Em'petrum (Bot.) επί, upon, πέτρος, a rock; referring to its place of growth; the typical genus of Empetraceæ.
- Empleu'r'um (Bot.) επί, in, πλευρός, a rib.
- Empyre'a (Ent.) ἐμπυρώσις, scorched; a genus of Noctuæ.
- Em'u's (Ent.) from some resemblance to a tortoise, επούς; a genus of Coleoptera.
- Emuta'ria (Ent.) *emutare*, to change; a species of Geometræ.
- Emy'dia (Ent.) επούς, a fresh-water tortoise.
- Emy'dium (Zool.) επούς, a water-tortoise; a genus of Polygastric animalcules.
- Emydosau'ri (Zool.) επούς, a tortoise, σαῦρος, a lizard.
- Enaliolimnosau'rus (Fos. Zool.) ενάλιος, marine, λιμνη, a marsh, σαῦρος, a lizard.
- Enaliasau'ria (Fos. Zool.) ενάλιος, marine, σαῦρος, a lizard.
- Enarthroca'rpus (Bot.) εντός, nine, ἄρθρον, a joint, καρπός, fruit.
- Encaly'pta (Bot.) εν, within, καλύπτων, a covering; a genus of Musci.
- Ence'lia (Bot.) εγχέλιον, a little eel; referring to the seeds.
- Enchelycare (Ichth.) ἐγχελύς, an eel.
- Enchelynassa (Ichth.) ἐγχελύς, an eel.
- En'chodus (Fos. Zool.) ἐγχός, a spear, ὀδούς, a tooth; a genus of spear-toothed fossil fishes of the Mackerel family.
- Ence'phalus (Ent.) επί, in, κεφαλή, the head; a genus of Coleoptera.
- Enche'lia | (Zool.) ἐγχελύς, an eel; genera of Polygastric animalcules.
- Enco'stium (Bot.) εν, within, κοῖλος, a hollow; the fronds are tubular and bladdery.

- Encrasí'cholus** (Ichth.) *εγκρασίχολος*, mixed with bitter.
- En'crinite** (Fos. Bot.) *ιν*, in, *κρίνω*, a lily; a species of star-fish, having a radiated lily-shaped disk.
- Encyone'ma** (Zool.) *Ἔγκυος*, pregnant, *μα*, a thread; a genus of Polygalstric animalcules.
- Ency'rtidæ** (Ent.) *encyrtus*, fam. term. *ide*; a family of Hymenoptera.
- Ency'rtus** (Ent.) *ἱν*, in, *κυρτός*, curved, arched.
- En'deca** (Zool.) *ἕνδεκα*, eleven; having eleven rays.
- Endeca'phyllous** (Bot.) *ἕνδεκα*, eleven, *φύλλον*, a leaf.
- Endero'nia** (Zool.) *ἐπ*, upon, *δέρος*, the skin; new term proposed by Professor Huxley in place of "dermal" in certain cases.
- Endictya** (Zool.) *ἱν*, within, *δίκτυον*, a net; a genus of Polygastric animalcules.
- En'dive** (Bot.) *Latin, Intybus; Arabic, hendi-beh.*
- Endoca'ron** (Bot.) *ἐνδόν*, within, *καρπός*, fruit; a genus of Musci.
- Endochrome** (Bot.) *ἐνδόν*, within, *χρῶμα*, colour.
- Endodro'mia** (Bot.) *ἐνδόν*, within, *δρόμος*, a runner; a genus of Fungi.
- En'dogens** (Bot.) *ἐνδόν*, within, *γεννάω*, to produce.
- Endo'gone** (Bot.) *ἐνδόν*, within, *γεννάω*, to produce; a genus of Fungi.
- Endomy'chidæ** (Ent.) *endomychus*, fam. term. *ide*.
- Endomy'chus** (Ent.) *ἐνδόν*, within, *μύω*, to be hidden; a genus of Coleoptera.
- Endoparasi'tic** (Zool.) *ἐνδόν*, within, *παράσιτος*, a parasite, or one who feeds upon another.
- Endophyl'lum** (Bot.) *ἐνδόν*, within, *φύλλον*, a leaf; a genus of Fungi.
- Endophy'llus** (Bot.) *ἐνδόν*, within, *φυλλόν*, a leaf.
- Endopi'sa** (Ent.) *ἐνδόν*, within, *πίσσα*, the pea, or other leguminous plant.
- Endople'ura** (Bot.) *ἐνδόν*, within, *πλευρή*, the side.
- Endorhi'za** (Bot.) *ἐνδόν*, within, *ῥίζα*, a root.
- Endosi'phonites** (Fos. Zool.) *ἐνδόν*, within, *σιφών*, a tube; a synonym of Professor Ansted's for the nautiloid shell, whose siphuncle is on the inner side of the whorls.
- Endoskel'etal** (Zool.) *ἐνδόν*, within, *σκελετόν*, a skeleton.
- En'dosperm** (Bot.) *ἐνδόν*, within, *σπερμα*, a seed.
- Endo'thin** (Bot.) *ἐνδόθεν*, from within; a genus of Fungi.
- Endotricha** (Ent.) *ἐνδόν*, within, *θρίξ*, *τρίχος*, hair.
- Endro'midæ** (Ent.) the family of which *Endromis* is type.
- En'dromis** (Ent.) *ἐνδρόμης*, a rough coarse garment; alluding to the hairy abdomen of the imago; a genus of Lepidoptera.

- En'drosis** (Ent.) ἐνδρόσις, bedewed, dewy.
- Enerthene'ma** (Bot.) ἐνερθένη, beneath, νήμα, a thread; a genus of Fungi.
- En'gidæ** (Ent.) engis, fam. term. *ide*.
- Engis** (Ent.) etymology unknown; a genus of Coleoptera.
- Englenes** (Ent.) a genus of Coleoptera.
- Enhydra** (Zool.) ἐνυδρός, living in water; the Sea-otter.
- Enhydrina** (Zool.) ἐνυδρός, living in water; a genus of Ophidians.
- Enico'cerus** (Ent.) ἐνικός, single, κέρας, horn; a genus of Coleoptera.
- Enicopus** (Ent.) ἐνικός, single, πούς, a foot; a genus of Coleoptera.
- Enico'stoma** (Ent.) ἐνικός, single, στόμα, a mouth; a genus of Lepidoptera.
- Enkia'nthus** (Bot.) ἐγκυος, pregnant, κίθης, a flower; a genus of Eriaceæ.
- Enneac'tis** (Zool.) εννέα, nine, ἀκτίς, a ray.
- Enno'midæ** (Ent.) ἐνομος, fam. term. *ide*.
- En'nomos** (Ent.) ἐνομος, lawful, just; a genus of Lepidoptera.
- Ennych'ia** (Ent.) ενύχιος, in the night.
- Ennychi'idæ** (Ent.) the family of which *Ennychia* is the type; a genus of Lepidoptera.
- Enoicy'la** (Ent.) ενοικεῖς, dwelling in, χείλος, a rim; a genus of the Phryganidae.
- Ensa'te** (Bot.) ensis, a sword; sword-shaped.
- Entel'e'a** (Bot.) εντελής, perfect; all the stamens are fertile.
- Ente'lodon** (Fos. Zool.) εντελής, perfect, ιδεῖς, δόντος, a tooth; an extinct genus of Mammalia.
- Enteromor'pha** (Bot.) εντερον, entrail, μορφή, shape; a genus of Algae.
- Enteroplea** (Zool.) εντερον, the intestine, σωλην, armour; a genus of Polygastric animalcules.
- Entolo'ma** (Bot.) εντός, within, λώμα, a fringe; a genus of Fungi.
- Entomo'deres** (Ent.) εντομος, cut, δίχη, the neck.
- Entomogram'ma** (Ent.) εντομος, cut, γράμμα, an inscription.
- E'ntomolite** (Fos. Zool.) εντομα, insects, λίθος, a stone; a fossil insect.
- Entomoneis** (Zool.) εντός, within, μονάς, a monad; a genus of Polygastric animalcules.
- Entomosce'lis** (Ent.) εντομος, cut, κηλίς, a spot.
- Entomo'straca** (Zool.) εντομος, an insect, στραχον, a shell; a division of the Crustacea.
- Entopyla** (Zool.) εντός, within, πύλη, an entrance; a genus of Polygastric animalcules.

- Entoste'rnal** (Zool.) *εντός*, within, *στρίψων*, the breast.
- Entos'thodon** (Bot.) *εντοσθόν*, from within, *εδοῦς*, *εδοντός*, a tooth; a genus of Mufci.
- Entoz'oa** (Zool.) *εντός*, within, *ζῷον*, an animal; parasites frequenting internal organs.
- Enuclea'tor** (Ornith.) *Lat.* one who gets at the kernel or *nucleus*.
- Eny'grus** (Zool.) *εν*, in, *γρός*; moisture; a genus of Ophidians.
- E'ocene** (Fos. Zool.) *ἡώς*, the dawn, *καινός*, new.
- E'o'gena** (Ent.) *ἡώς*, the dawn, *γένη*, birth; appearing in the early morning.
- Eopsa'ltria** (Ornith.) *ἡώς*, the dawn, *φάλατρια*, a harper or singer; the Australian Robin.
- Eo'sphora** (Zool.) *ἐωσφόρος*, the morning-star; a genus of Polygastric animalcules.
- Ep'a'cra** (Bot.) *επί*, upon, *ἀκρος*, the top, referring to its mountainous habitat; the typical genus of Epacridaceæ.
- Epaph'i'us** (Ent.) *επαφή*, a painful touch; hurting when handled.
- Epe'i'ra** (Ent.) *επος*, *εἰπος*, *ερεσ*, *εριον*, and *εριον*, are only slightly different forms of the same word, which means wool or cotton, and *εἰρια τῆς*; *ἀράχνη* is used for the spider's web, *επι* is intensive. The more correct spelling would be *epi-eria*, or *epi-eria*, and may be translated the web-maker, or the large web-maker!
- Epencepha'lic** (Zool.) *επί*, upon, *γνήφαλος*, the brain.
- Eperla'nus** (Ichth.) *ἡπερ*, just as, resembling, *λαΐνος*, wool.
- Ephe'dra** (Bot.) *εφέδρα*, horse-tail; a genus of plants resembling Horse-tail.
- Ephes'tia** (Ent.) *εφίστιος*, attached to the house, domestic.
- Ephia'ltes** (Ornith.) *εφιάλτης*, nightmare; applied to a genus of Owls.
- Ephipp'a'na** (Ent.) *εφίππια*, a saddle.
- Ephip'pial** (Zool.) faddle-shaped, from *επί*, upon, *πίπιος*, a horse.
- Ephippiph'ora** (Ent.) *εφίππια*, a saddle, *φέρειν*, to wear; alluding to the form of the markings on the anterior wings.
- Ephip'pium** (Zool., Ichth.) *εφίππια*, a saddle.
- Ephiste'mus** (Ent.) *επί*, upon, *στήμαων*, a warp; a genus of Coleoptera.
- Ehipp'i'ger** (Ent.) *ephippium*, a saddle, *γερεῖν*, to carry; a genus of Coleoptera.
- Ephthianu'ra** (Ornith.) *ἴψθεις*, languid, *οὐρά*, a tail; applied to a genus of Australian Wagtails.
- Ephyro'des** (Ent.) resembling *ephyra*

- Ephyra** (Ent.) P. N., the ancient name of Corinth; a genus of Geometræ.
- Epibulus** (Ichth.) *επίβουλος*, treacherous; applied to a genus of fishes from the mode of entrapping their prey.
- Epicharis** (Ent.) *επίχαρις*, pleasing, agreeable; a genus of Hymenoptera.
- Epichilium** (Bot.) *επί*, upon, *χίλιον*, the lip.
- Epicolopus** (Ent.) *επικλωπός*, thievish; a genus of Hymenoptera.
- Epicocum** (Bot.) *επί*, upon, *κόκκον*, a berry; a genus of Fungi.
- Epi'crates** (Zool.) *επικράτης*, a master; a genus of Ophidians.
- Epide'ndrum** (Bot.) *επί*, upon, *δένδρον*, a tree; it grows upon trees; a genus of epiphytic Orchidaceæ.
- Epidro'mia** (Ent.) *επιδρομία*, an attack.
- Epie'rurus** (Ent.) *επιερύρος*, pleafant.
- Epigaea** (Bot.) *επί*, upon, *γῆ*, the earth; its stems grow upon the ground; a genus of Ericaceæ.
- Epigraph'ia** (Ent.) *επιγράφω*, to write upon; from the letter-like markings on the anterior wings.
- Epihyal** (Zool.) *επί*, upon, *υαλός*, glafs.
- Epilo'bium** (Bot.) *επί*, upon, *λοβός*, a pod. Flower is seated upon a long ovary resembling a peduncle; a genus of Onagraceæ.
- Epima'chinae**} (Ornith.) *επίμυαχος*, open to attack.  
**Epi'machus** }  

**Epime'dium** (Bot.) the name used by Pliny and Dioscorides for a plant, now called Barren-wort; a genus of Berberidaceæ.

**Epi'melas** (Ent.) *επί* and *μέλας*, black.

**Epi'one** (Ent.) P. N. from *Epi'one*, the wife of AEsculapius; a genus of Lepidoptera.

**Epi'a'ctis** (Bot.) *επιπτήγνωσ*, to coagulate; referring to its effect upon milk; a genus of terrestrial Orchidaceæ.

**Epipedono'ta** (Ent.) *επί*, upon, *πεδίον*, the ground, *νῶτος*, the back.

**Epiphy'llum** (Bot.) *επί*, upon, *φύλλον*, a leaf; stems resemble leaves; a genus of Cactaceæ.

**Epiphytic** (Bot.) *επί*, upon, *φυτόν*, a plant; an *epiphyte* simply grasps with its roots the plant upon which it vegetates; the parasite derives its nourishment from the plant to which it is attached.

**Epipo'gon** (Bot.) *επί*, upon, *πάγων*, a beard; a genus of terreftrial Orchidaceæ.

**Epipy'xis** (Zool.) *επί*, upon, *πόξη*, a box; a genus of Polygastric animalcules.

**Epise'ma** (Ent.) *ἴσισμα*, marked, bearing a device; a genus of Lepidoptera.

**Epise'midae** (Ent.) *επισέμιδαι*, fam. term. *idae*.

**Episte'nia** (Ent.) *ἴσι*, intensive, *στενός*, narrow; *i. e.* very narrow.

**Episty'lis** (Zool.) *ἴσι*, upon, *στυλίς*, a pillar; a genus of Polygastric animalcules.

**Epitra'nus** (Ent.) *ἴστι*, intensive, *τραύως*, clear, distinct; *i. e.* very distinct.

**Epoch'nium** (Bot.) *ἴστι*, upon, *ἄχυν*, a pear-tree; from the place of growth; a genus of parasitic Fungi.

**Epomidiop'teron** (Ent.) *ἴπομιδίον*, dim. of *ἴπομίς*, the point of the shoulder, *πτερόν*, a wing; a genus of Hymenoptera.

**Epo'mis** (Ent.) *ἴπομίς*, the joint of the shoulder; a genus of Coleoptera.

**Epomoph'orus** (Zool.) *ἴπι*, upon, *ἄγος*, the shoulder, *φέρειν*, to bear; applied to the Shoulder-knot Bat.

**Ep'ops** (Ornith.) *ἴπωψ*, the hoopoe; so called from its cry.

**Epu'nda** (Ent.) P. N., a mythological name.

**Eque'stris-e** (Zool.) *Lat.* belonging to a horse.

**Equitel'la** (Ent.) *eques*, a horseman.

**Equus** (Zool.) *Lat.* a horse.

**Equiset'u'm** (Bot.) *equus*, a horse, *βετα*, hair; in allusion to its fine branches; the typical genus of Equisetaceæ.

**Eragros'tis** (Bot.) *ἴρως*, love, *ἄγρωστος*, a grafts.

**Era'nthemum** (Bot.) *ἴρα*, spring, *ἄνθος*, a flower; a genus of Acanthaceæ.

**Era'nthis** (Bot.) *ἴρα*, the earth, *ἄνθος*, a flower; the flowers are on short stalks; a genus of Ranunculaceæ.

**Era'stria** (Ent.) *εράστρια*, a lover; a genus of Lepidoptera.

**Erastr'i'dae** (Ent.) *εραστρίδαι*, fam. term. *idae*.

**Ere'bìa** } (Ent.) *Erebus*, the region of darkness; from their dark colour.  
**Ere'bida** } (Ent.) *Erebidae*, implying dark colour, from *Erebus*.

**Ere'bus** (Ent.) implying dark colour, from *Erebus*.

**Ere'mias** (Zool.) *ἴρημιας*, lonely, desolate.

**Eremo'bìa** (Ent.) *ἴρημιος*, the desert, *βίος*, life; a genus of Lepidoptera.

**Eremo'charis** (Bot.) *ἴρημιος*, the desert, *χαρίς*, preference.

**Eremu'rūs** (Bot.) *ἴρημιος*, solitary, *οὐρά*, a tail.

**Eres'u's** (Ent.) *ἴρησσω*, to impel; because these spiders live and dart or jump on trees; a genus of Arachnida.

**Eret'e's** (Zool.) *ἴρετης*, rovers; a genus of Polygastric animalcules.

**Erethi'zon** (Zool.) *ἴρεθίζω*, to provoke, irritate.

**Ereune'tes** (Ornith.) *ἴρευντης*, an explorer; a genus of Birds.

- Erga'tis** (Ent.) *εργάτης*, a workman, artificer; a genus of Arachnida.
- Ergote'tia** (Bot.) *French, ergot*; a genus of Fungi.
- Eria** (Bot.) *ἴπιον*, wool; alluding to the woolliness of the flower.
- Eri'ca** (Bot.) *ερική*, to break, probably from its fragile branches.
- Ericoë'a** (Ent.) *ericæus*, from *erica*, heath.
- Ericata'lea** (Ent.) found among *erica*, heather.
- Ericata'ta** (Ent.) *erica*, heath; a species of Geometræ.
- Eri'oththus** (Zool.) *ἴρις*, early, *χθόνιος*, the earth; a genus of decapod crustaceans found in tropical seas.
- Ericy'dnus** (Ent.) *ἴρις-κυδνίς*, very glorious.
- Eri'geron** (Bot.) *ἴρις*, spring, *γέρων*, an old man; from its being hoary in spring; a genus of Compositæ.
- Erina'oeus** (Zool.) *Lat.* a Hedge-hog.
- Eri'nus** (Bot.) *ερινός*, a wild fig-tree; now applied to a genus of Lobeliaceæ.
- Eriobo'trya** (Bot.) *ἴπιον*, wool, *βότρυς*, a bunch of grapes.
- Eriocau'lon** (Bot.) *ἴπιον*, wool, *καυλός*, a stem.
- Erioce'phalus** (Bot.) *ἴπιον*, wool, *κεφαλή*, a head.
- Erio'cera** (Ent.) *ἴπιον*, wool, *κεράς*, a horn.
- Ericone'mis** (Ornith.) *ἴπιον*, wool, *κενίμη*, the leg; from the conspicuous tufts of feathers on the legs; a genus of Humming-birds.
- Eriode'ndron** (Bot.) *ἴπιον*, wool, *διδύπορος*, a tree.
- Erioga'ster** (Ent.) *ἴπιον*, wool, *γαστήρ*, the belly; from the woolly abdomen of the female; a genus of Lepidoptera.
- Eriog'onum** (Bot.) *ἴπιον*, wool, *γόνη*, a joint; referring to the stems.
- Eriola'na** (Bot.) *ἴπιον*, wool, *χλαινία*, a cloak; the calyx is woolly.
- Erio'phorum** (Bot.) *ἴπιον*, wool, *φορίω*, to bear. Cotton-grafts or silver-tassels.
- Eriopse'la** (Bot.) *ἴπιον*, wool, *ψάλλειν*, to pull, to touch.
- Erio'pus** (Ent.) *ἴπιον*, wool, *πῶν*, a foot.
- Eriopy'ga** (Ent.) *ἴπιον*, wool, *πυγή*, the rump.
- Eriospe'rnum** (Bot.) *ἴπιον*, wool, *σπίρνειν*, feed; alluding to the envelope of the seed.
- Erio'spora** (Bot.) *ἴπιον*, wool, *σπόρει*, a spore; a genus of Fungi.
- Erioste'mon** (Bot.) *ἴπιον*, wool, *στρίμων*, a stamen.
- Eri'phia** (Zool.) *εριφίη*, a kid; a genus of short-tailed Crustaceans.
- Erirh'i'nus** (Ent.) *ἴρις*, very much, *ρίνη*, the snout; a genus of Coleoptera.
- Erit'hacus** (Zool.) *ἴριθακος*, the Redbreast.
- Erit'halis** (Bot.) the name of an unknown plant mentioned by Pliny.
- Ermin'ea** (Zool.) Latinized form of the French *hermine*, or English *ermine*.

- Ernode'a** (Bot.) ερνωδης, a branching; alluding to the habit of the plant.
- Erodiorhyn'cus** (Ent.) ερωδιος, the heron, φυγχος, a beak; a genus of Diptera.
- Ero'dium** (Bot.) ερωδιος, a heron; the fruit is like the head and beak of the heron; a genus of Geraniaceæ.
- Ero'phila** (Bot.) ιερη, spring, φιλια, to love; alluding to its time of flowering; a genus of Cruciferæ.
- Erosa'ria** (Ent. *erofus*, gnawed off, eaten away; a species of Lepidoptera.
- Erotylidæ** } (Ent.) ερωτιλος, a darling.
- Ero'tylis** } *Erotylis*
- Erpe'tion** (Bot.) ερπετον, a creeping-thing, λον, a violet; a genus of Violaceæ.
- Er'peton** (Zool.) ερπετον, a creeping-thing, a genus of Ophidians.
- Er'rana** (Ent.) part. of *erro*, to wander; wandering.
- Erube'scens** (Zool., Bot.) part. of *erubesco*, to be red, to blush.
- Eruca'ria** (Bot.) from *eruca*, the herb-rocket, which probably from *uro*, to burn; alluding to its biting qualities.
- Er'vum** (Bot.) Celt *erw*, tilled land; it is a pest in tilled land; tares; a genus of Leguminosæ.
- Erxlebenel'a** (Ent.) P. N. from *Johann Christian Polycarp Erxleben*, Professor in the University of Gottingen.
- Eryci'nidae** (Ent.) the family of which *Erycina*, a genus of exotic butterflies, is the type.
- Eryngium** (Bot.) ιριγγιον of the ancients, perhaps from εινγγάνω, to gorge; it expels wind; a genus of Umbelliferæ.
- Erysibo'da** (Bot.) ερυσιβωδης, like mildew.
- Ery'simum** (Bot.) εριο, to draw; it draws and produces blisters; a genus of Cruciferæ.
- Ery'siphe** (Bot.) ιριο, to draw, σιφων, a siphon; a genus of Fungi.
- Ery'thaca** (Ornith.) ερυθαιω, to redden; the Robin-redbreast.
- Erythræ'a** (Bot.) ερυθραια, red, from the colour of the flowers; a genus of Gentianaceæ.
- Erythri'na** (Bot.) ερυθρος, red, the colour of the flowers; the coral-tree, a genus of Leguminosæ; also, in Entomology.
- Erythroceph'al'a** (Ent.) ερυθρος, red, κεφαλη, a head; a species of Noctuæ.
- Erythro'genys** (Zool.) ερυθρος, red, γενυς, the cheek; red cheeked.
- Erythrogra'mmus** (Zool.) ερυθρος, red, γραμμα, a writing.
- Erythrolæ'na** (Bot.) ερυθρος, red, λαινα, a cloak; referring to the scales of the calyx.

- Erythrola'mprus** (Zool.) ερυθρός, red, λαμπτέος, magnificent; a genus of Colubrine ophidians.
- Erythro'nium** (Bot.) ερυθρός; red; alluding to the leaves and flowers; a genus of Liliaceæ.
- Erythrono'ta** (Ornith.) ερυθρίς, red, νῶτος, the back; a genus of Humming-birds.
- Erythrophle'um** (Bot.) ερυθρός; red, φλεψ, a water-plant.
- Erythro'pterus** (Ichth.) ερυθρός, red, οφθαλμός, the eye; the Red-eye fish.
- Erythrospi'za** (Ornith.) ερυθρός, red, σπιζά, a small piping bird, a kind of finch.
- Erythro'xylon** (Bot.) ερυθρός, red, ξύλον, wood.
- Eryx** (Zool.) P. N., the son of Butes; a genus of Ophidians; also applied in Entomology to a genus of Coleoptera.
- Escallo'nia** (Bot.) P. N. from *Escarlon*, a Spaniard, and American traveller; the typical genus of Escalloniaceæ.
- Es'chara** } εσχάρα, the scar from a burn; a genus and family of Eschar'idæ} Polyzoa.
- Eschscho'lzia** (Bot.) P. N. from *Dr. Eschscholtz*, a German botanist; a genus of Papaveraceæ.
- Eso'cidæ** (Ichth.) the Pike family of fishes, of which *Efox* is the type.
- E'sox** (Ichth.) *Lut*, a Pike.
- Esun'culus** (Ichth.) dim. of *efox*, the scientific name of the Pike.
- Etheogam'ioua** (Bot.) ἀνόης, unusual, γάμος, marriage; equiv. to Cryptogamic; it should be *Etheogamous*.
- Ethu'lia** (Bot.) meaning unknown.
- Eua'strum** (Bot.) εὐ, beautiful, αἴρυν, a star; a genus of Desmidieæ.
- Eubo'lia** (Ent.) εὐσόλος, lucky, propitious.
- Euboll'idæ** (Ent.) *cubolia*, fam. term. *idae*.
- Eu'bria** (Ent.) εὐ, beautiful, βραχός, strong; a genus of Coleoptera.
- Eucaly'ptus** (Bot.) εὐ, well, καλύπτω, to cover; a genus of Australian Myrtaceæ.
- Euca'mpia** (Zool.) εὐ, beautiful, καμπή, a bending; also a caterpillar; a genus of Polygastric animalcules.
- Eu'cera** (Ent.) εὐ, beautiful, κίρης, a horn; a genus of Hymenoptera.
- Eucha'ridæ** (Ent.) *eucharis*, fam. term. *idae*; a family of Hymenoptera.
- Eu'charis** (Ent., Bot.) εὐχαρίς, pleasing; a genus of Brazilian Liliaceæ.
- Euche'lia** (Ent.) εὐ, well, χειλίη, a claw; a genus of Lepidoptera.
- Eucheli'dæ** (Ent.) *euchelia*, fam. term. *idae*.

- Euchi'lus** (Bot.) *εὐ*, well, *χαῖλος*, a lip.
- Euchlamido'tæ** (Zool.) *εῦ*, beautiful, *χλαμύδη-υδος*, a mantle, *εῦς*, *ωτός*, an ear; a genus of Polygastric animalcules.
- Euchla'nis** (Zool.) *εὐ*, well, *χλανίς*, a garment of wool; a genus of Polygastric animalcules.
- Euchro'ma** (Bot.) *εὐ*, well, *χρῶμα*, colour.
- Euchro'mia** (Ent.) *εὐχρῶμα*, handsomely coloured.
- Eucle'a** (Bot.) *εὐκλαία*, glory; its foliage is evergreen.
- Eucli'dia** (Ent.) P. N. from *Euclid*, the celebrated geometrician; referring to the geometrical markings.
- Eucli'dæ** (Ent.) *Euclidia*, fam. term. *ide*.
- Eucli'dium** (Bot.) *εὐ*, well, *κλιδίων*, to shut up.
- Eucne'midae** (Ent.) *εὐ*, well, *κνημίς*, a greave, legging.
- Eucc'e'lia** (Bot.) *εὐ*, beautiful, *κοῖλος*, hollow; a genus of Fungi.
- Eucombe'tis** (Ornith.) *εὐ*, beautiful, *κομέτης*, long-haired; a genus of Tanagers.
- Eu'comis** (Bot.) *ευκόμης*, beautiful-haired.
- Eucra'tea** (Zool.) P. N. from *Euerete*, one of the Nereids; a genus of Polyzoa.
- Eucrati'ads** (Zool.) a family of Polyzoa.
- Eucro'sia** (Bot.) *εὐ*, well, *κροσσοί*, fringe; referring to cup of stamens.
- Eude'ndrium** (Zool.) *εὐ*, well, *δένδρον*, a tree.
- Eude'rūs** (Ent.) *εὐ*, very, *δηρός*, long.
- Eudes'mia** (Bot.) *εὐ*, well, *δέρμην*, a bundle.
- Eudip'sas** (Zool.) *εὐ*, beautiful, *διφάς*, a water-serpent; a genus of Colubrine ophidians.
- Eudme'ta** (Ent.) *εὐ*, well, *δμεντός*, tamed; a genus of Diptera.
- Eudori'na** (Zool.) *εὐ*, beautiful, *δίρη*, a spear; a genus of Polygastric animalcules.
- Eudro'mius** (Ornith.) *εὐδοκίας*, a good runner.
- Eudy'namys** (Ornith.) *εὐ*, well, *δύναμις*, strength; perhaps in allusion to its loud note.
- Eudy'tes** (Ornith.) *εὐ*, well, easy, *δύτης*, a diver; a genus of Birds.
- Euel'ephas** (Fos. Zool.) *εὐ*, beautiful, *elephas*.
- Euge'nes** (Ornith.) *εὐγενής*, noble; a genus of Humming-birds.
- Euge'nia** (Bot., Ornith.) P. N. from Prince Eugene of Savoy, patron of Botany; the Clove-tree; also a genus of Humming-birds.
- Eugle'na** (Zool.) *εὐ*, beautiful, *γλώνη*, the pupil of the eye; a genus of Polygastric animalcules.

- Eugle'nes (Ent.) εὐγλήνες, bright-eyed.
- Euglo'ssa (Ent.) εὖ, beautiful, γλώσσα, a tongue; a genus of Hymenoptera.
- Eugly'pha (Zool.) εὖ, handsome, γλυφά, a carving; a genus of Polygastric animalcules.
- Euhyme'nia (Bot.) εὖ, beautiful, ὑμένη, a membrane; a genus of Algæ.
- Eula'lia (Bot.) εὐλαλεῖ, sweetly speaking; a genus of Graminae.
- Eulam'pis (Ornith.) εὖ, beautiful, λαμπάς, a meteor; a genus of Humming-birds.
- Eule'pia (Ent.) εὖ, beautiful, λεπίς, a scale; a genus of Lepidoptera.
- Eu'lobus (Bot.) εὖ, beautiful, λοβός, a pod, because the inferior ovary resembles a beautiful peduncle; a genus of Onagraceæ.
- Eulo'phia (Bot.) εὐλόφος, well-crested.
- Eu'lophus (Ent.) εὐλόφος, well-crested.
- Eulych'nia (Bot.) εὖ, beautiful, λυχνίς, the plant *Lychnis*; the *Lychnis*, *par excellence*.
- Euma'chia (Bot.) εὐμάχη, lengthy, tall; a genus of Cinchonaceæ.
- Eu'menes (Ent.) εὐμενίς, soft; a genus of Hymenoptera.
- Eume'nidae (Ent.) eumenet, fam. term. *idæ*; a genus of Hymenoptera.
- Eumeri'dion (Zool.) εὖ, beautiful, μέρις, a part; a genus of Polygastric animalcules.
- Eumi'crus (Ent.) εὖ, beautiful, and μικρός, small.
- Eumo'ipus (Ent.) εὐμελπός, sweetly singing.
- Eumo'rpha and Eumec'rphia (Bot.) εὖ, beautiful, μέρφη, shape; from the elegant change of position of carpels while ripening; genera of Compositæ.
- Euna'nus (Bot.) εὖ, beautiful, νάνος, a dwarf; a genus of Scrophulariaceæ.
- Euneo'tes (Zool.) εὖ, good, νήντης, a swimmer; a genus of Ophidians.
- Euno'tia (Bot.) εὖ, beautiful, νήτης, a back or ridge; a genus of Diatomeæ.
- Euno'tia (Zool.) εὐνήτης, stout-backed; a genus of Polygastric animalcules.
- Euno'tus (Ent.) εὖ, beautiful, νήτης, the back.
- Euom'phalos (Fos. Zool.) εὖ, beautiful, ὄμφαλός, a navel.
- Euon'ymus (Bot.) εὖ, well, ὄνομα, a name; a genus of Celastraceæ.
- Euoph'rys (Zool.) εὖ, beautiful, ὄφρύς, the eye-brow.
- Euosma'nthus (Bot.) εὐστμός, sweet-smelling, ἄνθος, a flower; a genus of Chamælauciacæ.
- Euo'sma } (Bot.) εὖ, beautiful, ὄσμή, smell.  
Euo'smia }
- Eupa'sea (Bot.) εὐπάσια, having fair cheeks; a genus of Primulaceæ.

- Eupato'rium** (Bot.) P. N. from *Mithridates Eupator*, who used it as a counter poison; a genus of Compositæ.
- Eupe'lmidæ** (Ent.) *eupelmus*, fam. term. *ide*; a family of Hymenoptera.
- Eupe'lmus** (Ent.) *eu*, beautiful, *πελμος*, the extremity; a genus of Hymenoptera.
- Eupe'ria** (Ent.) *eu*, much, *περισσος*, maimed.
- Eupe'talum** (Bot.) *eu*, beautiful, *πεταλον*, a petal; from the beauty of the perianth; a genus of Begoniaceæ.
- Eupeto'mena** (Ornith.) *eu*, well, *πετομίνη*, flying; a genus of Humming-birds.
- Eupheru'sa** (Ornith.) *eu*, well, *φέρουσα*, bearing or comporting itself; a genus of Humming-birds.
- Eupho'nia** (Ornith.) *eu*, good, *φωνή*, a sound.
- Eupho'rbia** (Bot.) P. N. from *Euphorbus*, physician to Juba, king of Mauritania.
- Euphorbias'trum** (Bot.) *euphorbium*, and *astrum*, a star.
- Euphorbia'na** (Ent.) named from the spurge, *Euphorbia*.
- Eupho'ria** (Bot.) *ευφροσος*, fertile.
- Euphra'sia** (Bot.) *ευφραινω*, to delight; a genus of Scrophulariaceæ.
- Euphos'i'nia** (Bot.) P.N. from *Euphrosyne*, one of the three Graces; a genus of Compositeæ.
- Euphro'syne** (Ent.) P. N. from *Euphrosyne*, one of the Graces.
- Euphro'syne** (Bot.) P.N. from *Euphrosyne*; a genus of Compositeæ.
- Euphy'sa** (Zool.) *eu*, beautiful, *φυτάω*, to inflate.
- Eupiste'ria** (Ent.) *eu*, abounding in, *πιστήρια*, canals or channels; in allusion to the numerous streaks across the wings.
- Eupithe'cia** (Ent.) *eu*, pretty, *πιθηκος*, an ape.
- Euplec'trus** (Ent.) *eu*, beautiful, *πλεκτρον*, the *plectrum* of insects.
- Euplec'tus** (Ent.) *ευπλεκτος*, well plaited.
- Euple'xia** (Ent.) *eu*, prettily, *πλέκω*, to fold; the anterior wings during repose are longitudinally wrinkled.
- Euplo'ea** (Bot.) *ευπλοος*, well plaited, or well twisted; a genus of Ehretiaceæ; also used as an adjective, *euplocus-a-um*.
- Euplo'camus** (Ent., Ornith.) *ευπλόκαμος*, with goodly locks.
- Euplo'ta** { (Zool.) *ευπλωτος*, favourable to sailing; genera of Polygastric Euplo'tes} animalcules.
- Eu'poda** (Ent.) *eu*, good, *πονε*, *ποδος*, a foot.
- Eupodi'scus** (Zool.) *ευποδος*, with good feet, *δισκος*, a disk; a genus of Polygastric animalcules.

- Eupo'dium (Bot.) εὖ, beautiful, πούς, ποδός, a foot; a genus of Filices.
- Eupo'cilia (Ent.) τυποίκιλος, variegated.
- Eupogo'nium (Bot.) εὖ, beautiful, πόγων, a bearded; a genus of Algae.
- Eupoma'tia (Bot.) εὖ, well, παμάξω, to close with a lid.
- Eupsam'midæ (Zool.) εὖ, beautiful, φάμασος, sand; a family of Sea Anemones.
- Eupte'lea (Bot.) εὖ, beautiful, *Ptelea*, i. e., the *Ptelea par excellence*; a genus of Ulmaceæ.
- Eupyre'na (Bot.) εὖ, beautiful, πυρή, the stone of fruit, as the olive, date, &c.; a genus of Cinchonaceæ.
- Eurha'phe } (Bot.) implying the Rhaphis in its highest development; a genus of Cinchonaceæ and of Palmae respectively.
- Euri'hia } (Ent.) εὖ, beautiful, πίσις, a fan.
- Euri'hidae } (Ent.) εὖ, beautiful, πίσις, a fan.
- Europæ'uus (Ornith., Bot.) Lat. European.
- Eurosto'podus (Ornith.) εὐρύς, wide, broad, πούς, ποδός, a foot; a genus of Goatfuckers.
- Euro'tium (Bot.) εὐρητία, to become mouldy, or decay; a genus of Fungi.
- Eu'rhyphus (Ent.) εὖ, very, πυρός, dirt, filth; very dirty.
- Eury'ale (Bot.) P. N. from *Euryale*, one of the Gorgons; alluding to its thorny menacing habit; a genus of Water-lilies.
- Eury'a'ndra (Bot.) εὐρύς, broad, ἄνθος, a stamen, from the dilated stamens; a genus of Dilleniaceæ.
- Eury'basis (Bot.) εὐρύς, broad, βασίς; a genus of Musci.
- Eury'bia (Bot.) εὐρεῖα, very mighty; a genus of Compositæ.
- Eurybio'psis (Bot.) *eurybia* and ὅψις, resemblance; a genus of Compositæ.
- Euryce'rous (Zool.) εὐρύς, broad, κέρας, a tail; a genus of Entomostraca.
- Eury'cerus (Zool.) εὐρύς, broad, κέρας, a horn.
- Eurychæ'nia (Bot.) εὐρύς, broad, χείρω, to gape.
- Eurychi'ton (Bot.) εὐρύς, wide, χιτών, a tunic; a genus of Plumbaginaceæ.
- Eu'rycles (Bot.) P. N. from *Eurycles*, a prophet.
- Eury'coma (Bot.) εὐρύς, broad, κέφαλος, a lock of hair; a genus of Connaraceæ.
- eu'ra (Ent.) εὐρύς, broad, οὐρά, the neck.
- eu'e (Bot.) P. N., taken from mythology; a genus of Iridaceæ.
- eu'is (Ent.) εὐρύς, wide, λαβῖς, pincers; from the anal forceps.
- eu'mus (Ornith.) εὐρύς, broad, λαιμός, the throat or gullet.

- Eury'lepis** (Bot.) εὐρύς, broad, λευίς, a scale; a genus of Ericaceæ.
- Eurylo'bium** (Bot.) εὐρύς, broad, λοβός, a pod; a genus of Stilbaceæ.
- Eurylo'ma** (Bot.) εὐρύς, broad, λῶμα, a fringe or border; a genus of Ericaceæ.
- Eury'mene** (Ent.) P. N., a town in Thessaly; a genus of Lepidoptera.
- Euryne'ma** (Bot.) εὐρύς, broad, νήμα, a thread, so named from the dilated filaments of the stamens; a genus of Zygophyllaceæ.
- Euryno'tus** (Fos. Zool.) εὐρύς, broad, ρῆτος, the back.
- Euryo'tis** (Zool.) εὐρύς, broad, οὖς, ωτός, an ear.
- Eury'ptera** (Bot.) εὐρύς, broad, πτερόν, a wing; from the dilated margins of the fruit; a genus of Umbelliferae.
- Eurypter'rus** (Fos. Zool.) εὐρύς, broad, πτερόν, a wing; a genus of Crustaceans.
- Eury'pyga** (Ornith.) εὐρύς, broad, πυγή, the rump.
- Eurusper'mum** (Bot.) εὐρύς, broad, σπερμα, seed; a genus of Proteaceæ.
- Eury'spilus** (Zool.) εὐρύς, broad, σπιλα, a spot; applied to a species of Sun Bear.
- Euryste'gia** (Bot.) εὐρύς, broad, στέγη, a roof; a genus of Ericaceæ.
- Eury'stoma** (Bot.) εὐρύς, wide, στόμα, a mouth, from the wide orifice of corolla; a genus of Ericaceæ.
- Eury'stomas-a-um** (Ornith.) εὐρύς, wide, στόμα, a mouth; from the widely cloven beak.
- Euryte'nia** (Bot.) εὐρύς, broad, ταινία, a band or fillet; a genus of Umbelliferae.
- Eurytha'lia** (Bot.) εὐρύς, broad, θαλλάς, a young shoot; a genus of Gentianaceæ.
- Eury'tion** (Bot.) εὐρύτης, width or breadth; a genus of Algae.
- Eury'tis** (Ent.) εὐρύς, broad; a genus of Hymenoptera.
- Eury'toma** (Ent.) εὐρύς, wide, τομή, a cutting; a genus of Hymenoptera.
- Euryto'midae** (Ent.) *Eurytoma*, fam. term. *ida*.
- Eusca'phis** (Bot.) εὖ, beautiful, σκαψη, a bowl or basin; a genus of Staphyleaceæ.
- Euse'pala** (Bot.) εὖ, beautiful, σφαλ, in allusion to the beautiful calyx; a genus of Primulaceæ.
- Euspi'za** (Ornith.) εὖ, good, σφίζη, a bunting.
- Eusta'chya** (Bot.) εὖ, beautiful, στάχυς, a spike; a genus of Scrophulariaceæ.
- Eusta'chys** (Bot.) same etymology; a genus of Graminae.
- Eusta'thes** (Bot.) εὐσταθής, well-based, well-built; a genus of Sapindaceæ.

- Eusto'gia* (Bot.) *εὐστρέγια*, well covered; a genus of Fungi; also a genus of Asclepiadaceæ.
- Eusto'phanus* (Ornith.) *εὐ*, beautiful, *στέφανος*, a crown; a genus of Humming-birds.
- Eustic'tis* (Bot.) *εὐ*, beautiful, *στικτός*, dappled; a genus of Fungi.
- Eu'stoma* (Bot.) *εὐστόμα*, a beautiful mouth; referring to the flower.
- Eustre'phus* (Bot.) *εὐ*, well, *στρέφω*, to twine; in allusion to its habit.
- Eustro'bilus* (Bot.) *εὐ*, beautiful, *ſtrobilus*, from its handsome cone-like inflorescence; a genus of Proteaceæ.
- Euta'ssa* (Bot.) *εὐ*, beautiful, *τάσσω*, to arrange; from symmetry of branches; a genus of Coniferæ.
- Euta'xia* (Bot.) *εὐταξία*, modesty; a genus of Australian Leguminosæ.
- Eute'rpe* (Bot.) *εὐτερπής*, delightful; a genus of Palmaceæ.
- Eute'lia* (Bot.) *εὐτέλια*, cheapness, implying worthlessness; a genus of Lythraceæ.
- Eu'thales* (Bot.) *εὐ*, well, *θαλίω*, to push or sprout.
- Eutha'mia* (Bot.) *εὐ*, beautiful, *θάμνος*, a bush or shrub; a genus of Compositæ.
- Eutheia* (Ent.) *εὐθεῖ*, straight; a genus of Coleoptera.
- Eu'themis* (Bot.) *εὐ*, beautiful, *θειός*, law; a genus of Ochnaceæ.
- Eutherno'nia* (Ent.) *εὐθερνός*, pleasant in summer; a genus of Lepidoptera.
- Eu'toca* (Bot.) *εὐτοκος*, bringing forth easily; a genus of Hydrophyllaceæ.
- Euto'lmus* (Ornith.) *εὐ*, well, *τόλμης*, courage; specific name of one of the Falcons.
- Euto'mia* (Bot.) *εὐ*, well, *τομή*, a cutting; a genus of Diatomaceæ.
- Euto'xeres* (Ornith.) a genus of Humming-birds.
- Eutre'ma* (Bot.) *εὐ*, well, *τρῆμα*, that which is pierced; a genus of Cruciferae.
- Eutro'pia* (Bot.) *εὐ*, well, *τρόπω*, to turn; a genus of Euphorbiaceæ.
- Eutro'pis* (Bot.) fame etymology; a genus of Asclepiadaceæ.
- Euxe'nia* (Bot.) *εὐ*, beautiful, *ξενός*, a stranger; a genus of Compositeæ.
- Eva'dne* (Zool.) P. N.; a genus of Entomostracan crustaceans.
- Evæsthe'tus* (Ent.) *εὐ*, well, *εἰσθητός*, one who perceives; a genus of Coleoptera.
- Evalla'ria* (Bot.) *εβαλλο*, to put out of doors; a genus of Liliaceæ.
- Evan'dra* (Bot.) *εὐ*, beautiful, *ἀνάρητη*, a flamen; a genus of Cyperaceæ.
- Evax* (Bot.) *Lat.* an exclamation of joy; a genus of Compositeæ.
- Evely'na* (Bot.) P. N. in honour of *John Evelyn*, the celebrated author of "Sylva;" a genus of Orchidaceæ.

- Evernia** (Bot.) *εὖ*, well, *φύειν*, a shoot or branch; a genus of Lichenes.
- Eversma'nna** (Bot.) P. N. in honour of —— *Evermann*, a German botanist; a genus of Leguminosæ.
- Evo'dia** (Bot.) *εὐώδης*, sweet-smelling, fragrant; a genus of Rutaceæ; also a genus of Lauraceæ.
- Evol'vulus** (Bot.) *εννοῦνται*, to roll out.
- Evonymoda'phne** (Bot.) compounded of *evonymus* and *daphne*, as if to say, *evonymus*-looking laurel; a genus of Lauraceæ.
- Evo'nymus** (Bot.) same as Euonymus, which *fee*.
- Evo'smia** (Bot.) eqiv. to *eugenia*; a genus of Cinchonaceæ.
- Evo'ta** (Bot.) *εὖ*, beautiful, *ὤτη*, an ear; a genus of Orchidaceæ.
- Ewy'ckia** (Bot.) P. N. in honour of —— *Ewyck*, a German botanist; a genus of Melastomaceæ.
- E'xacum** (Bot.) *ex*, out of, *αγεῖν*, to drive; it expels poison; a genus of Gentianaceæ.
- Exade'nus** (Bot.) *ἴχθυς*, without, *αδήν*, a gland; a genus of Gentianaceæ.
- Exære'tia** (Ent.) *ἰξαίρεσθαι*, choice.
- Exanthema'ria** (Ent.) *ἴξανθημα*, a flower; a species of Geometræ.
- Exanthema'ticus** (Bot.) *ἴξανθισθαι*, to put out flowers.
- Exa'pate** (Ent.) *ἴξαπάτην*, deceit, stratagem.
- Exarrhe'a** (Bot.) *ἴχθυς*, without, *ἀρρεν*, a male; a genus of Boraginaceæ.
- Excæca'ria** (Bot.) *excaco*, to blind; a poisonous genus of Euphorbiaceæ, the juice of which, getting into the eye, causes blindness.
- Excip'uла** (Bot.) *excipio*, to catch; alluding to its roughness; a genus of Fungi.
- Excre'mis** (Bot.) *excremo*, to burn utterly; a genus of Liliaceæ.
- Excu'bitor** (Ornith.) *Lat.* a sentinel; from the foreign use of the Shrike in trapping hawks. The bird is fastened down, and, on the approach of the hawk, gives notice to the Falconer by its screams.
- Exei'rus** (Ent.) *ἴξιππας*, to stretch; a genus of Hymenoptera.
- Exi'dia** (Bot.) *exidio*, to exude; a genus of Fungi.
- Exigua'lis** (Ent.) } *exiguus*, very small.
- Exigua'ta** (Ent.) } *exiguus*, very small.
- Exi'guus-a-um** (Ent., Bot.) *Lat.* small, or narrow; e. g. *Euphorbia exigua*.
- Exila'ria** (Bot.) *exilis*, slender; a genus of Diatoms.
- Ex'iilis** (Ent.) *Lat.* thin, lean, weak.
- Exite'lia** (Bot.) uncertain; a genus of Byttneriaceæ.
- Exoaca'ntha** (Bot.) *ἴξων*, outward, *ακανθα*, a spine; a genus of Umbelliferæ.

- Exocar'pus** (Bot.) ἐξω, outside, καρπός, fruit.
- Exoce'tus** (Ichth.) ἐξω, outside, κοίτη, a bed, a name applied to a fish formerly supposed to sleep on land; the Flying-fish.
- Exochæ'nium** (Bot.) ἐξω, outward, χαῖνει, to gape; a genus of Gentianaceæ.
- Exogy'ra** (Fos. Zool.) ἐξω, without, γῦρος, a circle.
- Exole'ta** (Ent.) exolutus, grown up, mature.
- Exoneu'rā** (Ent.) ἐξω, without, νεῦξ, a rib; a genus of Hymenoptera.
- Exospo'rium** (Bot.) ἐξω, outside, σπορά, a spore; a genus of Fungi.
- Exoste'mma** (Bot.) ἐξω, without, στέμμα, a crown.
- Exosty'les** (Bot.) ἐξω, outward, στῦλος, a style; a genus of Leguminosæ.
- Exotho'stemon** (Bot.) ἐξωθεν, from without, στέμμα, a stamen; a genus of Apocynaceæ.
- Expallida'ta** (Ent.) expallidus, very pale; a species of Geometræ.
- Expli'ta** (Ent.) expolitus, polished.
- Exten'sus-a-um** (Ent., Bot.) part. of extendo, to stretch out.
- Extersa'ria** (Ent.) extersus, wiped off, smeared; a species of Geometræ.
- Ex'u'lanus** (Ornith.) Lat. wandering; applied to an Albatross.
- E'xulis** (Ent.) exul, a wanderer; a species of Noctuæ.
- Exuvia'bilitas** (Zool.) exuviae, skin; applied to animals which change the skin without changing the form.
- Exy'dra** (Bot.) ἐξω, without, ιώψει, moisture; a genus of Graminae.
- Eyse'lia** (Bot.) P. N. in honour of —— Eysel, a German botanist; a genus of Galiaceæ; also a genus of Compositæ.
- Eysenha'rdtia** (Bot.) P. N. in honour of —— Eysenhardt, a German botanist; a genus of Leguminosæ.

- 
- Fa'ba** (Bot.) Lat. a bean, from φάγει, to eat, from being esculent; a genus of Leguminosæ.
- Faba'go** (Bot.) faba, a bean, from resemblance of foliage; a genus of Zygophyllaceæ.
- Fa'ber** (Ichth.) Lat. a workman.
- Fabia'na** (Bot.) P. N. in honour of M. Fabian; a genus of Solanaceæ.
- Faboi'dea** (Fos. Bot.) faba, a bean, θεῖος, like; a term applied to bean-shaped leguminous seeds found in the lower tertiary clays of the Isle of Sheppey.
- Fabri'a** (Bot.) P. N. in honour of M. Fabre; a genus of Acanthaceæ.

**Fabri'cia** (Bot., Ent.) P. N. from *J. C. Fabricius*, the celebrated Danish entomologist.

**Fabro'nia** (Bot.) P. N. in honour of *Giovanni Valentino, Baron Fabroni*, an Italian naturalist; a genus of Musci.

**Facchini'a** (Bot.) a genus of Caryophyllaceæ.

**Fa'celia** (Bot.) φάκελος, a bundle; a genus of Compositeæ.

**Fadge'nia** (Bot.) a genus of Garryaceæ.

**Fadye'nia** (Bot.) P. N. in honour of *M. Fadyen*; a genus of Filices.

**Faga'ra** (Bot.) Arabic name used by Avicenna.

**Fagara'strum** (Bot.) *fagus*, the beech, *afrum*, a star; a genus of Amyridaceæ.

**Fage'lia** (Bot.) derivation unknown.

**Fagell'a** (Ent.) *fagus*, the beech-tree, on which it feeds.

**Fago'nia** (Bot.) P. N. from *M. Fagon*, a great patron of botany.

**Fagopy'rūm** (Bot.) from φηγός, παρόν, Beech-wheat; from the form of fruit, same as "Buck- (*i. e.* beech) wheat;" a genus of Polygonaceæ.

**Fagræ'a** (Bot.) P. N. from *J. T. Fagraeus*, M.D., a friend of Thunberg.

**Fa'gus** (Bot.) *Lat.* the Beech-tree, from φάγω, to eat. It is probable that the φηγός of the Greeks was not the *fagus* of the Latins, but either the Chestnut, or *Quercus Æsculus*, as the name has evident reference to the fruit being used as food, and beech-mast would form a far inferior diet to chestnuts.—BURNETT.

**Fala'gria** (Ent.) unexplained; a genus of Coleoptera.

**Falca'ria** (Bot.) *falx*, a sickle; a genus of Umbelliferæ.

**Falca'te** (Bot.) *falcatus*, like a sickle.

**Falca'tula** (Bot.) *falx*, a sickle; from sickle-shaped pods; a genus of Leguminosæ.

**Falcine'ilus** (Ornith.) dim. of *falco*.

**Fa'lco** (Ornith.) *Lat.* a falcon; so called because its nails or claws resemble a *falx* or hook.

**Falcone'ria** (Bot.) in honour of the celebrated *Dr. Falconer*, the East Indian botanist; a genus of Stilaginaceæ.

**Falco'nidæ** (Ornith.) a family of the order of which *Falco* is the type; a genus of Raptoreæ.

**Fai'cula** (Ent.) *falx*, a sickle, a scythe.

**Falcu'nculus** (Ornith.) dim. of *Falco*, a hawk; applied to the Shrike-tits of Australia.

**Falderman'nia** (Bot.) P. N. in honour of *M. Faldermann*; a genus of Labiatæ.

**Fa'lkia** (Bot.) P. N. from *J. P. Falk*, a Swedish botanist, who died in 1774.

- Fa'llax (Bot.) *Lat.* deceitful.
- Fallo'pia (Bot.) P. N. in honour of the celebrated anatomist *Fallopia*; a genus of Polygonaceæ.
- Fallu'gia (Bot.) a genus of Rosaceæ.
- Familia'ris (Zool., Ornith.) *Lat.* domestic, tame.
- Fara'ncia (Zool.) φάραγξ, a chasm or cleft; a genus of Ophidians.
- Farina'lis (Ent.) *farina*, meal, referring to surface of wings, or to the food of the larva.
- Fa'rio (Ichth.) *Lat.* a Trout.
- Farne'sia (Bot.) P. N. in honour of one of the *Farnese* family of Naples; a genus of Leguminosæ.
- Farobœ'a (Bot.) a genus of Compositæ.
- Farre'lla (Zool.) P. N. in honour of *Dr. Arthur Farre*, its discoverer; a genus of Polyzoa.
- Farse'tia (Bot.) P. N. from *Philip Farseti*, a noble Venetian botanist; a genus of Cruciferæ.
- Farti'nia (Bot.) a Nat. order in the system of Dumortier (*Flora Belgica*).
- Farula'ria (Fos. Bot.) *farut*, a honeycomb; a genus of coal-measure stems marked with scars like honeycomb.
- Fasceli'na (Ent.) *fascis*, a bundle; alluding to the tufts of hair on the larva.
- Fascia'lia (Ent.) being marked with *fascia*, or bands.
- Fascia'ta (Bot.) *fascia*, a band, diadem, or wreath; a genus of Algæ.
- Fascia'tus (Zool.) *Lat.* banded.
- Fascicula'ria (Fos. Zool.) *fasciculus*, a little bundle; a genus of Polyzoa, so named from its bundle-like form.
- Fascio'late (Bot., Zool.) *fasciculus*, a little bundle, collected or arranged in clusters.
- Fas'ciola (Bot.) dim. of *fascia*, a genus of Marchantiaceæ.
- Fasciola'ria (Zool.) *fasciola*, a winding band; folds near the base of the columella, or neck.
- Fasciun'cula (Ent.) *fascia*, a band, *uncus*, a hook.
- Fastigia'ria (Bot.) *fastigium*, a ridge; a genus of Algæ.
- Fauja'sia (Bot.) P. N. in honour of *M. Faujas*; a genus of Compositæ.
- Fau'na (Zool.) *Lat.* rural deities; a convenient term for the animals of any given epoch or area.
- Faunu'la (Zool., Bot.) dim. of *fauna*.
- Fau'stula (Bot.) dim. of *faujas*, lucky, fortunate; a genus of Compositæ.
- Fave'lla (Bot.) dim. of *favus*, a honeycomb.
- Favillacea'na (Ent.) *favillaceus*, ashy; from the colour.

- Favol'us** (Bot.) dim. of *favus*, a honeycomb ; a genus of Fungi.
- Favo'nium** (Bot.) *favonius*, the west wind ; a genus of Compositæ.
- Favosi'tes** (Fos. Bot.) *favus*, a honeycomb.
- Fawn** (Zool.) French, *faon*.
- Fe'dia** (Bot.) a name of Adanson's, probably without meaning ; a genus of Valerianaceæ.
- Fe'lidæ** (Zool.) *felis*, fam. term. *ide* and *ina* ; a family and sub-family of Felidae. Mammalia.
- Fe'lis** (Zool.) Lat. a cat.
- Fenestella** (Fos. Zool.) Lat. a little window.
- Fenestra'tus-a-um** (Bot.) Lat. resembling a lattice, as in the leaves of the Ouviranda fenestralis.
- Fenestrel'la** (Ent.) *fenghra*, a window ; from its habit of fitting in the windows of houses.
- Fe'nnel** (Bot.) contraction of *Lat. faniculum*.
- Fen'nicus-a-um** (Ent., Bot.) relating to Finland.
- Fe'ræ** (Zool.) Lat. wild beasts.
- Fera'nia** (Zool.) unexplained ; a genus of Ophidians.
- Feri'na** (Ornith.) *ferinus*, pertaining to wild beasts.
- Fernande'sia** (Bot.) P. N. from George Garcia Fernandez, a Spanish botanist.
- Ferne'lia** (Bot.) P. N. from J. Fernel, physician to Henry II., of France, died 1558.
- Fero'nia** (Ent., Bot.) P. N., the goddess of forests.
- Feroni'idæ** (Ent.) *Feronia*, fam. term. *ide*.
- Fe'rox** (Bot., Ichth.) Lat. ferocious, savage ; metaphorically, covered with thorns.
- Ferra'ria** (Bot.) P. N. from J. B. Ferrari, an Italian botanist ; a genus of Iridaceæ.
- Ferre'ola** (Ent.) dim. of *ferreus*, iron-coloured ; a genus of Hymenoptera.
- Fe'rret** (Zool.) Dutch *vret*, Ger. *frett*.
- Ferruga'lis** (Ent.) *ferrugo*, rust of iron ; referring to colour.
- Ferrugi'neus-a-um** (Ent., Bot.) Lat. rust coloured.
- Fer'rum equi'num** (Zool.) Lat. a horse-shoe.
- Fe'rula** (Bot.) *ferio*, to strike ; the stems are used for rods ; a genus of Umbelliferæ.
- Fe'rus-a-um** (Ornith.) Lat. wild, untamed.
- Festu'ca** (Bot.) Celtic *fjfl*, pasture or food ; Fescue-grass.
- Feui'llæa** (Bot.) P. N. in honour of *Feuillée* ; a genus of Cucurbitaceæ.

- Fi'ber** (Zool.) *Lat.* a beaver; now used as the specific name of the animal,  
*Castor fiber*.
- Fibi'gia** (Bot.) a genus of Cruciferæ.
- Fibrau'rea** (Bot.) *fibra*, a border, *aureus-a-um*, golden; a genus of Memi-spermaceæ.
- Fibrilla'sria** (Bot.) *fibrilla*, a small thread; a genus of Fungi.
- Fibri'na** (Bot.) *fibra*, a sprout; a genus of Fungi.
- Fica'ria** (Bot.) *ficus*, a fig; in allusion to the fig-like roots; a genus of Ranunculaceæ.
- Ficel'la** (Ent.) *ficus*, a fig; the larva feeds on dried figs.
- Fich'tea** (Bot.) P. N. in honour of *J. G. F. Fichte*; a genus of Compositæ.
- Fici'mia** (Zool.) etymology unknown; a genus of Ophidians.
- Fici'nia** (Bot.) a genus of Cyperacæ.
- Ficoi'deæ** (Bot.) *ficus*, a fig, *idæ*, like; ficoid or fig-like plants.
- Fic'u's** (Bot.) *Lat.* a fig; “*ficcæ fici stomachum lœdunt.*”—Pliny xxiii. 63; “*a fico* for the phrase.”—Shakespeare.
- Fido'nia** (Ent.) P. N., the goddes of the groves; a genus of Lepidoptera.
- Fidoni'idæ** (Ent.) *fidonia*, fam. term. *idæ*.
- Field'a** (Bot.) P. N. from *Baron Field*, sometime Chief Judge in New South Wales.
- Fig** (Bot.) *Lat. ficus*, *Fr. figue*.
- Filaginop'sis** (Bot.) the genus *filago*, and *opsis*, resemblance; a genus of Compositæ.
- Fila'go** (Bot.) *filum*, a thread; in allusion to its being covered with threads; a genus of Compositeæ.
- Fila'lis** (Ent.) *filum*, a thread.
- Fila'riæ** (Zool.) *filarium*, a thread; a genus of Entozoa.
- Filbert** (Bot.) from *Philibert*, king of France, in the same way as Pippin, from king Pepin.
- Fi'lices** (Bot.) plural of *filix*, a fern.
- Filifo'rmis-e** (Zool., Bot.) *filum*, a thread, *formis*, resemblance.
- Filipen'dula** (Ent.) from the Common Dropwort (*Spiraea Filipendula*); but the larva feeds on various leguminous plants.
- Fi'lix** (Bot.) *Lat.* a fern.
- Filloc'a** (Bot.) a genus of Leguminosæ.
- Filo'dea** (Ent.) *filum*, a thread, *idæ*, like; thread-like.
- Fi'lum** (Bot.) *Lat.* a thread; a genus of Algaæ.
- Fimbria'ria** (Bot.) *fimbria*, a fringe; a genus of Algaæ.
- Fimbria'tus-a-um** (Ent., Bot.) *Lat.* bordered, from *fimbria*, a fringe.

- Fimbrilla'ria** (Bot.) *fimbria*, a fringe; a genus of Compositæ.
- Fimbristy'lis** (Bot.) *fimbria*, a fringe, *stylus*, a style.
- Finch** (Ornith.) from the note of the bird, which resembles Fink or Pink.
- Fincke'ya** (Bot.) P. N. in honour of *M. Fincke*; a genus of Ericaceæ.
- Findla'ya** (Bot.) P. N. in honour of *Mr. Finlay*; a genus of Primulaceæ.
- Fingerhu'thia** (Bot.) P. N. in honour of *M. Fingerhut*; a genus of Grasseæ.
- Finlayso'nia** (Bot.) P. N. in honour of *Mr. Finlayson*; a genus of Asclepiadaceæ.
- Fino'chis** (Bot.) *Ital. finocchio*; a plant of the genus Anethum; Sweet fennel.
- Fintelman'nia** (Bot.) P. N. in honour of *M. Fintelman*; a genus of Cyperaceæ.
- Fir** (Bot.) *Anglo-Sax. furh*.
- Firen'sia** (Bot.) the Latin name of Florence; a genus of Cordiacereæ.
- Firmia'na** (Bot.) P. N. in honour of *Count von Firmian*, an Austrian statesman; a genus of Sterculiaceæ.
- Fis'chera** (Bot.) a genus of Ericaceæ.
- Fische'ria** (Bot.) P. N. in honour of *Friedrich Ernst Ludwig von Fischer*; a genus of Asclepiadaceæ.
- Fischeriel'la** (Ent.) P. N. from *Fischer von Waldheim*, Author of "Entomographia Imperii Russici," published at Moscow, 1820—1822.
- Fish** (Ichth.) *Anglo-Sax. fisc*, *Lat. pisces*.
- Fis'sa** (Bot.) *fissus-a-um*, cleft, divided.
- Fisse'nia** (Bot.) etymology unknown; a genus of Loasaceæ.
- Fis'sidens** (Bot.) *fissus*, cleft, *dens*, a tooth; a genus of Musci.
- Fissi**: a (Bot.) *fissili*, what is cleft or cloven; a genus of Olacaceæ.
- Fission** (Zool.) *fissus-a-um*, cleft, divided.
- Fissip'arous** (Zool., Bot.) *fissus*, cleft, *pario*, to produce; denoting generation by the division of the body of the parent into two parts, each of which becomes a perfect living animal.
- Fis'siped** (Zool.) *fissus*, cleft, *pes*, *pedis*, a foot; having the toes separated.
- Fissuri'na** (Bot.) *fissura*, a cleft; a genus of Lichenes.
- Fis'sus-a-um** (Bot.) *Lat.* cleft, divided.
- Fistula'ria** (Bot.) *fistula*, a reed; a genus of Algae.
- Fistuli'na** (Bot.) *fistula*, a pipe; referring to its being tubular; a genus of Fungi.
- Flabellala'lis** (Ent.) *flabellum*, a fan.
- Flabellala'ria** (Bot.) *flabellum*, a fan; a genus of Algae.
- Flabel'liform** (Zool., Bot.) *flabellum*, a fan; *forma*, resemblance.
- Flabelli'na** (Zool.) *flabellum*, a fan; a genus of Foraminifera.

- Flacou'rtia** (Bot.) P. N. from *Etienne de Flacourt*, a French botanist; the typical genus of Flacourtiaceæ.
- Flagella'ria** (Bot.) *flagellum*, a rod; it has long pliant branches.
- Flagelliform** (Zool.) *flagellum*, a whip, *forma*, resemblance.
- Flamin'go** (Ornith.) *flamma*, a flame; alluding to the colour of its plumage.
- Flammea'lis** (Ent.) *flamma*, a flame; referring to colour.
- Flam'meus-a-um** (Ornith., Bot.) *Lat.* flame-coloured.
- Flam'mula** (Bot.) *Lat.* a little flame or blaze; a genus of Fungi; also as a specific name denoting acidity, e.g., *Ranunculus Flammula*.
- Flava'go** (Ent.) } *flavus*, yellow.
- Flava'lis** (Ent.) }
- Flave'ria** (Bot.) *flavus*, yellow; used in Chili for dyeing yellow; a genus of Composite.
- Flave'scens** (Zool., Bot.) *Lat.* somewhat yellow; e.g., *Trisetum flavescens*.
- Flaviba'slis** (Ent.) *flavus*, yellow, *basis*, the border of the wing.
- Flavicor'nis** (Ent., Bot.) *flavus*, yellow, *cornu*, a horn; from the colour of the antenna; *Viola flavicornis*, because of the colour of the spur of the corolla.
- Flavig'uła** (Zool.) *flavus*, yellow, gold-coloured, *gula*, the throat.
- Fla'vipes** (Ent.) *flavus*, yellow, *pes*, the foot.
- Flavomacula'tum** (Ent.) *flavus*, tawny, *maculatus*, part., spotted.
- Flax** (Bot.) *Anglo-Sax.* *flax*.
- Flea** (Ent.) *Anglo-Sax.* *flea*.
- Flexibila'lis** (Ent.) *flexibilis*, doleful.
- Fleische'ria** (Bot.) P. N. in honour of —— *Fleischer*, a German botanist; a genus of Byttneriaceæ and Compositeæ.
- Flemin'gia** (Bot.) } P. N. from *Dr. Fleming*, *F.R.S.* *Fr*., of Edinburgh.
- Flemin'gia** (Zool.) }
- Fle'ssus** (Ichth.) etymology unknown.
- Fle'urya** (Bot.) P. N. in honour of *M. Fleury*; a genus of Urticaceæ.
- Flinder'sia** (Bot.) P. N. from *Captain M. Flinders*, a celebrated voyager.
- Flix-weed** (Bot.) corruption of *flux-weed*, being useful in haemorrhage.  
The *Sisymbrium Sophia*.
- Flo'ra** (Bot.) *Lat.* the goddess of flowers; a convenient term for the vegetation of any given epoch or area.
- Floresti'na** (Bot.) a genus of Compositeæ.
- Flori'cola** (Ent.) *flor*, *floris*, a flower, *cole*, to inhabit or frequent.
- Flori'colens** (Ent.) *flor*, *floris*, a flower, *colens*, inhabiting.

- Flori'deæ** (Bot.) *floridus*, rose-coloured; a sub-order of red Algae.
- Florin'da** (Bot.) a genus of Celastraceæ.
- Flori'suga** (Ornith.) *flores*, flowers, *jugo*, to suck; genus of Humming-birds.
- Flörkea** (Bot.) P. N. in honour of *M. Flörk*, a Danish writer.
- Florula** (Bot.) dim. of *flora*.
- Flos'culus** (Zool., Bot.) *Lat.* a little flower.
- Floto'veia** (Bot.) P. N. in honour of —— *Flotof*; a genus of Compositæ.
- Floure'nsia** (Bot.) P. N. in honour of *M. J. P. Flourens*, the celebrated French physiologist; a genus of Caryophyllaceæ and Compositæ.
- Fluctua'ta** (Ent.) *fluctuare*, to undulate; the pale parts of the wings being much undulated with fine ashy streaks.
- Fluggæ'a** (Bot.) P. N. from *John Flugge*, a German cryptogamic botanist.
- Fluke** (Ichth.) *Anglo-Sax. floc*.
- Flu'stra** (Zool.) from *Sax. flustrian*, to weave; a name given by Linnaeus to the Sea-mats; a genus of Polyzoa.
- Flustre'lla** (Zool.) dim. of *flustra*; a genus of Polyzoa.
- Fluvia'les** (Bot.) *fluvialis*, pertaining to a river; the Pond-weed family.
- Fluvia'tilis** (Ornith., Bot.) *Lat.* pertaining to rivers; e. g. *Ranunculus fluvialis*.
- Focil'a** (Ent.) *focilla*, to warm, or cherish.
- Focil'lidæ** (Ent.) *focilla*, fam. term. *idae*.
- Fodi'na** (Ent.) *Lat.* a mine or quarry.
- Fœda'lis** (Ent.) *fœdus*, dirty.
- Fœni'culum** (Bot.) *Lat.* the herb fennel, Pliny and Celsus; a genus of Umbelliferae.
- Fœ'num Græcum** (Bot.) *Lat.* Greek hay; this, the name of a species of *Trigonella*, is the *ἱππεαστὴ* of Theophrastus and Dioscorides; its abominable odour being then considered a sweet perfume, as its old name imports. *BURNETT*.
- Fœtidus-a-um** (Bot.) *Lat.*, foetid; referring to the odour of the plant.
- Fontane'sia** (Bot.) P. N. from *M. D'fontaines*, Professor of Botany at Paris.
- Fontenellea** (Bot.) P. N. in honour of —— *Fontenelle*; the celebrated author of "The Plurality of Worlds;" a genus of Rosaceæ.
- Fontina'lis** (Bot.) *font, fontis*, a fountain; referring to its place of growth; a genus of Musci.
- Foramini'fera** (Zool.) *foramen*, a hole, *fero*, to carry or bear; the partitions separating the chambers of the shells, have in each a small hole.

- Forbe'sia** (Bot.) P. N. in honour of *James Forbes*, author of "Oriental Memoirs;" a genus of Hypoxidaceæ.
- Fordo'nia** (Zool.) etymology unknown; a genus of Ophidians.
- Forestie'rā** (Bot.) a genus of Scopaceæ.
- Forfica'lis** (Ent.) bearing some resemblance to *forficula*.
- Forfic'uла** (Ent.) dim. of *forfex*, scissors; a genus of insects of which the common Earwig is the type.
- Forficu'ria** (Bot.) *forfex*, the shape of the letter V; a genus of Orchidaceæ.
- Forgar'dia** (Bot.) P. N. in honour of *M. Forgard*; a genus of Combretaceæ.
- Forge'sia** (Bot.) a genus of Escalloniaceæ.
- Formicæfor'mis** (Ent.) *formica*, an ant, *forma*, likeness.
- Formicari'næ** (Ornith.) *formica*, an ant; the Ant-Thrushes.
- Formica'rius** (Ent.) *formica*, an ant.
- Forni'cium** (Bot.) *fornix*, an arch; a genus of Compositæ.
- Forre'stia** (Bot.) P. N. in honour of *Mr. Forrest*; a genus of Commely-naceæ.
- Forsko'lea** (Bot.) P. N. from *Peter Forskol*, a traveller in Egypt.
- For'stera** (Bot.) P. N. in honour of the celebrated botanist, *J. R. Forster*.
- Forsterop'sis** (Bot.) the genus *Forstera*, and *opsis*, resemblance; a genus of Styliadiaceæ.
- Fortu'nya** (Bot.) P. N. in honour of *Robert Fortune*, the traveller in China.
- Fosseli'nia** (Bot.) a genus of Cruciferæ.
- Fossombro'nia** (Bot.) P. N. in honour of *Signor Fossumbronni*; a genus of Marchantiaceæ.
- Fosso'res** (Ent.) *Lat.* diggers; a tribe of Hymenoptera.
- Forsy'thia** (Bot.) P. N. in honour of *Mr. Forsyth*; a genus of Oleaceæ.
- Fothergi'lla** (Bot.) P. N. from *John Fothergill*, *M.D.*, a patron of botany.
- Fouge'rīa** (Bot.) P. N. in honour of *M. Fouger*, a French botanist; a genus of Compositæ.
- Fougerou'xia** (Bot.) P. N. from *M. Fougeroux*; a genus of Compositæ.
- Fouquie'rā** (Bot.) P. N. in honour of *M. Fouquier*.
- Fourcro'ya** (Bot.) P. N. in honour of *M. Fourcroy*, the celebrated chemist; a genus of Amaryllidaceæ.
- Fovea'līs** (Ent.) *fovea*, a pit.
- Foveola'ria** (Bot.) *foveolus*, a little pit; a genus of Styracaceæ.
- Fowl** (Ornith.) *Anglo-Sax. fugel*, quasi from root of Latin *fugio*, to fly.
- Fox** (Zool.) *Anglo-Sax. fox*, *Germ. fuchs*.

**Foxglove** (Bot.) the glove or flower of the *Folks* or fairies; some think the name was given from the resemblance of the flowers to the fingers of a glove, and that the plant was then dedicated to *Fuchsius*, a German botanist, i. e. *Fuchsius' glove*.

**Fractalis** (Ent.) *fractus*, broken.

**Fragaria** (Bot.) *fragrans*, fragrant, because the fruit is perfumed; the Strawberry; natural order Rosaceæ.

**Fragilaria** (Bot.) *fragilis*, brittle, referring to its nature; a genus of Diatoms.

**Fragilis** (Bot.) *Lat.* brittle; e. g. *Cifopteris fragilis*.

**Fragillimus-a-um** (Zool.) *Lat.* very brittle.

**Frango'sa** (Bot.) *fragosus*, rough, uneven; a genus of Umbelliferæ.

**Francillon'a** (Ent.) P. N. in honour of *Francillon*, an English entomologist of the last century.

**Francis'cea** (Bot.) P. N. in honour of *Francis I.*, emperor of Austria.

**Francolinus** (Ornith.) *Italian*, *francolino*; *Spaniſh* and *French*, *francolin*.

**Franke'nia** (Bot.) P. N. in honour of *John Frankenius*, Professor of Botany at Upsal; typical genus of natural order Frankeniacæ.

**Frankla'ndia** (Bot.) P. N. in honour of *Mr. Frankland*; a genus of Proteaceæ.

**Frankli'nia** (Bot.) P. N. in honour of *Sir John Franklin*; a genus of Ternströmiaceæ.

**Franquev'il'ia** (Bot.) P. N. in honour of *M. Franqueville*, a French botanist; a genus of Gentianaceæ.

**Franse'r'ia** (Bot.) P. N. from *Antony Franzer*, *M.D.*, a botanist.

**Fraser'a** (Bot.) P. N. from *J. Fraser*, a collector of plants in North America.

**Frate'rcula** (Ornith.) *Lat.* a little sister.

**Frauenho'fera** (Bot.) P. N. in honour of *Frauenhofer*, the celebrated experimentalist on light; a genus of Celastraceæ.

**Frax'inus** (Bot.) *φράξις*, a separation; from the extreme brittleness of the young stems. The Ash-tree; natural order Oleaceæ.

**Frederice'l'a** (Zool.) P. N. in honour of *Frederick Cuvier*; a genus of Polyzoa.

**Fre'gilus** (Ornith.) generic name of the Cornish *chough*, or red-legged crow; a name applied for some unknown reason.

**Frena'ta** (Ent.) part. of *freno*, to bridle.

**Frezie'r'a** (Bot.) P. N. in honour of *Amedée François Frezier*, a traveller in Peru and Chili, who died in 1773.

**Frie'sia** (Bot.) P. N. in honour of *Elias Fries*, a celebrated Swedish botanist, Superintendent of the Museum and Botanic Garden at Upsal.

- Fringi'lla** (Ornith.) *Lat.* a chaffinch; a genus of Birds.
- Frischel'la** (Ent.) P. N. from *Johann Leonhard Frisch*, an entomologist, wh died in 1743.
- Fritilla'ria** (Bot.) *fritillus*, a chess-board; the Snake's-head lily.
- Frog** (Zool.) *Anglo-Sax.* *froga*, *frogra*, or *frocca*.
- Frolichel'la** (Ent.) P. N. from *F. A. G. Frölich*, the author of “*Emunerationis Tortricum Württembergiae*,” 1828.
- Frondicula'ria** (Bot.) *frondicula*, a little frond; a genus of Foraminifera.
- Frondo'sus-a-um** (Zool., Bot.) *Lat.* leafy.
- Fronta'lis** (Ent.) *frontale*, an ornament for the forehead, from *frons*.
- Fronta'ta** (Ent.) *Lat.* made for the front.
- Frugil'egus-a-um** (Ornith.) *Lat.* picking or gathering fruit.
- Frumenta'lis** (Ent.) } *frumentum*, corn; the insects feed on it.
- Frumenta'rius** (Zool.) } *frumentum*, corn; the insects feed on it.
- Frus'tule** (Bot.) *frustulum*, a fragment.
- Frustu'lia** (Bot.) *frustula*, fragments; a genus of Cryptogamia.
- Fu'chsia** (Bot.) P. N. in honour of *M. L. Fuchs*, a celebrated German botanist; a genus of Onagraceæ.
- Fucic'ola** (Zool.) *fucus*, sea-weed, *coco*, to inhabit.
- Fuciformis** (Ent.) *fucus*, a drone, *forma*, a shape; it resembles a drone.
- Fucoi'des** (Fos. Bot.) *fucus*, sea-weed, *εἴδος*, like; general name for any fossil sea-weed of unknown affinity.
- Fu'cus** (Bot.) *φύκος*, sea-weed; a genus of Algae.
- Fuire'na** (Bot.) P. N. in honour of *G. Fuiren*, a Danish botanist.
- Fulica** (Ornith.) *Lat.* a marsh fowl like our moor-hen, so named from its dark colour; “in secco ludunt fulicæ.”—VIRGIL, Geor. i. 363.
- Fuligi'nea** (Ent.) *Lat.* foot-coloured.
- Fulligino'sa** (Ent.) *fuligo*, foot; the hind wings are blackish pink, with black margins.
- Fuli'gula** (Ornith.) dim. of *fuligo*, foot, from its colour.
- Fulva'lis** (Ent.) *fulvus*, yellow, *i. e.*, the wings.
- Fulvidorsa'lis** (Ent.) *fulvus*, yellow, *dorsum*, the back.
- Fulvocilia'lis** (Ent.) *fulvus*, yellow, *cilium*, an eyelash.
- Fu'lvus-a-um** (Ornith. Bot.) tawny or yellowish-brown coloured.
- Fuma'lis** (Ent.) *fumus*, smoke, referring to the colour of the wings.
- Fuma'ria** (Bot.) *fumus*, smoke; the bruised root causing tears to flow, as does smoke; or from the glaucous herbage resembling smoke at a distance; typical genus of Fumariaceæ.
- Fumosa'lis** (Ent.) *fumosus*, smoky.

**Funa'ria** (Bot.) *funis*, a rope, referring to the twisted structure of the fruit-stalks; a genus of Musci.

**Funebra'lis** (Ent.) *funebris*, mourning; from gloomy colour.

**Funera'lis** (Ent.) *funerale*, a funeral; from gloomy colour.

**Fune'rea** (Ornith.) *funereus*, relating to a burial; allusion to dark colour.

**Funerel'la** (Ent.) *funus*, a funeral; in allusion to the black and white wings—the half-mourning garb of the insect.

**Fune'reus** (Zool.) *Lat*. dismal; generally applied in reference to colour.

**Fu'ngia** (Zool.) *fungus*, a mushroom; a genus of laminated Corals.

**Fu'ngus** (Bot.) *Lat*. a mushroom. Horace says:—

———— “pratenibus optima fungis  
Natura est, aliis malè creditur.”

**Fu'nkia** (Bot.) P. N. in honour of *Henry Funk*, a German cryptogamist.

**Furcatel'lus** (Ent.) *fureatus*, forked.

**Furca'tus-a-um** (Ornith., Bot.) *Lat*. forked.

**Furcella'ria** (Bot.) *furcilla*, a little fork, referring to the arrangement of the fronds; a genus of Algae.

**Fur'cifer** (Zool.) *Lat*. one who bears a fork or yoke on his neck.

**Furcor'e'a** (Bot.) P. N. in honour of *M. Fourcroy*, the celebrated chemist.

**Fur'cula** (Ent.) *furea*, a fork, alluding to the two tails of the larva.

**Furcula'ria** (Bot.) *furcula*, a little fork; a genus of Tropaeolaceæ and Campanulaceæ.

**Fur'culum** (Ornith.) *furcula*, a forked prop; the ankylosed collar-bones or clavicles of a bird, and popularly called the Merrythought.

**Furnaca'lis** (Ent.) *furnus*, an oven, which it frequents.

**Furun'cula** (Ent.) *furunculus*, a petty thief.

**Furva'lis** (Ent.) *furus*, dark, dusky.

**Fu'rvus-a-um** (Ent.) *Lat*. dark, dusky.

**Fusa'nus** (Bot.) French, *fusain*, a spindle-tree, which its fruit and leaves resemble.

**Fusa'rium** (Bot.) *fusus*, a spindle, referring to the shape of the sporules; a genus of Fungi.

**Fusca'lis** } (Ent.) *fucus*, dusky.  
**Fuscanta'ria** } (Ent.) *fucus*, dusky.

**Fuscel'lus-a-um** (Bot.) dim. of *fucus*, dusky, tawny.

**Fu'scipes** (Zool., Ent.) *fucus*, dark, swarthy, *pes*, a foot; brown-footed.

**Fusco-æ'nea** (Ent.) *fucus*, dusky, dull, *aneus*, brassy.

**Fus'cus-a-um** (Zool., Ornith., Bot.) *Lat*. dusky, tawny.

**Fusid'iun** (Bot.) *fusus*, a spindle.

**Fusifor'mis** (Bot.) *fusus*, a spindle, and *forma*, shape; spindle-shaped: applied to certain roots.

**Fusuli'na** (Fos. Bot.) dim. of *fusus*, a spindle; the earliest type of Foraminifera yet discovered.

**Fu'sus** (Zool.) *Lat.* a spindle; a genus of Gastreropods belonging to the Muricidae, found both recent and fossil.

**Gabe'rtia** (Bot.) P. N. in honour of *M. Gabert*; a genus of Orchidaceæ.

**Ga'brius** (Ent.) etymology unknown; a genus of Coleoptera.

**Ga'didæ** (Ichth.) the family of the Cod-fish; from the old Linnean name, *Gadus*.

**Ga'doids** (Ichth.) *gadus*, the Cod-fish family, εἰδος, like.

**Gadus** (Ichth.) *Lat.* a cod-fish.

**Gærtne'ra** (Bot.) P. N. from *J. Gærtner, M.D., F.R.S.*, a celebrated botanist.

**Ga'gea** (Bot.) P. N. from *Sir Thomas Gage*, an amateur botanist; a genus of Liliaceæ.

**Gagnebi'na** (Bot.) meaning unknown; a very ornamental genus of Leguminosæ.

**Gagu'edi** (Bot.) native name in Abyssinia; a genus of Proteaceæ.

**Gah'nia** (Bot.) P. N. in honour of *J. C. Gahn*, a Swedish botanist; a genus of Cyperaceæ.

**Gailla'rdia** (Bot.) P. N. in honour of *M. Gaillard de Marentonneau*, an amateur botanist; a handsome genus of Compositæ.

**Gaillardit'e'lla** (Bot.) P. N. in honour of *M. Gaillhardt*; a genus of Algae.

**Gaillio'nia** (Bot.) P. N., a genus of Cinchonaceæ.

**Gaillo'na** (Bot.) P. N., a genus of Algae.

**Gaillone'e'lla** (Bot.) dim. of *Gaillona*; a genus of Diatomaceæ.

**Gaima'rdia** (Bot.) P. N., a genus of Desvauxiaceæ.

**Gaiode'ndron** (Bot.) γάιος, under earth, δένδρον, tree; a genus of Loranthaceæ.

**Galao'tia** (Bot.) γάλα, γάλακτος, milk; the plants are milky.

**Galacti'tes** (Bot.) γάλα, γάλακτος, milk; the veins of the leaves are white; a genus of Compositeæ.

**Galactodac'tylus** (Ent.) γάλα, milk, δάκτυλος, a plume.

**Galactoden'dron** (Bot.) γάλα, γάλακτος, milk, δέρπη, a tree; the Palo de Vaca or Cow-tree of Demerara, which yields a bland milk, used as a substitute for ordinary milk.

**Galacto'tes** (Ornith.) γαλακτώς, milk-like; cream-coloured.

**Gala'go** (Zool.) a genus of small quadrumanous animals subsisting chiefly on insects.

**Ga'langale** (Bot.) from Indian *Galanga*.

**Gala'nthus** (Bot.) γάλα, milk, ἄνθος, a flower; in allusion to its colour.

The Snowdrop, beautifully called by some of the old botanists, ἡμέρησιος, the messenger of Spring.

**Gala'rdia** (Bot.) same as Gaillardia, *q. v.*

**Galate'a** (Bot.) P. N., a Nereid; a genus of Compositæ.

**Galate'lla** (Bot.) dim. of *Galatea*; a genus of Compositæ.

**Galathe'a** (Bot.) a genus of Amaryllidaceæ; also a genus of Iridaceæ.

**Ga'lax** (Bot.) γάλα, milk; referring to the whiteness of the flowers.

**Gala'xia** (Bot.) γαλακτίως, to abound in milk; a genus of Iridaceæ.

**Gal'banum** (Bot.) the Roman name of a strong-smelling gum; whether that to which the name is now applied is uncertain.

**Ga'bula** (Ornith.) *Lat.* a yellow bird, now called the Wittal or Woodwall.

**Gale** (Bot.) specific name of the *Myrica galé*.

**Galea'ndra** (Bot.) probably in allusion to the helmet-shaped labellum of the flowers; a genus of Orchidaceæ.

**Galea'ria** (Bot.) *galea*, a helmet; a genus of Euphorbiaceæ.

**Galea'tus** (Zool.) *Lat.* that wears a helmet; helmet-shaped.

**Galecy'nus** (Fos. Zool.) γαλῆ, a weasel, κύων, a dog.

**Gale'ga** (Bot.) γάλα, milk; increases milk in animals eating it; a genus of Leguminosæ.

**Gale'mys** (Zool.) γαλῆ, a weasel, μῦς, a mouse.

**Gale'nia** (Bot.) P. N. from *C. Galenus*, a celebrated physician of Pergamus; a genus of Chenopodiaceæ.

**Galeob'dolon** (Bot.) γαλῆ, a weasel, θόλος, fetid smell; the Yellow Dead nettle; a genus of Labiateæ.

**Galeo'des** (Ichth.) γαλεός, a shark, εἴδος, like.

**Galeo'des** (Ent.) *galos*, a shark, εἴδος, like; from the rapacious habits of the insect; a genus of foreign Spiders.

**Galeoglo'ssa** (Bot.) γαλῆ, a weasel, γλῶσσα, a tongue; a genus of Filices.

**Galeoglo'ssum** (Bot.) same derivation; the Weasel Orchis; a genus of Orchidaceæ.

**Galeole'mur** (Zool.) γαλῆ, a weasel, *lemur*.

- Galeopithe'cidae (Zool.) *galeopithecus*, fam. term. *ideæ*.
- Galeopithe'cus (Zool.) γαλῆ, a weasel, πιθηκός, an ape.
- Galeop'sis (Bot.) γαλῆ, a weasel, ὁμοία, resemblance; alluding to the flower; a genus of Labiatæ.
- Galeo'ttia (Bot.) γαλῆ, a weasel, ὄτος, ὠτός, an ear; a genus of Acanthaceæ, and of Orchidaceæ.
- Ga'lera (Zool.) γαλερός, cheerful; a genus of Fungi.
- Ga'lera (Bot.) γαλερός, cheerful; a genus of Fungi.
- Galeri'tes (Fos. Zool.) *galea*, a helmet; a genus of fossil Sea-urchins.
- Gale'ruga (Ent.) γαλερός, cheerful; a genus of Coleoptera.
- Galeru'cidae (Ent.) *galeruca*, fam. term. *ideæ*.
- Galesau'rus (Fos. Zool.) γαλῆ, a weasel, σαῦπος, a lizard.
- Ga'leus (Ichth.) *galeos*, an old name for a fish; the Tope.
- Ga'lgula (Ent.) *galea*, a crest, *gula*, the neck.
- Gali'lea (Bot.) P. N. in honour of the immortal *Galileo*; a genus of Cyperaceæ.
- Galin'uла (Ornith.) dim. of *gallina*, a hen.
- Galino'gea (Bot.) P. N. from *M. M. Galinoga*, Superintendent of the Madrid gardens; a genus of Compositæ.
- Galione'lla (Zool.) *Lat.* a small helmet; a genus of Polygastric annelides.
- Galipe'a (Bot.) the name in Guiana; a genus of Rutaceæ.
- Ga'lium (Bot.) γάλα, milk; it is used for curdling milk; a genus of Stellatae.
- Galle'ria (Ent.) from the habit of the larva of forming *galleries* in honey-comb; a genus of Lepidoptera.
- Gallina'go (Ornith.) *Lat.* a woodcock.
- Ga'llus (Ornith.) *Lat.* the Cock, the barn-door fowl.
- Galogly'chia (Bot.) γάλα, milk, γλυκύς, sweet; a genus of Moraceæ.
- Galphi'mia (Bot.) an absurd anagram of Malpighia; a Mexican genus of Malpighiaceæ.
- Galu'mna (Ent.) *galumna*, a covering; a genus of Arachnida.
- Ga'masus (Ent.) a genus of Arachnida.
- Gambel'lia (Bot.) a genus of Scrophulariaceæ.
- Gambia'nus (Zool.) belonging to Gambia.
- Gamely'thrum (Bot.) γαμήλιος, bridal, *lythrum*, a genus of Graminae.
- Gam'ma (Ent.) from the Greek letter γ, marked on the wings.
- ta'mmarus, ζάμμαρος, a kind of crab or shrimp; a genus of Crustaceans.
- hamoca'rpha (Bot.) γάμος, marriage, ξέρφος, a dry stick; a genus of Calyceraceæ.

- Gamo'lepis (Bot.) γάμος, union, λεπίς, a scale; a genus of Composite.
- Gamope'talous (Bot.) γάμος, marriage, πτελος, a petal; from the flowers which, instead of being composed of one, are composed of many laminæ, united by their edges.
- Gamplexis (Bot.) γάμος, union, πλέξις, weaving; a genus of Orchidaceæ.
- Ga'nder (Ornith.) Anglo-Sax. *gandra*.
- Gandola (Bot.) a genus of Basellaceæ.
- Gandry'na (Zool.) a genus of Foraminifera.
- Gandsu'lum (Bot.) a genus of Zingiberaceæ.
- Gangabe'lla (Ent.) *Perfian, gangaba*, a porter.
- Gani'trus (Bot.) γαντρος, to glitter or shine; a genus of Tiliaceæ.
- Ganja (Bot.) native Indian name; a genus of Tiliaceæ.
- Ga'nnet (Ornith.) Anglo-Sax. *ganet*.
- Ganoce'phala (Zool.) γανός, lustre, κεφαλή, head.
- Ga'noid (Ichth.) γανός, splendour, εἶδος, appearance.
- Ganophyllum (Bot.) γανός, brightness, beauty, φύλλον, leaf; a genus of Amyridaceæ.
- Ganyme'des (Bot.) P. N. from the fabled *Ganymede*; a genus of Amarylidaceæ.
- Garcia (Bot.) P. N., a genus of Euphorbiaceæ.
- Garcia'na (Bot.) P. N., a genus of Philydraceæ.
- Garcila'ssa (Bot.) P. N., a genus of Composite.
- Garcin'nia (Bot.) P. N. from *L. Garcin, M.D., F.R.S.*, an 'Oriental traveller. The Mangosteene; a genus of Guttiferae.
- Garc'kea (Bot.) P. N. in honour of —— *Garcck*; a genus of Musci.
- Garde'nia (Bot.) P. N. from *A. Garden, M.D.*, of Charleston; a genus of Cinchonaceæ.
- Gardenio'la (Bot.) resemblance to *Gardenia*; a genus of Cinchonaceæ.
- Gardne'ria (Bot.) P. N., *George Gardner*, a botanical traveller in Brazil; a genus of Loganiaceæ.
- Gardo'quia (Bot.) P. N. in honour of *Don Diego Gardoqui*, who greatly promoted the publication of the "Flora Peruviana;" a genus of Labiateæ.
- Garide'lla (Bot.) P. N. from *P. Garidel, M.D.*, of Provence, a writer on botany; a genus of Ranunculaceæ.
- Ga'rlie (Bot.) Anglo-Sax. *garleac*.
- Garno'tia (Bot.) a genus of Graminae.
- Gar'rulus-a-um (Ornith.) Lat. chattering; also a genus of Birds, which contains the Jay, *Garrulus glandarius*.

- Gar'rya** (Bot.) the typical genus of Garryaceæ.
- Gartne'ra** (Bot.) P. N. in honour of the celebrated naturalist *Gärtner*; a genus of Malpighiaceæ.
- Gar'uga** (Bot.) *garugo*, its Telinga name.
- Garze'tta** (Ornith.) dim. of Italian *garza*, a heron.
- Gaspari'nia** (Bot.) P. N. in honour of *M. Gasparin*; a genus of Orobranchaceæ.
- Gaste'ria** (Bot.) γαστήρ, a belly; referring to the base of the flowers; a genus of Liliaceæ.
- Gasteromyce'tes** (Bot.) γαστήρ, belly, μυκής, a mushroom; a section of Fungi.
- Gastero'poda** (Zool.) γαστήρ, the belly, πούς, ποδός, a foot; a class of univalve Mollusks.
- Gasteroste'i'dæ** (Ichth.) *gasterofleur*, fam. term. *ida*; a family of Acanthopterygian fishes.
- Gastero'steus** (Ichth.) γαστήρ, the belly, ὀστίον, a bone; from the free spines anterior to the dorsal fin.
- Gasto'nia** (Bot.) P. N. from *Gaston de Bourbon*, a son of Henry IV., and a patron of botany; a genus of Araliaceæ.
- Gastor'nis** (Fos. Zool.) *Gaston*, after *M. Gaston Plante*, the discoverer, ὄρνις, a bird.
- Gastranci'strus** (Ent.) γαστήρ, belly, ἄγυστρον, a hook.
- Gastri'dium** (Bot.) γαστρίδιον, a little swelling; a genus of Graffes.
- Gastrobra'nchus** (Ichth.) γαστήρ, the stomach, βρόγχος, the windpipe; the Myxine.
- Gastroca'rpha** (Bot.) γαστήρ, a belly, κάρφη, chaff; form of receptacle; a genus of Compositæ.
- Gastrocha'e'na** (Zool.) γαστήρ, belly, χαίνω, to gape; a genus and **Gastrocha'e'nidæ** (Zool.) } family of bivalve Mollusca.
- Gastrochæ'ta** (Zool.) γαστήρ, the belly, χαιτη, a bristle; a genus of Polygastric animalcules.
- Gastrochi'lus** (Bot.) γαστήρ, belly, χεῖλος, lip; the lip of the flowers being ventricose or inflated.
- Gastroclo'niun** (Bot.) γαστήρ, belly, κλείω, to agitate; a genus of Algeæ.
- Gastroco'tyle** (Bot.) γαστήρ, belly, κοτύλη, a small cup; a genus of Boraginaceæ.
- Gastro'dia** (Bot.) γαστήρ, belly, and οδοῦς, a tooth; from form of column of flower; a New Holland genus of Orchidaceæ.
- Gastroglo'ttis** (Bot.) γαστήρ, belly, γλῶττα, tongue; a genus of Orchidaceæ.

- Gastrolo'bium (Bot.) γαστήρ, a belly, αόσις, pod, referring to its shape; a New Holland genus of Leguminosæ.
- Gastroly'chnis (Bot.) γαστήρ, belly, and *lychnis*; from the inflated calyx; a genus of Caryophyllaceæ.
- Gastrome'ria (Bot.) γαστήρ, belly, μίξις, part.; a genus of Scrophulariaceæ.
- Gastrone'ma (Bot.) γαστήρ, a belly, νήμα, a thread, from the inflated filaments; a genus of Amaryllidaceæ.
- Gastro'pacha (Ent.) γαστήρ, belly, πάχος, thicknes; a genus of Lepidoptera.
- Gastrop'hy'sa (Ent.) γαστήρ, belly, φύση, an inflation.
- Gastrop'o'dium (Bot.) γαστήρ, belly, ποῦς, πόδος, a foot; a genus of Orchidaceæ.
- Gastrose'ricus (Ent.) γαστήρ, belly, σημιώτης, filken; a genus of Hymenoptera.
- Gastro'xidis (Ent.) γαστήρ, belly, ὀξύς, sharp; a genus of Diptera.
- Gattenho'fia (Bot.) P. N. in honour of *M. Gattenhof*; a genus of Composite.
- Gattorugene (Ichth.) κατορθώσω, to sink in the earth.
- Gatyo'na (Bot.) P.N., a genus of Compositæ.
- Gaudicha'udia (Bot.) P. N. in honour of the celebrated *Charles Gaudichaud*, who accompanied Freycinet in his voyage round the world; a Mexican genus of Malpighiaceæ.
- Gaudi'nia (Bot.) P. N. from *M. Gaudin*, a Swiss botanist; a genus of Grasses.
- Gaulthe'ria (Bot.) P. N. from *M. Gaultier*, *M.D.*, a French writer on maple sugar; a genus of Ericaceæ.
- Gau'ra (Bot.) γαῦρος, superb, referring to the flowers; a genus of Onagraceæ.
- Gauri'dium (Bot.) the genus *Gaura*, ἰδεῖς, resemblance to that plant; a genus of Onagraceæ.
- Gauro'psis (Bot.) the genus *Gaura*, ἰδεῖς, resemblance; a genus of Onagraceæ.
- Gautie'ra (Bot.) P. N. in honour of *M. Gautier*; a genus of Ericaceæ; also a genus of Fungi.
- Gavia'lis (Zool.) from an Indian word; a genus of Crocodiles.
- Gavi'lea (Bot.) P. N. in honour of *M. Gavile*; a genus of Orchidaceæ.
- Ga'ya (Bot.) P. N.; a genus of Malvaceæ; also a genus of Umbelliferae.
- Gaye'lla (Ent.) a genus of Hymenoptera.
- Gaylussa'cia (Bot.) P. N. in honour of *M. L. Gay Laffac*, the eminent French philosopher and chemist; genus of Vacciniaceæ.

- Gayta'nia** (Bot.) P. N. in honour of *M. Gaytan*; a genus of Umbelliferae.
- Gaza'nia** (Bot.) γαζά, riches, treasure; alluding to the splendour of the flowers; a handsome Cape genus of Compositæ.
- Gaze'lla** (Zool.) Italian, *gazzella*; French, *gazelle*.
- Gean'thia** (Bot.) γῆ, the earth, ἄνθος, a flower; the flowers appear to emerge from the earth; a genus of Melanthiaceæ.
- Gean'thus** (Bot.) same derivation, and for the same reason; a genus of Zingiberaceæ.
- Gea'ster** (Bot.) γῆ, the earth, ἀστρη, a star, alluding to its stellate appearance; a genus of Fungi.
- Gebe'ria** (Bot.) etymology doubtful.
- Geble'ra** (Bot.) P. N. in honour of *Gebler*, a German botanist; a genus of Euphorbiaceæ.
- Geca'rcinus** (Zool.) γῆ, the earth, *carcinus*, a crab; the Land crab.
- Geci'nus** (Ornith.) γῆ, the earth, κυνίω, to disturb; i. e., in searching for its food.
- Gecko** (Zool.) said to be derived from the peculiar noise they make, which is like the sound by which horses are urged to greater speed.
- Gecko'tidæ** (Bot.) *gecko*, fam. term. *ida*; a family of Thick-tongued Lizards.
- Geer'ia** (Bot.) P. N. in honour of *De Geer*; a genus of Ternströmiaceæ.
- Gei'gera** (Bot.) P. N.; a genus of Rutaceæ.
- Geigeria** (Bot.) P. N.; a genus of Compositeæ.
- Geise'nia** (Bot.) P. N.; a genus of Ranunculaceæ.
- Geissolo'ma** (Bot.) γεῖσσον, a tile, λόμα, a border; a genus of Penzaceæ.
- Geissome'ria** (Bot.) γεῖσσον, a tile, μερις, part; alluding to the manner in which the lobes of the calyx overlie each other; very handsome Brazilian genus of Acanthaceæ.
- Geissorhi'za** (Bot.) γεῖσσον, a tile, ρίζα, a root; a handsome Cape genus of Iridaceæ.
- Geissosa'ura** (Zool.) γεῖσσον, a tiled roof, σαύρα, a lizard.
- Geissoste'gia** (Bot.) γεῖσσον, a tile, στιγμ, a roof; a genus of Ericaceæ.
- Geitonople'sium** (Bot.) γείτων, a neighbour, and πλησίος, near, alluding to its scrambling habit of growth; a genus of Australian Liliacæ.
- Ge'l'a** (Bot.) γελάω, to shine, supposed to refer to foliage; a genus of Rutaceæ.
- Gela'sine** (Bot.) literally “a smiling dimple” (*γελασίνη*), from its pretty dark-blue flowers; a South American genus of Iridaceæ.

- Gelatel'la** (Ent.) *gelatus*, frozen; the moth appears in November and December.
- Gelatina'ria** (Bot.) *gelatina*, gelatine; a genus of Lichenes; also a genus of Algae.
- Geleo'hia** (Ent.)  $\gamma\eta\lambda\varepsilon\chi'\eta\varsigma$ , resting on the ground.
- Gelechi'idæ** (Ent.) the family of which the genus *Gelechia* is the type.
- Geli'dium** (Bot.) *gelu*, hoar-frost,  $\tilde{\iota}\tilde{\iota}\tilde{\iota}\tilde{\iota}\varsigma$ , like; a genus of Algae.
- Ge'lidus-a-um** (Bot.) *Lat.* cold, stiff.
- Gelina'ria** (Bot.)  $\gamma\tilde{\iota}\tilde{\iota}$ , the earth, *linum*, flax; a genus of Algae.
- Gelo'nium** (Bot.) meaning unknown; an uninteresting genus of Euphorbiaceæ.
- Gelse'mium** (Bot.) *gelsemino*, the Italian name of the Jasmine; an American genus of Bignoniaceæ, called "Carolina Jasmine."
- Gemban'ga** (Bot.) native name; a genus of Palmæ.
- Geme'lla** (Bot.) *gemellus*, paired; a genus of Sapindaceæ.
- Gemella'ria** (Zool.) *gemellus*, double; a genus of Polyzoa.
- Geminipun'ta** (Ent.) *geminus*, twin, *punctum*, a spot.
- Gemma'tus-a-um** (Bot., Ent.) *Lat.* adorned with gems, sparkling.
- Gemmi'fera** (Bot.) *gemma*, a gem, *fero*, to bear.
- Gemmuli'na** (Zool.) *gemmaula*, a little bud or gem; a genus of Foraminifera.
- Gen'bea** (Bot.)  $\gamma\tilde{\iota}\tilde{\iota}$ , the earth,  $\ddot{\alpha}\beta\iota\sigma$ , poor; a genus of Fungi.
- Genesiphyl'la** (Bot.)  $\gamma\iota\iota\sigma\iota\varsigma$ , production,  $\phi\dot{\upsilon}\lambda\lambda\sigma\varsigma$ , leaf; a genus of Euphorbiaceæ.
- Genet'ta** (Zool.) French, *genette*.
- Genety'ilis** (Bot.) a genus of Myrtaceæ.
- Genicula'ria** (Bot.) *geniculatus*, bent, curved; a genus of Algae.
- Genicule'l'lus** (Ent.) *geniculus*, a bend, an angle.
- Geni'pa** (Bot.) *genepapo*, its name in Guiana; the genip tree; a genus of Cinchonaceæ.
- Genipel'la** (Bot.) dim. of *Genipa*; a genus of Cinchonaceæ.
- Geni'sta** (Bot.) Celtic, *gen*, a small bush.
- Genis'tae** (Ent.) feeds on several species of broom (genista).
- Genil'sia** (Bot.) P. N. in honour of *Madame de Genlis*; a Brazilian genus of Lentilariacæ.
- Genople'sium** (Bot.)  $\gamma\iota\iota\sigma\varsigma$ , race,  $\pi\lambda\pi\tau\iota\sigma\varsigma$ , near; a genus of Orchidaceæ.
- Geno'ria** (Bot.) a genus of Lythraceæ.
- Genosi'ris** (Bot.)  $\gamma\iota\iota\sigma\varsigma$ , race, and *iris*; a genus of Iridaceæ.
- Gentia'na** (Bot.) its virtues were first experienced by *Gentius*, king of Illyria; the typical genus of Gentianaceæ.

- Genu'nes** (Ent.) *Lat.* natural, genuine.
- Geo'bius** (Ent.) γῆ, earth, βίω, to live.
- Geoca'lyx** (Bot.) γῆ, earth, *calyx*; a genus of Marchantiaceæ.
- Geochor'da** (Bot.) γῆ, earth, *chorda*, a string; a genus of Scrophulariaceæ.
- Geocyc'lus** (Bot.) γῆ, earth, κύκλος, a circle; a genus of Algeæ.
- Geodeph'aga** (Ent.) γῆ, the earth, διαφάγω, to devour; a section of Carabideous insects.
- Geo'dia** (Zool.) γεωδης, earth-like, a genus of marine Sponges.
- Geodo'rūm** (Bot.) γῆ, the earth, δῶρον, a gift; the blossoms lie on the earth; a genus of Orchidaceæ.
- Geoemy'da** (Zool.) γῆ, the earth, *emys*, a tortoise.
- Geoffro'ya** (Bot.) P. N. from *E. F. Geoffroy, F.R.S.*, Professor of Botany at Paris; a genus of Leguminosæ.
- Geoglo'ssum** (Bot.) γῆ, the earth, γλῶσσα, a tongue; alluding to its shape.
- Geo'metra** (Ent.) γεωμετρεῖν, to measure the earth, alluding to the geometrical mode of progression of the larvæ; a genus of Lepidoptera.
- Geometra'lia** (Ent.) resembling the genus *Geometra*.
- Geo'noma** (Bot.) γεωνόμος, skilled in agriculture; alluding to its propagation; a genus of American Palms.
- Geope'lia** (Ornith.) γῆ, the earth, πίλεια, the wood-pigeon; applied to the Ground-doves.
- Ge'ophaps** (Ornith.) γῆ, the earth, φάψ, a wild pigeon.
- Geo'phila** (Bot.) γῆ, the earth, φιλίω, to love; a genus of Cinchonaceæ.
- Geophil'i'dæ** } (Ent.) γῆ, the earth, φιλίω, to love, fam. term. *ide*.
- Geo'philus** } (Ent.) γῆ, the earth, φιλίω, to love, fam. term. *ide*.
- Geopo'gon** (Bot.) γῆ, earth, πάγων, a beard; a genus of Graminae.
- Geopy'xis** (Bot.) γῆ, earth, *pysxis*, a box; a genus of Fungi.
- Geor'chis** (Bot.) γῆ, earth, *orchis*; a genus of Orchidaceæ.
- Geo'rgia** (Bot.) P. N.; a genus of Mosses.
- Georgi'na** (Bot.) P. N. from *J. G. Georgi*, a Russian botanist. The Dahlia; natural order Compositæ.
- Geory'chus** (Zool.) γῆ, the earth, ὕβρισθαι, to dig up.
- Georys'sus** (Ent.) γῆ, the earth, ὕβρισθαι, to dig up; a genus of Coleoptera.
- Geosau'rūs** (Fos. Zool.) γῆ, the earth, σαῦρος, a lizard.
- Geospī'za** (Ornith.) γῆ, the earth, *spiza*, a finch; the Ground-finches.
- Geoteu'this** (Fos. Zool.) γῆ, earth, τευθίς, a cuttle-fish.
- Geo'tria** (Ichth.) γῆ, earth, τρίω, to rub.
- Geotru'pes** (Ent.) γῆ, the earth, τρυπάω, to bore; a genus of Coleoptera.
- Geotrū'pidæ** (Ent.) *geotrupes*, fam. term. *ide*.

**Gerania'ceæ** (Bot.) the Crane's bill order of plants, of which *Geranium* is the type.

**Gera'niu'm** (Bot.) γεράνιος, a crane; it has capsules like the head and beak of a crane.

**Gera'rda** (Zool.) P. N., a genus of Ophidians.

**Gera'rdia** (Bot.) P. N. in honour of *John Gerarde*, an old English botanist; a handsome genus of Scrophulariaceæ.

**Gerbe'ria** (Bot.) P. N. in honour of *T. Gerber*, a German naturalist and traveller in Russia; a pretty Cape genus of Compositæ.

**Gerbi'lus** (Zool.) unexplained.

**Gerfa'leon** (Ornith.) *Ger. geier*, a vulture, *falke*, a hawk.

**Germa'nder** (Bot.) a corruption of *Chamaedrys*.

**Germara'na** (Ent.) P. N. in honour of —— *Germar*, author of “Magazin der Entomologie,” and other works.

**Gerninga'na** (Ent.) P. N. from —— *Gerning*, an entomologist of the last century, who resided at Frankfort.

**Geron'ticus** (Ornith.) γέρων, belonging to an old man, or old age; generic name of the Sacred Ibis.

**Geronto'gea** (Bot.) γέρων, γέρωντος, old age, γῆ, earth; a genus of Cinchonaceæ.

**Geropo'gon** (Bot.) γέρων, an old man, γέρων, a beard; appearance of heads of seed; very pretty Italian genus of Compositæ.

**Gerrhosau'ri** (Zool.) γέρρον, a shield, σαῦπος, a lizard; the Shield-lizards.

**Ger'ris** (Ent.) γέρρον, a wicker-work shield; from the wherry-shaped body of the insect; a genus of Hemiptera.

**Gerronel'la** (Ent.) γέρρον, wicker-work.

**Gersi'nia** (Bot.) P. N., a genus of Orchidaceæ.

**Geru'ma** (Bot.) γέρυμα, a voice or sound; a genus of Vitaceæ.

**Gervi'lea** (Fos. Zool.) P. N. in honour of *M. Gerville*, a French naturalist.

**Geryo'nia** (Zool.) γέρυνις, old-looking.

**Geryoni'adæ** (Zool.) geryonia; a division of naked-eyed Medusæ.

**Geryono'psis** (Zool.) geryonia, ὅμιλος, like.

**Gesne'ra** (Bot.) P. N. in honour of the celebrated *Conrad Gesner*, of Zurich; typical genus of Gesneraceæ.

**Gesneria'na** (Bot.) in compliment to *Conrad Gesner*; e. g. *Tulipa Gesneriana*.

**Gesnoui'nia** (Bot.) P. N., a genus of Urticaceæ.

- Gethy'lis (Bot.) γεθίς, to rejoice; alluding to the perfume of the flowers; Cape genus of Amaryllidaceæ.
- Gethy'ra (Bot.) γεθία, to rejoice; a genus of Zingiberaceæ.
- Geto'nia (Bot.) meaning unknown; East Indian genus of Combretaceæ.
- Ge'um (Bot.) γεῖον, to give a relish; a genus of Rosaceæ.
- Geun'sia (Bot.) a genus of Verbenaceæ.
- Ghiesbrech'tia (Bot.) P. N. in honour of *M. Ghiesbrecht*; a genus of Orchidaceæ.
- Ghi'nla (Bot.) P. N. from *Ghini*, an Italian botanist; a genus of Verbenaceæ.
- Gibba'ria (Bot.) a genus of Compositæ.
- Gib'bera (Bot.) P. N., a genus of Fungi.
- Gibbicollis (Ent.) *gibbus*, a hump, *collum*, the neck; from protuberance on corslet.
- Gib'bium (Ent.) *gibbus*, a hump; a genus of Coleoptera.
- Gibbon (Zool.) perhaps from *kophin*, a Chaldaic word, signifying an ape.
- Gibbosa'lis (Ent.) *gibbosus*, hump-backed.
- Gibbo'sus-a-um (Zool., Ent.) *Lat.* hump-backed.
- Gib'bous (Ichth., Bot.) *gibbus*, crooked.
- Giese'kia (Bot.) P. N. in honour of *Gieseke*; a genus of Phytolaccaceæ.
- Gi'fola (Bot.) a genus of Compositæ.
- Giga'ndra (Bot.) *gigas*, a giant, ἀνίρι, a stamen; a genus of Ericaceæ.
- Gigan'teus-a-um (Bot.) *Lat.* gigantic.
- Gigarti'na (Bot.) γιγαρτόν, a grape-stone; a genus of marine Algae.
- Giga'rumb (Bot.) *gigas*, a giant and *Arum*; a genus of Araceæ.
- Gilia (Bot.) P. N. in honour of *Gilio*, a Spanish botanist; a genus of Polemoniaceæ.
- Gille'nia (Bot.) probably the name of some obscure botanist; a genus of Rosaceæ.
- Gillie'sia (Bot.) P. N. in honour of *Dr. Gillier*, of Conception in Chili; typical genus of Gilliesiaceæ.
- Gilliflower (Bot.) *Ital. giala*, yellow; or from July, when it is in perfection.
- Gilpkea (Bot.) P. N., a genus of Myrtaceæ.
- Gilva'lis (Ent.) *gilvus*, pale-yellow.
- Gimberna'tia (Bot.) P. N. in honour of *M. Gimbertat*; a genus of Combretaceæ.
- Ginal'loa (Bot.) P. N., a genus of Loranthaceæ.
- Gi'nger (Bot.) ζιγγίζης, *Lat. zingiber*; *Ital. gingivovo*; *French, gingembre*. These are thought to be derived primarily from Sanscrit, *gringa-vēra*, antler-shaped.

- Gingi'dium** (Bot.) a genus of Umbelliferae.
- Gingi'nsia** (Bot.) a genus of Caryophyllaceæ.
- Ginillo** (Bot.) its Japanese name. *The Salisburia*; a genus of Taxaceæ.
- Gino'ra** (Bot.) a genus of Lythraceæ.
- Gira'ffa** (Zool.) *Ital. giraffa*; *French, girafe.*
- Gira'rdia** (Bot.) P. N.; a genus of Algeæ.
- Girardi'nia** (Bot.) P. N. in honour of *M. Girardin*; a genus of Urticaceæ.
- Girgenso'hnia** (Bot.) P. N. in honour of *Girgensohn*; a genus of Chenopodiaceæ.
- Girode'lla** (Bot.) P. N.; a genus of Diatomaceæ.
- Gironnie'ra** (Bot.) P. N. in honour of *Gironnier*; a genus of Urticaceæ.
- Giro'tia** (Bot.) P. N.; a genus of Euphorbiaceæ.
- Gise'kia** (Bot.) P. N. in honour of *P. D. Giseke*, a Danish botanist; a genus of Phytolaccaceæ.
- Giso'pteris** (Bot.) γισόπτερη, a cornice, πτερίς, a fern; a genus of Filices.
- Githa'go** (Bot.) Arabic, *git* or *gith*, a large black feed; Corn-cockle.
- Gla'ber**, **Glabra'um** (Bot.) *Lat.* smooth, destitute of down or hair.
- Glabra'ria** (Ent.) *glaber*, smooth, without hair.
- Glabra'ria** (Bot.) *glaber*, smooth, bald; a genus of Lauraceæ.
- Glacia'lis** (Ornith., Bot.) living in or near ice; e.g., *Ranunculus glacialis*.
- Gladio'lus** (Bot.) dim. of *gladius*, a sword; alluding to the leaves; a splendid genus of Iridaceæ.
- Glanda'rius** (Ornith.) *Lat.* relating to acorns.
- Glan'dula** (Zool.) *Lat.* a little kernel.
- Glandula'ria** (Bot.) *glandulae*, little kernels; a genus of Verbenaceæ.
- Glandul'ma** (Zool.) *glandulae*, little kernels or acorns; a genus of Foraminifera.
- Gla'nis** (Ichth.) *Lat.* a name used by Pliny for a crafty fish.
- Glaphy'ra** (Ent.) γλαφύρης, hollow, excavated.
- Glaphyra'lis** (Ent.) resembling *glaphyra*.
- Glaphyra'nthus** (Bot.) γλαφυρός, hollowed, άθος, a flower; a genus of Myrtaceæ.
- Glaphy'rea** (Bot.) γλαφυρός, hollowed; a genus of Myrtaceæ.
- Glare'ola** (Ornith.) } dim. of *glarea*, gravel.
- Glare'olus** (Zool.) } gravel.
- Glasta'ria** (Bot.) from *glafum*, the old name for *Isatis tinctoria*, Woad, which it resembles in habit; a genus of Cruciferæ.
- Glastifo'lius-a-um** (Bot.) from the resemblance of the leaves to woad, *Isatis*, the old name of which was *Glastum*, e.g. *Centauria glastifolia*.

- Glastum** (Bot.) the word used by Pliny for Woad, now called *Ifatis tinctoria*; a genus of Cruciferæ.
- Glau'ca** (Ichth.) *Lat.* blueish-grey.
- Glaucl'dium** (Bot.) the genus *Glaucium*, *εἶδος*, resemblance; a genus of Ranunculaceæ.
- Glaucl'na** (Bot.) *glaucus*, blueish-grey.
- Glauco'nalis** (Ent.) *glaucus*, blueish-grey.
- Glau'cis** (Ornith.) *glaucus*, blueish-grey; a genus of Humming-birds.
- Glau'cium** (Bot.) *γλαυκίς*, blueish-grey, referring to the colour of the plant; a genus of Papaveraceæ.
- Glauco'ma** (Zool.) *γλαυκός*, blue; a genus of Polygastric animalcules.
- Glaucom'y'a** (Ent.) *γλαυκός*, green, *mya*, a mussel; a genus of bivalve shells.
- Glaucoipa'dalis** (Ent.) *γλαυκῶπις*, blue-eyed.
- Glauco'pis** (Ornith.) *γλαυκῶπις*, blue-eyed; a genus of Birds.
- Glau'cus-a-um** (Ornith., Bot.) *γλαυκός*, sea-green.
- Gla'ux** (Bot.) *γλαυκός*, blueish-grey; the colour of the leaves; a maritime genus of Primulaceæ.
- Glebionis** (Bot.) etymology unknown; a genus of Compositæ.
- Glecho'ma** (Bot.) *γλάχυντα*, a Greek name for a sort of thyme; ground ivy; a genus of Labiate.
- Gle'chon** (Bot.) the name applied to Penny-royal, both in Greek and Latin; a genus of Labiate.
- Gledi'tschia** (Bot.) P. N. in honour of *John Gottlieb Gleditsch*, a botanist of Leipzic; a genus of Leguminosæ.
- Gleichenel'la** (Ent.) P. N. in honour of *F. W. von Gleichen*, author of various works on Natural History; died in 1783.
- Gleiche'nia** (Bot.) P. N. in honour of the *Baron P. von Gleichen*, a German botanist; a genus of Ferns.
- Glenodin'i'um** (Zool.) *γλάση*, a socket or cavity; a genus of Polygastric animalcules.
- Gleno'morum** (Zool.) *γλάση*, the eye-ball, *σφρόπεδος*, bordering on; a genus of Infusoria.
- Gleno'phora** (Zool.) *γλάση*, a cavity, *φέρω*, to bear; a genus of Polygastric animalcules.
- Glenop'teris** (Ent.) *γλάση*, a honeycomb, *πτερόν*, a wing.
- Gleno'spora** (Bot.) *γλάση*, a cavity, or socket, *σπόρα*; a genus of Fungi.
- Glinus** (Bot.) *γλῖνος*, applied by Theophrastus to a kind of maple; a genus of Caryophyllaceæ.

- Gliocla'dium** (Bot.) *γλαιός*, sticky, *cladēs*, injury; a genus of Fungi.
- Gliostro'ma** (Bot.) *γλαιός*, sticky, *στεῦμα*, what is spread out; a genus of Fungi.
- Glio'trichum** (Bot.) *γλαιός*, sticky, *θριξ*, *τριχός*, hair; a genus of Fungi.
- Gli'res** (Zool.) plural of *gli'rī*, a dormouse; an order of Mammalia.
- Glirici'dia** (Bot.) a genus of Leguminosæ.
- Glischrocar'pon** (Bot.) *γλισχρός*, sticky, clammy, *καρπός*, fruit; a genus of Haloragaceæ.
- Glissan'the** (Bot.) a genus of Zingiberaceæ.
- Glob'ba** (Bot.) so named in the Moluccas; a splendid genus of Scitamineæ.
- Globif'erus-a-um** (Bot., Ent.) *globus*, a globe, *fero*, to carry.
- Globigeri'na** (Zool.) *globus*, a sphere, *gerere*, to carry; a genus of Fossil and recent Foraminifera.
- Globula'ria** (Bot., Ent.) the flowers are in globose heads; typical genus of natural order Globulariaceæ.
- Globulea** (Bot.) *globulus*, a globule; alluding to the stems.
- Globuli'na** (Bot.) *globus*, a ball; a genus of Algae.
- Glochi'dion** (Bot.) *γλωχίνη*, a point, *εἶδος*, like; a genus of Euphorbiaceæ.
- Glochidono'psis** (Bot.) the genus *Glochidion*, *ὅψις*, resemblance; a genus of Euphorbiaceæ.
- Glo'chis** (Bot.) *γλωχίς*, a projecting point.
- Glochisa'ndra** (Bot.) *γλωχίς*, a projecting point, *ἀνθη*, an anther; a genus of Euphorbiaceæ.
- Glo'citans** (Ornith.) *Lat.* clucking like a hen.
- Glo'e'a** (Ent.) *γλαιός*, sticky; a genus of Lepidoptera.
- Glo'socapsa** (Bot.) *γλαιός*, sticky, *capsa*, a box; a genus of Algae.
- Glo'ospo'rium** (Bot.) *γλαιός*, sticky, clammy, *sporium*, a spore; a genus of Fungi.
- Glo'sotila** (Bot.) *γλαιός*, sticky, *πτελον*, a feather; a genus of Algae.
- Glo'iocla'dia** (Bot.) same meaning as *Gliocladium*, *q. v.*; a genus of Algae.
- Gloiococ'eus** (Bot.) *γλαιός*, sticky, *κόκκος*, a berry; a genus of Algae.
- Gloiodic'tyon** (Bot.) *γλαιός*, sticky, *δίκτυον*, a net; a genus of Algae.
- Glo'i'o'nema** (Zool.) *γλαιός*, sticky, *νήμα*, thread.
- Gloiope'lis** (Bot.) *γλαιός*, sticky, *πιλητη*, a shield; a genus of Algae.
- Gloiotri'chia** (Bot.) *γλαιός*, sticky, *θριξ*, *τριχός*, hair; a genus of Algae.
- Glo'mera** (Bot.) *glomerō*, to form into a ball; a genus of Orchidaceæ.
- Glomera'ria** (Bot.) *glomerō*, to form into a ball; a genus of Amaranthaceæ.

- Glomera'tus-a-um** (Bot.) *glomus*, a ball, applied to any thing clustered ;  
e.g. *Campanula glomerata*.
- Glomo'psis** (Bot.) *glomus*, a ball, ὅμις, like; a genus of Fungi.
- Glo'niūm** (Bot.) a genus of Fungi.
- Glorio'sa** (Bot.) *gloriosus*, magnificent; referring to the splendour of its flowers; a splendid East Indian genus of Liliaceæ.
- Glossan'thus** (Bot.) a genus of Gesneraceæ.
- Glossas'pis** (Bot.) γλῶσσα, a tongue, *αρπίς*, a viper; a genus of Orchidaceæ.
- Glos'sina** (Ent.) γλῶσσα, a tongue.
- Glossoca'rdia** (Bot.) γλῶσσα, a tongue, *καρδία*, a heart; a genus of Compositæ.
- Glossoca'rya** (Bot.) γλῶσσα, a tongue, *κάρυον*, a nut; a genus of Verbenaceæ.
- Glossochi'lus** (Bot.) γλῶσσα, a tongue, *χεῖλος*, lip; a genus of Acanthaceæ.
- Glossoco'mia** (Bot.) γλῶσσα, a tongue, *κόμη*, hair; a genus of Campanulaceæ.
- Glosso'dia** (Bot.) γλῶσσα, a tongue, *ἴδος*, like; referring to the appendage within the flower; a genus of Orchidaceæ.
- Glosso'gyne** (Bot.) γλῶσσα, a tongue, *γυνί*, a pistil; a genus of Compositæ.
- Glossone'ma** (Bot.) γλῶσσα, a tongue, *ῥύμα*, thread; a genus of Asclepiadaceæ.
- Glossope'talum** (Bot.) γλῶσσα, a tongue, *πίταλον*, petal; a genus of Rosaceæ.
- Glossope'tra** (Fos. Zool.) γλῶσσα, a tongue, *πίτρα*, a rock; the “Tongue-stone.”
- Glosso'phaga** (Zool.) γλῶσσα, a tongue, *φάγω*, to eat; the Blood-sucker.
- Glosso'pteris** (Fos. Bot.) γλῶσσα, tongue, *πτήρις*, a fern; a genus of Oolitic ferns.
- Glossosper'mum** (Bot.) γλῶσσα, a tongue, *σπίγμα*, seed; a genus of Byttneriaceæ.
- Glossoste'mon** (Bot.) γλῶσσα, a tongue, *στίμων*, a thread; a genus of Byttneriaceæ.
- Glossoste'phanus** (Bot.) γλῶσσα, a tongue, *στίφανος*, a wreath; a genus of Asclepiadaceæ.
- Glos'sula** (Bot.) γλῶσσα, a tongue; alluding to the tongue-like segments of the labellum.
- Glottid'iūm** (Bot.) γλωττίς, the superior opening of the larynx.

**Glot'tis** (Ornith.) *Lat.* a little bird not hitherto identified, mentioned by Pliny.

**Glot'tula** (Ent.) dim. of  $\gamma\lambda\alpha\tau\tau\eta$ , a tongue.

**Glottu'lidæ** (Ent.) family of which the genus *Glottula* is the type.

**Gloxi'nia** (Bot.) P. N. in honour of Dr. Benjamin Peter *Gloxin*, of Colmar, a botanist.

**Glu'ma** (Bot.) *Lat.* a husk; the parts of Grafs-flowers are called glumes.

**Gluma'les** (Bot.) *gluma*, the husk of corn. The section of Endogens which comprises the Cyperaceæ and the Grafs.

**Glyce'ria** (Bot.)  $\gamma\lambda\alpha\kappa\rho\delta$ , sweet, referring to the seeds; a genus of Grafs.

**Glycine** (Bot.)  $\gamma\lambda\alpha\kappa\iota\zeta$ , sweet, referring to the roots; a genus of Leguminosæ.

**Glycos'mis** (Bot.)  $\gamma\lambda\alpha\kappa\iota\zeta$ , sweet,  $\delta\sigma\mu\acute{\eta}$ , a smell.

**Glycyca'rpus** (Bot.)  $\gamma\lambda\alpha\kappa\iota\zeta$ , sweet,  $\kappa\alpha\rho\pi\acute{\eta}\delta$ , fruit; a genus of Anacardiaceæ.

**Glycyrrhi'za** (Bot.)  $\gamma\lambda\alpha\kappa\iota\zeta$ , sweet,  $\mu\xi\zeta\acute{\eta}$ , a root; liquorice; a genus of Leguminosæ.

**Glyph'ica** (Ent.)  $\gamma\lambda\alpha\phi\acute{\eta}$ , carved work; referring to the markings on the wings.

**Glyphipteryg'idæ** (Ent.) the family of which the genus *Glyphipteryx* is the type.

**Glyphip'teryx** (Ent.)  $\gamma\lambda\alpha\phi\acute{\eta}\acute{\iota}\zeta$ ; a notch,  $\pi\tau\acute{\iota}\xi\upsilon\xi$ , a wing; a genus of Lepidoptera.

**Glyphis'ia** (Ent.)  $\gamma\lambda\alpha\phi\acute{\eta}\acute{\iota}\zeta$ , the notch in an arrow; from the pale lunate mark on the wing.

**Gly'phodes** (Ent.)  $\gamma\lambda\alpha\phi\acute{\eta}\acute{\iota}\zeta$ , a notch, or  $\gamma\lambda\alpha\phi\acute{\eta}$ , a carving, with terminal.

**Gly'phonod** (Zool.)  $\gamma\lambda\alpha\phi\acute{\eta}\acute{\iota}\zeta$ , a notch,  $\delta\delta\omega\bar{\eta}$ ,  $\delta\delta\omega\tau\bar{\eta}\delta$ , a tooth; a genus of Colubrine ophidians.

**Glyphe'a** (Bot., Fos. Zool.)  $\gamma\lambda\alpha\phi\acute{\eta}\acute{\omega}$ , to engrave or carve; a genus of Tiliaceæ.

**Glyphomit'rion** (Bot.)  $\gamma\lambda\alpha\phi\acute{\eta}\omega$ , to emboss,  $\mu\alpha\tau\rho\iota\omega$ , a little diadem; a genus of Cryptogamia.

**Glyp'todon** (Fos. Zool.)  $\gamma\lambda\alpha\pi\tau\bar{\eta}\delta$ , fit for carving,  $\delta\delta\omega\bar{\eta}$ ,  $\delta\delta\omega\tau\bar{\eta}\delta$ , a tooth.

**Glypto'strobis** (Bot.)  $\gamma\lambda\alpha\pi\tau\bar{\eta}\delta$ , carved, *strobis*, a cone; the scales of the cone being embossed on the face; a genus of Coniferæ.

**Gmel'i'na** (Bot.) P. N. in honour of George *Gmelin*, a celebrated German naturalist and traveller.

**Gnapha'lii** (Ent.) named from Cudweed (*Gnaphalium*), but feeds on Golden Rod.

- Gnaphalium* (Bot.) γναφάλιον, soft down, referring to the woolly herbage; a genus of Compositæ.
- Gnaphalo'des* (Bot.) the genus *Gnaphalium*, term. αδες; a genus of Compositæ.
- Gnaphalo'psis* (Bot.) the genus *Gnaphalium*, ἄψις, like; a genus of Compositæ.
- Gnat* (Ent.) *Anglo-Sax. gnaet.*
- Gnathos'toma* (Zool.) γνάθος, the jaw, στόμα, the mouth.
- Gne'tum* (Bot.) altered from *gnemon*, its name in the island of Ternate, East Indies; a typical genus of Gnetaceæ.
- Gni'dia* (Bot.) the ancient name of the laurel; a genus of Thymelaceæ.
- Gnoph'o's* (Ent.) γνόφος, darknes.
- Goat* (Zool.) *Anglo-Sax. gat.*
- Gobio'oids* (Ichth.) { *gobius*, a gudgeon, with family term.; the family of Gobio'oids (Ichth.) } the Gobies.
- Go'bis* (Ichth.) *Lat.* a gudgeon, in Greek, *κυρβίδης*.
- Go blus* (Ichth.) *Lat.* a gudgeon.
- Gode'tia* (Bot.) P. N., a genus of Onagraceæ.
- Godo'ya* (Bot.) P. N. in honour of *Godoy*, the Prince of the Peace; a genus of Ochnaceæ.
- Gos'dartel'la* (Ent.) P. N. in honour of — *Gödart*, author of “Metamorphosis et Historia Naturalis Insectorum,” 1662—67.
- Goërius* (Ent.) γονήσις, mournful, sad; “one of the commonest, and at the same time largest, insects of the family, is a black species, rather more than an inch long, commonly called The Devil’s Coach-Horse.”  
WESTWOOD.—A genus of Coleoptera.
- Goldba'chia* (Bot.) P. N. in honour of *C. L. Goldbach*, of Petersburg, botanist.
- Golu'nda* (Zool.) from the native name *Gulandi*.
- Gome'za* (Bot.) P. N. in honour of *Senor Gomez*, a Spanish apothecary.
- Gomph'a'ndra* (Bot.) γόμφος, a nail or bolt, ἀνύβη, a stamen; a genus of Olacaceæ.
- Go'mphia* (Bot.) γόμφος; a club; a genus of Ochnaceæ.
- Gomphi'dius* (Bot.) γόμφος, a nail, ἀδες, like; a genus of Fungi.
- Gomphina'ria* (Bot.) γόμφος, a nail; a genus of Fungi.
- Gompho'ca'rpus* (Bot.) γόμφος, a club, καρπός, fruit; a genus of Asclepiadaceæ.

- Gompho'cerus** (Ent.) *γόμφος*, a nail or wedge, *κίρας*, horn; a genus of Coleoptera.
- Gompho'gyne** (Bot.) *γόμφος*, a nail, *γυνη*, a pistil; a genus of Cucurbitaceæ.
- Gompholo'bium** (Bot.) *γόμφος*, a wedge, *λαθός*, a pod; a genus of Leguminosæ.
- Gomphone'ma** (Bot.) *γόμφος*, a club, *τήμα*, a thread; a genus of Algae.
- Gomphope'talum** (Bot.) *γόμφος*, a nail or wedge, *petalum*; a genus of Umbelliferæ.
- Gompho'phorus** (Bot.) *γόμφος*, a nail, *φέρω*, to bear; a genus of Musci.
- Gompho'sia** (Bot.) *γόμφος*, a nail; a genus of Cinchonaceæ.
- Gomphostem'ma** (Bot.) *γόμφος*, *stemma*, a stalk; a genus of Lamiaceæ.
- Gomphostig'ma** (Bot.) *γόμφος*, a nail, *σιγμα*; a genus of Scrophulariacæ.
- Gompho'stylis** (Bot.) *γόμφος*, a nail, *στῦλος*, a pillar (style); a genus of Orchidaceæ.
- Gomphre'na** (Bot.) *γόμφος*, a club, *φρύνη*, the midriff, referring to the flowers; the Globe-amaranth; a genus of Amaranthaceæ.
- Go'mphus** (Bot.) *γόμφος*, a club; alluding to its form.
- Gomu'tus** (Bot.) from its name in Malabar; a kind of Palm-tree.
- Gonatan'thus** (Bot.) *γόνη*, *γόνατος*, a knee or joint, *ἄνθος*, a flower; a genus of Araceæ.
- Gonatobo'trys** (Bot.) *γόνη*, *γόνατος*, a joint, *βότρυς*, a cluster; a genus of Hyphomycetous Fungi.
- Gonatoca'rpus** (Bot.) *γόνη*, *γόνατος*, a joint, *καρπός*, fruit; a genus of Halorageaceæ.
- Gonatorho'dius** (Bot.) *γόνη*, *γόνατος*, a joint, *ῥόδος*, a rose; a genus of Hyphomycetous Fungi.
- Gonato'trichum** (Bot.) *γόνη*, *γόνατος*, a joint, *θρίξ*, *τριχός*, hair; a genus of Fungi.
- Gongo'ra** (Bot.) P. N. in honour of *Anton. Caballero y Gongora*, a Spaniard and friend of Mutis; a genus of Orchidaceæ.
- Gongro'ceras** (Bot.) *γόγγης*, an excrescence, *κίρας*, a projection; a genus of Algeæ.
- Gongromeri'za** (Bot.) *γόγγης*, an excrescence on trees, *μερίζω*, to divide; a genus of Fungi.
- Gongro'nea** (Bot.) *γόγγης*, an excrescence; a genus of Asclepiadaceæ.
- Gongyla'nthus** (Bot.) *γόγγύλης*, round, *ἄνθος*, a flower; a genus of Marnchiaceæ.
- Gongyloca'rpus** (Bot.) *γόγγύλης*, round, *καρπός*, fruit; a genus of Onagraceæ.

- Gongyloclad'ium** (Bot.) γωγγύλος, round, *clades*, injury ; a genus of Fungi.
- Gongylophis** (Zool.) γωγγύλος, round, ὄφις, a serpent.
- Goniapteryx** (Ent.) γωνία, an angle, πτερύξ, a wing ; a genus of Lepidoptera.
- Gonia'ster** (Zool.) γωνία, an angle, ἀστήρ, a star ; a genus of Echinodermata.
- Gonibregma'tus** (Ent.) γωνία, an angle, βρίγμα, the fore part of the head.
- Goni'dium** (Zool.) plural *gonidia*, from γονίη, the semen ; miniature fronds which escape from the parent cell in the Infusoria.
- Goniocar'pus** (Bot.) γωνία, an angle, καρπός, fruit ; a genus of Haloragaceae.
- Goniochiiton** (Bot.) γωνία, an angle, χιτών, a covering ; a genus of Meliaceæ.
- Gonioctena** (Ent.) γωνία, an angle, κτείς, κτενίς, a comb ; from the form of the pectinated antennæ.
- Goniocystis** (Bot.) γωνία, an angle, κύστις, a bladder or pouch ; a genus of Algae.
- Goniodoma** (Ent.) γωνία, an angle, δῶμα, a house ; referring to the case of the larva.
- Gonioli'mon** (Bot.) γωνία, an angle, *limon* ; a genus of Plumbaginaceæ.
- Goniomy'cus**, plural **Goniomy'ci** (Bot.) γωνία, an angle, μύκης, a mushroom ; a family of Fungi.
- Gonionotus** (Zool.) γωνία, an angle, νάρτος, the back ; a genus of Ophiidians.
- Goniophle'bium** (Bot.) γωνία, an angle, φλέβης, a little vein ; a genus of Filices.
- Goniopholis** (Fos. Zool.) γωνία, an angle, φολίς, a scale.
- Goniopteris** (Bot.) γωνία, an angle, πτερίς, a fern ; a genus of Filices.
- Goniostem'ma** (Bot.) γωνία, an angle, *stemma* ; a genus of Asclepiadaceæ.
- Goniota'lius** (Ent.) γωνία, an angle, ἕτος, ὥτης, an ear or apex.
- Goniotha'lamus** (Bot.) γωνία, an angle, *thalamus*, bed or receptacle ; a genus of Anonaceæ.
- Goniotrich'ium** (Bot.) γωνία, an angle, θρῖξ, hair ; a genus of Algae.
- Go'nium** (Bot.) γωνία, an angle ; from the quadrangular form in which the monads are arranged ; a genus of Infusoria.
- Goniurus** (Bot.) γωνία, an angle, ὄψη, a tail ; a genus of Orontiaceæ.
- Gonoctysis** (Bot.) γωνία, an angle, *cystis* ; a genus of Leguminosæ.
- Gonodon'ta** (Ent.) γόνη, an angle, ὀδοτά, plural of ὀδοῦς, a tooth.
- Gonolobus** (Bot.) γωνία, an angle, λοβός, a pod.
- Gonop'tera** (Ent.) γόνη, a joint or angle, πτερόν, a wing.
- Gonopter'idæ** (Ent.) a family of which *Gonoptera* is the type.

- Gonop'teryx (Ent.) γωνός, angular, πτερόν, a wing; a genus of Lepidoptera.
- Gonopy'rūm (Bot.) γωνία, an angle, πυρος; a genus of Polygonaceæ.
- Gonosper'mum (Bot.) γωνία, an angle, σπέρμα, seed; a genus of Compositæ.
- Gonoste'mon (Bot.) γωνία, an angle, στήμαν, a stamen.
- Gonostig'ma (Ent.) γωνία, an angle, στιγμα, a mark; from the prominent spot at the anal angle.
- Gonothe'ca (Bot.) γωνία, an angle, θηκή, a sheath; a genus of Cinchonaceæ.
- Gonyane'ra (Bot.) γωνία, an angle, ἄνθης, a stamen; a genus of Cinchonaceæ.
- Gonyan'thes (Bot.) γωνία, an angle, ἄνθος, flower; a genus of Burmanniaceæ.
- Gonyoso'ma (Zool.) γωνία, σῶμα, bent-body; a genus of Colubrine ophiidians.
- Gonza'lea (Bot.) P. N., a genus of Cinchonaceæ.
- Goode'nia (Bot.) P. N. from Dr Goodenough, bishop of Carlisle; typical genus of Goodeniaceæ.
- Goodeno'via (Bot.) P. N. in honour of the celebrated Dr. Goodenough, a writer on *Carices*; the typical genus of Goodenoviaceæ.
- Good'a (Bot.) P. N. in honour of Peter Good, a collector of plants for Kew gardens; a genus of Leguminosæ.
- Goodsiri (Zool.) P. N. in honour of Mr. Goodsir, an eminent Zoologist.
- Goodye'ra (Bot.) P. N. in honour of John Goodyer, a British botanist; a genus of terrestrial Orchidaceæ.
- Goojratten'sis (Zool.) relating to Goojerat.
- Goose (Ornith.) Anglo-Sax. *gus*.
- Gooseberry (Bot.) corrupted from *gorse-berry*. Some think it a corruption of *grafi-berry*, the fruit, from its resemblance to small unripe figs, (the *graffi* of the ancients,) having been called *grossularia* by the Latins, whence also the French *grosselle*.
- Gordo'nia (Bot.) P. N. in honour of James Gordon, a nurseryman at Mile-End.
- Gorgo'nia (Zool.) P. N. *Gorgon*, a daughter of Phorcys, whose locks of hair were changed into serpents by Minerva.
- Gorgoni'adæ (Zool.) a family of Zoophytes.
- Gorin'kia (Bot.) P.N., a genus of Cruciferae.
- Gorte'ria (Bot.) P. N. in honour of David Gorter, Dutch Professor of Botany at Harderwych; a genus of Compositæ.
- Gorty'na (Ent.) *Gortyna*, a town of Crete.
- Gortyn'idae (Ent.) a family of which genus *Gortyna* is the type; a genus of Lepidoptera.

- Gorytes** (Ent.) γαρύτης, a quiver ; a genus of Hymenoptera.
- Go'sela** (Bot.) a genus of Selaginaceæ.
- Gossypia'nthus** (Bot.) *gossypium*, cotton, ἄνθος, a flower ; a genus of Amarantaceæ.
- Gossyp'ella** (Ent.) a small moth, very destructive to the cotton-plant in India.
- Gossy'pium** (Bot.) *Lat.* the Cotton-plant.
- Gothofre'da** (Bot.) P. N., a genus of Asclepiadaceæ, now included in *Oxypetalum*.
- Goua'nia** (Bot.) P. N. from *Antoine Gouan*, Professor of Botany at Montpelier.
- Goudo'tia** (Bot.) P. N. in honour of *M. Goudot* ; a genus of Juncaceæ.
- Gouffe'ia** (Bot.) P. N., a genus of Caryophyllaceæ.
- Goug'hia** (Bot.) P. N. in honour of —— *Gough* ; a genus of Euphorbiaceæ.
- Gouldii** (Zool.) P. N. in honour of *Mr. Gould*, author of a fine work on Humming-birds.
- Gou'pia** (Bot.) P. N., a genus of Celastraceæ.
- Goupi'lia** (Bot.) P. N., a genus of Fungi.
- Gourlie'a** (Bot.) P. N. in honour of *William Gourlie*, a Glasgow botanist ; a genus of Leguminosæ.
- Gove'nia** (Bot.) P. N. in honour of *James Robert Gowen, Esq.*
- Grabow'skya** (Bot.) P. N. in honour of —— *Grabowsky*, a Polish botanist ; a genus of Solanaceæ.
- Gracila'ria** (Ent.) *gracilis*, graceful, slender.
- Gracilaria'iidæ** (Ent.) *gracilaria*, fam. term. *ide* ; a genus of Lepidoptera.
- Graci'lia** (Ent.) *gracilis* ; a genus of Coleoptera.
- Graci'lipes** (Ent.) *gracilis*, slender, *per*, a foot.
- Grac'ilis-e** (Zool., Ent. Bot.) *Lat.* slender.
- Gracilo'des** (Ent.) *gracilis*, slender.
- Gra'culus** (Ornith.) *Lat.* a jay.
- Grade'ria** (Bot.) P. N., a genus of Scrophulariaceæ.
- Græ'lisia** (Bot.) P. N., a genus of Cruciferae.
- Graining** (Ichth.) from the *Anglo-Sax.* The *Leuciscus Lancastriensis*.
- Gra'llæ** (Ornith.) *Lat.* stilts ; an order of Birds with long legs ; Wading birds.
- Gra'mina** (Bot.) plural of *gramen*, grass ; the Grass family, often improperly called *Graminaceæ*.
- Gramini'cola** (Ent.) *gramen*, *graminis*, grass, *coto*, to inhabit.

- Gram'inia** (Ent.) *gramen*, grass; the larva is found at the roots of grass and the imago flying in grass fields.
- Grammade'nia** (Bot.) *γράμμα*, a writing, *ἀσπίν*, an acorn or gland; a genus of Myrsinaceæ.
- Gramma'lis** (Ent.) *γράμμα*, a writing.
- Gramman'thes** (Bot.) *γράμμα*, a writing; a genus of Crassulaceæ.
- Grammar'thron** (Bot.) *γράμμα*, a writing, *ἄρθρον*, a joint; a genus of Compositeæ.
- Grammatoca'rpus** (Bot.) *γράμμιτα*, *γραμμάτος*, writing, *καρπός*, fruit; a genus of Loasaceæ.
- Grammato'phyllum** (Bot.) *γράμμα*, *γράμματος*, writing, *φύλλον*, a leaf; a genus of Orchidaceæ.
- Grammato'theca** (Bot.) *γράμμα*, *γράμματος*, writing, *θήκη*, a sheath; a genus of Lobeliaceæ.
- Gramme'sia** (Ent.) *γραμμή*, a line, *μίσθος*, middle; a genus of Lepidoptera.
- Grammi'stes** (Ichth.) a genus of the family Percidae.
- Grammite'lla** (Bot.) *γράμμα*, a writing, *mitella*, a kind of turban; a genus of Algaæ.
- Gram'mitis** (Bot.) *γράμμα*, a line, alluding to the linear fructification; a genus of Ferns.
- Grammo'des** (Ent.) *γράμμα*, a letter.
- Grammone'ma** (Bot.) *γράμμα*, writing, *μῆμα*, a thread; a genus of Diatomaceæ.
- Grammo'phora** (Ent.) *γράμμα*, a letter, *φέρω*, to bear.
- Grammop'tera** (Ent.) *γράμμα*, a letter, *πτίρον*, a wing.
- Grammop'tilus** (Ichth.) *γράμμα*, a letter, *πτίλον*, a feather.
- Grammoscio'dium** (Bot.) *γράμμα*, writing, *σκιάδιον*, an umbrella or parabol, metaphorically, an umbel; a genus of Umbelliferæ.
- Grammotau'lius** (Ent.) *γραμμή*, a line, *ῶτε*, *ῶτός*, the ear, or ear-like apex.
- Grammy'sia** (Fos. Zool.) *γραμμή*, a line, *μῆς*, a muscle.
- Gra'mpus** (Zool.) corrupted from the French *grand-poilson*, great fish.
- Gran'gea** (Bot.) *Grange*, probably a man's name.
- Grange'ria** (Bot.) P. N. in honour of *N. Granger*, a traveller in Egypt and Judæa.
- Gran'ifer** (Zool. and Bot.) *Lat.* that bears grains of Corn.
- Graniv'ores** (Ornith.) *granum*, a grain, *voro*, to devour.
- Gran'tia** (Bot.) P.N. in honour of —— *Grant*; a genus of Pistiaceæ.
- Granula'tus-a-um** (Zool., Bot.) *Lat.* covered with or composed of grains.
- Grape** (Bot.) *Ital. grappa*.

- Graphi'ola** (Bot.) dim. of *graphium*, a style for writing; a genus of Fungi.
- Graphi'phora** (Ent.) γραφή, a figure, φέρω, to bear; a genus of Lepidoptera.
- Graphis** (Bot.) γράφω, to write; apothecia like writing; a genus of Lichenes.
- Gra'phium** (Bot.) *graphium*, a writing-style or pen, from the form of the apothecium; a genus of Fungi.
- Graphiu'rus** (Zool.) γραφή, a figure, σῶμα, a tail.
- Grapho'derus** (Ent.) γραφή, a marking, δέρν, the neck.
- Graphol'itha** (Ent.) γραφή, a marking, λιθος, stone; it is marbled.
- Grapholith'idæ** (Ent.) *grapholitha*, fam. term. *idae*.
- Grapto'dera** (Ent.) γραπτός, written, δέρν, the neck.
- Grap'tolites** (Fos. Zool.) γραπτός, written, λιθος, a stone.
- Graptophyllum** (Bot.) γραπτός, written, φυλλον, leaf; a genus of Acanthaceæ.
- Grapto'pora** (Fos., Zool.) γραπτός, inscribed, *porus*, a duct.
- Grass** (Bot.) is a very ancient word, and exists, with slight modifications, in all the Teutonic dialects; thus, in Anglo-Saxon, we find *graes* or *gaers*; in German *gras*; in Danish *gräs*; in Swedish and Icelandic *gras*; even in Greek there is *γράσις*, a word of exactly the same meaning.
- Grasshop'per** (Ent.) *Anglo-Sax. gaers-hoppa*.
- Grastid'ium** (Bot.) γράστις, grafts, green fodder, οὐδος, resemblance; a genus of Orchidaceæ.
- Grateloupe'lla** (Bot.) P.N. in honour of —— *Grateloup*; a genus of Algae.
- Grateloupia** (Bot.) a genus of Cryptogamia.
- Grati'ola** (Bot.) *gratia*, grace of God; used as a purge; hedge-hyssop.
- Graumüller** (Bot.) P. N. in honour of *Graumüller*; a genus of Zosteraceæ.
- Gravenhor'stia** (Bot.) P. N. in honour of *Gravenhorst*; a genus of Bruniaceæ.
- Grave'sia** (Bot.) P. N. in honour of *Mr. Graves*; a genus of Melastomaceæ.
- Gra'ya** (Bot.) P.N. in honour of —— *Gray*; a genus of Chenopodiaceæ.
- Grayia** (Zool.) P. N. in honour of *Dr. J. E. Gray*, of the British Museum.
- Grayling** (Ichth.) popular name of the *Thymellus vulgaris*.
- Greenia** (Bot.) P. N. in honour of —— *Green*; a genus of Graminae.
- Greeno'veria** (Bot.) P. N. in honour of —— *Greenough*; a genus of Crassulaceæ.
- Greenwa'ya** (Bot.) P. N. in honour of —— *Greenway*; a genus of Zingiberaceæ.

- Gregari'na* (Zool.) *grego*, to collect or assemble; a genus of Protozoa.
- Gregari'nidae* (Zool.) a group of the Protozoa.
- Gre'ggia* (Bot.) P. N. in honour of —— *Gregg*; a genus of Myrtaceæ.
- Gre'ggia* (Bot.) P.N. in honour of *M. Gregg*, an American botanist; a genus of Cruciferae.
- Grego'ria* (Zool.) P. N. in honour of *Walter Gregor*, of Banff; a genus of Actiniae.
- Gregso'ni* (Ent.) P. N. in honour of *Mr. C. S. Gregson*, of Liverpool, who first bred this species.
- Grenie'ra* (Bot.) P.N. in honour of *M. Grenier*; a genus of Caryophyllaceæ.
- Grevilla'na* (Ent.) in honour of *Dr. Greville*, who captured the species in Sutherlandshire.
- Grevi'lea* (Bot.) P. N. in honour of *C. F. Greville*, a patron of natural science; a genus of Proteaceæ.
- Gre'wia* (Bot.) P. N. in honour of *Nehemiah Grew*, M.D., F.R.S., a physiological botanist of the 17th century.
- Greyhound* (Zool.) *Anglo-Sax.* *grīghund*.
- Gri'as* (Bot.) *γράω*, to eat; referring to the fruit.
- Grie'lum* (Bot.) *γραῖος*, old; alluding to its aspect.
- Griesba'chia* (Bot.) P. N. in honour of —— *Griesbach*; a genus of Ericaceæ.
- Grieseli'nia* (Bot.) a genus of Leguminosæ.
- Griffi'nia* (Bot.) P. N. in honour of *William Griffin*, Esq., of South Lambeth.
- Griffi'thia* (Bot.) P. N. in honour of —— *Griffith*; a genus of Musci.
- Griffith'i'des* (Fos., Zool.) P. N. honour of *Sir. R. Griffiths*, the original expounder of the Carboniferous slates.
- Griffith'sia* (Bot.) P. N. in compliment to *Mrs. Griffiths*, of Devonshire; a genus of marine Algae.
- Grima'ldia* (Bot.) P. N. in honour of —— *Grimald*; a genus of Marchantiaceæ.
- Grim'mia* (Bot.) P. N. in honour of *J. F. Grimm*, a German botanist; a genus of Musci.
- Grinde'lia* (Bot.) P. N. in honour of *Grindel*, a German botanist.
- Grischo'wia* (Bot.) P.N. in honour of *Griseov*; a genus of Melastomaceæ.
- Grisea'lis* (Ent.) *griseus*, grey.
- Griseive'nter* (Zool.) *Lat.* grey-bellied.
- Griseus-a-um* (Ornith.) *Lat.* grey.
- Gris'lea* (Bot.) P. N. in honour of *G. Grifley*, a Portuguese surgeon and author.

- Gri'sola** (Ornith.) *grī/sus*, grey.
- Gro'bya** (Bot.) P.N. in honour of —— *Groby*; a genus of Orchidaceæ.
- Grom'well** (Bot.) from the *Celtic graun*, a seed, *mil*, a stone; thus synonymous with the Latin generic name *Lithospermum*.
- Gro'na** (Bot.) *γρῆνα*, eaten out, deep; a genus of Leguminosæ.
- Gro'nops** (Ent.) *γρῖψη*, a cavern, *δήρες*, appearance; a genus of Coleoptera.
- Grono'via** (Bot.) P.N. in honour of *J. F. Gronovius*, a botanist of Leyden.
- Grossa'na** (Ent.) *grō/sus*, thick, broad-built.
- Grossula'ria** (Bot.) specific name of the Hairy gooseberry, which is taken from *grassus*, an unripe fig.
- Grou'tia** (Bot.) P. N., a genus of Olacaceæ.
- Grub** (Zool.) *Anglo-Sax. graban*, to dig up or burrow.
- Gru'bba** (Bot.) P. N., a genus of Bruniaceæ.
- Gru'idæ** (Ornith.) *grus*, a crane, fam. term. *ide*.
- Grumi'lia** (Bot.) P.N., a genus of Cinchonaceæ.
- Grus** (Ornith.) *Lat.* a crane.
- Gruve'lia** (Bot.) P.N. in honour of *M. Grivel*; a genus of Boraginaceæ.
- Gry'llidæ** (Ent.) *gryllus*, fam. term. *ide*.
- Gryllotal'pa** (Ent.) *gryllus*, a cricket, *talpa*, a mole; the Mole-cricket.
- Gry'ilus** (Ent.) *Lat.* a cricket.
- Gryma'nia** (Bot.) P. N., a genus of Chrysobalanaceæ.
- Gryphæ'a** (Fos. Zool.) *γρυφός*, engraved.
- Grypha'lia** (Ent.) *γρυφός*, engraved.
- Gry'phus** (Ornith.) the Greek name of the Griffin, from *γρυπός*, because of the hooked beak; spec. name of the Condor.
- Grypi'dius** (Ent.) *γρυπτός*, curved; a genus of Coleoptera.
- Gua'dua** (Bot.) a genus of Graminae.
- Guala'cara** (Bot.) *guaiac*, a native name; a genus of Ebenaceæ.
- Gua'acum** (Bot.) *guaiac*, its name in Guiana; Lignum Vitæ.
- Gua'ira** (Bot.) a genus of Myrtaceæ.
- Gualthe'ria** (Bot.) P. N. in honour of *M. Gualthier, M.D.*, a French writer; a genus of Ericaceæ.
- Guanaba'nus** (Bot.) a genus of Anonaceæ.
- Guana'co** (Zool.) native name of the Llama.
- Guandi'ola** (Bot.) a genus of Compositæ.
- Guandi'ra** (Zool.) native name.
- Gua'nia** (Bot.) P.N., a genus of Orchidaceæ.
- Gua'pea** (Bot.) a genus of Sapotaceæ.
- Guapu'trium** (Bot.) a genus of Myrtaceæ.

- Guardi'ola** (Bot.) a genus of Compositæ.
- Gua'rea** (Bot.) *Guara*, its name in Cuba.
- Guariru'ma** (Bot.) a genus of Compositæ.
- Guatte'ria** (Bot.) P. N. from *J. B. Guatteri*, Professor of Botany at Parma.
- Gua've** (Bot.) from the American *guayba*.
- Guazu'ma** (Bot.) its name in Mexico; the Bastard cedar; a genus of Byttneriaceæ.
- Gud'geon** (Ichth.) *French, goujon.*
- Guebi'na** (Bot.) P.N. in honour of —— *Guetin*; a genus of Orchidaceæ.
- Guepa'rda** (Zool.) native name.
- Guepi'nia** (Bot.) a genus of Fungi.
- Guere'za** (Zool.) the Abyssinian name of an ape, *Cólobus Gueréza*.
- Guernsey** Lily (Bot.) a ship from Japan, conveying plants of *Amaryllis Sarniensis*, was wrecked on the coast of Guernsey, where they grew and flourished.
- Guesme'lia** (Bot.) P.N. in honour of *M. Guesmel*; a genus of Bromeliaceæ.
- Guetta'rda** (Bot.) P. N. from *Etienne Guettard*, a French botanist.
- Guevi'nia** (Bot.) P. N.; a genus of Proteaceæ.
- Guicheno'tia** (Bot.) P. N.; a genus of Byttneriaceæ.
- Guido'nia** (Bot.) P. N.; a genus of Samydaceæ.
- Guil'era** (Bot.) a genus of Combretaceæ.
- Guillandi'na** (Bot.) P. N. from *M. Guillandin*, a Prussian traveller in Africa; a genus of tropical Leguminosæ.
- Guldi'ngia** (Bot.) P.N. in honour of the *Rev. L. Guilding*; a genus of Melastomaceæ.
- Guille'ima** (Bot.) P. N., a genus of Palmæ.
- Guillemi'nia** (Bot.) P.N. in honour of *M. Guillemin*; a genus of Amarantaceæ.
- Guillemot** (Ornith.) *Wéjb, cwilawg*, whirling about; a genus of Sea-gulls.
- Guilli'mia** (Bot.) P.N., a genus of Magnoliaceæ.
- Guindi'lia** (Bot.) a genus of Xanthoxylaceæ.
- Gulo'a** (Bot.) a genus of Sapindaceæ.
- Guirao'a** (Bot.) P.N. in honour of *Guiras*; a genus of Cruciferæ.
- Guizo'tia** (Bot.) P.N. in honour of *M. Guizot*; a genus of Compositæ.
- Guldenstoc'dtia** (Bot.) P. N. from *J. A. Guldenstödt*, a naturalist.
- Gull** (Ornith.) *gula*, gluttony; from its voracity.
- Gulo** (Zool.) *gula*, the throat; applied to the Wolverine.

- Gumi'lea** (Bot.) a genus of Cunoniaceæ.
- Gumi'ra** (Bot.) a genus of Verbenaceæ.
- Gundelshei'mera** (Bot.) P. N. from *Andrew Gundelfheimer*, a German botanist, its discoverer; a genus of Compositæ.
- Gunne'ra** (Bot.) P. N. from *E. Gunner*, bishop of Drontheim, a botanist.
- Gunthe'ria** (Bot.) P.N., a genus of Ricciaceæ.
- Gupia** (Bot.) same as Gouphia, *q.v.*
- Gusso'nia** (Bot.) P. N.; a genus of Euphorbiaceæ.
- Gusta'via** (Bot.) P. N. from *Gustavus III.*, king of Sweden, patron of Linnæus.
- Gutierrez'ia** (Bot.) P.N., a genus of Compositeæ.
- Gutzla'fia** (Bot.) P. N. in honour of *Charles Gutzlaff*, the eminent Chinese missionary; a genus of Acanthaceæ.
- Guzma'nna** (Bot.) P. N. from *A. Guzman*, collector of natural history.
- Gyas** (Bot.) P.N., one of the giants; a genus of Orchidaceæ.
- Gymnaca'nthus** (Bot.) γυμνός, naked, *acanthus*; a genus of Acanthaceæ.
- Gymnache'na** (Bot.) γυμνός, naked, ἀχήρ, poor; a genus of Compositeæ.
- Gymnade'nia** (Bot.) γυμνός, naked, ἄλη, a gland; a genus of terrestrial Orchidaceæ.
- Gymnae'tron** (Ent.) γυμνός, naked, ἕρπε, the belly.
- Gymnancy'la** (Ent.) γυμνός, bare, ἄγκυλη, an arm, foreleg.
- Gymna'ndra** (Bot.) γυμνός, naked, ἄνθη, a stamen; a genus of Selaginaceæ.
- Gymna'nthe** (Bot.) γυμνός, naked, ἄθος, flower; a genus of Jungermanniaceæ.
- Gymnan'themum** (Bot.) γυμνός, naked, *anthemis*, chamomile; a genus of Compositeæ.
- Gymna'nthera** (Bot.) γυμνός, naked, *anther*; a genus of Asclepiadaceæ.
- Gymna'nthes** (Bot.) γυμνός, naked, ἄθος, flower; a genus of Euphorbiaceæ.
- Gymnarri'hæna** (Bot.) γυμνός, naked, ἄρρη, a male, (stamen), a genus of Compositeæ.
- Gymne'ma** (Bot.) γυμνός, naked, ῥῆμα, a thread.
- Gymne'trus** (Ichth.) γυμνός, naked, ἕρπε, the belly; having no anal fins.
- Gymnobala'nus** (Bot.) γυμνός, naked, *balanus*, an acorn or gland; a genus of Lauraceæ.
- Gymnoca'rpus** (Bot.) γυμνός, naked, καρπός, fruit; a genus of Illecebraceæ.
- Gymnocepha'lium** (Bot.) γυμνός, naked, κεφαλή, head or tuft; a genus of Artocarpaceæ.
- Gymnoce'phalus** (Bot.) γυμνός, naked, κεφαλή, head; a genus of Musci.
- Gymnoce'phalus** (Ornith.) γυμνός, naked, κεφαλή, the head; bare-headed.

**Gymno'cladus** (Bot.) γυμνός, naked, κλάδος, a twig; referring to its appearance.

**Gymnococ'ea** (Bot.) γυμνός, naked, κόκκος, a berry; a genus of Thymelaceæ.

**Gymno'derus** (Ornith.) γυμνός, naked, δέρος, skin; having the neck bare.

**Gymno'discus** (Bot.) γυμνός, naked, δίσκος; a genus of Compositæ.

**Gymno'dontidæ** (Ichth.) γυμνός, naked, δόντως; οδοντός, a tooth.

**Gym'nogens** (Bot.) γυμνός, naked, γεννάω, to bring forth plants the seeds of which have no capsules.

**Gymnogo'ngrus** (Bot.) γυμνός, naked, γόγγρος, an excrescence; a genus of Algae.

**Gymnogra'mma** (Bot.) γυμνός, naked, γραμμά, writing; it has naked fori; a genus of Filices.

**Gymno'gyne** (Bot.) γυμνός, naked, γυνη, female (pistil); a genus of Compositæ.

**Gymnolæ'na** (Bot.) γυμνός, naked, χλωΐνα, a mantle; a genus of Compositæ.

**Gymnolo'ma** (Bot.) γυμνός, naked, λῆμα, fringe; a genus of Compositæ.

**Gymnolo'mia** (Bot.) γυμνός, naked, λῆμα, a border.

**Gymnomit'rium** (Bot.) γυμνός, naked, μιτρίον, a small turban; a genus of Jungermanniaceæ.

**Gymnomuræ'na** (Ichth.) γυμνός, bare, muræna, an eel.

**Gymnopare'ius** (Ichth.) γυμνός, naked, παρεία, the cheek; naked-faced.

**Gymnophlo'e** (Bot.) γυμνός, naked, φλοίος, rind or bark; a genus of Algae.

**Gymnophtha'lmeta** (Zool.) γυμνός, naked, οφθαλμός, an eye; a family

**Gymnophtha'lmidæ** (Zool.) of Lizards.

**Gymnophtha'lmus** (Zool.) γυμνός, naked, ὄφθαλμός, the eye.

**Gymnopo'gon** (Bot.) γυμνός, naked, πάγων, a beard; a genus of Graminae.

**Gym'nops** (Ornith.) γυμνός, naked, ἄψη, the face; naked-faced.

**Gymno'psis** (Bot.) γυμνός, naked, ὄψις, look; a genus of Asteraceæ.

**Gymno'pteris** (Bot.) γυμνός, naked, πτερίς, a fern; a genus of Filices.

**Gymnorhi'na** (Ornith.) γυμνός, naked, βύτη, the nostril.

**Gymnoschœ'nus** (Bot.) γυμνός, naked, σχοῖνος, a rush; a genus of Cyperaceæ.

**Gymnoscia'dium** (Bot.) γυμνός, naked, σκιάδιον, an umbrella, metaphorically an umbel; a genus of Umbelliferae.

**Gymnoscy'phus** (Bot.) γυμνός, naked, σκύφος, a goblet; a genus of Marchantiaceæ.

**Gymnosi'phon** (Bot.) γυμνός, naked, σιφών, a tube; a genus of Burmanniaceæ.

- Gymnospe'rma* (Bot.) γυμνός, naked, σπέρμα, seed; a genus of Compositæ.
- Gymnosphæ'ra* (Bot.) γυμνός, naked, σφαίρα, a globe; a genus of Filices.
- Gymnospora'ngium* (Bot.) γυμνός, naked, *sporangium*; a genus of Fungi.
- Gymnospo'rium* (Bot.) γυμνός, naked, *spora*; a genus of Fungi.
- Gymno'stachys* (Bot.) γυμνός, naked, σταχύς, a spike.
- Gymno'stachy whole* (Bot.) γυμνός, naked, σταχύς, a spike; a genus of Acanthaceæ.
- Gymno'stoma* (Bot.) γυμνός, naked, στόμα, a mouth; a genus of Musci.
- Gymno'style* (Bot.) γυμνός, naked, *stylum*; a genus of Compositæ.
- Gymnothe'ca* (Bot.) γυμνός, naked, θήκη, a sheath; a genus of Loasaceæ; also a genus of Saururaceæ.
- Gymno'thrix* (Bot.) γυμνός, naked, θρίξ, a hair, (awn); a genus of Graminae.
- Gymno'tus* (Ichth.) γυμνός, naked, ράτος, the back.
- Gymnu'ra* (Zool.) γυμνός, naked, ὄψις, a tail; a sort of shrew found in Sumatra.
- Gymnu'sa* (Ent.) γυμνός, naked; a genus of Coleoptera.
- Gynandro'psis* (Bot.) γίνεσθαι, hermaphrodite, ἔμψις, appearance.
- Gynocephal'i'um* (Bot.) γυνή, a pistil, κεφαλή, a little head; a genus of Phytocrenaceæ.
- Gynozo'oids* (Zool.) γυνή, a female, ζώη, life.
- Gypa'etus* (Ornith.) γύψη, a vulture, ἀετός, an eagle; a genus of vulturine birds, so called from their partaking of the character of both eagle and vulture.
- Gypoge'eranus* (Ornith.) γύψη, γυπός, a vulture, γέρανος, a crane; a genus of Birds.
- Gyphotha'mnum* (Bot.) γύψη, a vulture, θάμνος, a shrub.
- Gypso'phila* (Bot.) γύψος, chalk, φιλέω, to love; referring to its habitation.
- Gyracan'thus* (Fos. Zool.) γυρός, round, ἄκανθα, a spine; a genus of fossil placoid fishes of the carboniferous system.
- Gyri'nidae* (Ent.) γυρεῖν, to run round; alluding to their gyratory motion.
- Gyri'nus* (Ent.) γυρεῖν, to run round, a genus of Coleoptera.
- Gyrocar'pus* (Bot.) γυρός, round, καρπός, fruit.
- Gy'roodus* (Fos. Zool.) γυρός, round, δόοντας, a tooth.
- Gyro'gonites* (Fos. Bot.) γυρός, round, γωνία, an angle.
- Gyrohyp'nus* (Ent.) γυρός, a circle, θόρος, sleep; a genus of Coleoptera.
- Gyrole'pis* (Fos. Zool.) γυρός, round, λεπίς, a scale.
- Gyro'mitra* (Bot.) γυρός, round, mitra, a turban; a genus of Fungi.

**Gyron'chus** (Fos. Zool.) γυρός, round, ὅγκος, a curve; a genus of fossil ganoid fishes.

**Gyrophæ'na** (Ent.) γυρίς, round, φαίνω, to appear.

**Gyro'phora** (Bot.) γυρός, a circle, φέρω, to bear; a genus of Lichenes.

**Gyrophra'gmium** (Bot.) γυρός, round, φράγμα, a palisade; a genus of Fungi.

**Gyropo'dium** (Bot.) γυρός, round, ποῦς, ποδός, a foot; a genus of Icicaceæ.

**Gyopris'tis** (Fos. Zool.) γυρός, round, πρίστις, a saw; a genus of fossil placoid fishes from the new red sandstone.

**Gyrosig'ma** (Bot.) γυρός, round, and the letter *sigma*; a genus of Diatomææ.

**Gyroso'rium** (Bot.) γυρός, round, *forus*; a genus of Filices.

**Gyrote'nia** (Bot.) γυρός, round, *tænia*, a ribband.

**Gyrothe'ca** (Bot.) γυρός, a circle, θήκη, a sheath.

**Gysselinel'la** (Ent.) P. N. from *J. V. Gysselini*, of Vienna, an assiduous collector.

**Haa'sia** (Bot.) P. N., a genus of Lauraceæ.

**Habena'ria** (Bot.) *habena*, a leather strap; referring to the long spur of the flower; a genus of terrestrial Orchidaceæ.

**Habe'rlea** (Bot.) P. N., a genus of Gesneraceæ.

**Habe'rlia** (Bot.) P. N., a genus of Anacardiaceæ.

**Habli'tzia** (Bot.) P. N. in honour of *C. Von Hablitz*, author of "Travels in the Crimea;" a genus of Amaranthaceæ.

**Habra'nthus** (Bot.) ἀβρός, delicate, ἄνθος, a flower; probably referring to texture of blossoms.

**Habracan'thus** (Bot.) ἀβρός, delicate, *acanthus*; a genus of Acanthaceæ.

**Habro'cerus** (Ent.) ἀβρός, delicate, κερας, a horn.

**Habro'phora** (Ent.) ἀβρός, delicate, φέρω, to bear; a genus of Hymenoptera.

**Habros'tola** (Ent.) ἀβρός, beautiful, στολή, dress.

**Habrotha'mnus** (Bot.) ἀβρός, graceful, θάμνος, a shoot or branch; a genus of Solanaceæ.

**Hackney** (Zool.) as applied to a horse, is sometimes said to come from Hackney, near London, but the French *haquenée* is also suggested.

**Hacque'tia** (Bot.) P. N. in honour of *Balthasar Hacquet*, a French naturalist and traveller, died 1815; a genus of Umbelliferæ.

**Hade'na** (Ent.) ἀδη, the nether world; on account of the dark colour of the species in this genus.

- Hade'nidæ** (Ent.) *hadena*, fam. term. *ide.*
- Haddock** (Ichth.) Irish, *codog*; old French, *hadot*.
- Ha'drus** (Ent.) ἀπός, thick, strong; a genus of Diptera.
- Hæmadic'tyon** (Bot.) αἷμα, blond, δίκτυον, a net; referring to the leaves.
- Hæma'nthus** (Bot.) αἷμα, blood, ἄθος, a flower.
- Hæmapo'physes** (Zool.) αἷμα, blood, *apophysis*; in allusion to their physiological relations with the great blood-vessels.
- Hæmato'bium** (Zool.) αἷμα, blood, βίω, to live; specific name of a parasite found in the portal vein and other blood-vessels.
- Hæmatoco'ccus** (Bot.) αἷμα-τος, blood, κόκκος, a berry; a microscopic vegetable.
- Hæmato'chrous** (Bot.) αἷμα-τος, blood, χρόα, colour.
- Hæmatocrya** (Zool.) αἷμα-τος, blood, κρύος, frost; correlative of the Hæmatotherma.
- Hæma'topinus** (Ent.) αἷμα, αἷματος, blood, τίνει, to drink; a parasitic genus of Pediculidæ.
- Hæmatopodi'næ** (Ornith.) αἷμα-τος, blood, πούς, ποδός, a foot; red-footed.
- Hæmat'o'pota** (Ent.) αἷμα, αἷματος, blood, πότης, a drinker; a genus of Diptera.
- Hæmat'o'pus** (Ornith.) αἷμα, αἷματος, blood, ποῦς, a foot; red-footed; a genus of Birds.
- Hæmat'o'pygus** (Ornith.) αἷμα, αἷματος, blood, πυγή, the rump.
- Hæmato'chis** (Bot.) αἷμα, αἷματος, blood, *orchis*; a genus of Orchidaceæ.
- Hæmatosper'nnum** (Bot.) αἷμα, αἷματος, blood, σπέρμα, seed; a genus of Euphorbiaceæ.
- Hæmato'strobos** (Bot.) αἷμα, αἷματος, blood, *strobos*, a genus of Balanophoraceæ.
- Hæmato'xylum** (Bot.) αἷμα, blood, ξύλον, wood; alluding to the colour of the wood.
- Hæmoca'rpus** (Bot.) αἷμα, blood, καρπός, fruit; a genus of Hypericaceæ.
- Hæmo'charis** (Zool.) αἷμα, blood, χαίρω, to rejoice; a parasitic genus of Annulata.
- Hæmodo'rum** (Bot.) αἷμα, blood, δῶρον, a gift.
- Hæ'mopis** (Zool.) αἷμα, blood; a genus of Annulata. *H. Sanguisorba* is the common Horse-leech.
- Ha'kea** (Bot.) P.N. from *Baron Hake*, a German patron of botany; a genus of Proteaceæ.
- Hala'carus** (Zool.) ἁλεῖ, the sea, *acarus*, a tick or mite; a genus of Arachnida.

- Hala'droma (Ornith.) ἄλας πομος, one who courses over the sea.
- Halan'thium (Bot.) ἄλας, salt, ἀθος, a flower; a genus of Chenopodiaceæ.
- Ha'larchne (Zool.) ἄλας, sea, ἀράχνη, a spider; a genus of Arachnida.
- Halca'mpa (Zool.) ἄλας, the sea, κάμπη, a maggot; a genus of Actiniæ.
- Halcyon'nis (Fos. Ornith.) halcyon, ὄψις, bird; an extinct bird of the Eocene.
- Halecinum (Zool.) relating to the sea.
- Hale'cium (Zool.) ἄλας, the sea; a genus of Zoophytes.
- Hale'sia (Bot.) P.N. from S. Hales, D.D., F.R.S., the Snowdrop-tree; a genus of Nat. Ord. Styracaceæ.
- Hal'ia (Ent.) P.N. a Nereid or sea-nymph.
- Haliaëtus (Ornith.) ἄλας, the sea, ἀετός, an eagle.
- Hal'ias (Ent.) ἄλιας, a fishing-boat, in allusion to the form of the larva. Or from ἄλιας, belonging to the sea; perhaps in allusion to the colour of the perfect insect.
- Halibut or Holibut (Ichth.) from holy and Dutch *but* or *bot*, a flounder; i.e., holy flounder.
- Halichœ'rhus (Zool.) ἄλας, the sea, χοῖρος, a pig.
- Halichon'dria (Zool.) ἄλας, sea, χῶνδρος, cartilage; a genus of Sponges.
- Hali'core (Zool.) ἄλας, the sea, κίρη, a maid.
- Halico'ridæ (Zool.) halicore, fam. term, *idae*; a family of Mammalia.
- Hali'drys, (Bot.) ἄλας, the sea, δρῦς, an oak; a genus of marine Algae.
- Ha'lieus (Ornith.) ἄλευτος, a fisher; a genus of Birds.
- Halimoden'dron (Bot.) ἄλιμος, maritime, διέδοστος, a tree.
- Ha'limus (Bot.) ἄλιμος, maritime.
- Hali'onyx (Bot.) ἄλας, the sea, ὄνυξ, a claw; a genus of marine Diatomaceæ.
- Halio'tis (Zool.) ἄλιας, sea, οὖς, ὠτος, ear; the sea Ear-shell.
- Ha'liphis (Ent.) ἄλιπησος, sailing on the sea.
- Halisa'rea (Zool.) ἄλας, the sea, σαρκος, σαρκος, flesh; a genus of marine Sponges.
- Hali'seris (Bot.) ἄλας, the sea, σέρις, endive; it has membranous fronds; a genus of fucoid Alge.
- Halithœ'a (Zool.) ἄλας, the sea; a genus of marine Annelides.
- Halithe'rium (Fos. Zool.) ἄλας, ἄλος, the sea, θήριος, a wild beast; an extinct cetacean of the tertiary.
- Halle'ria (Bot.) P.N. in honour of Albert Haller, a distinguished botanist, physiologist, and physician.
- Halle'sus (Ent.) a genus of the Phryganidae.
- Ha'llia (Bot.) P.N. from Berger Martin Hall, a pupil of Linnaeus.

- Halluca'tus (Zool.) *hallex*, a thumb or great toe.
- Halma'tu'rus (Zool.) ἄλμα, a spring or leap, σύρα, a tail; applied to certain of the Kangaroos.
- Halo'charis (Bot.) ἄλει, ἄλει, the sea, *charis*; a genus of Chenopodiaceæ.
- Halo'ge-ton (Bot.) ἄλει, sea, γείτων, a neighbour; loves salt-water; a genus of Chenopodiaceæ.
- Haloglos'sum (Bot.) ἄλει, sea, γλῶσσα, tongue; a genus of marine Algæ.
- Hallo'menus (Ent.) ἄλλομενος, to spring or leap.
- Halo'nia (Fos. Bot.) dim. of *halo*, the luminous circle round the sun; a fossil genus intermediate between Lycopods and Conifers; also, a genus of Fungi.
- Halo'phila (Bot.) ἄλει, sea, φιλεῖν, to love; loves sea-water; a genus of Podofermaceæ.
- Halo'pithys (Bot.) ἄλει, sea, πιτύη, a pine-tree; a genus of marine Algæ.
- Halo'pteris (Bot.) ἄλει, sea, πτερίς, a fern; a genus of marine Algæ.
- Halora'gis (Bot.) ἄλει, the sea, βάζο, a berry, especially a grape; typical genus of aquatic family Halorageaceæ.
- Halorhiza (Bot.) ἄλει, sea, βάζα, root; a genus of marine Algæ.
- Halosa'ccion (Bot.) ἄλει, sea, τσάκιον, dim. of σάκκος, a small bag; a genus of marine Algæ.
- Haloschœ'nus (Bot.) ἄλει, sea, σχοῖνος, a rush; "Sea-side rush"; a genus of Cyperaceæ.
- Halo'stachys (Bot.) ἄλει, sea, σταχύς, a bunch or cluster; a genus of Chenopodiaceæ.
- Ha'loxylon (Bot.) ἄλει, salt, ξυλόν, wood; a genus of Chenopodiaceæ.
- Halte'res (Ent.) *Lat.* balancers, from *halter*, a weight or dumb-bell; some membranous appendages to certain Dipterous insects.
- Halte'ria (Zool.) ἀλτηρη, a dumb-bell; a genus of Infusoria.
- Halterip'terus (Ent.) ἀλτηρη, a dumb-bell, πτέρον, a wing, from the small bodies on the top of the wings in some Dipterous insects.
- Haltero'phora (Bot.) ἀλτηρη, a dumb-bell, φέρειν, to bear; a genus of Fung.
- Ha'lita'ca (Ent.) ἀλτική, good at leaping, active.
- Haltiche'lla (Ent.) dim. of *Haltica*.
- Halu'rus (Bot.) αἴλι, sea, σύρα, tail; a genus of marine Algæ.
- Halyme'nia (Bot.) ἄλει, the sea, ιψήν, a membrane; a genus of marine Algæ.
- Halysi'tes (Fos. Zool.) ἀλυσίς, a chain; the chain-pore coral of the palaeozoic strata.
- Hamadryas (Zool.) P.N., a nymph of the trees; a genus of Colubrine ophidians; and in Botany, a genus of Ranunculaceæ.

- Hamame'lis (Bot.) ἄμης, together with, μῆλον, an apple ;
- Hame'lia (Bot.) P.N. from *H. L. Du Hamel Du Monceau*, a celebrated botanist, who died in 1782.
- Hamel'lus (Ent.) *hamus*, a hook.
- Hamilto'nia (Bot.) P.N. from *Mr. Hamilton*, an American botanist.
- Ha'mite (Fos. Zool.) *hamus*, a hook ; the Hook-shell; a genus of Ammonites.
- Ha'mites (Fos. Zool.) *hamus*, a hook.
- Hamo'des (Ent.) *hamus*, a hook, εἴδος, like.
- Ha'mula (Ent.) dimin. of *hamus*, a hook.
- Han'noa (Bot.) P. N., a genus of Simarubaceæ.
- Hapali'dium (Bot.) ἀπαλός, soft ; a genus of Algae.
- Hapaloste'phium (Bot.) ἀπαλός, soft, στεφός, a crown ; a genus of Compositæ.
- Hapalo'tis (Zool.) ἀπαλός, soft, tender, οὖς, ὄτος, the ear, rabbit-eared.
- Hapla'nthera (Bot.) ἀπλοῦς, simple, *anther* ; a genus of Acanthaceæ.
- Hapla'ria (Bot.) ἀπλοῦς, simple ; a genus of Fungi.
- Haploce'recus (Zool.) ἀπλός, plain, κέρνος, a tail ; a genus of Colubrine ophidians.
- Haplodi'ctyon (Bot.) ἀπλοῦς, simple, δίκτυον, a net ; a genus of Polypodioid Filices.
- Haploscia'dium (Bot.) ἀπλοῦς, simple, σκιάθειον, an umbrella (umbel) ; a genus of Umbelliferae.
- Ha'plota (Ent.) ἀπλότης, plainness.
- Hapsi'dophrys (Zool.) *haptus*, a bandage, ὅψης, the eyebrow ; a genus of Colubrine ophidians.
- Hardwi'ckia (Bot.) P.N. from *Major Gen. Hardwick*, E.I.C. Artillery.
- Hare (Zool.) *Anglo-Sax. hara*.
- Hare'ngus (Ichth.) *German*, *heir*, an army ; to express the vast numbers in which the Herring occurs.
- Hare'stall Cotton-grass (Bot.) Seems to be a translation of “*Juncus alpinus cum caudâ Leporinâ*,” its name in J. Bauh. ii. 514 ; and Pluk. Almag., 201.
- Hare'wort (Bot.) *Anglo-Sax. hare-wyrt*.
- Harla'ndia (Bot.) P. N., a genus of Cucurbitaceæ.
- Haro'nga (Bot.) its name in Madagascar.
- Ha'rpa (Zool.) *Lat.* a harp ; the Harp-shell.
- Harpachæ'na (Bot.) ἄρπη, a sickle, ἀχήν, poor, a genus of Compositæ.
- Harpa'chne (Bot.) ἄρπη, a sickle, ἀχήν, chaff ; a genus of Graminae.

**Harpa'ctopus** (Ent.) ἀπακτός, snatched up, πούς, a foot; a genus of Hymenoptera.

**Harpa'ctus** (Ent.) ἀπακτός, snatched up; a genus of Hymenoptera.

**Ha'rpagus** (Ornith.) *harpago*, to rob or plunder.

**Harpa'lidae** (Ent.) *harpalus*, fam. term. *ide*.

**Ha'rpalus** (Ent.) ἀπαλός, greedy; a genus of Coleoptera.

**Harpa'lyce** (Bot.) P. N. from *Harpalyce*, daughter of Lycurgus, king of Thrace;

“ qualis equos Threissa fatigat

Harpalyce, volucremque fugā prævertitur Hebrum.”

VIRG. *AEn.* i. 320.

**Harpane'ma** (Bot.) ἄρψη, a sickle, νήμα, thread; a genus of Asclepiadaceæ.

**Harpa'nthus** (Bot.) ἄρψη, a sickle, ἄνθος, flower; a genus of Jungermanniaceæ.

**Harpel'la** (Ent.) ἄρψη, a sickle.

**Harpe'phora** (Bot.) ἄρψη, a sickle, φέρω, to bear; a genus of Compositeæ.

**Harpoca'rpus** (Bot.) ἄρψη, a sickle, κάρπωσ, fruit; a genus of Compositeæ.

**Harpochi'lus** (Bot.) ἄρψη, a sickle, χεῖλος, a lip; a genus of Acanthaceæ.

**Harpo'chlos** (Bot.) ἄρψη, a sickle, χλός, grass; a genus of Graminae.

**Harpu'lia** (Bot.) a genus of Sapindaceæ.

**Harra'chia** (Bot.) P. N., a genus of Acanthaceæ.

**Harriers** (Ornith.) supposed to allude to their mode of seeking their prey: they fly slowly along at a little distance from the ground, apparently beating over every part of the surface, in the manner of a dog hunting for game.

**Harriso'nia** (Bot.) P. N. from *Mrs. Harrison*, of Aigburgh, Liverpool.

**Hart** (Zool.) *Anglo-Sax. heort*.

**Hartig'hsea** (Bot.) P. N., a genus of Meliaceæ.

**Harti'gia** (Bot.) P. N., a genus of Melastomaceæ.

**Hartma'nnia** (Bot.) P. N., a genus of Compositeæ.

**Hartmannia'na** (Ent.) P. N. in honour of *P. E. Hartmann*, Professor at Frankfort-on-the-Oder, born in 1727.

**Harto'gia** (Bot.) P. N. from *J. Hartog*, a Dutch traveller.

**Hartwe'gia** (Bot.) P. N. in honour of *Theodore Hartweg*, a successful collector of Mexican plants for the Horticultural Society, London, who discovered this genus of Mexican Orchidaceæ.

**Harve'ya** (Bot.) P. N. in honour of *Dr. Harvey*, of Dublin; a genus of Scrophulariaceæ.

**Ha'seltia** (Bot.) P. N., a genus of Tiliaceæ.

- Ha'seltia** (Bot.) P. N., a genus of Apocynaceæ.
- Hassa'lia** (Bot.) P. N. in honour of *A. H. Hassall, M.D.*; a genus of confervoid Algae.
- Hasselqui'stia** (Bot.) P.N. from *F. Hasselquist, M.D.*, its discoverer, who died in 1752; he was a pupil of Linnæus, and a celebrated traveller in the Holy Land.
- Hasska'rlia** (Bot.) P. N., a genus of Pandanaceæ.
- Hasta'ta** (Ent.) *hasta*, a spear; from the spear-shaped markings.
- Hasta'tus-a-um** (Bot.) *Lat.*, having arrow-shaped leaves.
- Hastia'na** (Ent.) P. N. in honour of “Reinh. Hoff, Fennus natus ad Infectorum historiam, et in flore ætatis perit egregius discipulus.”  
(LINNÆUS.)
- Hasti'ngia** (Bot.) P. N., a genus of Byttneriaceæ.
- Hautboy, or Hautbois** (Bot.) this name of a strawberry is probably from the *high-woods* of its native Bohemia; in French, *haut-bois*.
- Hau'ya** (Bot.) P. N. in honour of *René Joffre Hauy*, the celebrated Crystallographer, died 1822, aged 79; a genus of Onagraceæ.
- Have'tia** (Bot.) P. N., a genus of Clusiaceæ.
- Hawk** (Ornith) *Anglo-Sax.* *hafoc*.
- Hawker'a'na** (Ent.) P.N. in honour of *Rev. W. H. Hawker*, of Horndean, Hants, who first captured the species in 1855.
- Hawo'rthia** (Bot.) P.N. from *A. H. Haworth, F.L.S.*, a distinguished botanist.
- Haworthia'ta** (Ent.) P. N. from *Adrian Hardy Haworth*, author of “Lepidoptera Britannica.”
- Ha'wthorn** (Bot.) *Anglo-Sax.* *hæg*, a hedge, *thorn*, a thorn.
- Haxto'nia** (Bot.) P. N., a genus of Compositæ.
- Haylo'ckia** (Bot.) P. N. in honour of *Matthew Haylock*, Herbert's intelligent gardener; a genus of Brazilian Amaryllidaceæ.
- Hay'nea** (Bot.) P. N.; a genus of Compositæ.
- Hazel-nut** (Bot.) *Anglo-Sax.* *hæsl-nutu*, i.e. Head-dress nut, because of its peculiar involucrum.
- Headley'a'na** (Ent.) first captured in *Headley Lane*, near Mickleham: an instance of the want of an efficient system of scientific nomenclature.
- Heath** (Bot.) *Anglo-Sax.* *hæth*.
- Heba'nthe** (Bot.) *Hebe*, *æbæs*, a flower; a genus of Amaranthaceæ.
- He'be** (Bot.) P. N., the goddes of youth; a genus of Scrophulariaceæ.
- He'bea** (Bot.) same derivation; a genus of Iridaceæ.

- Hebe'ndra** (Bot.) *Hebe*, ἀνὴρ, ἀδρός, a male (stamen); i.e., having stamens resembling those of that genus; a genus of Polygalaceæ.
- Hebenstreit'a** (Bot.) P.N. from *J. E. Hebenstreit*, *M.D.*, Professor of Botany at Leipzig.
- Heca'e'rge** (Ent.) *εκεργός*, far-darting; a genus of Arachnida.
- Hecate'ra** (Ent.) P.N., from Ἑκάτη, the goddess of the nether world.
- Hectocoty'lus** (Zool.) *ἐκατόν*, a hundred, *κοτύλη*, a sucker.
- Hecuba'e'a** (Bot.) P.N. from *Hecuba*, wife of Priam, king of Troy; a genus of Compositæ.
- Hedaro'ma** (Bot.) *ἡδύς*, sweet, *aroma*, smell; a genus of Chamælauciaceæ.
- He'dera** (Bot.) *Lat.* ivy, the word is thought by some to be from the Celtic *hedra*, a cord. The true Hedera of the ancients is supposed to be a yellow-berried variety of *H. Helix*, found in the East Indies and occasionally in Italy.
- Hedgehog** (Zool.) perhaps from *urchin-hog*, or from its form and place of resort.
- Hedraio'phyllum** (Bot.) *ἱδραιός*, fixed, sedentary, *φυλλόν*, leaf; a genus of Compositæ.
- Hedraio'stylis** (Bot.) *ἱδραιός*, fixed, *στῦλον*, pillar (style); a genus of Euphorbiaceæ.
- Hedwi'gia** (Bot.) P. N. from *John Hedwig*, the great Bryologist, who died in 1799; a genus of West Indian Amyridaceæ; also a genus of Cryptogamia.
- Hedwigi'dium** (Bot.) P. N. in honour of *Johann Hedwig*, a distinguished German Botanist, born 1730, died 1799; a genus of Musci.
- Hedyca'rpus** (Bot.) *ἡδύς*, sweet, *καρπός*, fruit; a genus of Sapindaceæ.
- Hedyca'rya** (Bot.) *ἡδύς*, sweet, *καρύον*, a nut; a genus of Monimiaceæ.
- Hedy'chium** (Bot.) *ἡδύς*, sweet, *χιόνη*, snow.
- He'dycrum** (Ent.) *ἡδύς*, pleasant *χρίσια*, colour; a genus of brilliantly-coloured Hymenopterous insects.
- Hedyo'smum** (Bot.) *ἡδύς*, sweet, *σμυνη*, a smell; a genus of Chloranthaceæ.
- Hedyo'tis** (Bot.) *ἡδύς*, sweet, *ωτός*, *ωτός*, an ear; it has leaves like ears.
- Hedy'pnois** (Bot.) *ἡδύς*, sweet, *πνίων*, to breathe; it scents the breath.
- Hedy'sarum** (Bot.) *ἡδύς*, sweet, *ἄρωμα*, a spice; a genus of Leguminosæ.
- Heegeriel'a** (Ent.) P. N. in honour of *Herr Ernst Heeger*, author of "Beiträge zur naturgeschichte der Physapoden."
- He'eria** (Bot.) P. N., a genus of Melastomaceæ.
- Hege'mone** (Bot.) *ἱγεμών*, a leader; a genus of Ranunculaceæ.
- Hegetschweil'era** (Bot.) P. N., a genus of Leguminosæ.

- Heifer** (Zool.) *Anglo-Sax.* *heofre*, a young cow.
- Hei'mia** (Bot.) P.N. from *Dr. Heim*, a celebrated Berlin physician.
- He'insia** (Bot.) P. N., a genus of Cinchonaceæ.
- Heinze'lia** (Bot.) P. N., a genus of Acanthaceæ.
- Heinzelma'nnia** (Bot.) P. N., a genus of Scrophulariaceæ.
- Hein'zia** (Bot.) P. N., a genus of Leguminosæ.
- Heiste'ria** (Bot.) P.N. from *Lawrence Heister*, Professor of Botany at Halstadt; died in 1758.
- He'lamys** (Zool.) ἥλη, heat of the sun, μῦς, a rat; the Jumping rat, found at the Cape of Good Hope.
- Helarc'tos** (Zool.) ἥλιος, the sun, ἄρκτος, a bear; generic name of the Sun Bears.
- Hele'niūm** (Bot.) P. N. from *Helen*, daughter of Jupiter and Leda, wife of Menelaus, and the cause of the Trojan war; a genus of Compositæ.
- Heliac'tin** (Ornith.) ἥλιος, the sun, ἀντίς, a ray; a genus of Humming-birds.
- Helian'gelus** (Ornith.) ἥλιος, the sun, ἀγγέλος, an envoy or herald; a genus of Humming-birds.
- Helian'thea** (Ornith.) ἥλιος, the sun, ἄρθος, a flower; a genus of Humming-birds.
- Helian'themum** (Bot.) ἥλιος, the sun, ἀρθεμόν, a flower; the Sun-rose; a genus of Cistaceæ.
- Heliantho'ida** (Zool.) ἥλιος, the sun, ἄρθος, a flower, εἶδος, like; a family of Actiniform Zoophytes.
- Helia'nthus** (Bot.) ἥλιος, the sun, ἄρθος, a flower; the Sun-flower; a genus of Compositæ.
- Hell'cidæ** (Zool.) ἥλιξ, any thing spiral or twisted; a family of Phytophagous gasteropods.
- Helichry'sum** (Bot.) ἥλιος, the sun, χρυσός, gold; referring to the golden blossoms of the original species; a genus of Compositæ.
- Helicomy'ces** (Bot.) ἥλικος, twisted, μύκης, a fungus; a genus of Fungi.
- Helico'nia** (Bot.) P. N. from *Helicon*, the mountain of the Muses.
- Helicoce'ras** (Fos. Zool.) ἥλικος, spiral, κίρας, a horn.
- Helicophyl'lum** (Bot.) ἥλικος, twisted, φύλλον, leaf; a genus of Bryaceous mosses.
- Helicoops** (Zool.) ἥλικος, twisted, ὄψις, the eye; a genus of Ophidians.
- Helicosper'ma** (Bot.) ἥλικος, twisted, σωρόπους, seed; a genus of Caryophyllaceæ.

- Helicospo'rium** (Bot.) ἑλικός, twisted, σπορά, a sporule; it has twisted sporules; a genus of Hypomycetous Fungi.
- Helicoste'gia** (Zool.) ἑλίξ, a spiral, στύγη, a chamber; an order of Foraminifera.
- Helicostylum** (Bot.) ἑλικός, twisted, στῦλος, a pillar (style); a genus of Fungi.
- Helicotha'mnion** (Bot.) ἑλικός, twisted, θαμνίος, a small shrub; a genus of Algae.
- Helicotrichum** (Bot.) ἑλικός, twisted, θριξ, τριχός, hair; a genus of Fungi.
- Helio'ta** (Bot.) ἑλικτός, twisted, wreathed; a genus of Compositæ.
- Helic'teres** (Bot.) helix, a screw; the carpels are twisted; the Screw-tree.
- Helic'tis** (Zool.) ἑλικτίς, rolled, twisted.
- Helierella** (Bot.) P. N., a genus of Algæ.
- Heliocar'pus** (Bot.) ἥλιος, the sun, καρπός, fruit.
- Helio'ceras** (Fos. Zool.) ἥλιος, the sun, κέρας, a horn; a genus of Ammonites.
- Heliooco'pris** (Ent.) ἥλιος, the sun; the genus *Copris*.
- Helio'des** (Ent.) ἥλιοιδής, like the sun, bright and beaming.
- Helidi'o'nes** (Ent.) ἥλιος, δινήσις, whirling in the sun.
- Helido'xa** (Ornith.) ἥλιος, the sun, δόξα, glory; a genus of Humming-birds.
- Heliol'i'tes** (Fos. Zool.) ἥλιος, the sun, λίθος, a stone; an extensive genus of corves of the family of Milleporidæ.
- Heliooma'ster** (Ornith.) ἥλιος, the sun, ἀστρή, a star.
- Heliope'a'dica** (Ornith.) ἥλιος, the sun, νεανίας, young; a genus of Humming-birds.
- Heliope'lta** (Bot.) ἥλιος, the sun, (alluding to the rays) μίλτη, a shield; a genus of Diatomaceæ.
- Heliope'sis** (Bot.) ἥλιος, the sun, ὄψις, appearance; referring to its flowers; a genus of Compositæ.
- Hello'phila** (Bot.) ἥλιος, the sun, φίλια, to love; a pretty genus of Cruciferæ.
- Hello'philus** (Ent.) ἥλιος, the sun, φίλος, a lover.
- Heliorni'nae** (Ornith.) ἥλιος, the sun, ὄψη, a bird; a subfamily of Anseres.
- Heliory'ctes** (Ent.) ἥλιος, the sun, ὄρύκτης, a digger; a genus of Hymenoptera.
- Heliospe'rma** (Bot.) ἥλιος, the sun, σερίφημα, feed; a genus of Caryophyllaceæ.
- He'lio'thidae** (Ent.) *heliothidis*, fam. term. idæ.

- Helio'this** (Ent.) ἡλιωθής, scorched by the sun.
- He'liothrix** (Ornith.) ἡλιος, the sun, θρίξ, hair; sometimes written *Helio-thrys*; a genus of Humming-birds.
- Heliotro'pium** (Bot.) ἡλιος, the sun, τρόπη, a turning; alluding to its flowers; now applied to another plant, the well-known and fragrant Heliotrope of Peru; a genus of Ehretiaceæ.
- Helio'trypha** (Ornith.) ἡλιος, the sun, τρυφή, luxury; a genus of Humming-birds.
- He'lip'terum** (Bot.) ἡλιος, a bolt or nail, τρίγονος, a wing; a genus of Compositæ.
- He'lito'phylum** (Bot.) ἡλίτης, like nails, φύλλασ, a leaf, a genus of Proteaceæ.
- Helixa'nthera** (Bot.) ίλιξ, a spiral, anthera; a genus of Loranthaceæ.
- Hella** (Ent.) ἡλλάς, inactivity, delay.
- Hellebora'ster** (Bot.) *helleborus*, after, a star; a genus of Ranunculaceæ.
- Hellebori'ne** (Bot.) having some resemblance to *helleborus*; English name of Epipactis; a genus of Orchidaceæ.
- Helle'borus** (Bot.) ἡλιός, inf. aor. 2 of αἴπειν, to kill, βορά, food; referring to its poisonous qualities; a celebrated genus of Ranunculaceæ. The Hellebore of the ancients was *Helleborus orientalis*.
- Helle'nia** (Bot.) P. N. from *C. N. Hellenius*, Professor at Abo.
- Helle'ria** (Bot.) P. N., a genus of Humiriaceæ.
- Hellman'i** (Ent.) P. N. in honour of *A. Hellmann*, author of a treatise on the Anatomy of Snakes, published at Gottingen, 1817.
- Hellwi'ngia** (Bot.) P. N., a genus of Hacourtiaceæ.
- Helmi'ntha** (Bot.) ἡλμίνθης, a little worm; referring to its feeds; a genus of Umbelliferae.
- Helminthi'tes** (Fos. Zool.) ἡλμῖντης, ἡλμῖνθος, a worm; the worm-trails of sandstone.
- Helmintho'chortus** (Bot.) ἡλμῖντης, ἡλμῖνθος, a worm, χόρτος, grass; a genus of Ceramian Algeæ.
- Helminthone'ma** (Bot.) ἡλμῖντης, ἡλμῖνθος, a worm, νήμα, a thread; a genus of Algæ.
- Helmin'thora** (Bot.) ἡλμῖντης, ἡλμῖνθος, a worm; a genus of Fungi.
- Helminthosp'orium** (Bot.) ἡλμῖντης, a worm, σπόρα; a genus of Hypocreous Fungi.
- Helminthosta'chys** (Bot.) ἡλμῖντης, ἡλμῖνθος, a worm, σταχυς; a bunch; a genus of Ophioglossaceous Ferns.
- Helmispo'rium** (Bot.) ἡλμῖντης, a worm, σπορά, a sporule.

- He/o'cera** (Ent.) ἥλος, a nail, κίρας, a horn.
- He/lode'rma** (Zool.) ἥλος, a nail or stud, δέρμα, the skin.
- He/lode'rmidæ** (Zool.) *heloderma*, fam. term. *idae*; the Caltepons of Heloderms.
- He/lodes** (Ent.) ἥλος, a nail, εἶδος, like.
- He/lodus** (Fos. Ichth.) ἥλος, a nail or stud, οδοῦς, a tooth; "stud-tooth;" a genus of cestriacian fish-teeth of the carboniferous rocks.
- He/o'gyne** (Bot.) ἥλος, a bolt or nail, γυνη, female (piffl); a genus of Compositeæ.
- He/o'nias** (Bot.) ἥλος, a marsh; alluding to its habitation.
- He/lopho'ridæ** (Ent.) a family of Coleoptera of which *Helophorus* is the type.
- He/o'phorus** (Ent.) ἥλος, a wart or knob, φέρω, to bear.
- He/o'phytum** (Bot.) ἥλος, a nail, φυτόν, a plant; a genus of Crassulaceæ.
- He/o'pidæ** (Ent.) a family of Coleoptera of which *Helops* is the type.
- He/lops** (Ent.) ἥλος, a wart or knob, ὅμιλος, resemblance.
- He/loscia'dium** (Bot.) ἥλος, a marsh, σκάσιον, metaphorically an umbelliferous plant, an aquatic genus of Umbelliferæ; *vide* Gymnosciadium.
- He/lot'a/rsus** (Ornith.) ἥλος, a nail, *tarfus*.
- He/o'tium** (Bot.) ἥλος, a nail; a genus of Fungi.
- He/vel'la** (Bot.) a name employed by Cicero for a fungus; some think a sort of small cabbage; a genus of Fungi.
- He/vetica'ria** (Ent.) *Helvetius*, Swiss.
- He/vola** (Ent.) *helvolus*, pale yellow.
- Hemerobi'l'a** (Ent.) dim. of ἡμερόβιος, living for a day, or resembling a *Hemerobius*, a Neuropterous fly.
- Hemero'bius** (Ent.) ἡμέρα, day, βιών, to live; a genus of Neuropterous insects.
- Hemero'blem'ma** (Ent.) ἡμέρος, tame, soft, βλέμμα, the look, visage.
- Hemero'callis** (Bot.) ἡμέρα, a day, καλλος, beauty; referring to its duration; a genus of Liliaceæ.
- Hemero'phila** (Ent.) ἡμέρα, the day, φιλεῖν, to love.
- Hemiau'lus** (Bot.) ᾧμι, half, αὐλή, a chamber; a genus of Diatomaceæ.
- Hemicarpu'rus** (Bot.) ᾧμι, half, καρπός, fruit, οὐρά, a tail; a genus of Araceæ.
- Hemi'ceras** (Ent.) ᾧμιστος, half, κίρας, a horn.
- Hemic'e'ridæ** (Ent.) a family of which *Hemiceras* is the type.
- Hemichæ'na** (Bot.) ᾧμι, half, χαίνω, to gape; a genus of Scrophulariaceæ.
- Hemichlæ'na** (Bot.) ᾧμι, half, χλαινεῖ, a mantle; a genus of Cyperaceæ.

- Hemichoris'te** (Bot.) ἡμι, half, χωριστός, separated; a genus of Acanthaceæ.
- Hemi'chroa** (Bot.) ἡμι, half, χρόα, colour; a genus of Amarantaceæ.
- Hemici'daris** (Fos. Zool.) ἡμι, half, *cidaris*, having large spine-bearing tubercles on the lower part of the ambulacra.
- Hemicir'cus** (Ornith.) ἡμι, half, κέρκος, a tail; it should be *Hemicercus*.
- Hemicli'dia** (Bot.) ἡμι, half, κλείς, κλεῖδος, a key; a genus of Proteaceæ.
- Hemicosmi'tes** (Fos. Zool.) ἡμι, half, κόσμος, order, arrangement; a cystidean genus of the lower Silurian rocks.
- Hemicy'clia** (Bot.) ἡμι, half, κύκλος, a ring or circle; a genus of Euphorbiaceæ.
- Hemidactyle'l'a** (Ent.) ἡμι, half, δάκτυλος, a finger or plume, one of the five divisions of the wings of a Pterophorus; the moth somewhat resembling a plume in the narrowness of its wings and the length of the fringes.
- Hemidac'tylus** (Zool.) ἡμι, half, δάκτυλος, a toe; the Half-toed Geckos.
- Hemide'smus** (Bot.) ἡμι, half, δεσμός, a band.
- Hemidio'tyon** (Bot.) ἡμι, half, δίτυον, a net; a genus of Polypodioid Filices.
- Hemidip'sas** (Zool.) ἡμι, half, διφάσ, a serpent; a genus of Colubrine ophidians.
- Hemi'gale** (Zool.) ἡμι, half, γαλῆ, a weasel.
- Hemig'y'mnia** (Bot.) ἡμι, half, γυμνός, naked; a genus of Verbenaceæ.
- Hemig'y'ne** (Bot.) ἡμι, half, γυνή, female (pistil); a genus of Myrsinaceæ.
- Hemilo'ba** (Bot.) ἡμι, half, λοβός, a pod; a genus of Gesneraceæ.
- Hemi'meris** (Bot.) ἡμι, half, μερίς, a part; a half-flower; a genus of Scrophulariaceæ.
- Hemioni'tis** (Bot.) ἡμιονος, a mule: it is supposed to be sterile; a genus of Filices.
- Hemiphle'bium** (Bot.) ἡμι, half, φλεψ, φλεβός, a vein; a genus of Polypodioid Filices.
- Hemiphra'gma** (Bot.) ἡμι, half, φράγμα, a fence or division; a genus of Scrophulariaceæ.
- Hemipne'ustis** (Fos. Zool.) ἡμι, half, πνεύστης, one who blows; the fossil Spatangus.
- Hemipo'dius** (Ornith.) ἡμι, half, ποῦς, ποδός, a foot; from the total absence of the hinder toe.
- Hemipri'stis** (Fos. Zool.) ἡμι, half, σπιστής, the Saw-fish; a genus of Shark-teeth occurring in the chalk and tertiary formations.

- Hemip'tera** (Ent.) ἡμι, half, πτερόν, a wing.
- Hemip'tychus** (Bot.) ἡμι, half, ωτύξ, ωτυχός, a fold; a genus of Diatomaceæ.
- Hemiram'phus** (Ichth.) ἡμι, half, βέμαφος, a beak.
- Hemistil'bon** (Ornith.) ἡμι, half, στιλβωτ, to glitter; a genus of Humming-birds.
- Hemi'tellites** (Fos. Bot.) ἡμι, half, τέλος, end or termination; a genus of oolitic ferns with abrupt pinnules.
- He'mitheia** (Ent.) ἡμίθεος, half-divine; from the beauty of the insect.
- Hemithy'laca** (Ornith.) ἡμι, half, θύλακος, a pouch; a genus of Humming-birds.
- Hemizo'ster** (Fos. Zool.) ἡμι, half, ζόγη, a sea-shrub; a genus of Siliceous fossils.
- Hemp** (Bot.) *Anglo-Sax. heneap.*
- Hen** (Ornith.) *Anglo-Sax. hen.*
- Henfrey'a** (Bot.) P. N. in honour of the late *Arthur Henfrey, F.R.S.*, Professor of Botany at Cambridge.
- Henico'stoma** (Ent.) ἱνκός, singular, στόμα, the mouth.
- Hepara'na** (Ent.) ἡπαρ, the liver; liver-coloured.
- Hepara'ta** (Ent.) ἡπαρ, the liver; liver-coloured.
- Hepa'tica** (Ent.) ἡπατικός, liver-coloured.
- Hepa'tica** (Bot.) ἡπατικός, relating to liver; it has lobed leaves; a well-known and pretty species of Anemone.
- Hepial'iðæ** (Ent.) the family of which the genus *Hepialus* is the type.
- Hepi'alus** (Ent.) ἡπαλος, a fever; from the fitful alternating flight of these insects.
- Hepoc'na** (Zool.) ἡπίω, to call out, to roar?
- Hepsetoi'des** (Ichth.) *hepsetus*, εἴδος, like.
- Hepse'tus** (Ichth.) ancient name of a fish which was eaten boiled, from ἡψός, boiled.
- Hepta'phyllous** (Bot.) ιττά, seven, φύλλον, a leaf; having seven leaves.
- Heracan'tha** (Bot.) ἡρως, a hero, ἄκανθα, a thorn; so called from its great beauty.
- Heraclea'na** (Ent.) feeds on the Cow Parsnip, (*Heracleum Sphondylium*.)
- Hera'cleum** (Bot.) Ἡρακλίνη, Hercules; it was sacred to him; a genus of Umbelliferae.
- Herba'na** (Ent.) *herba*, grass.
- Herber'tia** (Bot.) P. N. from the late *Hon. and Rev. W. Herbert*, Dean of Manchester, an assiduous botanist.

- Her'bida** (Ent.) *herbidus*, grassly.
- Her'bula** (Ent.) *herba*, grass, herbage; frequenting grassy spots.
- Hercothe'ce** (Fos. Zool.) ἵψος, a fence or hedge, θύζη, a sheath; a genus of Fossil Diatomaceæ.
- Hercy'na** (Ent.) P. N. from the *Hercynian* forest of Germany.
- Hercynia'na** (Ent.) P. N. from the *Hercynian* forest of ancient Germany, situated in the modern Bohemia.
- Hercy'nidae** (Ent.) the family of Lepidoptera of which *Hercyna* is the type.
- Heriti'era** (Bot.) P. N. from *C. L. l'Heritier de Brutelle*, a French botanist; the Looking-glass plant.
- Herma'nna** (Bot.) P. N. from *Paul Hermann*, Professor of Botany at Leyden.
- He'rmas** (Bot.) the meaning is unknown.
- Hermi'nia** (Ent.) the *Herminia* gens was one of the ancient patrician houses at Rome.
- Hermini'idae** (Ent.) *Herminia*, fam. term. *idae*.
- Hermi'nium** (Bot.) P. N., a genus of terrestrial Orchidaceæ.
- Hermino'des** (Ent.) *Herminia*, ἱδος, resembling.
- Herna'ndia** (Bot.) P. N. from *Francisco Hernandez, M.D.*, a Spanish botanist.
- Hernia'ria** (Bot.) *hernia*, rupture; alluding to its supposed medical qualities.
- Heron** (Ornith.) French, *héron*.
- Herpes'tes** (Zool.) ἵψηστής, a creeper.
- Herpes'tis** (Bot.) ἵψηστής, a creeper.
- Herpeti'chnus** (Fos. Zool.) ἵψετος, a reptile, τάχνη, a footprint; the Lizard-like footsteps in the New Red sandstone.
- Herpetodry'as** (Zool.) ἵψετής, a reptile, δρῦς, a Dryad; a genus of Colubrine ophidians.
- Herpetoich'thys** (Ichth.) ἵψετής, a reptile, ἰχθύς, a fish; a genus of Ichthyology.
- Herpeto'logy** (Zool.) ἵψετος, a reptile, λέγος, a description; that branch of Zoology which treats of Reptiles.
- Herre'ria** (Bot.) P. N. from *C. A. de Herrera*, a Spanish agriculturist.
- Herring** (Ichth.) Pennant derives the word from the German *heer*, a host; Moule derives it from *hairang*, an old French word for a troop or army.
- Hespe'ranta** (Bot.) ἑσπέρα, evening, ἄνθος, a flower.
- Hespe'ria** (Ent.) P. N., an ancient name for Italy.
- “Est locus—Hesperiam Graii cognomine dicunt,  
Terra antiqua, potens armis atque ubere glebbe.”—VIRG. ÆN. i. 530.

- Hesperi'idae (Ent.) the family of which the genus *Hesperia* is the type.
- Hes'peris (Bot.) ἵσπερος, evening; the flowers are fragrant only towards evening; the Night-smelling stock; a genus of Cruciferae.
- Hespero'philus (Ent.) ἵσπερος, evening, φίλος, a friend.
- Hesperosoc'r'dum (Bot.) ἵσπερος, evening, σκόρδον, garlic; perhaps in allusion to its smell.
- Heteranthe'ra (Bot.) ἵτρηρος, variable, ἀνθή, an anther.
- Heterocer'idae (Ent.) the family of Coleoptera of which *Heterocerus* is the type.
- Hetero'cerus (Ent.) ἵτρηρος, different, κίρα, a horn.
- Heterochla'mys (Bot.) ἵτρηρος, different, χλαμύς, a mantle; a genus of Euphorbiaceæ.
- Heterochro'a (Bot.) ἵτρηρος, different, χρόα, colour; a genus of Caryophyllaceæ.
- Heterocla'dia (Bot.) ἵτρηρος, different, κλάδος, a branch; a genus of Ceramian Algae.
- Heteroco'ma (Bot.) ἵτρηρος, different, κόμη, a tuft; a genus of Compositæ.
- Heterode'ndron (Bot.) ἵτρηρος, different, δίνδρον, a tree; a genus of Rutaceæ.
- He'terodon (Zool.) ἵτρηρος, different, οδοῦς, οδοντός, a tooth; a genus of Colubrine ophidians; and, in Bot., a genus of Bruniaceæ.
- Heterodo'nta (Bot.) ἵτρηρος, different, οδοῦς, οδοντός, a tooth; a genus of Compositeæ.
- Heteroge'nesis (Zool.) ἵτρηρος, different, γένεσις, birth; reproductive force acting through dissimilar cells.
- Hetero'gyna (Ent.) ἵτρηρος, different, γυνη, female; a tribe of Hymenoptera.
- Heterolæ'na (Bot.) ἵτρηρος, different, λαῖνα, equiv. to χλαῖνα, a cloak; a genus of Thymelaeæ.
- Heterole'pis (Bot.) ἵτρηρος, different, λεπίς, scale; a genus of Compositæ.
- Heterolo'ma (Bot.) ἵτρηρος, different, λόμα, fringe; a genus of Leguminosæ.
- Hetero'lophus (Bot.) ἵτρηρος, different, λόφος, crest; a genus of Compositæ.
- Hetero'mera (Ent.) ἵτρηρος, different, μέρος, a part.
- Hetero'meris (Bot.) ἵτρηρος, different, μέρος, a part or portion; a genus of Cistaceæ.
- Hetero'mita (Zool.) ἵτρηρος, different, μήτρος, a thread, i. e., filament; a genus of Infusoria.
- Heteromor'pha (Bot.) ἵτρηρος, different, μορφή, shape; a genus of Umbelliferæ.
- He'teromys (Zool.) ἵτρηρος, the other, μῦς, a mouse.

- Heterone'ma** (Zool.) ἔτερος, different, νήμα, thread; a genus of Infusoria, of the family Euglenia.
- Heteropa'lp*i*** (Ent.) having less than five palpi; a division of the Neuroptera.
- Heteropa'ppus** (Bot.) ἔτερος, different, παππος, the down of plants; a genus of Compositæ.
- Heteropha'gma** (Bot.) ἔτερος, different, φάγυμα, a division or partition; a genus of Bignoniacæ.
- Heteropo'gon** (Bot.) ἔτερος, various, πάγων, a beard.
- Hetero'pterys** (Bot.) ἔτερος, various, πτερόν, a wing.
- Heteropy'gas** (Ent.) ἔτερος, of another kind, πύγη, the buttock or hinder part.
- Heteroso'mata** (Ichth.) ἔτερος, other, different, σῶμα, body; having diverse sides like the flat fishes, in which both eyes are on one side.
- Heterospe'rma** (Bot.) ἔτερος, variable, σπίρμα, a seed; in allusion to the shape.
- Heterosphæ'ria** (Bot.) ἔτερος, variable, σφαιρα, a sphere.
- Heteros'pila** (Ent.) ἔτερος, changeable, σπιλον, a spot.
- Heterostegi'na** (Zool.) ἔτερος, different, στέγη, a covering; a genus of Foraminifera.
- Heterota'xis** (Bot.) ἔτερος, variable, τάξις, arrangement.
- Heterotho'ps** (Ent.) ἔτερος, another, θώψ, a fawner.
- Heterou'ra** (Zool.) ἔτερος, different, οὐρα, tail.
- Heuche'ra** (Bot.) P. N. from *J. H. Heucher*, Professor of Medicine at Wittenberg; a genus of Saxifragaceæ.
- Heusime'ne** (Ent.) εἴσιν, to burn, μῆν, the moon; the forewings having an ashy lunule on the inner margin.
- Hexace'ntris** (Bot.) ἕξ, six, κίντρον, a prickle; a splendid genus of Scrophulariaceæ.
- Hexa'lobus** (Bot.) ἕξ, six, λοβός, a pod; a genus of Anonaceæ.
- Hexa'mita** (Zool.) ἕξ, six, μιτος, a thread, having six filaments; a genus of Infusoria.
- Hexa'nthera** (Bot.) ἕξ, six, anthera; a genus of Samydaceæ.
- Hexa'nthus** (Bot.) ἕξ, six, ἄνθος, a flower; a genus of Lauraceæ.
- Hexapro'todon** (Fos. Zool.) ἕξ, six, ἀρωτοδοῦς, a front tooth; having six front teeth; a large pachyderm of the Pliocene and Miocene.
- Hexap'tera** (Bot.) ἕξ, six, πτερόν, wing or feather; a genus of Cruciferæ.
- Hexaptera'ta** (Ent.) ἕξ, six, πτερόν, a wing; six-winged, including the winglets.

- Hexapter'gius** (Zool.) ἔξι, six, πτερύγιον, a little wing.
- Hexar'rheña** (Bot.) ἔξι, six, ἄξον, a male (stamen); a genus of Graminae.
- Hexase'palum** (Bot.) ἔξι, six, οφαλ; a genus of Cinchonaceæ.
- Hexa'toma** (Ent.) ἔξι, six, τόμη, a cutting; a genus of Diptera.
- Hexops** (Ent.) ἔξι, six, ὄψ, the eye; six-eyed.
- Heylau'dia** (Bot.) P. N. from *M. Heylaud*, an artist employed by Decandolle.
- Hey'nea** (Bot.) P. N. from *Dr. B. Heyne*, a German botanist.
- Hiat'i'oula** (Ornith.) *hiatus*, an aperture.
- Hibbe'rtia** (Bot.) P. N. from *George Hibbert*, a distinguished collector of plants, a noble genus of Dilleniaceæ.
- Hibi'scous** (Bot.) the Greek name for Mallow, now applied to a splendid tropical genus of Malvaceæ.
- Hlema'lis** (Ent.) *Lat.* wintry, belonging to winter.
- Hieracl'ea** (Ornith.) sometimes written *Jeracidea*, from ἱεράξ, a hawk.
- Hiera'cium** (Bot.) ἱεράξ, a hawk; which is supposed to sharpen its sight with the juice of the plant; a genus of Compositæ.
- Hiero'chloe** (Bot.) ἱερός, sacred, χλόη, grass; a genus of Gramineæ.
- Hieroglypha'lis** (Ent.) having wing-marks resembling hieroglyphics.
- Hierogly'phica** (Ent.) *hieroglyphic-like* markings.
- Hi'llia** (Bot.) P. N. from *Sir John Hill*, a voluminous botanical author.
- Himantha'lia** (Bot.) ιμάς, ιμάρτος, a leathern thong, θάλασσα, luxuriant; a genus of Algeæ.
- Himanti'dium** (Bot.) ιμάς, ιμάρτος, a leathern thong, ίδος, like; a genus of Diatomaceæ.
- Himanto'phorus** (Zool.) ιμάς, ιμάρτος, a thong, φέρω, to bear; a genus of Infúriæ.
- Hima'ntopus** (Ornith.) ιμάς, ιμάρτος, a leathern thong, ποῦς, a foot; a genus of Birds.
- Hi'mera** (Ent.) P.N., the name of an ancient city in Sicily.
- Hi'ndsiā** (Bot.) P. N. in honour of *R. B. Hinds*, Esq., a zealous naturalist.
- Hipis'tes** (Zool.) unexplained; a genus of Ophidians.
- Haplogra'phium** (Bot.) ἀωλάς, simple, γράφη, a marking; a genus of Fungi.
- Hippa'rchia** (Ent.) P.N.; a genus of Lepidopterous insects.
- Hippel'aphus** (Zool.) ιππός, a horse, ιλίφας, an elephant; the latter from its ivory-like horns.
- Hi'ppia** (Bot.) ιππός, a horse; horses are fond of the original plant.
- Hi'ppion** (Bot.) ιππός, a horse, ιόν, a violet; horse-violet.

- Hippoboscæ** (Ent.) ἵππος, a horse, βόσκω, to feed; a genus of Diptera.
- Hippocampus** (Ichth.) ἵππος, a horse, κέμπη, a bending; the head and neck contract after death forming some resemblance to a horse in miniature.
- Hippocastana'ria** (Ent.) named from the horse-chestnut, *Aesculus Hippocastanum*, on which, however, the larva is not known to feed.
- Hippocrate'a** (Bot.) P.N. from *Hippocrates*, the father of physic.
- Hippocrepis** (Bot.) ἵππος;, a horse, κρηπίς, a shoe; referring to the shape of the pod; a pretty genus of Leguminosæ.
- Hippodami'a** (Ent.) P. N., an ancient mythological name.
- Hippopodium** (Zool.) ἵππος;, a horse, ποδός, ποδος, a foot; a genus of Mollusca.
- Hippoglossus** (Ichth.) ἵππος, a horse, γλαυκός, a tongue.
- Hippola'is** (Ornith.) ἵππος, a horse, λαίς, spoil.
- Hippolyte** (Zool.) a genus of Crustaceæ.
- Hippo'mane** (Bot.) ἵππος, a horse, μανία, madness; referring to the effects of the original plants upon horses; the manchineel tree; Nat. Ord. Euphorbiaceæ.
- Hippoma'rathrum** (Bot.) ἵππος, a horse, μάραθρον, fennel.
- Hip'ponyx** (Zool.) ἵππος, a horse, ἕνξ, a claw, or hoof; a genus of Mollusks.
- Hippophaë** (Bot.) ἵππος, a horse, φάε, to shine; the foliage is covered with glittering scales; Nat. Ord. Elaeagnaceæ.
- Hippopotam'ina** (Zool.) *hippopotamus*; a sub-family of Mammalia.
- Hippopo'tamus** (Zool.) ἵππος, a horse, ποταμός, a river.
- Hippopus** (Zool.) ἵππος, a horse, ποδός, a foot.
- Hipposi'deros** (Zool.) ἵππος, a horse, σιδηρός, strength.
- Hippotho'a** (Zool.) P.N. from the name of a Nereid; a genus of Polyzoa  
 \* Ἰπποθόα τέρπεσσα, καὶ Ἰππονόν ρόδοπηχυς.
- \* The charming Hippothoa and rosy-armed Hippone.—Hesiod.
- Hippur'is** (Bot.) ἵππος, a horse, οὐρά, a tail; the stem resembles a horse's tail; Nat. Ord. Haloragaceæ.
- Hippur'ites** } (Zool.) ἵππος, a horse, οὐρά, a tail; the Horse-tails.  
 Hippur'itidæ}
- Hipte'lia** (Ent.) οὐρία, lying with the face upwards.
- Hir'a** (Bot.) P.N. in honour of *J. N. de la Hire*, a French physician who died in 1727.
- Hircus** (Zool.) Lat. a he-goat.
- Hirta'lis** (Ent.) *hirtus*, hairy.

- Hirta'rius (Ent.) *hirtus*, hairy.
- Hirte'llo (Bot.) *hirtus*, hairy, alluding to the young branches.
- Hírtus-a-um (Ichth., Bot.) *Lat.* shaggy, hairy.
- Hiru ndo (Ornith.) *Lat.* a swallow; a genus of Passeres.
- Hispaniol'e nsis (Ornith.) *Lat.* relating to the island of St. Domingo.
- Hi'spidæ (Ent.) *hispidus*, shaggy.
- Hispida'ria (Ent.) *hispidus*, shaggy, rough.
- Hi'spidus-a-um (Zool., Bot.) *hispidus*, shaggy, rough.
- Hi'ster (Ent.) *hifrio*, an actor; a genus of Coleoptera, remarkable for feigning death when alarmed.
- Histe'ridæ (Ent.) *hifler*, fam. term. *idae*.
- Histro'nica (Ornith.) *hiftrionicus*, pertaining to an actor.
- Histropeu'this (Zool.) *hifrio*, an actor, *πρωθίς*, a cuttle-fish.
- Hobby (Zool.) is defined by Sherwood in 1650 as "Cheval Irlandois"—  
"Of such outlandish horses as are daily brought over unto us I speak not, as the genet of Spain, the courier of Naples, the hobby of Ireland, the Flemish roile, and the Spanish nag"—HARRISON's Description of England. The name of Hobby is also given to one of the Falcons.
- Hodgso'ni (Zool.) P. N. in honour of *B. H. Hodgson, Esq.*
- Hoffmanse'ggia (Bot.) P. N. from *J. C. Hoffmannsegg*, a distinguished naturalist.
- Hog (Zool.) *Welfb, hych.*
- Hohenwarthia'na (Ent.) P. N. from *Von Hohenwarth*, author (in conjunction with Reiner) of "Botanische Reisen, u. s. w. (Ulm. 1793.)"
- Hoi'tzia (Bot.) *hoitzit*, its name in Mexico.
- Hol'cou (Bot.) ἀλκα, to extract: the plant was supposed to extract thorns; a genus of Grasies.
- Holdenel'la (Ent.) P. N. from the old family name *Holden*, of Holden, in Lancashire.
- Holly (Bot.) *Anglo-Sax. Holcyn.*
- Holmia'na (Ent.) named from the capital of Sweden (*Holmia*), Stockholm.
- Holmskio'ldia (Bot.) P. N. from *Th. Holmskiold*, a Danish botanical author.
- Holoce'ntrum (Ichth.) ὅλος, the whole, *στροφή*, a point; a genus of Acanthopterygian fishes.
- Holoce'phalids (Ichth.) ὅλος, whole, entire, *κεφαλή*, the head.
- Holochi'lus (Zool.) ὅλος, whole, entire, *χαιλός*, the snout.
- Holoda'ctyli (Ichth.) ὅλος, entire, *δάκτυλος*, a fin; a sub-order of Fishes.
- Hologe'rrhum (Zool.) ὅλος, entire, *γέρρος*, a shield; a genus of Colubrine ophidians.

- Holoparamē'cus** (Ent.) ὅλος, perfect, παραμήκης, oblong.
- Holoserica'lis** (Ent.) *holosericeus*, wholly silken.
- Holoserica'ta** (Ent.) διεσπειδός, all of silk, silky.
- Holoseri'ceus-a-um** (Zool., Bot.) *Lat.* wholly silken.
- Holo'steum** (Bot.) ὅλος, all, ὄστριον, a bone; a genus of Caryophyllaceæ.
- Holo'stomis** (Ent.) ὅλος, entire, στόμα, mouth.
- Holothu'ria** (Zool.) ὅλος, whole, θύροις, a small hole or wicket.
- Holothuri'adæ** (Zool.) *Holothuria*, and fam. term; a division of Echinodermata.
- Holuroph'alis** (Zool.) ὅλος, entire, σῶμα, tail; a genus of Colubrine ophidians.
- Homalocra'nion** (Zool.) ὁμαλός, smooth, κρανίον, a skull; a genus of Colubrine ophidians.
- Homalo'psis** (Zool.) ὁμαλός, smooth, ἔφεσος, appearance; a genus of Ophidians.
- Homalo'so'nia** (Zool.) ὁμαλός, smooth, σῶμα, a body; a genus of Colubrine ophidians.
- Homalo'ta** (Ent.) ὁμαλός, even, smooth.
- Ho'marus** (Zool.) ὁμαρής, well-adjusted, agreeing well together; the Lobster.
- Hombergii** (Ent.) P. N. in honour of *Homberg*, a German naturalist.
- Home'ria** (Bot.) P. N. from *Homer*.
- Homi'nidæ** (Zool.) a family of Mammalia, of which *Homo* (man) is the sole genus and species.
- Homo'chromous** (Bot.) ὁμος, the same, χρῆμα, colour.
- Ho'modes** (Ent.) ὁμος, like, equal, similar.
- Homœ'a** (Ent.) ὁμοιος, similar, like, equal.
- Homœocla'dia** (Bot.) ὁμοιος, like, resembling, κλάδος, branch; a genus of Cryptogamia.
- Homœo'ma** (Ent.) ὁμοιος, like, σῶμα, the body.
- Homogen'esis** (Zool.) ὁμος, like, γένεσις, production; reproductive force acting through similar cells.
- Homogram'ma** (Ent.) ὁμος, like, γράμμα, a mark.
- Homoiozo'ic** (Fos. Zool.) applied to parallel bands characterized by the same or analogous species of fossils, from ὁμοιος, like, ζωή, life; equivalent to Isozoic.
- Homomy'a** (Zool.) ὁμος, the same, μύα, a kind of mussel.
- Homoph'yza** (Ent.) ὁμος, like, φῦτα, a pair of bellows.
- Homo'ptera** (Ent.) ὁμος, similar, πτερα, wings.

**Homopteridae** (Ent.) fam. of which genus *Homoptera* is the type.

**Hooke'ria** (Bot.) P. N. in honour of *Sir William Jackson Hooker, LL.D.*, Director of Kew Gardens; a genus of Musci.

**Hoopoe** (Ornith.) *Germ.* ἡπόπη; *Lat.* *upupa*; *Fr.* *huppe*; *huppé*, tufted; a genus of Passeres.

**Hop** (Bot.) from the *Anglo-Sax.* *hoppan*, to climb.

**Ho'pea** (Bot.) } P. N., and

**Hopea'na** (Bot.) } P. N. in honour of *Mrs. Thomas Hope*, of Deepdene, to whom the Francisca Hopeana was first sent by her brother, Marshal Beresford.

**Hoplani'gia** (Zool.) ὁπλαρι, armour, ὥγησις, a cup; a genus of Sea Anemones.

**Ho'plia** (Ent.) ὁπλαρι, armour.

**Hoplis'tes** (Ent.) ὁπλιστής, a warrior; a genus of Diptera.

**Hoploce'phalus** (Zool.) ὁπλαρι, armour, κεφαλή, the head; a genus of Colubrine ophidians.

**Hoplomy'tilus** (Zool.) ὁπλαρι, armour, *mytilus*; a genus of Mollusca.

**Hoploste'thus** (Ichth.) ὁπλαρι, armour, στῆθος, the breast; a genus of Acanthopterygian fishes.

**Hopo'rina** (Ent.) ὅπωρινος, autumnal.

**Ho'rdeum** (Bot.) *Lat.* barley; a genus of Gramineæ:

"Grandia saepe quibus mandavimus hordea fulcis."—*Virg. Ecl. v. 36.*

**Horkel'ia** (Bot.) P. N. from *John Horkel*, Professor of Physiology at Berlin.

**Horma'thia** (Zool.) ὄμφαθης, a necklace of pearls.

**Hormi'num** (Bot.) ὄμφατος, to rouse, from its stimulating qualities; a genus of Labiatæ.

**Hormo'ceras** (Zool.) ὄμφατος, a necklace or chain, κίρατος, a horn.

**Hormo'spora** (Bot.) ὄμφατος, a necklace, *spora*; a genus of Algae.

**Hornema'nnia** (Bot.) P. N. from *Professor Hornemann* of Copenhagen.

**Hor'net** (Ent.) *Anglo-Sax.* *hyrnet*.

**Horse** (Zool.) *Anglo-Sax.*, *Old Dutch*, *Old Germ.*, and *Icel.* *hors*.

**Horsfieldii** (Zool.) P. N. in honour of the late *Dr. Horsfield*, who wrote on the Zoology of Java.

**Horte'l'a** (Ent.) *hortus*, a garden.

**Horte'nsia** (Bot.) in honour of *Queen Hortense*; the Hydrangea *Hortensia* is the common Hydrangea.

**Horte'nsis** (Ornith., Bot.) *Lat.* relating to a garden.

**Horto'lus** (Bot.) a little garden.

**Hortuel'lus** (Ent.) *hortus*, a garden.

**Hortula'na** (Ornith.) *hortulanus*; pertaining to a garden.

- Hortu'lia** (Zool.) *οὐλίος*, deadly; a genus of Ophidians.
- Hosack'ia** (Bot.) P. N. from *D. Hosack, M.D., F.R.S.* of New York.
- Hos'ta** (Bot.) P. N. from *N. T. Hoff*, a German botanist.
- Hotto'nia** (Bot.) P. N. from *P. Hotton*, a Professor in the University of Leyden, who died in 1709; an aquatic genus of Primulaceæ.
- Houbara** (Ornith.) native name.
- Houlle'tia** (Bot.) P. N. in honour of *M. Houlet*, a French gardener.
- Housto'nia** (Bot.) in honour of *W. Houston, M.D.*, a British botanist, who died in 1733.
- Houttu'ynia** (Bot.) P. N. in honour of *Dr. Houttuyn*, a virtuoso of Amsterdam.
- Ho'vea** (Bot.) P. N. from *A. P. Hove*, a Polish botanist and traveller in the Crimea and Persia; a genus of Leguminosæ.
- Hove'nia** (Bot.) P. N. from *D. Hoven*, a senator of Amsterdam.
- Howa'rdia** (Bot.) P. N. in honour of *Mr. Howard*, who wrote on the Cinchonas.
- Ho'ya** (Bot.) P. N. from *Thomas Hoy, F.L.S.* gardener at Syon House, who died in 1821; the Wax-flower; a genus of Asclepiadaceæ.
- Hub'neri** (Ent.) P. N. in honour of *Jakob Hübner*, author of "Verzeichniß bekaunter Schmetterlinge," 1817.
- Hudso'nia** (Bot.) P. N. from *W. Hudson, F.R.S.*, a botanical author, and compiler of one of the earliest English Floras.
- Hudsonius** (Zool.) *Lat.* belonging to Hudson's Bay.
- Hue'rnia** (Bot.) P. N. in honour of *J. Huernius*, an early collector of Cape plants.
- Hugo'nia** (Bot.) P. N. in honour of *Dr. A. J. Hugo*, Hanover, a friend of Haller.
- Hulo'des** (Ent.) *ὕλωδης*, woody.
- Hulo'didæ** (Ent.) the fam. of which the genus *Hulodes* is the type.
- Humbol'tii** (Bot., Ichth.) P. N. in honour of *Alexander von Humboldt*, the great German philosopher.
- Hu'mea** (Bot.) P. N. from *Lady Hume*, of Wormleybury; a curious genus of Compositæ.
- Humera'lis** (Ent.) *humeralis*, a cape or covering for the shoulder.
- Humida'lis** (Ent.) *humidus*, moist, damp.
- Humidus-a-um** (Zool., Bot.) *Lat.* moist, wet.
- Hu'milis-e** (Ent., Bot.) *Lat.* humble, low, slight.
- Humora'lis** (Ent.) *humor*, fluid, moisture.
- Hum'phreyia** (Zool.) P. N., a genus of Mollusca.

- Hu'mulus** (Bot.) *humus*, the ground ; if not supported it creeps along the ground. The common Hop ; Nat. Order Cannabinaceæ.
- Hunnema'nia** (Bot.) P. N. from *John Hunneman*, a botanist.
- Hun'tleya** (Bot.) P. N. in honour of *Rev. Mr. Huntley*, a zealous cultivator of Orchidaceæ.
- Hu'ra** (Bot.) its South American name ; the Sand-box tree.
- Hutchin'sia** (Bot.) P. N. from *Mrs. Hutchins*, an Irish cryptogamist ; a pretty little genus of Cruciferæ.
- Hy'acinth** (Bot.) P. N. from *Hyacinthus*, killed by Apollo. Professor Martyn believed the Hyacinth of the ancients to have been the Tiger-lily. It must certainly have been a kind of turn-cap lily with a bulbous root.
- Hyacin'thinus** (Ornith.) ἵακινθος, purple-coloured.
- Hyacin'thus** (Bot.) P. N., see above.
- Hyæ'na** (Zool.) *ιαυρα*, strictly, a sow, but afterwards applied to a wild beast having a mane like a hog, whence applied to the Hyæna.
- Hyæni'na** (Zool.) a sub-family of Mammalia.
- Hy'ala** (Zool.) ὑαλος, glass ; a genus of Mollusca.
- Hya'lea** (Ent.) P. N. from *Hyale*, a nymph in the train of Diana.
- Hyalina'lis** (Ent.) ιάλινος, glass-green.
- Hy'aline** (Zool.) ὑαλος, transparent, glassy.
- Hyali'tis** (Ent.) ὑαλος, like glass.
- Hyalone'ma** (Zool.) ὑαλος, glass, νήμα, a thread.
- Hyalone'midae** (Zool.) *hyalonema*, fam. term. *ide* ; the glass-rope corals of Japan.
- Hyper'nia** (Ent.) *hybōrus*, wintry ; in allusion to the time of appearance of the insects.
- Hyberni'dæ** (Ent.) *hybernia*, fam. term. *ide*.
- Hyblas'a** (Ent.) P. N. from *Hybla*, a mount in Sicily.
- Hy'bodus** (Fos. Zool.) *ιθέσις*, a hump, *όδούς*, a tooth ; a genus of fossil shark-like Fishes.
- Hybrida'lis** (Ent.) *hybridus*, mongrel.
- Hybrida'na** (Ent.) *hybridus*, a hybrid, mongrel.
- Hy'bridus-a-um** (Ornith., Bot.) *Lat.* mongrel, bastard.
- Hyda'ticus** (Ent.) *ιδατίκος*, watery, moist.
- Hyda'tina** (Zool.) *ιδατίνος*, moist, watery ; a genus of Mollusca.
- Hy'dnum** (Bot.) *ὑδρον*, a truffle ; a Greek name applied by Linneus to a genus of Fungi.

- Hy'dra** (Zool.) ὕδρα, a water-serpent, a fabled monster with many heads.
- Hydracti'nia** (Zool.) a compound of *hydra* and *actinia*; a genus of Zoophytes.
- Hydradeph'aga** (Ent.) *hydra*, φάγω, to eat.
- Hydra'idae** (Zool.) *hydra*; a family of Zoophytes.
- Hydra'lis** (Ent.) ὕδωρ, water.
- Hydra'ngaea** (Bot.) ὕδωρ water, ἀγγεῖον, a vessel; from the shape of the corolla; the typical genus of Hydrangeaceæ.
- Hydra'stis** (Bot.) ὕδωρ, water; it grows in humid places.
- Hydre'la** (Bot.) ὕδρηλές, watery.
- Hydre'lia** (Ent.) ὕδρηλές, watery; from its frequenting moist places.
- Hy'dridæ** (Zool.) ὕδρα, a water-serpent, term *ida*; a family of Ophidians.
- Hydril'la** (Ent.) ὕδωρ, water; the only specimen taken in England was flying over a damp place.
- Hydrillo'des** (Ent.) *hydrilla*, ἵδρις, resemblance.
- Hydri'na** (Zool.) *hydra*; a division of Zoophytes.
- Hydro'bia** (Zool.) ὕδωρ, water, βίωσις, to live.
- Hydro'bius** (Ent.) ὕδωρ, water, βίωσις, to live.
- Hydrocam'pa** (Ent.) ὕδωρ, water, κάμπη, a caterpillar; the larvæ being aquatic.
- Hydrocamp'a'lis** (Ent.) resembling *hydrocampa*.
- Hydroca'mpidæ** (Ent.) the family of which *hydrocampa* is type.
- Hydro'charis** (Bot.) ὕδωρ, water, χάρις, grace; typical genus of aquatic family Hydrocharitaceæ.
- Hydro'chloa** (Bot.) ὕδωρ, water, χλόες, grass; a genus of aquatic Gramineæ.
- Hydrochær'i'na** (Zool.) *hydrachera*; a sub-family of Mammalia.
- Hydrochœ'rurus** (Zool.) ὕδωρ, water, ρύπος, a hog, swine; the Water-hog, or Capybara.
- Hydroco'tyle** (Bot.) ὕδωρ, water, κοτύλη, a cavity; Marsh Penny-wort, an insignificant genus of Umbelliferae.
- Hydrodi'ctyon** (Bot.) ὕδωρ, water, δίκτυον, a net; a genus of Algae.
- Hydro'chus** (Ent.) ὕδωρ, water, οἰκος, a habitation.
- Hydrœ'cia** (Ent.) ὕδωρ, water, οἰκος, a habitation.
- Hydro'lea** (Bot.) ὕδωρ, water, οἰλιά, an olive tree; referring to the place of its growth, and to the fact of its being oily; typical genus of Hydroleacæ.
- Hydromori'na** (Zool.) *hydra*, μούρον, the mulberry, from the form of these aggregated monads.

- Hydromys** (Zool.) ὕδωρ, water, μῦς, a mouse.
- Hydropeltideæ** (Bot.) *hydropeltis*, fam. term. *idae*; floating plants of North and Central America.
- Hydrope'lta** (Bot.) ὕδωρ, water, πέλτη, a shield;
- Hydrophi'lidae** (Ent.) *hydrophilus*, fam. term. *idae*.
- Hydro'philus** (Ent.) ὕδωρ, water, φίλος, fond of.
- Hy'drophis** (Zool.) ὕδωρ, water, ὄφις, a snake; a genus of Ophidians.
- Hydrophy'llum** (Bot.) ὕδωρ, water, φύλλον, a leaf; typical genus of Nat. Ord. Hydrophyllaceæ.
- Hydrophy'ss** (Ent.) ὕδωρ, water, φῦσσα, a bladder.
- Hydropo'rūs** (Ent.) ὕδωρ, water, *porus*, an outlet.
- Hydropti'la** (Ent.) ὕδωρ, water, πτήλων, a feather; literally water-feathers.
- Hydropti'lides** (Ent.) *hydropila*, with fam. term.; a family of the Phryganidae.
- Hydrosau'rus** (Zool.) ὕδωρ, water, σάυρος, a lizard; applied to the Lacer-lizard.
- Hydrōüs** (Ent.) unexplained.
- Hy'drus** (Zool.) ὕδρα, a water-serpent; a genus of Ophidians.
- Hyema'lis** (Ornith., Bot.) *hyems*, winter; in botany, appearing in winter, as *Eranthis hyemalis*.
- Hyema'na** (Ent.) *hyems*, winter; the insect appearing at the beginning of the year.
- Hygi'na** (Zool.) ιγνεῖος, wholesome; a genus of Ophidians.
- Hygrocro'cis** (Bot.) ιγρός, moist, κρόκος, a knot of wool; a genus of Cryptogamia.
- Hygro'mia** (Zool.) ιγρός, moisture.
- Hygro'noma** (Ent.) ιγρός, moist, νομένη, a pasture, from its habitat.
- Hygro'phila** (Bot.) ιγρός, moist, φιλίων, to love; it is found in moist places.
- Hygro'tus** (Ent.) ιγρότης, wetness, moisture.
- Hylæosau'rus** (Fos. Zool.) ἵλαιος, belonging to wood, σάυρος, a lizard.
- Hyle'sinus** (Ent.) ἱλησίνης, warming in the sun?
- Hylo'bates** (Zool.) ἱλη, a wood or forest, βαῖνειν, to go or traverse.
- Hylo'bius** (Ent.) ἱλη, a wood, βιώναι, to live.
- Hylo'charis** (Ornith.) ἱλη, a wood, χάρις, grace; a genus of Hummingbirds.
- Hylotru'pes** (Ent.) ἱλη, wood, τρύπωσαι, to bore.
- Hymenæ'a** (Bot.) *Hymen*, the god of marriage; the leaves are joined in pairs; a tropical genus of Leguminosæ.
- Hymenan'thera** (Bot.) ἱμάντη, a membrane. ἀνθηρα, an anther.
- Hymene'lla** (Bot.) dim. of *ἱμάντη*, a membrane.

- Hyme'niūm**} (Bot.) ἵμενιον, a skin or membrane.  
**Hyme'nius**} ἵμενιος, a membrane, μαρπός, fruit.
- Hymenoca'rpus** (Bot.) ἵμενος, a membrane, φρούριον, a net.
- Hymenodic'tyon** (Bot.) ἵμενος, a membrane, δίκτυον, a net.
- Hymeno'gyne** (Bot.) ἵμενος, a membrane, γυνή, a woman, (piñil.)
- Hymenom'ycteus** (Bot.) ἵμενος, a membrane, μύκης, a fungus.
- Hymenopa'ppus** (Bot.) ἵμενος, a membrane, πάνπος, the down on the seeds of certain plants which serves as wings for them.
- Hymenophylla'ceæ** (Bot.) a tribe of Ferns, of which the following is the typical genus.
- Hymenophyl'lum** (Bot.) ἵμενος a membrane, φύλλον, a leaf; or the membranous-leaved fern.
- Hymenop'tera** (Ent.) ἵμενος, a membrane, πτερόν, a wing.
- Hyolæ'as**} (Zool.) οὐλὸς σιδηρός, like glass, transparent; a genus and family **Hyolæ'idae**} of Mollusca.
- Hyopo'tamus** (Fos. Zool.) λαγός, λαγός, a hog, ποταμός, a river; an extinct genus of Mammalia.
- Hyopro'rus** (Ichth.) λαγός, λαγός, a hog, προσόπον, the front.
- Hyoscy'amus** (Bot.) λαγός, λαγός, a swine, κίσιον, a bean; they are eaten by swine, though poisonous to men; Henbane; a genus of Solanaceæ.
- Hyc'o-seris** (Bot.) λαγός, λαγός, a swine, σιριφή, endive or succory; a genus of Compositæ.
- Hyp- or Hypo-** (Zool., Bot.) ὑπό, below, underneath.
- Hype'coum** (Bot.) ὑπηκόω, to found; alluding to the rattling of the seeds in the pods; a genus of Fumariaceæ.
- Hype'na** (Ent.) ὑπένην, the chin, the beard; referring to the projecting, squamous palpi.
- Hypena'ria** (Ent.) ὑπένην, a beard or moustache.
- Hype'nidæ** (Ent.) *hypena*, fam. term. *idae*.
- Hypeno'des** (Ent.) *hypena*, εἶδος, resembling *hypena*.
- Hy'pera** (Ent.) ὑπερά, a kind of caterpillar mentioned by Aristotle.
- Hypera'nthus** (Ent.) ὑπερά, above, ἀνθος, flower.
- Hypera'spis** (Ent.) ὑπερά, above, ἄσπις, a shield.
- Hyperbo'reus-a-um** (Ornith., Bot.) *Lat.*, northern, as *Antennaria hyperborea*.
- Hypercal'lia** (Ent.) ὑπερά, καλλίεστος, of exceeding beauty.
- Hyperica'na** (Ent.) feeds on St. John's wort (*Hypericum*)
- Hype'ricum** (Bot.) ὑπερά, above, superior, εἰκών, an image or spectre, because supposed to protect from evil spirits.
- Hyperme'cia** (Ent.) ὑπερμεγάλης, exceedingly long.

- Hype'tra** (Ent.) ὑπό and ἡτρον, the abdomen.
- Hyphae'ne** (Bot.) ὑφαίνω to entwine, alluding to the fibres of the fruit ; a genus of Palms.
- Hypha'sma** (Bot.) ὑφασμα, a thing woven, a web.
- Hyphi'drus** (Ent.) ὑφιδρός, to perspire slightly.
- Hypomy'cetous** (Bot.) ὑφος, a web, μύκης, a fungus.
- Hy'num** (Bot.) ὑπών, a kind of moss growing on trees; a genus of Mosses.
- Hypobla'stus** (Bot.) ὑπό, under, βλαστός, a bud.
- Hypobranchiæ'a** (Zool.) ὑπό, beneath, βράγχια, possessed of branches.
- Hypo'cala** (Ent.) ὑπό, and καλός, beautiful.
- Hypocali'dæ** (Ent.) fam. of which genus *Hypocala* is the type.
- Hypocaly'ptus** (Bot.) ὑπό, under, καλύπτω, to veil.
- Hypo'chil** (Bot.) referring to the flowers of Orchids, from ὑπό, under, and χείλος, lip.
- Hypochœ'ris** (Bot.) ὕπό, for, χοῖρος, a pig; it is eaten by swine; a genus of Compositæ called Cat's-ear.
- Hypocre'pia** (Zool.) ἵππος, a horse, σπωτίς, a shoe; the circle of tentacula around the mouth is horse-shoe shaped; an order of Polyzoa. The word should have been *Hippocrepia*.
- Hypocyp'tus** (Ent.) ὕποκύπτω, to stoop under.
- Hypogram'ma** (Ent.) ὕπο, γραμμα, a letter.
- Hypogram'midæ** (Ent.) fam. of which genus *Hypogramma* is the type.
- Hypolæ'na** (Bot.) ὕπό, under, κλαῦνα, a cloak.
- Hypola'is** (Ornith.) ὕπολαις, was a name used by Aristotle for some small bird, perhaps the tit-lark or the hedge-sparrow.
- Hypoleu'cus** (Ornith.) ὕπο and λευκός, white; the ὕπο seems to have a diminishing effect, equivalent to "somewhat white."
- Hypo'lithus** (Ent.) ὕπό, under, λίθος, a stone.
- Hypo'lyssus** (Bot.) ὕπό, under, λύσις; a genus of Fungi.
- Hypo'lytrum** (Bot.) ὕπό, under, ἔλυτρον, a cover.
- Hyonomeu'ta** (Ent.) ὕπονομεύειν, to undermine; to make underground passages or mines.
- Hypophlo'eus** (Ent.) ὕπό, under, φλοιός, bark.
- Hypopy'ra** (Ent.) ὕπό, beneath, πυρά, a pyre or pile of wood.
- Hypopy'ridæ** (Ent.) fam. of which the genus *Hypopyra* is the type.
- Hypo'sila** (Ent.) ὕπο and σιλίνω, a spot; also a genus in Botany.
- Hypotri'x** (Ent.) ὕπο and θρίξ, the hair.
- Hypo'xis** (Bot.) ὕπό, beneath, ἤξις, sharp.
- Hypsil'ophus** (Ent.) ὕψιλόφος, with a high crest.

**Hypsipete's** (Ent.) *ὑψιπέτης*, high flying.

**Hypsiprym'nus** (Zool.) *ὕψος*, height, *μυρμήγης*, the hind part; the Kangaroo rat.

**Hypsirhi'na** (Zool.) *ὕψος*, height, *μύτη*, the snout; a genus of Ophidians.

**Hypsirhyn'chus** (Zool.) *ὕψος*, height, *μύγχος*, the snout; a genus of Colubrine ophidians.

**Hypsopygia** (Ent.) *ὕψος*, height, *κυνή*, rump.

**Hy'ptis** (Bot.) *ὑπτίας*, laid on one's back; the limb of the corolla is turned on its back.

**Hyracoth'e'rium** (Fos. Zool.) *ἱραξ*, *ἱραξός*, a hawk, *θήριον*, a wild beast.

**Hy'rax** (Zool.) *ἱραξ*, a hawk, but is applied to a South African animal belonging to the Rhinocerina.

**Hy'rie** (Zool., Ent.) P. N., the name of a town in Boeotia.

**Hy'ssia** (Ent.) *ἰσσεις*, a dart or javelin.

**Hy'ssop** (Bot.) *Latin*, *Hyssopus*; *Hebrew*, *Ezob*.

**Hyste'rium** (Bot.) *ἱστιόφυτος*, want, need; from the appearance of infested trees; a genus of Fungi.

**Hystri'cidæ** (Zool.) a family of Mammalia of which *Hystrix* is the type.

**Hy'strix** (Zool.) *ἱστρίξ*, a porcupine.

**Ia'ntha** (Bot.) *ἰάνθινος*, violet-coloured; a genus of Orchidaceæ.

**Ia'nthe** (Bot.) *ἰάνθινος*, violet-coloured; a genus of Scrophulariaceæ.

**Ian'thina** (Zool., Ent.) *ἰάνθινος*, violet-coloured.

**Ibbetso'nia** (Bot.) P. N., a genus of Leguminosæ.

**Iberide'lla** (Bot.) dim. of *iberis*; a genus of Cruciferæ.

**Ibe'ris** (Bot.) P. N. from the country called *Iberia*, now Spain; Candytuft; a genus of Cruciferæ.

**I'bex** (Zool.) *Lat.*, a wild goat.

**Ibi'dium** (Bot.) the bird *Ibis*, and *ἴδει*, resemblance; a genus of Orchidaceæ.

**I'bis** (Ornith.) the Greek name of that Egyptian bird to which divine honours were paid; the word is of Eastern origin.

**Ibla** (Zool.) unexplained; a genus of Cirripedes.

**Ica'o'ina** (Bot.) *εικάζει*, the number twenty; a genus of Olacaceæ.

**Icaco'rea** (Bot.) *εικάζει*, twenty, *κέρας*, a shoot or sprout; a genus of Myrsinaceæ.

- Icar'nda** (Bot.) *ἰκάντα*, twenty, ἀρνής, ἀσπός, a male (stamen); a genus of Bignoniaceæ.
- Ica'ria** (Ent.) P. N. Icarus, an ancient Greek proper name; a genus of Hymenoptera.
- I'carus** (Zool.) P. N., the son of Dædalus; a genus of Mollusca, family Icaridæ.
- Ichna'nthus** (Bot.) *ἰχνεύθητος*, a track or footprint, ἄθος, a flower; a genus of Graminae.
- Ichneu'mon** (Zool., Ent.) *ἰχνευμόν*, the tracker, from *ἰχνος*, a footprint; applied to a beast and an insect.
- Ichneumonifor'mis** (Ent.) *Ichneumon* and *forma*, shape; resembles an *Ichneumon* fly.
- Ichni'tes** (Fos. Zool.) *ἰχνος*, a footprint; a term applied to all fossil footprints.
- Ichnocea'rpus** (Bot.) *ἰχνος*, a vestige, *zarpis*, fruit.
- Ichnol'ogy** (Fos. Zool.) *ἰχνος*, a footprint, λόγος, a discourse; description of fossil footprints.
- Ichthyae'tus** (Ornith.) *ἰχθύος*, a fish, ἀτός, an eagle, because living exclusively on fish.
- Ichthy'apus** (Ichth.) *ἰχθύς*, a fish, ἀπους, without feet.
- Ichthyd'ina** (Zool.) *ἰχθύς*, a fish; a genus of Infusoria.
- Ichthy'dium** (Zool.) *ἰχθύς*, a fish, εἶδος, like; a genus of Infusoria.
- Ichthyme'thia** (Bot.) *ἰχθύς*, a fish, μιθίω, to intoxicate; a genus of Leguminosæ.
- Ichthyodo'rulite** (Fos. Zool.) *ἰχθύς*, a fish, δόρυ, a spear, λίθος, a stone; the fossil fin-spines, or defences of fishes.
- Ichthyoid** (Zool.) *ἰχθύς*, a fish, εἰδος, fish; fish-like.
- Ichthy'olite** (Fos. Zool.) *ἰχθύς*, a fish, λίθος, a stone; a palæontological term for a fossil fish, or any portion of a fish.
- Ichthyo'logy** (Ichth.) *ἰχθύς*, a fish, λόγος, a discourse.
- Ichthyopa'tolites** (Fos. Zool.) *ἰχθύς*, a fish, πατίτης, to walk or tread; fish-tracks, i.e., imprints of pectoral fin-rays.
- Ichthyoptery'gia** (Fos. Zool.) *ἰχθύς*, a fish, πτερυγέ, πτερυγός, a fin.
- Ichthyosau'rus** (Fos. Zool.) *ἰχθύς*, a fish, σαύρος, a lizard.
- Ichthyo'sma** (Bot.) *ἰχθύς*, a fish, θεμή, smell; a genus of Balanophoraceæ.
- Ichthy'o'thera** (Bot.) *ἰχθύς*, a fish, θήρα, prey; a genus of Compositæ.
- Ichthy'stoma** (Zool.) *ἰχθύς*, a fish, στόμα, mouth, from the conical pointed tentacles of the actinia, resembling the little sharp teeth of some fishes.

- I'cica (Bot.) its name in Guiana ; typical genus of Icicaceæ.
- Ictera'na (Ent.) *iκτερός*, a yellow bird ; in allusion to the colour of the insect.
- Icteri'na (Ornith.) *iκτερός*, a yellow bird, of the order Passeres.
- Icte'rūs (Ornith.) *iκτερός*, a bird mentioned by Pliny, of a yellowish-green colour, now applied to a genus of Orioles.
- Ic'tis (Zool.) *Lat.* a weasel ; a genus of Mollusca, family Leinapontiadæ.
- Icto'des (Bot.) *iκτίς*, a weasel, *ικτίς*, like ; a genus of Orontiaceæ.
- Idæ'u's (Bot.) P. N., from mount *Ida*, in Crete ; specific name of the raspberry or *Rubus Idaea* ; also a species of *Vaccinium* called *Vitis Idaea*.
- Ida'lia (Zool.) P. N., one of the surnames of Venus ; a genus of Mollusca.
- Ida'lias (Zool.) *Idalia* was a surname of Venus ; a genus of Goniodoridæ, a division of the Mollusca.
- Idar'nes (Ent.) *ιδαρός*, fodder.
- Idele'ria (Bot.) P. N., a genus of Graminae.
- Idmo'nea (Zool.) P. N. perhaps from *Idmon*, one of the Argonauts ; *Ιδμων*, knowing, sagacious ; a genus of Polyzoa.
- Ido'hea (Bot.) *ιδόης*, form, *θεῖος*, divine ; a genus of Liliaceæ.
- I'floga (Bot.) ; a genus of Compositæ.
- Ign'a'lis (Ent.) } *ignis*, fire ; being flame-coloured.
- Ignea'lis (Ent.) } *ignis*, fire ; being flame-coloured.
- Ign'a'tia (Bot.) P. N. in honour of St. Ignatius, the former name of *Strychnos* ; a genus of Loganiaceæ.
- Ignicapil'lus (Ornith.) *ignis*, fire, *capillus*, hair ; red-haired.
- Iguan'o'don (Fos. Zool.) *Iguana*, a genus of Saurian reptiles, *ἰγουάνης*, *οἰδοντός*, a tooth.
- I'larus (Ent.) *ιλαρός*, cheerful ; it should be *Hilarus*.
- Ildefo'nia (Bot.) P. N., a genus of Scrophulariaceæ.
- I'lea (Bot.) *ιλέας*, a lurking-place ; a genus of Confervoid Algaæ.
- Ileosper'mum (Bot.) *ἴλη*, or *ιλή*, a crowd, *σπέρμα*, seed ; a genus of Menispermaceæ.
- Ilex (Bot.) the holm-oak or evergreen oak. Pliny mentions two, of which one was probably the *holm*-oak, the other the *Quercus Ilex*, *Kermes*-oak. Also, the generic name of the Holly.
- Ili'acus (Ornith.) *ilia*, the flanks.
- Ilicifol'i'us-a-um (Ent., Bot.) *Ilex*, the holm-oak, *folium* a leaf ; in Entomology, from the resemblance of the insect when at rest to the withered leaves of the oak and holm-oak respectively ; in Botany, from similarity of foliage to that of the holly.
- Ilicin'eæ (Bot.) the Nat. fam. which contains the *Ilex* or Holly.

- Iliodictyon (Bot.) ιιλεός, a lurking-place, δίκτυον, a net; a genus of Fungi.
- Illecebrum (Bot.) *Illecebra*, of Pliny, from *illicio*, to allure; typical genus of Illecebraceæ.
- Illi'cium (Bot.) *illicio*, to allure, referring to its perfume; Star-anise, a genus of Dilleniaceæ.
- Illi'gera (Bot.) P. N. in honour of —— *Illiger*; a genus of Combretaceæ.
- Illigerellus (Ent.) P. N. from *C. Illiger*, author of a second edition of the Vienna Catalogue.
- Ilio'mene (Bot.) ίιληνε, the eye, μίνε, desire; a genus of Dioscoreaceæ.
- Illorica'tus-a-um (Zool.) *Lat.* shell-less, from *in*, not, *lorica*, a corslet.
- Illospo'rium (Bot.) ίιλημ, to envelope, σφόρος, a sporule.
- Illuna'ria (Ent.) *illunis*, moonleſs; the *lunule* not occurring on the wings of this insect.
- Illustra'ria (Ent.) *illustris*, remarkable, beautiful.
- Illuta'lis (Ent.) *illutus*, unwashed.
- Iluan'thos (Zool.) ίιλης, mud, άθος, a flower; a genus of Zoophytes.
- Ilus (Bot.) a brother of Ganymedes.
- Ily'bius (Ent.) ίιλης, mud, βιώω, to live.
- Ilyoge'ton (Bot.) ίιλης, mud, γεῖτων, a neighbour; a genus of Scrophulariaceæ.
- Ilysan'thes (Bot.) ίιλης, mud, άθος, a flower; a genus of Scrophulariaceæ.
- Imato'phyllum (Bot.) ίματος, a thong, φύλλον, a leaf; a genus of Amaryllidaceæ.
- Imbrica'ria (Bot.) *imbricus*, rainy; a genus of Sapotaceæ.
- Imbrica'ria (Zool.) *imbricatus*; a genus of Mollusca.
- Imbrica'rias (Zool.) *imbricatus*, covered with tiles; a genus of Mollusca, family Fasciolariidae.
- Imbrica'tus-a-um (Bot.) *Lat.* having the appearance of tiles on a roof.
- Imbuta'ta (Ent.) *imbutus*, dyed, tinged; referring to the rosy tint on the forewings.
- Imho'fa (Bot.) P. N. in honour of *M. Imhof*; a genus of Amaryllidaceæ.
- Imita'ria (Ent.) *imitare*, to imitate.
- Immacula'lis (Ent.) *immaculatus*, unspotted.
- Immana'ta (Ent.) *immanare*, to flow into; from the variableness of the species.
- Immer'sus-a-um (Bot.) *Lat. part.* dipped.
- \*Inmuta'ta (Ent.) *immutatus*, unchanged.

- Impatiens** (Bot.) this name is given to it in consequence of the ovarium, from its extreme irritability, bursting from the bottom to the top on the slightest touch ; the Touch-me-not ; a genus of Balsaminaceæ.
- Impe'nnis** (Ornith.) *Lat.* winglefs.
- Impera'ta** (Bot.) *imperare*, to govern ; the spikes are like the plumes of a Cap of State.
- Impera'tor** (Zool.) *Lat.* a commander ; applied to a Balanus, because of its beautiful imperial purple colour.
- Imperato'ria** (Bot.) so called from its reputed *imperial* virtues in medicine ; a genus of Umbelliferæ.
- Imperia'lis** (Ornith., Ent., Bot.) *Lat.* imperial, commanding.
- Implica'lis** (Ent.) *impllico*, to entangle, to confuse.
- Impluvia'ta** (Ent.) *impluviatus*, shaped like an *impluvium*, i. e., having a square border.
- Improvi'sus** (Zool.) *Lat.* unexpected.
- Ina'chidæ** (Zool.) the family of Decapod crustaceans of which *Inachus* is the typical genus.
- Ina'chus** (Zool.) P. N. from *Inachus*, first king of Argos.
- Incana'ria** (Ent.) *incanus*, quite grey, hoary.
- Incarvi'lea** (Bot.) P. N., a genus of Bignoniaceæ.
- Incerta'lis** (Ent.) *incertus*, doubtful.
- Incila'ria** (Zool.) *incile*, a gutter, with reference to the gutter-like channel which divides the mantle from the foot.
- Inclina'tus-a-um** (Ent.) *Lat.* leaning out of the perpendicular.
- Inclu'sus** (Zool.) *Lat.* shut in, confined.
- Incolora'lis** (Ent.) *incolor*, without colour.
- Incom'a'lis** (Ent.) *incomis*, unpleasent.
- Incompta'lis** (Ent.) *incomptus*, unadorned.
- Inconsp'i'cuus-a-um** (Zool., Bot.) *Lat.* not remarkable.
- Indica'lis** (Ent.) *indico*, to point out, to declare.
- Indica'tor** (Ornith.) *Lat.* a guide ; from the birds leading the Hottentots and others to the hives on which they feed, they are called Honey Guides.
- Indiga'ta** (Ent.) *indigens*, poor, i.e., in appearance.
- Indigo'fera** (Bot.) *indigo*, a blue dye stuff, *fero*, to bear ; a genus of Leguminosæ.
- In'dris** (Zool.) formed from the native word *Indri*, said to mean " man of the woods."
- Indu'sium** (Bot.) *Lat.* a woman's under-garment ; applied to the covering of the fronds of ferns.

- Ine'ptus** (Ornith.) *Lat.* unsuitable, absurd; specific name of the Dodo, from its supposed awkwardness. The *Inepti* of Illiger are equivalent to the *Inertes* of Temminck.
- Infaus'tus-a-um** (Ornith.) *Lat.* unlucky, unfortunate.
- Inferobran'chia** (Zool.) *inferus*, underneath, *branchia*, gills; a sub-order of the Gymnobranchiatæ division of the Mollufca.
- Infima'lis** (Ent.) *infimus*, inferior in quality.
- Infla'tæ** (Ent.) the larva feeds on the capsules of the Bladder Campion, (*Silene inflata*.)
- Infla'tus-a-um** (Bot.) *Lat.* bladder-like, as in the calyx of *Silene inflata*.
- Inflexa'lis** (Ent.) *inflexus*, bent, curved.
- Infundibula'ta** (Zool.) *infundibulum*, a funnel; Zoophytes having the tentacles disposed in a ring round the unarmed mouth.
- Infusca'lis** (Ent.) *infuscus*, dusky, brown.
- Infuso'ria** (Zool.) procured from *infusions*, or watery solutions; a group of the Protozoa, characterized by the presence of a mouth, whence the remaining orders are sometimes called *afomata*.
- In'ga** (Bot.) a South American name adopted by Marcgraft.
- Ingenhou'sia** (Bot.) P. N., a genus of Leguminosæ.
- Inglu'vies** (Ornith.) *Lat.* the Crop of birds.
- Ingrata'lis** (Ent.) *ingratus*, unpleasent.
- Innota'ta** (Ent.) *innotatus*, marked.
- Inoca'rpus** (Bot.) *Ις, ιός*, a fibre, *καρπός*, fruit.
- Inoce'ramus** (Fos. Zool.) *Ις, ιός*, fibre, *κιράμος*, a vessel.
- Inocho'rion** (Bot.) *Ις, ιός*, strength, *χόριον*, skin; a genus of Algae.
- Inode'rma** (Bot.) *Ις, ιός*, strength, *δέρμα*, skin; a genus of Algae.
- Inolo'ma** (Bot.) *Ις, ιός*, strength, *λωμα*, fringe; a genus of Fungi.
- Inome'ria** (Bot.) *Ις, ιός*, strength, *μέρος*, a part; a genus of Algae.
- Inopla'na** (Ent.) *inops*, helpless.
- In'ops** (Zool.) *Lat.* needy, helpless.
- In'opus** (Ent.) *Ις, ιός*, strength, force, *πούς*, a foot; a genus of Diptera.
- Inorna'ta** (Ent.) *inornatus*, unadorned.
- Inquinata'lis** (Ent.) *inquinatus*, polluted, defiled.
- Inscripta'lis** (Ent.) *inscriptus*, unmarked.
- Insecti'vora** (Zool.) *infecta*, infects, *voro*, to devour.
- Insesto'res** (Ornith.) *infidei*, to sit upon, to perch; the Tree-perching birds.
- Insignipennel'a** (Ent.) *insignis*, marked, *penna*, a wing.
- Insi'gnis-e** (Ent., Bot.) *Lat.* beautiful, remarkable; e. g., *Cypripedium insignis*.
- Insignita'lis** (Ent.) *insignatus*, distinguished.

- Instabilis* (Ent.) *Lat.* changeable; from the great variation of the species.  
*Insta'le* (Bot.) *infilita*, a bandage or girth, referring to the appearance of  
 the plants; a genus of Fungi.  
*Instita'lis* (Ent.) *infilita*, a fringe.  
*Interita'lis* (Ent.) *interitus*, destruction.  
*Interjuncta'lis* (Ent.) *inter*, within, *junctus*, united.  
*Intermedia'lis* (Ent.) *inter*, between, *medium*, the middle.  
*Interme'dius-a-um* (Bot.) *Lat.* intermediate, *i. e.*, combining the char-  
 acters of two species.  
*Intermica'lis* (Ent.) *inter*, within, *mica*, a crumb, a morsel.  
*Interna'lis* (Ent.) *internus*, inward, internal.  
*Internita'lis* (Ent.) *inter*, within, *nitens*, shining.  
*Interoper'culum* (Ichth.) *inter*, within, *operculum*, a cover or lid.  
*Interpuncta'lis* (Ent.) *inter*, within, *punctum*, a small hole.  
*Intru'sae* (Ent.) *intrudo*, to thrust in.  
*In'tsia* (Bot.) ; a genus of Leguminosæ.  
*Intybe'lia* (Bot.) dim. of *intybus*; a genus of Compositæ.  
*In'tybus* (Bot.) the *endive*, and primary or Latinized form of the word;  
 a genus of Compositæ.  
*In'uла* (Bot.) corrupted from *Helenium*; a genus of Compositæ.  
*Inula'ster* (Bot.) *inulus*, and *aſter*; a genus of Compositæ.  
*Inun'guis* (Zool.) *Lat.* without claws.  
*Invertebra'ta* (Zool.) *in*, without, or neg. *vertebratus*, having *vertebræ*.  
*Invisa'lis* (Ent.) *invifus*, unseen.  
*Involucra'ria* (Bot.) *involucrum*, a wrapper; a genus of Cucurbitaceæ.  
*Involu'crum* (Bot.) *Lat.* a wrapper; the outer calyx of the Mallows,  
*Dianthus*, &c.  
*To* (Ent.) a Grecian heroine, famous for her beauty and her misfortunes—  
 Ovid, Met. i. 588; a species of diurnal butterfly.  
*Io'des* (Ent.) *ἰωδης*, rust-coloured, violet-coloured.  
*Io'des* (Bot.) *ἰωδης*, violet-coloured; a genus of Phytocrenaceæ.  
*Iodi'na* (Bot.) *ἰωδης*, violet-like, dark-coloured; a genus of Olacaceæ.  
*Iolæ'ma* (Ornith.) *ἰον*, the violet, *λαμπής*, the throat; a genus of Hum-  
 ming-birds.  
*Ioni'dium* (Bot.) *ἰον*, a violet, *ἴδης*, like; a genus of Violaceæ.  
*Ionopsi'dium* (Bot.) *ἰον*, the violet, *Ὥψις*, resemblance; a genus of Cruciferæ.  
*Ionop'sis* (Bot.) *ἰον*, a violet, *Ὥψις*, appearance.  
*Io'thia* (Zool.) a genus of Mollusca.  
*Iozo'ste* (Bot.) *ἰον*, the violet, *ζωστήρ*, a girdle; a genus of Lauraceæ.

- Ipecacua'nhā** (Bot.) *ipe*, a native word in Peru for root; *cacuan*, a native distinction for that root.
- Iphige'nia** (Bot.) P. N., the daughter of Agamemnon and Clytemnestra; a genus of Liliaceæ.
- Iphio'na** (Bot.) *iφios*, strong, goodly; a genus of Compositæ; *iφios*, was the ancient name of an herb.
- Ipome'ria** (Bot.) *ιρωμ*, to press down, *μιπες*, a part; a genus of Polemoniaceæ.
- Ipomoe'a** (Bot.) *ιψ*, bindweed, *μιμοις*, like; a genus of Convolvulaceæ.
- Ipomo'psis** (Bot.) *ινία*, to strike forcibly, *στρι*, fight; referring to the dazzling flowers; a genus of Polemoniaceæ.
- Ips** (Ent.) *ιψ*, a worm that eats horn and wood, perhaps a *cynips*.
- Ip'sea** (Bot.) *ιψ*, a cynips insect, from fancied resemblance; a genus of Orchidaceæ.
- Iresi'ne** (Bot.) *ιρησ*, wool; alluding to the woolly appearance of the branches; a genus of Amarantaceæ.
- Iriar'tea** } (Bot.) P. N. in honour of *Iriarte*, the celebrated Spanish  
Iriarte'lla} botanist.
- Iridæ'a** (Bot.) coloured like the *iris* or rainbow; a genus of marine Algæ.
- Iridi'na** (Zool.) *Iris*, the rainbow; a genus of Mollusca, family Iridinidæ.
- Iris** (Bot.) *iris*, the eye; alluding to the variety and brilliancy of its colours; typical genus of Iridaceæ.
- Irpex** (Bot.) *Lat.* a harrow or rake; a genus of Fungi.
- Irradiel'lā** (Ent.) *irradiare*, to cast forth rays.
- Irrecta'lis** (Ent.) *in*, not, *rectus*, straight.
- Irreti'tus** (Zool.) *irretire*, to entangle in a net; from this bat being frequently arrested in the strong web of two large spiders.
- Irrigua'ta** (Ent.) *irriguus*, well-watered; the wings being traversed by a series of wavy stream-like lines.
- Irri'guus-a-um** (Bot.) *Lat.* well-watered, *i. e.*, growing in marshes or marshy places, as *Carex irrigua*.
- Irrora'tus-a-um** (Zool.) *irrota*, to wet or moisten with dew.
- Irrorel'lā** (Ent.) *irrare*, to bedew, besprinkle; from the black dots which stud the wings.
- Iss'chne** (Bot.) *ισσ*, equal, *άχνη*, a glume.
- Iss'nthera** (Bot.) *ισσ*, equal, *anthera*; a genus of Solanaceæ.
- Isan'thus** (Bot.) *ισσ*, equal, *άθησ*, a flower; alluding to the regular corolla.
- Isa'ria** (Bot.) *ισσ*, equal; alluding to the filaments.

- Isar'thon (Ent.) *ἴσος*, equal, ἄρθρον, a joint.
- Isatida'lis (Ent.) feeds on *isatis* or woad.
- Isa'tis (Bot.) *ἴσατης*, to make equal, referring to its effect on rough skin ; Woad ; a genus of Cruciferæ.
- Isau'xis (Bot.) *ἴσος*, equal, αὔξησις, growth ; a genus of Dipteraceæ.
- Ischæ'mum (Bot.) *ἴσχω*, to stop, αἷμα, blood ; referring to its medical properties.
- Ischa'rūm (Bot.) *ἴσχω*, to hold in check ; a genus of Araceæ.
- Is'chnia (Bot.) *ἴσχνης*, thin, meagre, a genus of Verbenaceæ.
- Ischnoga'ster (Ent.) *ἴσχνης*, thin, meagre, γάστηρ, the belly ; a genus of Hymenoptera.
- Ischnogna'thus (Zool.) *ἴσχνης*, thin, γάλθης, the jaw ; a genus of Colubrine ophidians.
- Ischnome'rā (Ent.) *ἴσχνης*, thin, μενός, the thighs.
- Ischno'poda (Ent.) *ἴσχνης*, thin, ποδός, a foot.
- Ischnosi'phon (Bot.) *ἴσχνης*, thin, σίφων, a tube.
- Ischy'odus (Fos. Zool.) *ἴσχυς*, strength, οδούς, a tooth.
- Iser'tia (Bot.) P. N. from *P. E. Iser*, a Dutch surgeon on the coast of Guinea.
- Isidio'ides (Bot.) resembling *Iridium*.
- Isi'dium (Bot.) *ἴσος*, equal ; alluding to the small differences which exist between the podetia ; a genus of Cryptogamia.
- I'sis (Zool., Bot.) P. N. of an ancient goddess ; a genus of Zoophytes ; also a genus of Iridaceæ.
- Isla'ndicus-a-um (Ornith., Bot.) Lat. relating to Iceland ; e. g. *Getraria Islandica*, or Iceland moss.
- Ismel'lia (Bot.) a genus of Compositæ.
- Ismene (Bot.) P. N. from *Ismene*, the daughter of Oedipus and Jocasta.
- Ismé'nia (Zool.) P. N. from *Ismene*, daughter of Oedipus and Jocasta, and sister of Antigone ; a genus of Mollusca, family Terebratulidae.
- Isnar'dia (Bot.) P. N. in honour of A. T. D. d' Ixnard, a French botanist ; a genus of Onagraceæ.
- Isoa'rea (Zool.) *ἴσος*, equal, the genus *area* ; a genus of Mollusca, family Arcadæ.
- Isocar'dia (Zool.) *ἴσος*, like, καρδία, the heart ; the Heart-cockle ; a genus of recent and fossil shells of the family Cyprinidae.
- Isoca'rpha (Bot.) *ἴσος*, equal, κάρφη, chaff.
- Isochæ'nus (Bot.) *ἴσος*, equal, χαινεῖν, to gape ; a genus of Cyperaceæ.
- Isochi'lus (Bot.) *ἴσος*, equal, κείλειν, lip.

- Isoco'ma** (Bot.) *ἴσος*, equal, *κομή*, a tuft; a genus of Compositæ.
- Isocyr'tus** (Ent.) *ἴσος*, equal, *κυρτός*, curved.
- Isode'smia** (Bot.) *ἴσος*, equal, *δεσμός*, a band; a genus of Leguminosæ.
- I'sodon** (Bot.) *ἴσος*, equal, *οδούς*, *οδοντός*, a tooth; a genus of Labiatæ.
- Iso'etes** (Bot.) *ἴσος*, equal, *ἔτος*, the year; the plant being evergreen; a genus of Marsileaceæ.
- Isogno'mon** (Zool.) *ἴσος*, like, *γνώμων*, a sun-dial; a genus of Mollusca, family Aviculidæ.
- Iso'gona** (Ent.) *ἴσος*, equal, *γωνία*, an angle.
- Iso'lepis** (Bot.) *ἴσος*, equal, *λεπίς*, a scale; a genus of Cyperaceæ.
- Isolo'büs** (Bot.) *ἴσος*, equal, *λοβός*, a pod; a genus of Lobeliaceæ.
- Isolo'ma** (Bot.) *ἴσος*, equal, *λωμα*, a fringe; a genus of Filices.
- Isome'ria** (Bot.) *ἴσος*, equal, *μίρος*, a part; a genus of Compositæ.
- Iso'meris** (Bot.) same derivation; a genus of Capparidaceæ.
- Isome'rium** (Bot.) same derivation; a genus of Proteaceæ.
- Isona'ndra** (Bot.) *ἴσος*, equal, *ἀνή*, *ἀνδρός*, a male (stamen); a genus of Sapotaceæ; the Gutta-percha tree belongs to this genus.
- Isone'ma** (Bot.) *ἴσος*, equal, *νήμα*, thread; a genus of Compositæ.
- Isopap'pus** (Bot.) *ἴσος*, equal, *πάππος*, *pappus*, the down on seeds; a genus of Compositæ.
- Isope'talum** (Bot.) *ἴσος*, equal, *petalum*; a genus of Geraniaceæ.
- Isophy'lum** (Bot.) *ἴσος*, equal, *φυλλόν*, a leaf; a genus of Umbelliferæ.
- Isophy'toids** (Bot.) *ἴσος*, equal, *φυτόν*, a plant, *εἶδος*, like.
- Isoplex'is** (Bot.) *ἴσος*, equal, *πλιξίς*, a plaiting.
- Isop'o'da** (Zool.) *ἴσος*, equal, *πούς*, *ποδός*, a foot; an order of sessile-eyed Crustacea.
- Isopo'gon** (Bot.) *ἴσος*, equal, *πάγων*, a beard.
- Iso'pteris** (Bot.) *ἴσος*, equal, *πτερίς*, a fern.
- Iso'pteryx** (Ent.) *ἴσος*, equal, *πτερυξ*, a wing.
- Isopy'rūm** (Bot.) *ἴσος*, equal, *πυρός*, wheat; alluding to the taste of the seeds.
- Isoscela'lis** (Ent.) *ἴσος*, equal, *σκέλος*, a leg.
- Iso'scelis** (Zool.) same derivation; a genus of Colubrine ophidians.
- Isoso'ma** (Ent.) *ἴσος*, equal, *σῶμα*, body; a genus of Hymenoptera.
- Isosti'gma** (Bot.) *ἴσος*, equal, *στίγμα*; a genus of Compositæ.
- Iso'stylis** (Bot.) *ἴσος*, equal, *στῦλος*, a pillar (style); a genus of Myrsinaceæ.
- Isothe'rium** (Bot.) *ἴσος*, equal, *θήζη*, a chest or sheath; a genus of Musci.
- Iso'toma** (Bot.) *ἴσος*, equal, *τομή*, a cutting; a genus of Lobeliaceæ.

- Iso'tre'ma** (Bot.) *ἴσος*, equal, *τρῆμα*, a hole; a genus of Aristolochiaceæ.
- Isozo'oids** (Zool.) *ἴσος*, equal, *ζωή*, life.
- Isthmia** (Bot.) *ἰσθμία*, a necklace; a genus of Diatoms.
- Iswara** (Ent.) a genus of Hymenoptera.
- I'tea** (Bot.) the Greek name of the Willow, (*Ίτια.*)
- Itha'ginis** (Ornith.) *ἴθαγίνης*, genuine, legitimate; a genus of Indian Francolins.
- Ito'nia** (Ent.) P. N., a name of Athena.
- I'va** (Bot.) perhaps from *yua*, a name used by the older botanists.
- Ivy** (Bot.) *Anglo-Sax.* *ifig.*
- Ix'alus** (Zool.) P. N., the name of a ruminant mentioned in the Iliad.
- Ix'ia** (Bot.) *ἰξία*, birdlime; referring to the viscid nature of the roots; a beautiful genus of Iridaceæ.
- Ixia'nthes** (Bot.) *ἰξίς*, birdlime, *ἄνθος*, flower; a genus of Scrophulariaceæ.
- Ixia'nthus** (Bot.) same derivation; a genus of Gentianaceæ.
- Ixiauc'e'nus** (Bot.) *ἰξίς*, glue, *αυχηνός*, the neck; a genus of Compositeæ.
- Ixolæ'na** (Bot.) *ἰξίς*, glue, *γλαῦκη*, a mantle; a genus of Compositeæ.
- Ixolirion** (Bot.) *ἰξίς*, glue, *λιρίον*, a lily; a genus of Amaryllidaceæ.
- Ixo'des** (Ent.) *ἰξώδης*, viscous; the typical genus of the Acaridæ, family Ixodidæ.
- Ixo'dia** (Bot.) *ἰξώδης*, viscid.
- Ixo'ra** (Bot.) a Malabar idol, to which its flowers are offered; a superb tropical genus of Cinchonaceæ.

- 
- Jacara'nda** (Bot.) its name in Brazil; Rose-wood; *Mimosa jacaranda*.
- Jack'al** (Zool.) *Arabian, tochakkal; Spanish, chacal; French, chacal.*
- Jackso'nia** (Bot.) P. N. from G. Jackson, librarian to A. B. Lambert; a genus of Leguminosæ.
- Jacobæ'a** (Ent.) feeds on Ragwort (*Senecio Jacobæa*.)
- Jacobæ'us-a-um** (Bot.) native of the island of St. Jacob; e. g., *Lotus Jacobæus*; also the specific name of Ragwort.
- Jacouqui'nia** (Bot.) P. N. from N. J. von Jacquin, Professor of Botany at Vienna.
- Jaguar** (Zool.) a native name.
- Jambo'sa** (Bot.) *jambas*, aboriginal name; a genus of Myrtaceæ.
- Janel'la** (Zool.) P. N., a genus of Leinacidae (New Zealand genus.)

- Jani'pha** (Bot.) *janipaba*, its name in Brazil; the *Cassava* plant; a genus of Euphorbiaceæ.
- Jani'ra** (Zool.) a genus of Pestenidæ.
- Janthi'na** (Zool.) *Ιανθίνης*, violet-blue; a genus of Mollusks so named on account of the beautiful violet colour of the shell.
- Janthi'nea** (Ent.) *Ιανθίνεια*, violet-blue.
- Ja'nus** (Zool.) P. N. from Roman mythology; a genus of Mollusca, family Proctonotidæ.
- Japo'nicus-a-um** (Ichth., Bot.) *Lat.* relating to, or native of, Japan; e. g., *Camellia Japonica*.
- Jasio'ne** (Bot.) applied by Pliny to wild potherb; a genus of Campanulaceæ.
- Jasmi'num** (Bot.) *γιασμύνη*, the Arabic name. The typical genus of Jasminaceæ.
- Ja'tropha** (Bot.) *Ιατρόφη*, a physician, *τροφή*, food; referring to its qualities; a genus of Euphorbiaceæ.
- Java'nicus-a-um** (Zool., Bot.) *Lat.* belonging to Java.
- Jay** (Ornith.) French, *geai*, Span. *gayo*.
- Jefferso'nia** (Bot.) P. N. in honour of *T. Jefferson*, President of the United States.
- Jeffre'ysia** } (Zool.) P. N. in honour of *Mr. Gwynne Jeffreys, F.R.S.*,  
Jeffreysiadæ } author of a Manual of the Mollusca.
- Jeny'nsii** (Ent.) P. N. in honour of the *Rev. Leonard Jenyns, M.A.*
- Jerbo'idae** (Zool.) a family of Mammalia of which *Jerboa* is the type.
- Jerusalem Artichoke** (Bot.) This has nothing to do with Jerusalem, ancient or modern, but is the tuber of a species of Sunflower, originally called by its proper descriptive name. In Italian it is *girasole* (which turns to the sun), which is thus incorrectly anglicized into a geographical term.
- Je'ssamine** (Bot.) Arabic or Persian *γιασμύνη*, sweet odour.
- Joba'phes** (Bot.) *Ιωβαφής*, violet-coloured.
- Jochro'ma** (Bot.) *Ιωχρόμα*, violet, *χρώμα*, colour.
- John Dory** (Ichth.) from *il janitore*, the door-keeper; the fish being called on the Italian coast by the name of St. Peter, and he being supposed to be the door-keeper of heaven, our sailors gave the name to the fish.
- Jo'hnia** (Bot.) P. N. in honour of the *Rev. Dr. John*, of Tranquebar.
- Jollif'ia** (Bot.) P. N. in honour of *Jollif*, a friend of Bojer.
- Jondra'ba** (Bot.) *Ιόνδρα*, the violet, and the genus *Draba*; a genus of Cruciferæ.

- Jone'sia (Bot.) P. N. in honour of *Sir William Jones*, the celebrated scholar and botanist; a magnificent East Indian genus of Leguminosæ.
- Jonquil (Bot.) from *juncus*, a rush, because of its rush-like leaves; the *Narcissus Jonquilla*.
- Jonthla'spi (Bot.) *lōv*, the violet, and the genus *Thlaspi*; a genus of Cruciferæ.
- Jossi'nia (Bot.) derivation unknown.
- Jouanne'tia (Zool.) P. N., a genus of Pholadidæ, a family of Mollusca.
- Ju'glands (Bot.) *Jovis glans*, the nut of Jove; the Walnut; a genus of Nat. Order Amentaceæ.
- Julia'na (Ent.) *Julius*, the month of July, in which the insect appears.
- Julis (Ichth.) *Lat*, a name applied by Pliny to some fish.
- Julus (Zool.) *Lat*. a milleped; the Garden centipede.
- Juncagina'ceæ (Bot.) *juncus*, a rush; a Natural Order of inconspicuous Endogens, of which *Triglochin* is the type, formerly called *Juncago*.
- Juncicole'l'a (Ent.) *juncus*, a rush, *colere*, to frequent.
- Junci'tes (Fos. Bot.) *juncus*, a rush; fossil stems and leaves apparently related to rushes.
- Junctel'l'a (Ent.) *junctus*, joined, united.
- Jun'cus (Bot.) *jungo*, to join: the first ropes were made of rushes; typical genus of the Rush-family or Juncaceæ.
- Jungerman'nia (Bot.) P. N. from *Louis Jungermann*, a German botanist, who died in 1653; typical genus of Jungermanniaceæ.
- Juniper'a'ta (Ent.) feeds on the *Juniper*.
- Juniperel'lus (Ent.) the larva forms webs on twigs of *Juniper*.
- Juni'perus (Bot.) *Celtie*, *Juneprus*, rough, or rude; referring to the stiff shrubs; a genus of Coniferæ, sub-order Cupressinæ.
- Jürge'nzia (Bot.) P. N., a genus of Byttneriaceæ.
- Juri'nea (Bot.) P. N. in honour of *M. Jurine*; a genus of Compositæ.
- Jussieu'a (Bot.) P. N. from the celebrated French botanical family *Juf-sieu*; a genus of Onagraceæ.
- Jussie'via (Bot.) P. N. in honour of *M. Jussieu*; a genus of Euphorbiaceæ.
- Justi'cia (Bot.) P. N. in honour of *J. Justice*, *Eg*, an eminent Scotch botanist, who published several works on gardening about 1754-63; a splendid tropical genus of Acanthaceæ.
- Jute (Bot.) the fibre of an East Indian Corchorus.

- Kadsu'ra (Bot.) a genus of Schizandraceæ.
- Ka'dua (Bot.) a genus of Cinchonaceæ.
- Kæmpfe'ria (Bot.) P. N. from *E. Kempfer*, a German naturalist, author of "Amœnitates Exoticæ," who died in 1716; a curious tropical genus of Scitamineæ.
- Kageneckia (Bot.) P. N., a genus of Rosaceæ.
- Kahi'ria (Bot.) a genus of Compositæ.
- Kalancho'e (Bot.) the Chinese name.
- Kalbfu'ssia (Bot.) P. N. in honour of *M. Kälfus*; a genus of Compositæ.
- Kale (Bot.) Anglo-Sax. *cal, cawl*; a kind of cabbage; also applied to the *Crambe maritima*, or Sea-kale; Cruciferæ.
- Kali (Bot.) Arabic, *galy* or *âgaly*; specific name of a marine plant, from the ashes of which soda is obtained; the *Saljola Kali*, Nat. Ord. Chenopodiaceæ.
- Kalifor'mia (Bot.) καλός, beautiful, *forma*, shape; a genus of Ceramian Algae.
- Kal'lias (Bot.) ancient name of some plant; a genus of Compositæ.
- Kallströmia (Bot.) P. N., a genus of Zygophyllaceæ.
- Kallyme'nia (Bot.) κάλλος, beauty, μηναῖος, monthly; a genus of Algae.
- Ka'lmia (Bot.) P. N. from *P. Kalm*, Professor at Abo in Sweden; a very beautiful North American genus of Ericaceæ.
- Kalong (Zool.) native name of a bat—Ptéropus.
- Kalosa'nthes (Bot.) καλός, beautiful, ἄνθος, a flower.
- Kampe'caris (Fos. Zool.) κάμπη, a caterpillar, καρίς, a shrimp; a small crustacean, so called from its appearance.
- Kampma'nna (Bot.) P. N., a genus of Xanthoxylaceæ.
- Kamptorhyn'chus (Ornith.) See *Camptorhynchus*.
- Kam'ptzia (Bot.) P. N., a genus of Myrtaceæ.
- Kan'garoo (Zool.) a native name.
- Ka'tydid (Ent.) a species of grasshopper, so called from the sound which it makes.
- Kaulfus'sia (Bot.) P. N. in honour of *G. Fred. Kaulfus*, *M. D.*, Professor of Botany, Halle; a pretty blue-flowered genus of Compositeæ.
- Kei'thia (Bot.) P. N., a genus of Labiatæ.
- Ke'llia (Zool.) P. N. in honour of *Mr. O'Kelly* of Dublin; a genus of Mollusca, family Kelliadæ.

- Kenne'dia** (Bot.) P. N. from *Mr. Kennedy*, nurseryman, Hammersmith ; an elegant genus of Leguminosæ.
- Ke'ntia** (Bot.) P. N., a genus of Palmæ.
- Kentra'nthus**, fame as Centranthus, *q.v.*
- Kentrophy'llium** (Bot.) κεντρόν, a prickle, φύλλον, leaf ; a genus of Compositæ.
- Kentro'phyta** (Bot.) κεντρόν, a prickle, φυτόν, plant ; a genus of Leguminosæ.
- Ke'rato phy'te** (Zool.) κίρας, a horn, φυτόν, that which grows ; a name given by Cuvier to polypi of the genus Gorgonia, on account of the horny axis of the stem.
- Ke'ratose** (Zool.) κίρας, a horn ; but the word is objectionable, since *ose* is not a proper termination for adjectives from the Greek, and analogy would require the *k* in *κίρας* to be expressed by a *c*.
- Keri'lia** (Zool.) κηπός, a honey-comb, from the arrangement of the scales ; a genus of Ophidians.
- Kerivoula** (Zool.) a native name.
- Ke'rodon** (Zool.) κῆρ, the heart, δδούς, δδέρτος, a tooth ; a genus of herbivorous rodents having molar teeth, of which the transverse section is heart-shaped.
- Kerona** (Zool.) κίρας, a horn ; a genus of minute Infusoria, having the body covered with hairs, some of which are curved like horns ; hence the name.
- Ker'ria** (Bot.) P. N. from *W. Ker*, a collector of plants for Kew gardens ; a genus of Japanese Rosaceæ.
- Kiggela'ria** (Bot.) P. N. from *Francis Kiggelar*, a Dutch botanical author.
- Kilmunel'la** (Ent.) first taken at *Kilmun*, N. B.
- Kinge'na** (Zool.) P. N., a genus of Mollusca, family Terebratulidæ.
- Kirgane'lia** (Bot.) *kirganeli*, its Malabar name.
- Kissos** (Bot.) the Greek name for Ivy ; Sophocles calls it “wine-faced”—“τον οινῶν ἀνέχουσα κισσόν.”—Œdip. Colon. v. 674.
- Kitaibe'lia** (Bot.) P. N. from *Paul Kitaibel*, Professor of Botany at Pesth, Hungary.
- Kite** (Ornith.) *Anglo-Sax. cyta*.
- Kleinho'fia** (Bot.) P. N. from *M. Kleinhoff*, formerly Director of the botanical gardens, Java.
- Klei'nia** (Bot.) P. N. from *James Henry Klein*, a German botanist ; a genus of Compositæ.

- Kna'ppia** (Bot.) P. N. from *Mr. M. Knapp*, who wrote on British Grases; a genus of minute Graminae.
- Knau'tia** (Bot.) P. N. from *C. Knaut*, physician at Halle in Saxony, who died in 1694; a beautiful genus of Dipsaceæ.
- Kni'ghtia** (Bot.) P. N. from *T. A. Knight*, Esq., F.R.S., &c.
- Knipo'legus** (Ornith.) it should be written *Cnipolegus*, k not being used in Latin.
- Kno'rria** (Fos. Bot.) a genus of coal-measure plants, intermediate between Lycopods and Conifers.
- Knot-grass** (Bot.) a species of Polygonum, so called from its numerous joints.
- Knowlto'nia** (Bot.) P. N. from *T. Knowlton*, curator of the Botanical Gardens, Eltham.
- Kno'xia** (Bot.) P. N. from *Robert Knox*, an English traveller of the 17th century.
- Kobre'sia** (Bot.) P. N. from *De Kobres*, a German and great promoter of Botany; a genus of Cyperaceæ.
- Ko'chia** (Bot.) P. N. from *M. Koch*, a German botanist.
- Ko'e'ria** (Bot.) P. N. from *M. Kohler*, Professor of Natural History at Mayence; a genus of Grases.
- Koen'i'gia** (Bot.) P. N. from *Samuel Koenig*, a Swiss mathematician.
- Kol'poda** (Zool.) κόλπος, a notch; a genus of Infusoria, having their bodies notched laterally, their mouths being situated at the bottom of the notch.
- Kolreute'rìa** (Bot.) P. N. from *J. G. Kolreuter*, a celebrated German botanist and naturalist.
- Ko'lus** (Zool.) κόλης, docked, curtailed.
- Ko'niga** (Bot.) P. N. from *Charles Konig*, F.R.S., British Museum; a genus of Cruciferæ.
- Konin'ckia** (Zool.) P. N. in honour of *M. Koninck*; a genus of Mollusca, family Orthidae.
- Krame'ria** (Bot.) P. N. from *J. G. H. and W. H. Kramer*, German botanists.
- Krau'ssia** (Zool.) P. N., a genus of Mollusca, family Terebratulidæ.
- Krigia** (Bot.) P. N. from *Dr. David Krieg*, a German botanist.
- Kruhsea** (Bot.) P. N. in honour of *J. Kruſc.*
- Ku'hnia** (Bot.) P. N. from *Adam Kühn*, of Pennsylvania, a pupil of Linnaeus.
- Kuo'hua** (Zool.) native name of one of the Leopards.

Kundo'o (Zool.) native African name; this word should have been Latinized into *Cundu*.

Kun'thia (Bot.) P. N. from *C. S. Kunth*, a French botanist.

Kurgo'sa (Zool.) Latinized form of the *Kargoß*.

Ky'dia (Bot.) P. N. from *Col. Robert Kyd*, first director of the Calcutta Botanic garden.

Kylli'ngia (Bot.) P. N. from *P. Kylling*, a Dutch botanist who died in 1696.

Laba'tia (Bot.) P. N. in honour of the celebrated Spanish naturalist, *Labat*; a genus of Aquifoliaceæ.

Labe'ilum (Bot.) *Lat.* a little lip; applied to the pendulous petal of the Orchidaceæ.

Labia'tæ (Bot.) Labiate flowers; the natural order now called Lamiaceæ.

Labiatiflo'ræ (Bot.) Labiate-flowers; a section of perigynous exogens, with lip-like flowers.

Labich'ea (Bot.) P. N., a genus of Leguminosæ.

Labi'dodon (Zool.) λαβίς, λαβίδος, a pair of pincers, ὀδούς, ὀδόντος, a tooth; a genus of Infusoria.

Labido'stomi (Ent.) λαβίς-θος, a pair of pincers, στόμα, a mouth.

La'bidae (Ent.) λαβίς-θος, a pair of pincers; a genus of Hymenoptera.

Labillardie'ra (Bot.) the same as *Billardiera*, a New Holland genus of Pittosporaceæ.

Labio'sus-a-um (Zool., Bot.) *Lat.* full-lipped.

Labi'sia (Bot.) P. N., a genus of Myrsinaceæ.

La'bium (Ent.) *Lat.* a lip.

La'blab (Bot.) the Arabic name of the convolvulus; now a species of Dolichos; Nat. Ord. Leguminosæ.

Labor'dia (Bot.) P. N., a genus of Loganiaceæ.

Labourdonnai'sia (Bot.) P. N., a genus of Sapotaceæ.

Labra'dia (Bot.) P. N. in honour of *M. Labrade*; a genus of Leguminosæ.

Labrax (Ichth.) a name used by Pliny for some fish; now applied to the Basse.

Labrel'la (Bot.) dim. of *labrum*. a lip; a genus of Fungi.

La'briidae (Ichth.) *labrus*, fam. term. *idae*; the family of the Wrasses, or Rock-fishes.

Labroids (Ichth.) *labrus*, ιλαρος, like.

**Labrum** (Ent.) *Lat.* a lip.

**La'brus** (Ichth.) a name used by Pliny for a ravenous fish; the Wrasse.

The name is derived from the extensile lips of the members of this genus.

**Labur'num** (Bot.) a name used by Pliny; now the Latin specific name of the "Golden-rain," *Cytisus Laburnum*.

**Labyrin'thodon** (Fos. Zool.)  $\lambda\alpha\beta\iota\nu\theta\sigma\varsigma$ , a labyrinth,  $\delta\delta\omega\iota\varsigma$ ,  $\delta\delta\omega\nu\tau\varsigma$ , a tooth; the teeth are of a peculiarly complicated structure; the name was given by Professor Owen.

**Laca'thea** (Bot.)  $\lambda\alpha\kappa\acute{\alpha}\theta\eta$  was the ancient name of an unknown tree; a genus of Ternstroemiaceæ.

**Lacco'bius** (Ent.)  $\lambda\acute{a}\kappa\kappa\varsigma\sigma\varsigma$ , a pit,  $\beta\acute{e}\omega$ , to live.

**Lacco'philus** (Ent.)  $\lambda\acute{a}\kappa\kappa\sigma\varsigma\sigma\varsigma$ , a pit,  $\phi\lambda\acute{e}\omega$ , to love.

**Lace'llia** (Bot.) P. N., a genus of Compositæ.

**Lacepe'dea** (Bot.) P. N. in honour of the celebrated *Count de Lacépède*; a genus of Hippocrateaceæ.

**Lacerna'tæ** (Zool.) pl. of *lacernatus*, wearing a cloak; a family of Infusoria.

**Lace'rta** (Zool.) *Lat.* a lizard.

**Lace'rticeps** (Fos. Zool.) *lacerta*, a lizard, *caput*, head; lizard-headed.

**Lace'rtidæ** (Zool.) *lacerta*, fam. term. *ide*.

**Lachano'des** (Bot.)  $\lambda\acute{a}\chi\alpha\sigma\varsigma$ , garden vegetables,  $\varepsilon\bar{\iota}\delta\sigma\varsigma$ , like; a genus of Compositæ.

**Lachena'lia** (Bot.) P. N. in honour of *W. de la Chenal*, a writer on botany; a beautiful cape genus of Liliaceæ.

**La'chesis** (Zool.) P. N., one of the three Fates; a genus of Ophidians.

**Lachne'a** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , down; alluding to the clothing of the corolla; a genus of Thymelaceæ.

**Lachnagro'stis** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , woolly hair, down,  $\tilde{\epsilon}\gamma\mu\sigma\sigma\tau\varsigma$ , grass; a genus of Graminae.

**Lachna'ia** (Ent.)  $\lambda\alpha\chi\gamma\alpha\dot{\iota}\varsigma$ , hairy, downy.

**Lachna'nthes** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , wool,  $\tilde{\alpha}\nu\theta\sigma\varsigma$ , a flower.

**Lachne'lla** (Bot.) diminutive of *Lachnea*; a genus of Fungi.

**La'chneus** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , down; alluding to the clothing of the corolla.

**Lachnoe'ulon** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , woolly hair, *caulis*, stem; a genus of Eriocaulaceæ.

**Lachnoo'clium** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , woolly hair,  $\pi\lambda\acute{e}\delta\sigma\varsigma$ , a slip or shoot; a genus of Fungi.

**Lachnolo'büs** (Bot.)  $\lambda\acute{a}\chi\gamma\eta$ , soft woolly hair,  $\lambda\theta\beta\sigma\varsigma$ , a pod; a genus of Fungi.

- Lachnolo'ma (Bot.) λάχυν, woolly hair, λαμα, fringe; a genus of Cruciferae.
- Lachnope'talum (Bot.) λάχυν, down, *petalum*; a genus of Sapindaceæ.
- Lachnopo'dium (Bot.) λάχυν, woolly hair, ποῦς, ποδός, foot; a genus of Melastomaceæ.
- Lachnopy'lis (Bot.) λάχυν, woolly hair, πυλίς, a little gate or entrance; a genus of Scrophulariaceæ.
- Lachnospe'rmum (Bot.) λάχυν, down, *sperma*, feed; a genus of Compositæ.
- Lachnosta'chys (Bot.) λάχυν, woolly hair, σταχύς, a cluster; a genus of Amarantaceæ.
- Lachno'stoma (Bot.) λάχυν, down, στόμα, mouth; a genus of Cinchonaceæ; also a genus of Asclepiadaceæ.
- Lachnosypho'nium (Bot.) λάχυν, down, σιφων, a tube; a genus of Cinchonaceæ.
- La'chrymans (Ornith., Bot.) *Lat.* crying, causing grief; as in *Merulius lachrymans*, the Dry-rot plant.
- Lacinula'ria (Zool.) *lacinia*, a lappet or flap; a genus of Infusoria.
- Lacis (Bot.) λακίς, a rent; a genus of Podostemaceæ.
- Lacis'tema (Bot.) λακιστός, tattered, torn; typical genus of the tropical American order Lacistemaçæ.
- Lacistema'ceæ (Bot.) the genus *Lariſtēma*; and fam. terminal.
- Lacryma'ria (Zool.) *lacrymæ*, tears; a genus of Infusoria.
- Lacta'rius (Bot.) *Lat.* milky; a genus of Fungi.
- Lactea'ria (Ent.) *lacteus*, milk-white.
- La'cteus (Zool., Bot.) *Lat.* cream-coloured; e. g., *Crocus lacteus*.
- Lactu'ca (Bot.) *lac*, milk; a milky juice exudes when it is broken; the Lettuce; Nat. Ord. Composite.
- Lacus'trine (Zool.) *lacus*, a lake.
- Lada'nium (Bot.) λάδανον, *ladanum*, was the Greek name of a gum; a genus of Cistaceæ.
- Ladano'psis (Bot.) the genus *Ladanum*, and ιδης, like; a genus of Melastomaceæ.
- Ladenbe'rgia (Bot.) P. N. in honour of *M. Ladenberg*; a genus of Cinchonaceæ.
- Lady-smock (Bot.) probably from the white appearance which its blossoms gave to the meadows where it abounds, resembling linen bleaching on the grass; the *Cardamine pratensis*.
- Lælio'psis (Bot.) the genus *Lælia*, and ιδης, like; a genus of Orchidaceæ.

- Læma'rgus (Zool.) λαίμαργος, greedy, gluttonous.
- Læmodi'poda (Fos. Zool.) λαιμός, the throat, δίς, twice, πούς, ποδός, a foot.
- Læmophlæ'us (Ent.) λαιμός, the throat, φλοιός, bark of trees.
- Lænne'cia (Bot.) P. N. a genus of Compositæ.
- Lætia (Bot.) P. N. in honour of *J. de Laet*, of Antwerp, author of a history of America.
- Læva'ta (Bot.) *levatus*, lifted up.
- Lævigat'us-a-um (Bot.) *Lat.* smoothed ; e. g., *Carex Lævigata*.
- Læ'vis (Zool., Bot.) *Lat.* smooth or soft ; e. g., *Rivina Lævis*.
- Lafoe'nsia (Bot.) P. N., a genus of Lythraceæ.
- Lafresna'ya (Ornith.) P. N. in honour of the venerable *Baron de Lafreshaye*, a French naturalist.
- Lafue'ntea (Bot.) P. N., a genus of Scrophulariaceæ.
- Lagarosi'phon (Bot.) λαγυφός, hollow, σιφών, tube ; a genus of Hydrocharidaceæ.
- Laga'scea (Bot.) P. N. in honour of *Don Mariana Lagasca*, Professor of Botany at Madrid.
- Lagena'ndra (Bot.) *lagena*, a flask (shape), ἄνηρ, ἀνδρός, a stamen ; a genus of Araceæ.
- Lagena'ria (Bot.) *lagena*, a bottle ; referring to the form of the fruit ; the Bottle-gourd ; Nat. Ord. Cucurbitaceæ.
- Lagene'lla (Zool.) dim. of *lagena*, a flask ; a genus of Infusoria.
- Lage'nium (Bot.) λάγηνος, *Lat.* *lagena*, a flask or flagon ; a genus of Mufci.
- Lagenoca'rpus (Bot.) *lagena*, a flask, καρπός, fruit ; a genus of Cyperaceæ.
- Lageno'phora (Bot.) *lagena*, a flask, φέρω, to carry ; a genus of Compositæ.
- Lagenorhy'nchus (Zool.) λάγηνος, a flask, βύζας, a beak.
- Lagerstrœ'mia (Bot.) P. N. in honour of *Magnus Lagerström*, of Gottenburg, a friend of Linnaeus, and a director of the Swedish East India Company.
- Laget'ta (Bot.) *lagetto*, its name in Jamaica ; the Lace-bark tree ; Nat. Ord. Thymelaceæ.
- Lagoce'phalus (Ichth.) λαγός, a hare, κεφαλή, a head.
- Lagochi'lum (Bot.) λαγός, a hare, χεῖλος, lip ; a genus of Acanthaceæ.
- Lagochi'lus (Bot.) λαγόχειλος, having a hare-lip ; a genus of Lamiaceæ.
- Lago'e'cia (Bot.) λαγάς, a hare, οἶκος, a dwelling ; a genus of Graminae.
- La'gomys (Zool.) λαγός, a hare, μῦς, a mouse.
- Lagon'ychlum (Bot.) λαγός, a hare, ὄνυχιος, a little nail.

- Lago'phylla (Bot.) λαγάς, a hare, φύλλον, leaf; a genus of Compositæ.
- Lago'psis (Bot.) λαγάς, a hare, ὁψίς, like; a genus of Labiateæ.
- Lago'pus (Ornith.) λαγάς, a hare, πόδις, a foot; hare-footed.
- Lagorche'stes (Zool.) λαγάς, a hare, ὥρχηστής, a dancer; applied to the kangaroo hare.
- Lago'seris (Bot.) λαγάς, a hare, σέρις, succory; a genus of Compositæ.
- Lagotha'mnus (Bot.) λαγάς, a hare, θάμνος, a shrub; a genus of Compositæ.
- Lago'tis (Zool.) λαγάς, a hare, ἀυτός, an ear; rabbit-eared.
- Lagre'zia (Bot.) P. N., a genus of Amarantaceæ.
- Laguna'ria (Bot.) Ital. *laguna*, a marsh; a genus of Malvaceæ.
- Laguncula'ria (Bot.) *laguncula*, a small flask or bottle; a genus of Combrætaceæ.
- Lagunc'zia (Bot.) P. N., a genus of Homaliaceæ.
- Lagine'a (Bot.) P. N. in honour of *Andreas Laguna*, a Spanish naturalist.
- Lagura'nthera (Bot.) having *anthers* like those of the genus *Lagurus*; a genus of Compositæ.
- Laguro'stemon (Bot.) the *stamens* ( $\sigma \tau \eta \mu \alpha \nu$ ) resembling those of the genus *Lagurus*; a genus of Compositeæ.
- Lagu'russ (Bot.) λαγάς, a hare, ὄυρά, a tail; Hare's-tail grass; a genus of Graminae.
- Laha'ya (Bot.) P. N. in honour of *M. Layhaye*, a scientific gardener.
- La'lage (Bot.) P. N. in honour of Horace's *lady*; a genus of Leguminosæ.
- Lallema'ntia (Bot.) P. N., a genus of Labiateæ.
- Lama (Zool.) Latinized form of *Llama*.
- La'mantin (Zool.) from the native name *la manati*; the Manatus or Sea-cow; Cuvier states that it was so called from a fancied resemblance of its front feet to hands, or from a supposition that it had only front feet.
- Lama'rchea (Bot.) P. N., a genus of Myrtaceæ.
- Lamar'ckia (Bot.) P. N., a genus of Celastraceæ.
- Lamb (Zool.) Anglo-Sax. *lamb*, Dutch, *lam*, Germ. *lamm*.
- Lambdel'la (Ent.) from the Greek letter  $\lambda$  marked on the wings.
- Lamber'tia (Bot.) P. N. in honour of *A. B. Lambert*, Esq., F.R.S. &c., a distinguished botanist and writer upon the Coniferæ.
- Lambs' Lettuce (Bot.) Anglicized from the old name, *Lactuca agrina*, of Ray and Gerarde; the *Fedia olitoria*; Nat. Ord. Valerianaceæ.
- Lamella'ria (Zool.) *lamella*, a plate; a genus of Mollusca.
- Lamellibranchia'ta (Zool.) *lamella*, a small plate, *branchiæ*, gills; Blainville's term for the Conchiferæ.

- Lamellicor'nes** (Ent.) *lamella*, a small plate, *cornu*, a horn ; the antennæ are composed of nine or ten joints, the last two or three of which are lamellated or plated.
- La'mia** (Ent.) P. N. of a fabulous monster.
- La'mia** (Bot.) P. N., a genus of Portulacaceæ.
- Lamia'ceæ** (Bot.) the natural order of which *Lamium* is the typical genus.
- La'mina** (Bot.) *Lat.* a plate ; the blade of a leaf.
- Lamina'ria** (Bot.) from the *fori* upon the *laminae* or fronds ; a genus of marine Algæ.
- Laminari'tes** (Fos. Bot.) *lamina*, a plate ; certain broad-leaved fossil algæ of the upper rocks.
- Lamina'strum** (Bot.) *lamina*, plates, *aſtrum*, a star ; a genus of Fucoid Algæ.
- Lamiop'sis** (Bot.) the genus *Lamium*, and δῆμος, resemblance ; a genus of Labiatæ.
- La'mium** (Bot.) λαμέως, the throat, referring to the shape of the flower ; a genus of Labiatæ, and made the typical one in the equivalent term Lamiaeæ.
- Lammergeyer** (Ornith.) Germ. *lammergeir*, from *lammer*, lambs, *geir*, a vulture.
- Lam'na** (Ichth.) λάμνα, a predatory fish mentioned by Aristotle ; now applied to a genus of Sharks.
- Lamourou'xia** (Bot.) P. N. in honour of *M. Lamouroux* ; a genus of Algæ.
- Lampa'nia** (Zool.) λαμπάς, a torch ; a genus of Mollusca.
- Lampomor'pha** (Ornith.) λάμνω, to shine, μορφή form.
- La'mpra** (Ent.) λαμπρός, brilliant.
- La'mpra** (Bot.) λαμπρός, shining ; a genus of Commelynaceæ.
- Lamprey** (Ichth.) French, *lampreie*.
- La'mprias** (Ent.) λαμπρός, shining.
- Lamproca'rpus** (Bot.) specific name of the "shining-fruited" rush or *Juncus lamprocarpus*, from λαμπρός, shining, καρπός, fruit.
- Lamproca'rya** (Bot.) λαμπρός, shining, κάρυον, a nut ; a genus of Cyperaceæ.
- Lamprodro'ma** (Zool.) λαμπρός, brilliant, δρόμος, flight ; a genus of Molusca.
- Lampro'nia** (Ent.) λαμπρός, bright.
- La'mprophis** (Zool.) λαμπρός, brilliant, ὄφες, serpent ; a genus of Colubrine ophidians.

- Lampropyg'a (Ornith.) λαμπρός, bright, shining, *ωυγή*, rump; a genus of Humming-birds.
- Lamprospi'za (Ornith.) λαμπρές, brilliant, *spiza*, a finch; a genus of Tanagers.
- Lamprostachys (Bot.) λαμπρός, shining, *στάχυς*, a cluster; a genus of Labiateæ.
- Lampro'tatus (Ent.) λαμπρότατος, most brilliant.
- La'mprotis (Bot.) λαμπρότης, splendour; a genus of Ericaceæ.
- Lamproto'rnis (Ornith.) λαμπρὸς, brilliant, *ὄρνις*, bird.
- Lam'psana (Bot.) same as *Lapsana*, q.v.
- Lampsili's (Zool.) λάμψης, splendour; a genus of Mollusca.
- Lam'pyris (Ent.) λάμπω, to shine, *πῦρ*, fire; the Glow-worm.
- Lämpy'ridæ (Ent.) fam. of which *Lampyris* is the type.
- Lamy'e'lla (Bot. P. N., a genus of Fungi.
- Lamy'ra (Bot.) λαμπρός, greedy; a genus of Compositæ.
- Lana'ria (Bot.) *lanarius*, woolly; a genus of Hæmodoraceæ.
- Lana'rius (Ornith.) *Lat.* woolly.
- Lancea'lis (Ent.) *lancea*, a light spear; the wings being narrow and *lanceolate*.
- Lanceola'lis (Ent.) *lanceola*, a little lance.
- Lanceola'ria (Bot.) *lanceola*, a little lance; a genus of Cruciferæ.
- Lanceola'tus-a-um (Bot.) shaped like a lancet, from *lanceola*, a little lance.
- Lancina'lis (Ent.) *lancino*, to lacerate, from its torn appearance.
- Lancre'tia (Bot.) P. N. in honour of *M. Lancret*; a genus of Elatinaceæ.
- Lan'dia (Bot.) P. N., a genus of Cinchonaceæ.
- Landolphia (Bot.) P. N., a genus of Apocynaceæ.
- Lan'dtia (Bot.) P. N. in honour of *M. Landt*; a genus of Compositæ.
- Lanes'tris (Ent.) *lana*, wool.
- Langa'ha (Zool.) etymology unknown; a genus of Colubrine ophidians.
- Langerma'nna (Bot.) P. N. in honour of *M. Langermann*; a genus of Fungi.
- Langevel'dia (Bot.) P. N., a genus of Urticaceæ.
- La'ngia (Bot.) P. N. in honour of *M. Lange*; a genus of Amaranthaceæ.
- Langiel'la (Ent.) P. N. in honour of *H. G. Lang*, a German author.
- Langle'lia (Bot.) P. N. in honour of — *Langley*; a genus of Samydaceæ.
- Langsdo'rfia (Bot.) P. N. in honour of *M. Langsdorf*; a genus of Balanophoraceæ; also a genus of Compositæ.
- Lania'næ (Ornith.) *lanus*, with term, for sub-family; the true Shrikes.
- La'niger (Zool.) *Lat.* wool-bearing, fleecy.

- Laniger' stemma** (Bot.) *laniger*, wool-bearing, fleecy, *stemma*; a genus of Hypericaceæ.
- Lani'idæ** (Ornith.) *lanius*, with fam. term.; the family of the Shrikes and Butcher-birds.
- Lanipila** (Bot.) *lana*, wool, *pilus*, a hair; a genus of Compositæ.
- Lani'stes** (Zool.) *lanifla*, a disturber; a genus of Mollusca.
- La'nium** (Bot.) *lanius*, an executioner; a genus of Orchidaceæ.
- La'nius** (Ornith.) *Lat.* a butcher; the Butcher-birds.
- Lankester'ia** (Bot.) P. N. in compliment to Dr. Edwin Lankester, F.R.S., of London; a genus of Acanthaceæ.
- La'nnea** (Bot.) P. N., a genus of Anacardiaceæ.
- Lanner** (Ornith.) *laniarius*, a butcher; a species of falcon.
- Lano'pila** (Bot.)  $\lambda\alpha\nu\acute{\alpha}\varsigma$ , wool,  $\pi\bar{\imath}\lambda\acute{\alpha}\varsigma$ , a skull-cap; a genus of Fungi.
- Lano'sa** (Bot.) *lanosus*, woolly; a genus of Fungi.
- Lansbe'rgia** (Bot.) P. N. in honour of *M. Lansberg*; a genus of Iridaceæ.
- La'nsium** (Bot.) etymol. unknown; a genus of Meliaceæ.
- Lanta'na** (Bot.) specific name of Viburnum, from *lento*, to bend, on account of its use in tying articles; a genus of Verbenaceæ.
- Laomed'e'a** (Zool.)  $\Lambda\alpha\omega\acute{\epsilon}\delta\acute{\epsilon}\alpha$ , one of the Nereids; a genus of Zoophytes.
- La'ophis** (Fos. Zool.)  $\lambda\ddot{\alpha}\acute{\alpha}\varsigma$ , a rock,  $\ddot{\phi}\acute{\alpha}$ , a serpent; the Rock-snake.
- La'pachys** (Bot.)  $\lambda\alpha\pi\acute{\alpha}\zeta\omega$ , to evacuate; a genus of Compositæ.
- Lape'mis** (Zool.)  $\lambda\acute{\alpha}\pi\pi\eta$ , slime, clammy moisture; a genus of Ophidians.
- Lapeyrou'sia** (Bot.) P. N. in honour of *La Peyrouse*, the French navigator.
- Laphyg'ma** (Ent.)  $\lambda\acute{\alpha}\phi\pi\gamma\mu\alpha$ , gluttony.
- Lapida'ta** (Ent.) *lapis*, a stone; stone-coloured.
- Lapidico'lens** (Ent.) *lapis*, a stone, *colens*, part. inhabiting.
- Laplacea** (Bot.) P. N. in honour of the celebrated *La Place*; a genus of Ternströmiaceæ.
- Lapo'ritea** (Bot.) in honour of *M. Laporte*; a genus of Urticaceæ.
- Lappa** (Bot.) *Lat.* a bur; specific name of a curious Composite plant, the *Arctium Lappa*, or Burdock.
- Lappa'go** (Bot.) dim. from *lappa*, the Burdock; having rough prickly flowers.
- Lappo'nicus-a-um** (Ornith., Bot.) relating to Lapland.
- Lappula** (Bot.) diminutive of *Lappa*; a genus of Tiliaceæ.
- Lap'sana** (Bot.)  $\lambda\alpha\pi\acute{\alpha}\zeta\omega$ , to purge; alluding to its qualities.
- Lap'wing** (Ornith.) Anglo-Sax. *klepan*, to leap, *wince*, a wing; alluding probably to the rapidity with which it claps its wings.
- Laqueu'ria** (Bot.) *laquear*, a panelling ceiling; a genus of Fungi.

**Lar, Lares** (Zool.) P. N. household deities in mythology, symbolized under the form of monkeys clothed with the skins of dogs; applied to a Gibbon, *Hylobates Lar*.

**Larbrea** (Bot.) P. N. in honour of the Abbé *Larbre*, a writer on botany; a genus of Caryophyllaceæ.

**Larch** (Bot.) from *Lat. larix*.

**Lardizabal'a** (Bot.) P. N., a curious South American genus, the typical one of Nat. Ord. Lardizabalaceæ.

**Larentia** (Ent.) a name of Flora, or from *Acca Larentia*, the nurse of Romulus and Remus.

**Laridæ** (Ornith.) *larus*, with fam. term.; the Gull family.

**Lari'nus** (Ent.)  $\lambda\alpha\rho\nu\delta$ , fat.

**Larix** (Bot.) *Lat.* the Larch-tree; Nat. Ord. Coniferæ.

**Lark** (Ornith.) *Anglo-Sax. lafere*, *Dan. lerke*.

**Larkspur** (Bot.) from supposed resemblance of the unexpanded flowers to the spurs of larks; the genus *Delphinium*; Nat. Ord. Ranunculaceæ.

**Larnox** (Bot.) the Greek word for a chest or box; a genus of Solanaceæ.

**Laro'chea** (Bot.) P. N. in honour of *M. De la Roche*, a writer on botany.

**Larra** (Ent.) a name given by Dr. Leach, apparently without meaning; a genus of Hymenoptera.

**Larrada** (Ent.) formed from the genus *Larra*; a genus of Hymenoptera.

**Larraxena** (Ent.) the genus *Larra*, and  $\xi\iota\omega\varsigma$ , strange; a genus of Hymenoptera.

**La'rrea** (Bot.) P. N. in honour of *J. A. H. de Larrea*, a Spanish botanist.

**La'rridæ** (Ent.) a family of Hymenoptera of which *Larra* is the type.

**La'rus** (Ornith.) *Latin*, a gull.

**La'ryva** (Ent.) *Lat.* a ghost or mask.

**Lassilla** (Bot.) P. N., a genus of Lichenes.

**Lasca'dium** (Bot.)  $\lambda\alpha\sigma\omega$ , to ring or rattle; a genus of Euphorbiaceæ.

**Laschia** (Bot.) P. N., a genus of Fungi.

**Lasegnea** (Bot.) P. N., a genus of Apocynaceæ.

**Laserpi'tium** (Bot.) *laser*, the gum of the plant, *pix*, pitch, referring to the finell; a genus of Umbelliferae.

**La'sia** (Bot.)  $\lambda\acute{a}\sigma\iota\omega$ , woolly; a genus of Musci.

**Lasiagro'stis** (Bot.)  $\lambda\acute{a}\sigma\iota\omega$ , woolly,  $\ddot{\alpha}\gamma\mu\omega\sigma\tau\iota\varsigma$ , grafts; a genus of Graminae.

**Lasiandra** (Bot.)  $\lambda\acute{a}\sigma\iota\omega$ , woolly,  $\acute{a}r\acute{e}\bar{\eta}$ ,  $\acute{a}n\bar{\eta}\acute{p}\iota\varsigma$ , male (flamen); a genus of Melastomaceæ.

**Lasian'thea** (Bot.)  $\lambda\acute{a}\sigma\iota\omega$ , woolly,  $\acute{a}r\acute{e}\bar{\eta}\iota\varsigma$ , flower; a genus of Compositæ.

**Lasianthera** (Bot.)  $\lambda\acute{a}\sigma\iota\omega$ , woolly, *anthera*; a genus of Vitaceæ.

- Lasian'thus (Bot.) λάσιος, woolly, ἀνθε, flower; a genus of Cinchonaceæ.
- Lasiobot'rys (Bot.) λάσιος, woolly, βότρυς, a bunch of grapes.
- Lasioca'mpa (Ent.) λάσιος, hairy, κάμπη, a caterpillar.
- Lasioce'phalus (Bot.) λάσιος, woolly, κεφαλή, head; a genus of Compositæ.
- Lasiochloa (Bot.) λάσιος, woolly, χλόη, grass; a genus of Graminae.
- Lasiocla'dus (Bot.) λάσιος, hairy, κλάδος, a branch; a genus of Acanthaceæ.
- Lasioco'rys (Bot.) λάσιος, hairy, κόρυς, a helmet; a genus of Labiatæ.
- Lasiode'rma (Bot.) λάσιος, hairy, δέρμα, skin; a genus of Fungi.
- Lasiole'pis (Bot.) λάσιος, hairy, λεπίς, a scale; a genus of Simarubaceæ.
- Lasione'ma (Bot.) λάσιος, hairy, shaggy, νήμα, a filament; a genus of Cinchonaceæ.
- Lasio'pera (Bot.) λάσιος, hairy, πίρα, an end or termination; a genus of Scrophulariaceæ.
- Lasiope'talum (Bot.) λάσιος, hairy, πέταλον, a petal; referring to the flower; a genus of Byttneriaceæ.
- Laslopo'gon (Bot.) λάσιος, woolly, πώγων, a beard; a genus of Compositæ.
- Lasio'ptera (Bot.) λάσιος, hairy, shaggy, πτερόν, wing; a genus of Crucifereæ.
- Lasiopy'ga (Zool.) λάσιος, woolly, πυγή, rump.
- Lasiorrh'i'za (Bot.) λάσιος, shaggy, ρίζα, root; a genus of Compositæ.
- Lasiosi'phon (Bot.) λάσιος, shaggy, σίφων, a tube; a genus of Thymelaceæ.
- Lasiospo'rma (Bot.) λάσιος, woolly, σπέρμα, seed; a genus of Compositæ.
- Lasiospo'ra (Bot.) λάσιος, woolly, σπόρα; a genus of Compositæ.
- Lasioste'mum (Bot.) λάσιος, woolly, στέμματος, a stamen; a genus of Rutaceæ.
- Lasio'stoma (Bot.) λάσιος, hairy, στόμα, mouth; a genus of Cinchonaceæ.
- Lasio'stoma (Ent.) λάσιος, woolly, στόμα, a mouth.
- Lasiosty'lis (Bot.) λάσιος, hairy, στῦλος, a pillar (style); a genus of Euphorbiaceæ.
- Lasiu'rhus (Zool.) λάσιος, shaggy with hair, σύρα, a tail; hairy-tailed; a genus of Bats.
- Lasthe'nia (Bot.) λασθαιά, to mock, insult; a genus of Compositæ.
- Lastræ'a (Bot.) P. N. in honour of the Abbé de Lastre, a French botanist; a genus of well-known Ferns.
- Lata'nia (Bot.) latanier, its name in the Isle of Bourbon.
- Latax'ina (Zool.) λάταξ, an otter.
- Lateritia'lis (Ent.) lateritus, brick-coloured.

- Lateri'tius-a-um** (Bot.) *Latin*, brick-coloured, *e. g.* *Loasa lateritia*.
- Late'rnea** (Bot.) *later*, a brick, from its colour; a genus of Fungi.
- Latha'mii** (Ornith.) P. N. in honour of *Dr. John Latham*, the eminent writer upon Ornithology, born 1740, died 1837, aged 97.
- Lathræ'a** (Bot.)  $\lambda\alpha\theta\rho\alpha\tau\circ\sigma$ , concealed; it grows in concealed places; a curious parasitic genus, Nat. Ord. Orobanchaceæ.
- Lathræogy'ne** (Bot.)  $\lambda\alpha\theta\rho\alpha\tau\circ\sigma$ , concealed,  $\gamma\upsilon\eta\acute{\iota}$ , a pistil; a genus of Leguminosæ.
- Lathræo'phila** (Bot.)  $\lambda\alpha\theta\rho\alpha\tau\circ\sigma$ , concealed, and  $\phi\lambda\acute{\iota}\omega$ , to love; a genus of Balanophoraceæ.
- Lathro'bium** (Ent.)  $\lambda\acute{\alpha}\theta\rho\eta$ , secretly,  $\beta\acute{\iota}\omega\omega$ , to live.
- La'thryus** (Bot.)  $\lambda\acute{\alpha}\theta\rho\upsilon\circ\sigma$ , a kind of pulse or vetchling (Theophr.); a beautiful genus of Leguminosæ.
- La'ticeps** (Ichth.) *latus*, broad, *caput*, head; broad-headed.
- Laticosta'lis** (Ent.) *latus*, broad, *cōsta*, the side; broad-sided.
- Latifascia'na** (Ent.) *latus*, broad, *fascia*, a band; broad-banded.
- Latiro'stris** (Ichth.) *latus*, broad, *rostrum*, a beak; broad-nosed.
- Latistriel'lus** (Ent.) *latus*, broad, *sīria*, a streak.
- Latitans** (Ent.) part. of *latito*, to lie hid.
- Latou'ria** (Bot.) P. N. in honour of *M. Latour*; a genus of Orchidaceæ.
- La'trans** (Zool.) *Lat*, barking, roaring, applied to the Prairie-wolf.
- Latrei'llea** (Bot.) P. N. in honour of *Latreille*; a genus of Compositæ.
- Latreille'l'a** (Ent.) P. N. in honour of *P. A. Latreille*, Professor of Natural History at Paris, and a celebrated writer upon Entomology, died 1833.
- Latro'bea** (Bot.) P. N. in honour of *M. Latrobe*, a French botanist; a genus of Leguminosæ.
- Latro'num** (Bot.) *Lat.* of thieves; this specific name of Rogues' acacia is said by Burnett to be so called from its forming such impenetrable thorny groves as to afford secure retreats for thieves and runaways.
- Laube'rtia** (Bot.) P. N. in honour of *M. Laubert*; a genus of Apocynaceæ.
- Lauge'ria** (Bot.) P. N. in honour of *M. Lauger*; a genus of Cinchonaceæ.
- Lau'nea** (Bot.) P. N., a genus of Compositæ.
- Lau'nzea** (Bot.) P. N., a genus of Anacardiaceæ.
- Laura'ceæ** (Bot.) The Nat. Ord. of which the genus *Laurus* is the type.
- Laurel** (Bot.) English modification of *Lat.* *Laurus*, through the French.
- Laurembe'rgia** (Bot.) P. N., a genus of Haloragaceæ.
- Laure'ntia** (Bot.) P. N. in honour of *M. Antoine Laurent de Jussieu*; a genus of Lobeliaceæ.

- Laure'ria (Bot.) from *Fr. laurier*; a genus of Solanaceæ.
- Lauri'dia (Bot.) a genus of Celastraceæ.
- Lauroce'rarus (Bot.) from *laurus* and *cerasus*; specific name of the common laurel or *Prunus Laurocerasus*.
- Lauro'phyllus (Bot.) *laurus*, laurel, φυλλόν, a leaf; alluding to the resemblance of the foliage.
- Lau'rus (Bot.) *Latin*, the Bay-tree.
- Lautel'la (Ent.) *lautus*, elegant.
- Lava'ndula (Bot.) *lavo*, to wash, because used to perfume baths; Lavender; Nat. Ord. Labiatæ.
- Lava'nga (Bot.) a genus of Aurantiaceæ.
- Lavate'ra (Bot.) P. N. in honour of the two *Lavaters*, friends of Tournefort; Nat. Ord. Malvaceæ.
- Lavaux'ia (Bot.) P. N., a genus of Onagraceæ.
- La'vender (Bot.) *lavo*, to wash; so called from being used in baths.
- Lave'nia (Bot.) supposed to be of Cingalese origin.
- Laver'na (Ent.) P. N. the Roman goddes of rogues and thieves.
- Lavoisie'ra (Bot.) P. N. in honour of *Lavoisier*, the celebrated chemist; a genus of Melastomaceæ.
- Lavra'dia (Bot.) P. N. in honour of *Vaudelli*, Marquis of *Lavrado*.
- La'wia (Bot.) P. N. in honour of *Mr. Law*; a genus of Podostomaceæ.
- Lawrence'lla (Bot.) P. N., a genus of Compositæ.
- Lawre'ncia (Bot.) P. N., a genus of Malvaceæ.
- Lawso'nia (Bot.) P. N. in honour of *J. Lawson*, M.D., author of a voyage to Carolina; the *Lawsonia alba* is supposed to be the Gopher-wood of Scripture.
- Laxman'nia (Bot.) P. N. in honour of *E. Laxmann*, a Siberian traveller.
- La'ya (Bot.) P. N., a genus of Compositæ.
- Layar'di (Zool.) P. N. in honour of *Mr. Edgar Layard*, who has written upon the natural history of Ceylon.
- La'yia (Bot.) P. N., a genus of Leguminosæ.
- Lazaro'lus(Bot.) P. N., a genus of Pomaceæ.
- Leachii (Ichth.) P. N. in compliment to *Dr. Leach*, formerly Director of the British Museum.
- Leaf (Bot.) *Anglo-Sax. leaf*.
- Lean'gium (Bot.) λεῖος, smooth, ἀγγεῖον, a vessel.
- Lea'ntria (Bot.) λεύτρια, one who polishes; a genus of Myrtaceæ.
- Leathi'na (Bot.) P. N., a genus of Fucoid Algæ.

- Leavenwo'rthia** (Bot.) P. N., in honour of an American botanist; a genus of Cruciferæ.
- Lebe'ckia** (Bot.) P. N. in honour of *Lebeck*, an obscure botanist; a genus of Leguminosæ.
- Lebetan'thus** (Bot.) λιβητός, a basin, ἄνθος, flower; a genus of Euphractidaceæ.
- Lebe'tina** (Bot.) dim. of λιβητός, a basin; a genus of Compositæ.
- Lebreto'nia** (Bot.) P. N. in honour of *Manuel le Breton*, a French botanist.
- Leca'ba** (Bot.) P. N. in honour of *M. Lecabe*; a genus of Menispermaceæ.
- Lecana'ctis** (Bot.) λεκάνη, a dish, ἀντίτις, a ray or spoke of a wheel; a genus of Lichenes.
- Lecana'nthus** (Bot.) λεκάνη, a dish, ἄνθος, flower; a genus of Cinchonaceæ.
- Lecaniodi'scus** (Bot.) λεκάνη, a dish, *discus*; a genus of Sapindaceæ.
- Lecan'i'um** (Bot.) λεκάνη, a dish; a genus of Polypodioid Filices.
- Lecanocar'pus** (Bot.) λεκάνη, a dish, καρπός, fruit; a genus of Amarantaceæ.
- Lecanop'teris** (Bot.) λεκάνη, a dish, πτερίς, a fern; a genus of Polypodioid Filices.
- Lecano'r'a** (Bot.) λεκάνη, a basin; alluding to form of shields; a genus of Lichenes.
- Lecano'tis** (Bot.) λεκάνη, a dish, σῦς, ἀτός, an ear; a genus of Lichenes.
- Le'chea** (Bot.) P. N. in honour of *G. Leche*, a Swedish botanist, died 1764.
- Lechenau'lta** (Bot.) P. N. in honour of *M. Lechenault*, a French botanist and traveller.
- Lechi'dium** (Bot.) λεχίδιος, a couch or bed, εἶδος, like; a genus of Cistaceæ.
- Leci'dea** (Bot.) λεκίς, a saucer, εἶδος, like; a genus of Lichenes.
- Leco'kia** (Bot.) P. N. in honour of *M. Le Coq*; a genus of Umbelliferæ.
- Lecon'tea** (Bot.) P. N. in honour of *M. Leconte*; a genus of Cinchonaceæ.
- Lecon'tia** (Bot.) P. N., a genus of Araceæ.
- Lecqueren'sia** (Zool.) a genus of Infusoria.
- Lecy'thea** (Bot.) λέκυθος, a flask; referring to shape; a genus of Fungi.
- Lecythida'cea** (Bot.) an American order of plants, of which the genus *Lecythis* is the type.
- Le'cythis** (Bot.) λέκυθος, an oil jar; from resemblance of the seed-vessel; the Monkey-pot, a noble American genus of Trees.
- Lecytho'psis** (Bot.) the genus *Lecythis* and ὕψης, resemblance; a genus of Lecythidaceæ.
- Le'da** (Bot.) P. N., a mythological personage; a genus of Confervoid Algae.
- Ledebo'ria** (Bot.) P. N. in honour of *M. Ledebour*, a writer on botany; a genus of Umbelliferæ.

- Leodo'nia** (Bot.) λεδονία, was the ancient name of a shrub from which the gum called λεδαριόν, was derived ; a genus of Cistaceæ.
- Le'sdum** (Bot.) λεδονή, Greek name of the Cistus, now applied to a genus of Ericaceæ.
- Lee'a** (Bot.) P. N. in honour of *J. Lee*, father, son, and grandson, botanists near London.
- Leek** (Bot.) *Anglo-Sax. leac.*
- Le'ersia** (Bot.) P. N. in honour of *J. D. Leers*, a German botanist ; a genus of Gramineæ.
- Leeuwenhoek'okia** (Bot.) P. N. in honour of the celebrated Dutch microscopist ; a genus of Byttneriaceæ.
- Lefeburia** (Bot.) P. N., a genus of Umbelliferæ.
- Lege'ndrea** (Bot.) P. N., a genus of Convolvulaceæ.
- Leguminosæ** (Bot.) *Legumen*, a pod ; the great family of which the pea is the type.
- Leguminosi'tes** (Fos. Bot.) *legumen*, a pod ; certain fossil seeds of the tertiary strata.
- Lehman'nia** (Bot.) P. N., a genus of Solanaceæ.
- Le'ia** (Zool.) λεῖα, smooth ; a genus of Mollusca.
- Leiaca'nthus** (Fos. Zool.) λεῖας, smooth, ἄκαθτα, a spine ; a genus of fossil Fishes known only by their spines.
- Leianthoste'mon** (Bot.) λειάνθησμον, to smooth or polish ; a genus of Gentianaceæ.
- Leian'thus** (Bot.) λεῖας, smooth, ἄθος, flower ; a genus of Gentianaceæ.
- Leibnitzia** (Bot.) P. N. in honour of the great German philosopher, *Leibnitz* ; a genus of Compositæ.
- Leicha'rdtia** (Bot.) P. N. in honour of —— *Leichardt*, a German botanist ; a genus of Asclepiadaceæ.
- Lei'ghia** (Bot.) P. N., a genus of Compositæ.
- Leigna'thos** (Ichth.) λεῖας, smooth, γνάθος, the jaw.
- Lei'la** (Zool.) P. N., a genus of Mollusca.
- Leima'nthium** (Bot.) λειμανθίον, a meadow, ἄνθος, a flower.
- Leinke'ria** (Bot.) P. N., a genus of Proteaceæ.
- Leiocar'pus** (Bot.) λεῖας, smooth, καρπός, fruit.
- Leiochry'sum** (Bot.) λεῖας, smooth, χρυσός, gold ; a genus of Compositæ.
- Leiodao'tyli** (Zool.) λεῖας, smooth, δάκτυλος, a toe ; the Smooth-toed lizards.
- Lei'domus** (Zool.) λεῖας, smooth, *domus*, house ; a genus of Mollusca.
- Lei'odon** (Fos. Zool.) λεῖας, smooth, ὀδούς, ὀδούρος, a tooth ; a genus of Saurians.

- Leiogo'nia** (Bot.) λεῖος, smooth, γωνία, angle; a genus of Compositeæ.
- Leiolo'bium** (Bot.) λεῖος, smooth, λοβός, pod; a genus of Cruciferæ.
- Leiono'tus** (Ent.) λεῖος, smooth, νῶτος, the back.
- Leiophlœ'us** (Ent.) λεῖος, smooth, φλοιός, rind, bark.
- Leiophyllum** (Bot.) λεῖος, smooth, φύλλον, leaf; a genus of Ericaceæ.
- Leiopla'ca** (Bot.) λεῖος, smooth, πλακάνη, a flat cake.
- Leipo'a** (Ornith.) λείωσα, to leave, ἄσ, an egg; a deserter of its eggs, which it leaves in a mound.
- Leio'podus** (Ent.) λεῖος, smooth, πούς, πόδος, a foot; a genus of Hymenoptera.
- Leio'pterus** (Ent.) λεῖος, smooth, πτερόν, a wing.
- Leio'pus** (Ent.) λεῖος, smooth, πούς, a foot.
- Leiosole'nus** (Zool.) λεῖος, smooth, σόλεν; a genus of Mollusca.
- Leioso'ma** (Ent.) λεῖος, smooth, σώμα, body.
- Leio'straca** (Zool.) λεῖος, smooth, διστράχιον, a bivalve mollusk; a genus of Mollusca.
- Lei'o'thrix** (Ornith.) λεῖος, smooth, θρίξ, hair.
- Leiotri'chonæ** (Ornith.) *leiothrix*, with sub-family term.
- Leis'tus** (Ent.) λεῖστος, won by force.
- Leiuranus** (Ichth.) λεῖος, smooth, οὐρά, tail.
- Lema'nea** (Bot.) P. N. in honour of *M. Leman*, a French botanist; a genus of Cryptogamia.
- Lembo'sia** (Bot.) λειμός, a small boat; a genus of Fungi.
- Le'mia** (Ent.) λέιμη, a gummy exudation.
- Lemio'des** (Ent.) the genus *Lemia*, εἶδος, like.
- Lemma'phyllum** (Bot.) λίμπια, peel, husk, φύλλον, leaf; a genus of Polypodioid Ferns.
- Lem'na** (Bot.) a name used by Theophrastus for a water-plant; duck-weed; typical genus of the aquatic family Lemnaceæ.
- Lemna'lis** (Ent.) feeds upon *Lemna*.
- Lemnatophi'la** (Ent.) λειμύα, a water-plant, φίλος, fond of.
- Lem'nopsis** (Bot.) the genus *Lemna*, and ὁμοίη, like; a genus of Podostemaceæ.
- Lemon** (Bot.) through Limonia, is from its original Indian name, *Leemoo*, or *Neemoo*; Arabic for the genus Citrus is *Lymoun*.
- Lemonia** (Bot.) P. N. given by Dr. Lindley in honour of *Sir Charles Lemon, M.P.*
- Lemur** (Zool.) *Lat.* a sprite, a night-walker, from the nocturnal habits of the animal.

- Lenorman'dia** (Bot.) P. N. in honour of *M. Lenormand*, a French botanist; a genus of Ceramian Algae; also used as a specific name; e. g., *Ranunculus Lenormandi*.
- Lentiginosel'la** (Ent.) *lentiginosus*, freckled.
- Lentiginosus-a-um** (Bot.) *Lat.* freckled.
- Leo** (Zool.) *Lat.* a lion.
- Leoca'rpus** (Bot.) *leo*, a lion, *xarpis*; fruit; a genus of Fungi.
- Leo'nia** (Bot.) *leo*, a lion; a genus of Violaceæ.
- Leono'tis** (Bot.) *λίον*, a lion, *ἄστ*, *ἄτος*; an ear; a genus of Labiateæ.
- Leon'tice** (Bot.) *λιοντίκη*, wild chervil; now applied to a singular genus of herbaceous Berberidaceæ.
- Leon'todon** (Bot.) *λίον*, a lion, *θόρυ*, a tooth; in allusion to the tooth-like divisions of the leaves; the Dandelion; Nat. Ord. Compositeæ.
- Leontopo'dium** (Bot.) *λίον*, a lion, *πεύ*, *ποδός*, a foot; alluding to the heads of the flowers; a genus of Compositæ.
- Leonu'rus** (Bot.) *λίον*, a lion, *οὐρά*, a tail; a genus of Labiateæ.
- Leopard** (Zool.) *French*, *léopard*, *Low Lat.* *leopardus*.
- Leoparda'nthus** (Bot.) literally “leopard-flower;” a genus of Orchidaceæ.
- Leopar'dus** (Zool.) *Lat.* a leopard; compounded of *λίον*, a lion, and *πάρδαλις*, a panther.
- Leopoldi'na** (Bot.) P. N. in honour of the late Empress of Brazil.
- Leo'tia** (Bot.) meaning unknown.
- Lepa'didæ** (Zool.) *lepas*; a family of Cirripedes.
- Lepade'lla** (Zool.) dim. from *λεπάς*, a limpet; a genus of Infusoria.
- Lepadi'tes** (Fos. Zool.) *λεπάς*, a barnacle; a genus of fossil shells resembling barnacles.
- Lepas** (Zool.) Greek name for a limpet.
- Lepechi'nia** (Bot.) P. N. in honour of *John Lepechin*, a Russian botanist.
- Lepeopthe'i'rus** (Zool.) *λεπάς*, a scale, *φθείρ*, a louse; a genus of Entomostroaca.
- Le'peta** (Zool.) *λίον*, to strip off; a genus of Mollusca.
- Lepidag'athis** (Bot.) *λεπίς*-*ίδος*, a scale, *ἀγαθίς*, a ball.
- Lepida'lis** (Ent.) *lepidus*, neat, pretty.
- Lepi'dium** (Bot.) *λεπίς*-*ίδος*, a scale; referring to the form of the silicles; a genus of Cruciferæ.
- Lepidocea'ryum** (Bot.) *λεπίς*-*ίδος*, a scale, *καρπος*, a nut; a genus of Palmæ.
- Lepido'ceras** (Bot.) *λεπίς*, *λεπίδος*, a scale, *κίρας*, a horn; a genus of Viscaceæ.

- Lepidoco'ma** (Bot.) λεπίς, λεπίδος, a scale, μύκη, a tuft; a genus of Leguminosæ.
- Lepido'dei** (Fos. Zool.) λεπίς, λεπίδος, a scale; a family of gonoid Fishes.
- Lepidoden'dron** (Fos. Bot.) λεπίς-δρόν, a scale, δένδρον, a tree.
- Lepido'des** (Ent.) λεπίς-ίδος, a scale, εἶδος, like.
- Lepidoga'ster** (Ichth.) λεπίς, λεπίδος, a scale, γαστήρ, the belly; this name appears to have been given on the *lucus a non lucendo* principle, the fish being remarkable for the absence of scales.
- Lepidola'rynx** (Ornith.) λεπίς-ίδος, a scale, *larynx*; a genus of Humming-birds.
- Lepido'ma** (Bot.) λεπίς-ίδος, a scale; a genus of Lichenes.
- Lepi'domys** (Ent.) λεπίς-ίδος, a scale, μῦς, a mouse.
- Lepidone'ma** (Bot.) λεπίς-ίδος, a scale, νήμα, a thread; a genus of Compositæ.
- Lepidopap'pus** (Bot.) λεπίς-ίδος, a scale, *pappus*, the down of seeds; a genus of Compositæ.
- Lepidope'talum** (Bot.) λεπίς, λεπίδος, a scale, *petalum*; a genus of Sapindaceæ.
- Lepido'phorum** (Bot.) λεπίς-ίδος, a scale, φορός, carrying; a genus of Compositæ.
- Lepidophyllites** (Bot.) λεπίς-ίδος, a scale, φύλλον, leaf; a genus of Compositæ.
- Lepidophyl'lum** (Fos. Bot.) λεπίς, λεπίδος, a scale, φύλλον, leaf; leaves of the coal-measures.
- Lepidophy'tum** (Bot.) λεπίς, λεπίδος, a scale, φυτόν, a plant; a genus of Balanophoraceæ.
- Lepidopi'lum** (Bot.) λεπίς-ίδος, a scale, πīλον, hair; a genus of Bryoid Musci.
- Lepidopleu'r'rus** (Zool.) λεπίς, λεπίδος, a scale, πλευρόν, the side.
- Lepidopo'gon** (Bot.) λεπίς-ίδος, a scale, πώγων, a beard; a genus of Compositæ.
- Lepi'dopus** (Ichth.) λεπίς-ίδος, a scale, πούς, a foot; the fish having scales only about the vent and ventral fins.
- Lepidosper'ma** (Bot.) λεπίς-ίδος, a scale, σπίρραι, a seed.
- Lepidosta'chys** (Bot.) λεπίς-ίδος, a scale, σταχυς, a spike; a genus of Scrophulariaceæ.
- Lepidoste'phanus** (Bot.) λεπίς-ίδος, a scale, στιφάνες, a crown; a genus of Compositæ.

- Lepidos'teus** (Fos. Zool.) λεπίς-ίδος, a scale, ὄστρον, a bone; a genus of fishes covered with hard bony scales.
- Lepidos'trobus** (Fos. Bot.) λεπίς-ίδος, a scale, στροβός, a pine-cone.
- Lepidothe'ca** (Bot.) λεπίς-ίδος, a scale, θήκη, a sheath; a genus of Compositæ.
- Lepido'tis** (Bot.) λεπίς-ίδος, a scale, αὖς, ὄτρος, an ear; a genus of Lycopodiaceæ.
- Lepidotospe'rma** (Bot.) λεπίς-ίδος, a scale, αὖς, ὄτρος, an ear, σπίρμα, seed; a genus of Cyperaceæ.
- Lepipo'lys** (Ent.) λεπίς, a scale, πολὺς, many.
- Lepi'stoma** (Bot.) λεπίς, a scale, στόμα, mouth; a genus of Asclepiadaceæ.
- Leplastriera'na** (Ent.) P. N. in honour of Leplastrier, formerly an active collector of insects at Dover and Ramsgate.
- Lepori'des** (Zool.) *lepus*, *leporis*, a hare, term. *ides*, resemblance.
- Lepra'lia** (Zool.) literally “sea-scurf,” from λιπρα, leprosy, ἄλιος, marine; a genus of Polyzoa.
- Lepra'ria** (Bot.) λιπρα, leprosy; it has a scurfy crust; a genus of Lichenes.
- Leptaca'nthus** (Fos. Zool.) λεπτός, slight, ἄκανθα, a spine, slender-spined; a genus of Fossil fishes, so named by Agassiz on account of their slender fin spines.
- Lepta'cinus** (Ent.) λεπτακινός, thin, delicate.
- Lepta'leum** (Bot.) λεπταλέος, slender; referring to the leaves.
- Leptan'dra** (Bot.) λεπτός, slender, ανής, ἀνερος—ἀνδρος, an anther.
- Leptan'thus** (Bot.) λεπτός, slender, ανός a flower.
- Lepta'xis** (Zool.) λεπτός, slender, *axis*; a genus of Mollufca.
- Leptocarpæ'a** (Bot.) λεπτός, slender, κάρπως, fruit.
- Leptocephal'idae** (Ichth.) *leptocephalus*, fam. term. *ida*; a family of Fishes.
- Leptoceph'alus** (Ichth.) λεπτός, slender, καφαλή, the head.
- Leptochæ'te** (Bot.) λεπτός, delicate, χαίτη, a horse's mane; a genus of Fungi.
- Leptochi'lus** (Ent.) λεπτός, slender, χεῖλος, a lip; a genus of Hymenoptera.
- Leptochi'ton** (Zool.) λεπτός, delicate, *chiton*, a coat of mail.
- Leptochlæ'na** (Bot.) λεπτός, delicate, χλαινα, a mantle or cloak; a genus of Bryoid Musci.
- Lepto'chloa** (Bot.) λεπτός, slender, χλόα, grass.
- Leptoli'num** (Zool.) λεπτός, delicate, κλίνη, a couch.
- Leptocon'chus** (Zool.) λεπτός, delicate, *concha*, shell.
- Leptocy'tisus** (Bot.) λεπτός, slender, and *cystifus*; a genus of Leguminosæ.

**Leptoda'ctylon** (Bot.) λεωτός, slender, δάκτυλον, a finger; from the deeply divided leaves and their very narrow segments; a genus of Polemoniaceæ.

**Lepto'dea** (Zool.) λεπτός, slight, delicate.

**Leptodei'ra** (Zool.) λεωτός, slender, δειρή, the neck; a genus of Colubrine ophidians.

**Leptoglos'sæ** (Zool.) λεωτίς, slender, γλῶσσα, a tongue; applied to the Slender-tongued lizards.

**Leptogna'thus** (Zool.) λεωτός, slender, γνάθος, the jaw; a genus of Colubrine ophidians.

**Leptogram'ma** (Ent.) λεπτόγραμμος, neatly written.

**Lepto'lepis** (Fos. Zool.) λεωτίς, slender, λεπίς, a scale; a genus of small Sauroid Fishes.

**Leptome'ria** (Bot.) λεωτός, slender, μέρη, a part.

**Lepto'mitus** (Bot.) λεωτός, slender, μύτος, a thread; a genus of Cryptogamia.

**Lepton** (Zool.) λεπτός, delicate.

**Leptonyx** (Zool.) λεωτός, slender, θυλξ, a claw; equivalent to *inunguis*.

**Leptophi'na** (Zool.) λεωτός, slender, ὄφη, a serpent; the Tree-serpents.

**Lepto'phyllus** (Ent.) λεωτός, slender, φύλλον, a leaf; from the long leaflets which compose the antennæ.

**Leptole'uron** (Fos. Zool.) λεπτός, slender, στενός, rib or side.

**Leptopo'ma** (Zool.) λεπτός, delicate, πάμπα, lid.

**Lepto'pteris** (Bot.) λεπτός, graceful, πτήσις, a fern; a genus of Polypodioid Filices.

**Lepto'ptilos** (Ornith.) λεωτός, slender, πτήλον, a feather; it should be *Leptoptilus*, as the terminal *os*, in Greek, is always made *us* in correct Latin.

**Lepto'ptopus** (Bot.) λεπτός, slender, πτοῦς, a foot; a genus of Euphorbiaceæ.

**Leptorhi'nophis** (Ichth.) λεωτός, slender, φίς, snout, ὄφη, snake.

**Leptorhy'taon** (Zool.) λεωτός, slender, φύτης, that which is drawn along; a genus of Colubrine ophidians.

**Leptoso'mus** (Ornith.) λεπτόσωμος, with thin or taper body.

**Leptosper'mum** (Bot.) λεωτός, slender, σπερμάτης, seed; a genus of Australian Myrtaceæ.

**Leptospo'ndylus** (Fos. Zool.) λεπτός, thin, delicate, *spondylus*, a vertebra; a class of Saurian vertebrae.

**Leptostro'ma** (Bot.) λεωτός, slender, στρῶμα, a layer; referring to its consistence.

**Leptoteu'this** (Zool.) λεπτός, delicate, τσιθίς, cuttle-fish.

- Leptu'ra** (Ent.)
- Leptu'ridæ** (Ent.) } λεπτός, slender, ὄφα, a tail.
- Leptu'rūs** (Ichth.)
- Lepyro'des** (Ent.) λεπυροδόνης, scaly.
- Lepyro'dia** (Bot.) λεπυροδόνης, scaly.
- Lere'tia** (Bot.) P. N., a genus of Olacaceæ.
- Le'ria** (Bot.) P. N. probably in honour of *Leri*, a friend of De Candolle.
- Lernæ'a** (Zool.) *Lerna*, a marsh in Argolis, which contained the Hydra killed by Hercules; a species of parasite.
- Lernæ'adæ** (Zool.) *Lerna*, with fam. term.
- Lernen'toma** (Zool.) the genus *Lernæa*, ἵτρομος, an insect.
- Lerneo'cera** (Zool.) the genus *Lernæa*, κίρας, a horn.
- Lerneoce'radae** (Zool.) the genus *Lernæa*, with fam. term.; a family of Entomostraca.
- Lerneomy'zon** (Zool.) the genus *Lernæa*, and μύζω, to suck.
- Lerneone'ma** (Zool.) the genus *Lernæa*, and νήμα, a thread.
- Lerneo'poda** } (Zool.) the genus *Lernæa*, ποῦς, πόδος, a foot; a genus
- Lerneopo'dadæ** } and family of Entomostraca.
- Leschenau'itia** (Bot.) P. N. in honour of *M. Lefchenault*, a French traveller and botanist.
- Les'kea** (Bot.) P. N. in honour of *N. G. Leiske*, Professor of Natural history at Marburg; a genus of Musci.
- Lespede'za** (Bot.) P. N. in compliment to —— *Leopold*, Governor of Florida, a patron of the science of botany.
- Lesser'tia** (Bot.) P. N. in compliment to *Stephen Deleffert*, a French patron of botany.
- Le'stera** (Ent.) etymology unknown; a genus of Coleoptera.
- Lestibode'sia** (Bot.) P. N. in honour of *J. F. Lestiboudois*, a Flemish botanist.
- Le'stis** (Ent.) λῃστής, a robber; a genus of Hymenoptera.
- Le'stris** (Ornith.) λῃστρίς, a pirate; a genus of Birds of Prey.
- Lettso'mia** (Bot.) P. N. in honour of *J. Coakley Lettsom*, M.D., an English physician and naturalist, born 1744, died 1815.
- Lettuce** (Bot.) from Latin, *lactuca*, the milky plant.
- Leuca'cīs** (Bot.) λευκός, white, and ἀκτίς, a ray; a genus of Compositæ.
- Leucae'ndron** (Bot.) λευκός, white, δένδρον, a tree; referring to its appearance. The Silver-tree; a Cape genus of Proteaceæ.
- Leu'calis** (Ent.) λευκός, white, shining.
- Leuca'nīa** (Ent.) λευκός, white.

- Leuca'nidæ** (Ent.) *leucania*, fam. term. *ide.*
- Leuca'nthea** (Bot.) λευκή, white, ἄνθος, a flower; a genus of Scrophulariaceæ.
- Leu'cas** (Bot.) λευκός, white; referring to the downy whiteness of the flowers; a genus of Labiatæ.
- Leuca'ster** (Bot.) λευκός, white, ἀστήρ, a star; a genus of Nyctaginaceæ.
- Leuchtenbe'rgia** (Bot.) P. N. in honour of —— *Leuchtenberg*, a German botanist; a genus of Caftaceæ.
- Leucip'pus** (Ornith.) P. N.: the word implies riding a white horse; a genus of Humming-birds.
- Leuci'scus** (Ichth.) λευκίσκος, the white mullet; a genus of Fish including the dace and roach.
- Leucoca'rpus** (Bot.) λευκός, white, καρπός, fruit; a genus of Calyceraceæ.
- Leuccoce'phala** (Ornith., Bot.) λευκή, white, κεφαλή, a head; white-headed.
- Leucochlo'ris** (Ornith.) λευκός, white. χλωρός, pale-green; a genus of Humming-birds.
- Leucochro'ma** (Ent.) λευκή, white, χρώμα, colour.
- Leucoconi'de** (Bot.) λευκός, white, and κνιδη, a nettle; a genus of Urticaceæ.
- Leucoco'don** (Bot.) λευκός, white, and καθὼν, a bell; a genus of Cinchonaceæ.
- Leucocory'ne** (Bot.) λευκή, white, κορύνη, a club.
- Leucodio'tyon** (Bot.) λευκός, white, δίκτυον, a net, a genus of Leguminosæ.
- Leu'codon** (Bot.) λευκός, white, οδούς, οδοτός, a tooth; in allusion to the colour of the peristome; a genus of Musci.
- Leucoge'r anus** (Ornith.) λευκός, white, γέγανος, a crane.
- Leuco'grapha** (Ent.) λευκή, white, γραφή, a marking.
- Leuco'jum** (Bot.) λευκός, white, ἵππος, a violet. The Snow-flake; a genus of Amaryllidaceæ.
- Leuco'mela** (Ornith.) λευκός, white, μῆλα, cheeks.
- Leucom'phalus** (Bot.) λευκός, white, and ὀμφαλός, the scar upon the seed; a genus of Leguminosæ.
- Leucomy'stax** (Zool.) λευκός, white, μύσταξ, moustache; white-whiskered.
- Leuconer'pes** (Ornith.) λευκός, white, ἔρπω, to creep; a genus of Wood-peckers.
- Leuco'nia** (Zool.) λευκός, white; a genus of Mollusca.
- Leuco'notus** (Ornith.) λευκός, white, νῶτος, the back; white-backed.
- Leucopare'ia** (Ornith.) λευκός, white, παρεία, the cheek; white-cheeked.
- Leucophæ'a'ria** (Ent.) λευκόφαιος, grey, ash-coloured.

- Leucopha'sia** (Ent.) λευκός white, φάσις, appearance.
- Leu'cophrys** (Zool.) λευκός, white, ὄφρος, the eyebrow; a genus of Infusoria.
- Leucophtha'lma** (Ornith.) λευκόφθαλμος, white eyed.
- Leucopo'gon** (Bot.) λευκός, white, πῶγων, a beard; the limb of the corolla being bearded with white.
- Leuco'psis** (Ornith.) λευκός, white, ὄψις, look, countenance.
- Leucc'ptera** (Ornith.) λευκός, white, ὥτερον, wing; white-winged.
- Leu'copus** (Zool.) λευκός, white, ποῦς, a foot; white-footed.
- Leucc'rhapsis** (Bot.) λευκός, white, and πάρης, the cord of the seed; a genus of Acanthaceæ.
- Leucor'chis** (Bot.) λευκός, white, and orchis, an orchid; a genus of Orchidaceæ.
- Leucoro'dia** (Ornith.) λευκός, white, ρόδον, a rose; reddish-white.
- Leu'coryx** (Zool.) λευκός, white, ὄρυξ, an antelope.
- Leucos'mia** (Bot.) λευκός, white, ὄσμη, smell; a genus of Aquilariacæ.
- Leucosper'mum** (Bot.) λευκός, white, σπέρμα, seed.
- Leucostem'ma** (Bot.) λευκός, white, στίμφα, a crown; alluding to the flowers.
- Leucosy'ke** (Bot.) λευκός, white, συκῆ, mulberry; a genus of Moraceæ.
- Leucox'ylon** (Bot.) λευκός, white, ξύλον, wood.
- Leuocozo'nia** (Zool.) λευκός, bright, zona, girdle; a genus of Mollusca.
- Leucu'rus** (Zool.) λευκός, white, σύρπη, a tail; white-tailed.
- Leucymino'e'a** (Bot.) λευκός, white, κύμινον, cumin; a genus of Melastomaceæ.
- Leu'zea** (Bot.) P. N. in honour of *De Leuze*, a friend of De Candolle.
- Le'veillea** (Bot.) P. N. in honour of *M. Léveillé*; a genus of Fungi.
- Leveret** (Zool.) French, lièvre; a hare in the first year of its age.
- Levieu'xia** (Bot.) P. N. in honour of —— *Levieux*; a genus of Fungi.
- Levis'ticum** (Bot.) *levio*, to assuage; it relieves flatulency; a genus of Umbelliferæ.
- Lewenhoek'la** (Ent.) P. N. in honour of *Antony von Lewenhoek*, the famous Dutch naturalist and micrographer, author of "Arcana Naturæ," who died in 1723.
- Lewi'sia** (Bot.) P. N. in honour of the American *Captain M. Lewis*, who accompanied Clarke to the Rocky Mountains.
- Leyceste'ria** (Bot.) P. N. in honour of *W. Leycester*, Chief Judge at Bengal; a beautiful East Indian genus of Caprifoliaceæ.
- Leyse'ra** (Bot.) P. N. in honour of *Frederick W. Leyser*, a German botanist.
- Li'asis** (Zool.) λιάζομαι, to bend, to swerve aside; a genus of Ophidians.

- Lia'tris (Bot.) probably from λιάζειν, to bend ; a genus of Compositæ.
- Liberia'nus (Zool.) *Lat.* relating to Liberia, Africa.
- Liboce'drus (Bot.) λιβανός, incense, κέδρος, the Cedar-tree ; from the smell when burnt ; a genus of Coniferæ.
- Lichano'tus (Zool.) λειχής, a wart, ωτός, the back ; wart-backed.
- Lichen (Bot.) from its Greek name λειχής, signifying a wart.
- Lichena'ria (Ent.) feeds on lichens.
- Licheni'cola (Bot.) *lichen*, moss, *colo*, to frequent.
- Licheno'psis (Bot.) *lichen*, and φύει, like ; a genus of Fungi.
- Lichi'na (Bot.) from its resemblance to *lichen* ; a genus of Cryptogamia.
- Lichtenstei'nia (Bot.) P. N. in honour of *M. von Lichtenstein*, a Prussian traveller.
- Licme'tias (Ornith.) λικμητής, a winnower of corn.
- Licmo'phora (Zool.) λικμός, a fan, φέρω, to bear ; a genus of Infusoria.
- Licua'la (Bot.) its Macassar name.
- Lidbe'ckia (Bot.) P. N. in honour of *E. G. Lidbeck*, a Swedish botanist.
- Lienigie'l'a (Ent.) P. N. in compliment to *Madame Lienig*, late Honorary Member of the Entomological Society of Stettin, who died in 1856.
- Lig'dia (Ent.) P. N. from *Ligidus*, a Cretan, father of Iphis, for whose story see OVID, Met. ix., 670.
- Lightfoo'tia (Bot.) P. N. in honour of the Rev. *John Lightfoot*, author of the "Flora Scotica ;" born 1735, died 1788.
- Lignipe'rda (Ent.) *lignum*, wood, *perdere*, to destroy ; the larva bores into the stems of willow and other trees.
- Ligulei'l'a (Ent.) *ligula*, a little strap ; alluding to the slender white band across the wings.
- Ligu'sticum (Bot.) it grows in great abundance in *Liguria* ; a genus of Umbelliferae.
- Ligu'strum (Bot.) *ligare*, to tie ; alluding to its flexible branches ; applied by Virgil to the large white *Convolvulus* or *Convolvulus sepium*. Now given to the Privet ; Nat. Ord. Oleaceæ.
- Lilac (Bot.) from *Persian lilac*, a flower ; *i. e.*, the flower *par excellence* ; the genus *Syringa* ; Nat. Ord. Oleaceæ.
- Li'lium (Bot.) *Celt. li*, whiteness ; in reference to the flowers ; the typical genus of the splendid and favourite Nat. Ord. Liliaceæ.
- Lily (Bot.) *Lat. lilium*, *Greek*, λιλίον. Pindar beautifully applies the name of "Lily-flower of the ocean-dew," to coral :—

καὶ λιλίον ἀνθεμὸν ποντίας  
ἴφελοῖς ἔργα.—Nem. vii. 116.

- Lima** (Zool.) *Lat.*, a file ; a genus of Mollusca.
- Lima'cia** (Bot.) *limaceus*, muddy, slimy ; a genus of Menispermaceæ.
- Lima'cina** (Zool.) *limacinus*, snail-like.
- Lima'cium** (Bot.) *limaceus*, muddy, slimy ; a genus of Fungi.
- Limaco'des** (Ent.) *λιμακός*, a snail, *εἴδος*, form ; from the snail-like appearance of the larva.
- Limamuræ'na** (Ichth.) *lima*, a file, *muraena*, the lamprey.
- Lima'nda** (Ichth.) unexplained.
- Limando'ides** (Ichth.) the genus *limanda*, *εἴδος*, resemblance.
- Limano'mia** (Zool.) formed from the genera *Lima* and *Anom'*.
- Limapo'ntia** (Zool.) the genus *Lima*, and *pons*, *pontis*, a bridge ; this having arched lateral ridges.
- Lima'tula** (Zool.) dim. of *lima*.
- Li'max** (Zool.) *Lat.* a slug.
- Limba'tæ** (Ent.) *limbatus*, bordered.
- Limbo'ria** (Bot.) *limbus*, a border or fringe.
- Limeni'tis** (Ent.) *λιμενῖτις*, harbour-keeping ; an epithet applied to several divinities.
- Lime-tree** (Bot.) properly *Linc*-tree, as giving baste for cordage ; the genus *Tilia*.
- Li'meum** (Bot.) *λιμαός*, a pest ; it is a poisonous plant.
- Limicola'ria** (Zool.) *limus*, slime, *colere*, to dwell ; a genus of Mollusca.
- Limna'cinæ** (Zool.) *λιμνη*, a lake ; a sub-family of the Helicidæ.
- Limnæ'a** (Zool.) *λιμνη*, a lake ; the Pond-shell ; a well-known genus of fresh-water Mollusca.
- Limne'bius** (Ent.) *λιμνη*, a marsh, *βιώσω*, to live.
- Limne'i'dæ** (Ent.) *λιμναιός*, marshy ; the Pond snails.
- Lim'nias** (Zool.) *λιμνη*, a lake ; a genus of Infusoria.
- Limno'charis** (Bot.) *λιμνη*, a pool, *χαίρω*, to delight ; referring to its habitat.
- Limnodic'tyon** (Bot.) *λιμνη*, a marsh, *διέτυν*, a net ; a genus of Algae.
- Limnoge'neton** (Bot.) *λιμνη*, a marsh, *γεννήσει*, originated ; a genus of Composite.
- Limnoge'ton** (Bot.) *λιμηνη*, a marsh, *γείτων*, a neighbour ; a genus of Juncaginaceæ.
- Limnone'sis** (Bot.) *λιμνη*, a lake, *ησίς*, an islet ; a genus of Pustiaceæ.
- Limno'phila** (Zool.) *λιμνη*, a marsh ; *φιλίω*, to love.
- Limnophil'ides** (Ent.) a sub-family of Phryganidæ.
- Limno'philus** (Ent.) *λιμνη*, a pool of standing water, *φιλίω*, to love.

- Limno'psis** (Zool.) the genus *Limnaea*, and ὁμοία, resemblance.
- Limo'nia** (Bot.) *limoun*, the Arabic name of the Citron.
- Limo'sa** (Ornith.) *limofus*, muddy.
- Limose'lla** (Bot.) *limus*, mud; alluding to its habitation; mudwort; Nat. Ord. Scrophulariaceæ.
- Limpet** (Zool.) *Lat. lepas*, Greek λεπτός.
- Lim'ulus** (Zool.) dim. of *limus*, sideways; a genus of Crustaceans.
- Lina'ria** (Bot.) *Linum*, flax, from the resemblance which some of the species, when out of flower, are thought to bear to that plant; Nat. Ord. Scrophulariaceæ.
- Linden** (Bot.) equivalent to *line-tree*, because it affords bâst for cordage.
- Linde'nia** (Bot.) P. N., a genus of Nyctaginaceæ.
- Linde'ra** (Bot.) P. N., a genus of Lauraceæ.
- Linde'rnia** (Bot.) P. N. in honour of *F. B. von Lindern*, M.D., of Straßburg, a botanical author.
- Lindhei'mera** (Bot.) P. N., a genus of Compositæ.
- Lin'dia** (Zool.) P. N., a genus of Infusoria.
- Lindle'ya** (Bot.) P. N. in honour of *Dr. John Lindley*, the celebrated botanist; a genus of Rosaceæ; also applied to a genus of Samydaceæ, and another of Ternströmiaceæ.
- Lindsæ'a** (Bot.) P. N. in honour of *Lindsay*, an Englishman, who wrote on the germination of Mosses.
- Li'nea** (Ent.) so called on account of the *line* on the forewings.
- Linea'ris** (Bot.) *Lat.* consisting of lines, linear; e.g. *Collomia linearis*.
- Lineo'des** (Ent.) the genus *Linea*, έιδος, like.
- Lineopa'lpa** (Ent.) *linea*, a line, *palpus*, a feeler.
- Ling** (Bot.) the English name of the *Calluna vulgaris* or heather.
- Ling** (Ichth.) *Anglo-Sax. lang*, long; a long slender fish of the Cod kind.
- Lin'gula** (Ichth.) *Lat.* a little tongue; so called from the tongue-like form of their valves; a genus of Mollusca.
- Lingula'tus-a-um** (Bot.) *Lat.* tongue-shaped; having leaves shaped like a tongue; e.g., *Saxifraga lingulata*.
- Linnæ'a** (Bot.) P. N. in honour of *Linnæus*, the great naturalist; Nat. Ord. Caprifoliaceæ.
- Linneel'la** (Ent.) P. N. in honour of *Linnæus*.
- Linnet** (Ornith.) perhaps so called from its feeding on the seeds of *linum*, flax.
- Linobla'dia** (Bot.) P. N., a genus of Fungi.
- Linoblo'mia** (Bot.) P. N., a genus of Orchidaceæ.

- Linochi'lus** (Bot.) the genus *Linum*, and *χῖλος*, a lip; a genus of Compositæ.
- Linocie'ra** (Bot.) P. N. in honour of *G. Linocier*, a French physician.
- Linschote'nia** (Bot.) P. N., a genus of Goodeniaceæ.
- Linseed** (Bot.) *linum*-seed, or flax-seed.
- Li'num** (Bot.) the Greek *λίνον*, and the Celtic *lin*, both mean a thread; flax; typical genus of Nat. Ord. Linaceæ.
- Linyph'ia** (Ent.) *λίνος*, a thread; *φύω*, to shoot forth; a genus of Arachnidæ.
- Linyphi'idæ** (Ent.) a family of Arachnidæ, of which *Linyphia* is the type.
- Lioce'rous** (Zool.) this specific name should be written *Leiocercus*, from *λειός*, smooth, and *κέρκος*, a tail.
- Lioga'stra** (Ent.) *λειός*, smooth; *γαστήρ*, belly; a genus of Hymenoptera.
- Lion** (Zool.) *λέων*, *Lat. Leo*, a lion; perhaps from *λέω*, to see, alluding to the sharpness of its sight.
- Li'ophis** (Zool.) *λειός*, smooth; *օφις*, snake; a genus of Colubrine ophidians.
- Liophle'b'us** (Ent.) *λειός*, smooth, *φλεΐς*, bark; should be *Leiophlebus*.
- Liostepha'nia** (Zool.) *λειός*, smooth, *στίφανος*, a crown; a genus of Infusoria.
- Lio'tia** (Zool.) *λειός*, smooth.
- Lipara'lis** (Ent.) *λιπαρός*, brilliant.
- Lipa'ria** (Bot.) *λιπαρός*, brilliant; alluding to the surface of the leaves.
- Li'paris** (Ichth., Bot.) *λιπαρός*, oily, shining, brilliant.
- Liparogy'ra** (Zool.) *λιπαρός*, oily, *γυρός*, round; a genus of Infusoria.
- Liparophyl'lum** (Bot.) *λιπαρός*, oily, *φύλλον*, a leaf; a genus of Portulacaceæ.
- Lipo'stoma** (Bot.) *λιπώμα*, to fall, *στόμα*, the mouth.
- Lip'pia** (Bot.) P. N. in honour of *Augustine Lippi*, a French physician and traveller in Abyssinia.
- Liquidam'bar** (Bot.) *liquidus*, liquid, *ambar*, amber; it exudes gum.
- Liquorice** (Bot.) from *γλυκυρίζα*, sweet root, through the Latin *glycyrrhiza*, and Italian *liquirizia*.
- Lirioden'dron** (Bot.) *λιρίνη*, a lily, *δίνδρον*, a tree; the Tulip-tree, a magnificent North American species of Magnoliaceæ.
- Liriof'dess** (Bot.) *λιρίνη*, a lily, *εἶδος*, resemblance; lily-like flowers; Brongniart's name for the Liliaceæ.
- Lirios'ma** (Bot.) *λιρίνη*, a lily, and *σμένη*, odour; a genus of Olacaceæ.
- Lisia'nthus** (Bot.) *λίσις*, smooth; *ἄνθος*, a flower.

- Lissan'the (Bot.) λισσός, smooth, ἄνθος, a flower.
- Lissochi'lus (Bot.) λισσός, smooth, χεῖλος, a lip.
- Lissode'ma (Ent.) λισσός, smooth, δημός, fat.
- Liso'pterus (Ent.) λισσός, smooth, πτερόν, a wing; in allusion to the almost total absence of sculpturing on the elytra.
- Liste'ra (Bot.) P. N. in honour of *Martin Lister, M.D.*, a celebrated English naturalist; a curious genus of terrestrial Orchidaceæ.
- Listrosta'chys (Bot.) λιστρός, a shovel, σπαχύς, a spike; a genus of Orchidaceæ.
- Litchi (Bot.) Chinese native name for the celebrated fruit of the *Dimocarpus Litchi*.
- Litera'lis (Ent.) litera, a letter; referring to the mark, resembling an Arabic character, in the middle of the wing.
- Lithargy'ria (Ent.) λιθάργυρος, vitrified lead; from the general tinge of the wings.
- Li'thinus-a-um (Bot.) λίθινος, resembling stone; stone-coloured.
- Lithoca'mpa (Ent.) λίθος, a stone, κάρων, caterpillar.
- Li'thocarp (Fos. Bot.) λίθος, stone, καρπός, fruit; any fossil fruit.
- Lithoca'rpus (Bot.) λίθος, stone, καρπός, fruit, from the hardness of the shell; a genus of Corylaceæ.
- Lithoco'lletis (Ent.) λιθοκολλητος, inlaid work, mosaic.
- Lithodac'tylus (Ent.) λίθος, a stone, δάκτυλος, a plume.
- Lithodes'mium (Zool.) λίθος, stone, δέσμιος, binding; a genus of Infusoria.
- Litho'domi (Ichth.) λίθος, a stone, δῆμος, a house; applied to Mollusca, which bore into solid rocks.
- Lithogly'phus (Zool.) λίθος, stone, γλύφω, to hollow out.
- Lithone'ma (Bot.) λίθος, a stone, οὐλα, a filament; from the calcareous incrustation; a genus of Algae.
- Litho'phagi (Zool.) λίθος, stone, φάγω, to eat; term for those shell-fish which bore holes and lodgments in stone, coral, &c.
- Litho'phyllum (Fos. Bot.) λίθος, stone, φύλλον, leaf; Volkmann's happy term for the *Stigmaria*.
- Litho'phyta (Fos. Bot.) λίθος, stone, φυτόν, plant; Polyps which secrete a stony axis, as the corals, in contradistinction to the *Ceratophyta*.
- Lithori'za (Ent.) λίθος, a stone, βίζα, a root.
- Litho'rnis (Fos. Zool.) λίθος, stone, ὄρνις, bird; "Stone-bird"; certain fossil birds of the Eocene clay.
- Lithoscia'dium (Bot.) λίθος, a stone, σκιάδιον, an umbel; a genus of Umbelliferae.

- Lithosia'lis** (Ent.) λίθος, a stone; from the grey hue and stony appearance of several of the species.
- Lithosper'mum** (Bot.) λίθος, a stone, σπέρμα, seed; referring to its hardness: the pericarp of the seed contains nearly sixty per cent. of earthy matter; a genus of Boraginaceæ.
- Litho'stege** (Ent.) λιθοτεγής, covered with stones.
- Lithostro'tion** (Fos. Zool.) λίθος, a stone, στρωτός, spread; a genus of Fossil corals.
- Lithothe'cia** (Zool.) λίθος, stone, θήκη, a sheath; a genus of Infusoria.
- Lithotry'a** (Fos. Zool.) λίθος, stone, τρύω, to bore; a genus of Fossil Cirripedes.
- Lithoxy'lea** (Ent.) λίθος, a stone, ξύλος, wood.
- Litor'i'na** (Zool.) litoreus, pertaining to the shore.
- Litosi'phon** (Bot.) λίθος, a stone, σίφων, a tube; a genus of Algæ.
- Littæ'a** (Bot.) P. N. in compliment to the *Duke of Lytta*, near Milan.
- Littoralis** (Bot.) Lat. pertaining to the sea-shore.
- Littorella** (Bot.) littus, the shore; alluding to its place of growth, which is, however, on the borders of lakes, rather than upon the margin of the sea; Nat. Ord. Plantaginaceæ.
- Litui'tes** (Fos. Zool.) lituus, a trumpet; a genus of chambered shells of the Silurian strata.
- Lituoli'tes** (Fos. Zool.) lituus, a trumpet, λίθος, stone; a genus of Foraminifera found in the chalk.
- Litura'llis** (Ent.) litura, a blot or smear.
- Litura'ta** (Ent.) lituratus, blotted or rubbed out.
- Livia** (Ornith.) P. N., a common Roman name.
- Li'vidus-a-um** (Zool., Ent.) Lat. of a bluish colour, livid.
- Llama** (Zool.) native Peruvian name.
- Livisto'nia** (Bot.) P. N. in honour of *Patrick Murray*, of Levistone, near Edinburgh; a genus of Palm-trees.
- Li'xus** (Ent.) lix, ashes, referring to colour.
- Lizard** (Zool.) lacerta, a lizard; so called, perhaps, because its limbs resemble the arm (*lacertus*) of a man.
- Loa'ssa** (Bot.) unexplained; typical genus of the American Nat. Ord. Loasaceæ.
- Lo'bbia** (Bot.) P. N. in honour of *M. Lobb*, a distinguished Belgian botanist; a genus of Aristolochiaceæ.
- Lobe'lia** (Bot.) P. N. from *Matthew Lobel*, author of various works, particularly of "Icones Plantarum." He was born at Lisle in 1538, became Physician to James I., and died in London, 1616.

- Lobe'sia (Ent.) λαθησις, maltreatment, mutilation.
- Lo'biger (Zool.) λεβος, a lobe or pod, gerere, to carry.
- Lobi'pedes (Ornith.) *lobus*, a caruncle, *pedes*, feet; a family of Birds.
- Lobivane'llus (Ornith.) *lobus*, a caruncle, *vanellus*, a lapwing.
- Lobo'phora (Ent.) λεβης, the lobe or lower part of the ear, φερειν, to carry; in allusion to the lobe-shaped winglets attached to the hind wings of the males.
- Lobster (Zool.) Anglo-Sax. *lopyfis*; *Homarus vulgaris*.
- Lobula'ta (Ent.) λαθησ, a lobe, or projection.
- Lo'culi (Zool.) plural of *loculus*, a little receptacle or casket.
- Locust (Ent.) Lat. *locusta*, which is said to be from *locus*, a place, *uro*, *ufus*, to burn.
- Loddige'sia (Bot.) P. N. in honour of Conrad Loddiger, nurseryman, Hackney.
- Loddige'sia (Ornith.) P. N. in honour of George Loddiges, F.R.S., of Hackney; a genus of Humming-birds.
- Lodoic'e'a (Bot.) P. N. from *Laodice*, daughter of Priam and Hecuba; the double Coco-nut of the Seychelles; Nat. Ord. Palmæ.
- Loëflin'gia (Bot., Ent.) P. N. from *P. Leffling*, a Swedish botanist, born 1729, died 1756.
- Lœmado'nta (Zool.) λαιμός, a plague, οδούς, οδοντός, a tooth; a genus of Mollusca.
- Loewii (Ent.) P. N. from Dr. H. Loew, of Meferitz, late of Posen; author of some papers in "Linnæa Entomologica."
- Loganel'la (Ent.) P. N. from Mr. R. F. Logan, of Duddingstone, near Edinburgh.
- Loga'nia (Bot.) P. N. from J. Logan, a distinguished botanist; typical genus of Nat. Ord. Loganiaceæ.
- Loli'go (Zool.) Lat. a cuttle-fish.
- Lo'lium (Bot.) Lat. rye-gras; L. temulentum is generally supposed to be the "Infelix lolium" of Virgil.—Vide also Ovid. Fastor. Lib. i. 692.
- Lomano'tus (Zool.) λαιμα, a fringe, νάρτος, the back.
- Loma'ria (Bot.) λαιμα, an edge; referring to the marginal position of indusia; a genus of Filices.
- Lomarid'iun (Bot.) the genus *Lomaria*, and ειδος, like; a genus of Polypodioid Ferns.
- Loma'tia (Bot.) λαιμα, a border; referring to the winged edge of the seeds.
- Lomentaceaæ (Bot.) a section of Leguminosæ, the pods of which are jointed or *lomentose*.

- Lonohi'tis** (Bot.) λόγχη, a lance; referring to the form of the fronds; a genus of Filices.
- Lonochocar'pus** (Bot.) λόγχη, a lance, παρπός, fruit.
- Lonoho'des** (Ent.) λόγχη, a spear-head, εἶδος, like.
- Lonohop'tera** (Ent.) λόγχη, a spear, πτίφειρα, a wing.
- Lonohop'teris** (Fos. Bot.) λόγχη, a spear, πτίφηρα, a fern; a fossil fern-like frond, so called from its resemblance to the recent *Lonchitis*.
- Loncho'stephus** (Bot.) λόγχη, a spear-head, στίφος, a crown; a genus of Podostemaceæ.
- Loncho'stoma** (Bot.) λόγχη, a spear-head, στόμα, mouth; a genus of Bruniaceæ.
- Lonchu'ra** (Ornith.) λόγχη, a lance, σύρα, tail.
- Longcham'psia** (Bot.) P. N. from *J. A. Loiseleur De Longchamps*, M.D., a French botanist.
- Longicau'da** (Ornith.) *longus*, long, *cauda*, tail; long-tailed.
- Longicor'nes** (Ent.) *longus*, long, *cornu*, horn; the Long-horned beetles.
- Lon'gidens** (Ent.) *longus*, long, *dens*, a tooth.
- Longim'ana** (Zool.) *longus*, long, *manus*, hand; long-handed.
- Longipa'lpis** (Ent.) *longus*, long, *palpus*, a feeler.
- Longipin'nis-e** (Ichth.) *longus*, long, *pinna*, a fin.
- Loni'cera** (Bot.) P. N. in honour of *Adam Lonicer*, a German botanist, who died in 1586: the Honeysuckle; Nat. Ord. Caprifoliaceæ.
- Lopadoca'lyx** (Bot.) λόπασ, λόπασος, a flat dish, *calyx*; a genus of Euphorbiaceæ.
- Lopadosta'chys** (Bot.) λόπασ-αδός, a flat dish, σταχύς, a spike; a genus of Olacaceæ.
- Lope'zia** (Bot.) P. N. from *T. Lopez*, a Spanish botanist; a pretty American genus of Onagraceæ.
- Lo'pha** (Ent.) λόφος, a plume or crest.
- Lopho'nthus** (Bot.) λόφος, a crest, ἄνθος, a flower; from the appearance of the flowers.
- Lophi'odon** (Fos. Zool.) λόφοις, a small crest, ὀδούς, ὀδοτος, a tooth; an extinct pachyderm so called from certain points or eminences on its teeth.
- Lophi'ola** (Bot.) dim. of λόφος, a crest.
- Lophi'ra** (Bot.) λόφος, a crest or plume.
- Lo'phium** (Bot.) λόφοις, a small crest.
- Lo'phius** (Ichth.) λόφοις, a crest.
- Lo'phobranchs** (Ichth.) λόφος, a tuft, βράγχια, gills; having tufted gills; an order of Fishes.

- Lopho'comus** (Ent.) λόφος, a tuft, καμη, hair.
- Lophode'rma** } (Bot.) λόφος, a crest, δέρμα, skin; a genus of Fungi.
- Lophoder'mium** } λόφος, a crest, γυνη, a pistil; a genus of Podofermaceæ.
- Lophog'yne** (Bot.) λόφος, a crest, γυνη, the sun; i. e., a tuft of suns; alluding to the radiating plates of the corallites.
- Lo'phophore** (Zool.) λόφος, a crest, φέρω, to bear; name given by Dr. Allman to the disk which bears the tentacles in some marine animals.
- Lopho'phorus** (Ornith.) λόφος, a crest, φέρω, to bear.
- Lophoph'yum** (Bot.) λόφος, a crest, φυτόν, a plant; a genus of Balanophoraceæ.
- Lopho'ptera** (Ent.) λόφος, a crest, πτήσιον, a wing.
- Lopho'stoma** (Zool.) λόφος, a crest, στόμα, a mouth.
- Lophosty'lis** (Bot.) λόφος, a crest, στῦλον, a style; a genus of Polygalaceæ.
- Lopho'tes** (Ornith.) λόφος, a crest, οὖς, ὄτος, an ear.
- Lopho'xera** (Bot.) λόφος, a crest, ξερός, dry; a genus of Amarantaceæ.
- Lophu'ra** (Zool.) λόφουρος, bushy-tailed; applied to a crested lizard.
- Lophyro'poda** (Zool.) λοφυρός, having stiff hairs, πονη, ποδος, a foot; a division of Entomostraca.
- Lopi'mia** (Bot.) λόπιμας, easily shelled.
- Loran'thus** (Bot.) λάρα, a thong, ςιθος, a flower; the mistletoe; typical genus of Nat. Ord. Loranthaceæ.
- Lorenza'nea** (Bot.) P. N., a genus of Sapindaceæ.
- Lo'rica** (Zool.) *Latin*, a fence or inclosure; the diaphanous membrane in the Infusoria.
- Lori'cera** (Ent.) λάρη, a thong, κρατερ, horn; a genus of Coleoptera.
- Lori'cula** (Fos. Zool.) *Lat.* dim. of *lorica*, a coat of mail; a genus of Fossil cirripedes.
- Lorinse'ria** (Bot.) P. N., a genus of Polypodioid Filices.
- Lo'riipes** (Zool.) *Lat.* crook-footed.
- Lory** (Ornith.) unexplained.
- Lo'ta** (Ichth.) *lotus*, neat; the Ling.
- Lotono'nis** (Bot.) *Lotus* and *Ononis*, combining the features of both genera; a genus of Leguminosæ.
- Lo'tor** (Zool.) *Lat.* a washer; from its immersing its food in water; specific name of the Racoon.
- Lotos** (Bot.) λατέρος, (*Lotus*) of the ancients; the Egyptian water-lily; a genus of Nymphaeaceæ.

**Lo'tus** (Bot.) λωτός, of the Greeks. There were three sorts of lotus distinguished by the ancients, viz., their *tree-lotus*, which was our *sizyphus lotus*; the *mar/b-lotus*, which was our *nymphæa lotus*; and the *herbaceous*, now called *nelumbium speciosum*.

**Loudo'nia** (Bot.) P. N. in honour of the late eminent *J. C. Loudon*; a genus of Leguminosæ; also applied by Lindley to a genus of Haloragaceæ.

**Loure'ira** (Bot.) P. N. from *Father John de Loureiro*, a Portuguese writer on botany.

**Louse** (Ent.) *Anglo-Sax. lus.*

**Low'ea** (Bot.) P. N., the simple-leaved rose, or *Rosa berberifolia*.

**Lowei** (Ichth.) P. N. in honour of the *Rev. R. T. Lowe*.

**Loxan'thera** (Bot.) λοξής, slanting, *anthera*; a genus of Loranthaceæ.

**Loxan'thus** (Bot.) λοξής, slanting, ἀνθος, flower; a genus of Acanthaceæ.

**Lo'xia** (Ornith.) λοξής, slanting, croswife; the Crossbill.

**Loxi'nes** (Bot.) Martius' name for the Monocotyledonous or Endogenous class of plants, from λοξής, crofs-wife.

**Loxocar'pus** (Bot.) λοξής, slanting, καρπός, fruit; a genus of Gesneraceæ.

**Loxoca'rya** (Bot.) λοξής, slanting, κάρυον, a nut; a genus of Restiaceæ.

**Loxo'des** (Zool.) λοξής, slanting; a genus of Infusoria.

**Lox'odon** (Zool.) λοξής, slanting, ὀδούς, ὀδούρες, a tooth; one of the subgenera into which Dr. Falconer divides the elephant; referring to the rhomb-shaped disks of the worn molars.

**Loxogram'ma** (Bot.) λοξής, slanting, *gramma*, an inscription; a genus of Polypodioid Filices.

**Loxom'ma** (Fos. Zool.) λοξής, slanting, ὄμηα, the eye; a labyrinthodont reptile from the Edinburgh coal-field.

**Loxone'ma** (Zool.) λοξής, oblique, νήμα, thread; in allusion to the striated surface; a genus of Mollusca.

**Loxo'phyllum** (Zool.) λοξής, slanting, φύλλον, leaf; a genus of Infusoria.

**Loxosper'mum** (Bot.) λοξής, slanting, σπίρρα, seed; a genus of Leguminosæ.

**Lubi'nia** (Bot.) P. N. from *M. de St. Lubin*, a French officer.

**Lubrica'lis** (Ent.) *lubricus*, slippery.

**Lubri'cipes** (Ent.) *Lat.* swift-footed; from the activity of the larva.

**Luca'nidae** (Ent.) *lucanus*, fam. term. *ide*.

**Luca'nus** (Ent.) *Lat.* pertaining to the light or morning.

**Lu'cens** (Bot.) *Lat.* shining; e. g., *Potamogeton lucens*.

**Lucern** (Bot.) called, in Languedoc patois, *laufcda*; the Melilotus; Nat. Ord. Leguminosæ.

Luce'rna (Zool.) *Lat.* a lamp.

Lucerna'ria } (Zool.) *lucerna*, a lamp; a genus and family of Zoophytes.  
Lucernari'adæ }

Lucer'nea (Ent.) *lucerna*, a lamp; "frequenter candelis involans."—LINNÆUS.

Lucida'lis (Ent.) *lucidus*, bright, clear.

Lu'cidus-a-um (Bot.) *Lat.* clear.

Luci'fugus (Ent.) *lux*, *lucis*, light, *fugio*, to avoid.

Luci'llia (Bot.) *λύκειος*, wolf-like; the Blue-bottle fly; a genus of Diptera.

Luci'na (Ent.) P. N., the goddess who aided women in childbirth.—VIRG.

Ecl. iv. 10.

Luci'na (Zool.) P. N., a name of Juno; a genus of Mollusca.

Lucinop'sis (Zool.) the genus *Lucina*, *λύκη*, resemblance; a genus of Mollusca.

Luci'ola (Bot.) same etymology as *Luzula*, *q. v.*; a genus of Juncaceæ.

Lu'cius (Ichth.) *Lat.* the Pike.

Luctuo'sa (Ornith.) *Lat.* sorrowful, sad.

Lucule'lla (Ent.) *lucus*, a little grove.

Lucu'lia (Bot.) P. N. from *Luculi Swa*, of Nepal.

Lu'dia (Bot.) *Iudo*, to sport.

Lu'dius (Ent.) *Lat.* a dancer.

Ludovicia'nus (Zool.) relating to Louisiana.

Ludwi'gia (Bot.) P. N. in honour of C. G. Ludwig, Professor of Medicine at Leipzig.

Lu'ffa (Bot.) Arabic, *louff*; a genus of Cucurbitaceæ.

Lugu'bris-e (Ornith., Ent.) *Lat.* mournful.

Lui'dia (Zool.) etymology doubtful; a genus of Echinodermata.

Lumbrici'dia (Bot.) from the resemblance of the legumes to earth-worms—*lumbrici*; a genus of Leguminosæ.

Lumbricifo'rnis (Ichth.) *lumbricus*, an earth-worm, *forma*, shape.

Lumbri'cus (Zool.) *Lat.* an intestinal worm.

Lumnit'zera (Bot.) P. N. from Stephen Lumnitzer, a writer on botany.

Luna'lis (Ent.) *luna*, the moon, from the crescentic wing-mark.

Lunar'ca (Zool.) *luna*, the moon, *arcu*, a bow; from the shape of the shell.

Luna'ria (Bot.) *luna*, the moon; referring to its broad silvery filicles; a genus of Cruciferæ. Also the specific name of a kind of Fern.

Luna'tus (Zool.) *Lat.* horned, crescentic.

Lunda'na (Ent.) P. N. in honour of Lund, a Norwegian entomologist of the last century.

**Luni'gera** (Ent.) *luna*, the moon, *gerere*, to carry; from the lunule on the forewings.

**Luno'sa** (Ent.) *luna*, the moon; from the lunule on the underside.

**Lunula'lis** (Ent.) *lumula*, a ring or hoop.

**Lunula'ria** (Bot.) from the *lunate* form of the fronds; a genus of *Martyniaceæ*.

**Lupe'ria** (Bot.) *λυπηρός*, painful, hurtful; a genus of *Cruciferæ*.

**Lu'perus** (Ent.) *λυπηρός*, troublesome; a genus of *Coleoptera*.

**Lupin'a'ter** (Bot.) the genera *Lupinus* and *Aster*; a genus of *Leguminosæ*.

**Lupi'nus** (Bot.) *lupus*, a wolf; it is supposed to destroy the fertility of the soil; the Lupine; a well-known genus of *Leguminosæ*.

“Tristeque lupini

*Sustuleris fragiles calamos.*”—VIRGIL.

**Lupuli'na** (Bot.) the little hop-trefoil, so called from its resemblance to *Lupulus*.

**Lupulina'lis** (Ent.) feeds on *Lupulus*.

**Lu'pulus** (Bot.) spec. name of the Hop, *Humulus Lupulus*; a corruption of its old name *Lupus salictarius*, so called, according to Pliny, because it grew among willows, and by twining and choking them, became as destructive as a wolf to the flock.

**Lurch'er** (Zool.) Richardson says, “there can be no doubt that *Lurk* and *Lurch* are the same word, varying a little in the application. It has not been satisfactorily traced to its origin.” The dog which more especially *lurks* or lies in wait for its prey, and is therefore most used by poachers.

**Lu'ridae** (Ent.) *luridus*, pale, ghastly; in Botany, the Linnaean name for the Solanaceæ.

**Lurida'lis** (Ent.) *luridus*, pale, ghastly.

**Luscin'ia** (Ornith.) *Lat.* the Nightingale; changed by the French into *rappignol*.

**Luscinoïd'es** (Ornith.) the genus *Luscinia*, *ɛ̃ðəs*, like.

**Lu'scus-a** (Ichth.) *Lat.* blind of one eye, purblind.

**Lussac'cia** (Bot.) P. N., same as *Gayluffacia*; a genus of *Vacciniaceæ*.

**Lusus Naturæ** (Zool.) *Lat.* a caprice or sport of nature.

**Lutea'lis** (Ent.) *luteus*, orange-yellow.

**Lute'olus-a-um** (Bot.) *Lat.* yellowish; e. g. *Reseda Luteola*.

**Lu'teus-a-um** (Zool. & Bot.) *Lat.* yellow-coloured, orange-coloured; e. g. *Reseda lutea*.

**Lu'thera** (Bot.) P. N., a genus of *Compositæ*.

- Luticome'l'a** (Ent.) *luteus*, saffron, *coma*, hair.
- Lutke'a** (Bot.) P. N. in honour of *M. Lutke*; a genus of Celastraceæ.
- Luto'sus-a-um** (Ent.) *Lat.* muddy, clay-coloured.
- Lutra** (Zool.) *Lat.* an otter.
- Lutra'ria** (Zool.) *lutra*, an otter; Otter-shell: a genus of Mollusca.
- Lutule'ntus-a-um** (Ent.) *Lat.* muddy.
- Luxembu'rgia** (Bot.) P. N., a genus of Sauvagesiaceæ.
- Luzei'l'a** (Ent.) P. N. in honour of *Herr Luz*, a friend of Hübner.
- Lu'zula** (Bot.) *gramen luzulae*, glow-worm græs of Bauhin; because it shines; a genus of Juncaceæ.
- Luzuri'a'ga** (Bot.) P. N. from *D. J. M. R. de Luzuriago, M.D.*, a Spanish botanist.
- Lyal'lia** (Bot.) P. N., a genus of Portulacaceæ.
- Ly'bicus-a-um** (Zool.) *Lat.* Lybian.
- Lycoë'na** (Ent.) *λυκαινα*, a she-wolf; a genus of Lepidoptera; commonly called Coppers.
- Lycoë'nidæ** (Ent.) *lycena*, fam. term, *ide*.
- Lyca'on** (Zool.) P. N., *Lycaon*, who was turned by Jupiter into a wolf; applied to the Hunting-dog, *Lycaon venaticus*.
- Lyca'ste** (Bot.) P. N., of mythological origin; a genus of Orchidaceæ.
- Lychnan'thus** (Bot.) the genus *Lychnis*, *ἄνθος*, flower; a genus of Caryophyllaceæ.
- Ly'ohnis** (Bot.) *λύχνος*, a lamp; the down of the leaves is used for wicks; or from the brilliant colour of the flowers; a genus of Caryophyllaceæ.
- Lychnoste'mon** (Bot.) the genus *Lychnis*, and *στήμαν*, a stamen; a genus of Dioscoreaceæ.
- Ly'chnus** (Zool.) *λύχνος*, a lamp.
- Lyciople'sium** (Bot.) the genus *Lycium*, and *πλευρία*, near allied to; a genus of Solanaceæ.
- Lyciop'sis** (Bot.) the genus *Lycium* and *όψις*, like; a genus of Onagraceæ.
- Lyciosty'les** (Bot.) *λύτρος*, releasing, shedding, *στῦλος*, a style; a genus of Convolvulaceæ.
- Lyciotham'nus** (Bot.) *Lycium* and *θάμνος*, a shrub; a genus of Solanaceæ.
- Ly'cium** (Bot.) from *Lycia* in Asia Minor, its native country. The Latin monks say our Saviour's crown of thorns was made of the *Lycium speciosum*; a genus of Solanaceæ.
- Lycoc'tonum** (Bot.) *λύκος*, a wolf, *κτηνίω*, to kill; from its being used, concealed in meat, as a bait to destroy wolves; specific name of Yellow Wolf's-bane, or *Aconitum Lycotonum*.

- Lycodon** (Zool.) *λύκος*, a wolf; *ἴδησις*, *ἴδεντος*, a tooth; a genus of Colubrine ophidians.
- Lycodon'tidae** (Zool.) *lycodon*, with fam. term. *ida*; a family of Colubrine ophidians.
- Lycogala** (Bot.) *λύκος*, a wolf, *γάλα*, milk; in its early state it is like a mass of thick cream; a genus of Fungi.
- Lyconormium** (Bot.) *λύκος*, a wolf, *νόμα*, shape; a genus of Orchidaceæ.
- Lycoperdon** (Bot.) *λύκος*, a wolf, *πίπονας*, *Lat. pedere*, because supposed to proceed from wolf's dung; the Puff-ball; a genus of Fungi.
- Lycoper'sicum** (Bot.) *λύκος-πίπονας*, a strong-smelling plant mentioned by Galen; now used for the Love-apple or tomato; a genus of Solanaceæ.
- Lycophi'dion** (Zool.) *λύκος*, a wolf, *φειδομαι*, to spare; a genus of Colubrine ophidians.
- Lycopodi'tes** (Fos. Zool.) fossil plants allied to the existing genus *Lycopodium*.
- Lycopo'dium** (Bot.) *λύκος*, a wolf, *πούς*, foot; Club-moss; typical genus of the Lycopodiaceæ.
- Lycop'sis** (Bot.) *λύκος*, a wolf, *ψήσις*, the face; referring to the flowers; a genus of Boraginaceæ.
- Lycop'pus** (Bot.) *λύκος*, a wolf, *πούς*, a foot; referring to the leaves; Gipsy-wort; a genus of Labiatæ.
- Lyco'sa** (Ent.) *λύκος*, a wolf, from its predatory habits.
- Lyco'saldæ** (Ent.) family of Spiders of which *Lycosa* is the type.
- Lyco'sina** (Ent.) *adj.*, like a *Lycosa*.
- Ly'geum** (Bot.) *λύγος*, a pliant twig; referring to its flexibility for ropes, baskets, &c.; Cord-gras; a genus of Graminae.
- Lyglistop'terus** (Ent.) *λυγιστός*, bent, pliant, *πτήσις*, a wing.
- Lygo'dium** (Bot.) *λυγώδης*, flexible; a genus of North American Ferns with twining stems.
- Lyme'xylon** (Ent.) *λύμην*, destruction, *ξύλο*, wood; *L. navale* is the insect whose ravages in the dock-yards of Sweden were checked by Linnaeus.
- Lymexylo'nidae** (Ent.) *lymexylon*, fam. term. *ida*; a family of Coleoptera.
- Lymne'a'um** (Ent.) *λυμέναιος*, marshy.
- Lynce'u's** (Zool.) *λύγκειος*, lynx-like, from Müller's error in supposing there was a second organ of sight; a genus of Entomostreaca.
- Ly'ngbya** (Bot.) P. N. in honour of *H. C. Lyngbye*, a Danish botanist; a genus of Fucoid Algae.
- Lyngbyel'la** (Bot.) dim. of *Lyngbyea*; a genus of Fucoid Algae.
- Lynx** (Zool.) *λύγξ*, a lynx; probably from *λύπη*, light.

**Lyone'tia** (Ent.) P. N. from *Pierre Lyonet*, author of "Descriptions of Insects found at the Hague;" died 1789.

**Lyo'nia** (Bot.) P. N. in honour of *J. Lyon*, an American collector of plants.  
**Lyon'sia** (Bot.) P. N. in honour of *J. Lyons*, an English botanist; also a genus of Mollusca.

**Lypera'nthus** (Bot.) λύπη, sadness, ἄνθος, a flower; referring to the hue of the flower.

**Lype'ria** (Bot.) λυπεῖται, troublesome; a genus of Scrophulariaceæ.

**Ly'prus** (Ent.) λυπέται, wretched; a genus of Coleoptera.

**Ly'ra** (Zool.) Lat. a lute.

**Lyra'e'a** (Bot.) λύρα, lyra, a harp; a genus of Orchidaceæ.

**Lyre-bird** (Ornith.) applied to the *menura*, from the shape of the tail.

**Lyrioceph'alus** (Zool.) λύριος, a small lyre, κεφαλή, head; a genus of Saurians.

**Lyrocar'pa** (Bot.) λύρα, lyra, a harp, καρπός, fruit; a genus of Cruciferae.

**Lyrodes'ma** (Zool.) lyra, a lute, δίσκης, a bond or fetter; from the radiating striated teeth; a genus of Mollusca.

**Lysigo'nium** (Bot.) λυσίς, a parting, γαντία, a frond; a genus of Algae.

**Lysilo'ma** (Bot.) λυσίς, a parting, λωμα, fringe; a genus of Leguminosæ.

**Lysima'chia** (Bot.) literally "quelling warfare," from λυσίμαχος, ending strife; Loose-strife. See Aristophanes "Lysistrata," 554. Some of the ancient authors attributed a very singular property to this plant, no less than a power of taming ferocious or reconciling discordant animals (λύει, to loose, μάχη, strife); others attribute its origin to *Lysimachus*, who, they say, was its first discoverer.

**Lysine'ma** (Bot.) λυσίς, a separation, νήμα, a thread (stamen); a genus of Epacridaceæ.

**Lysiono'tus** (Bot.) λυσίς, a parting, νῶτος, the back; a genus of Gesneraceæ.

**Lysipo'ma** (Bot.) λυσίς, a parting, πεπλα, a lid; a genus of Lobeliaceæ.

**Lythra'ceæ** (Bot.) the family of which the beautiful genus *Lythrum* is the type.

**Ly'thrum** (Bot.) λύθρος, black blood; alluding to the colour of the flower; the typical genus of Lythraceæ.

**Lytta** (Ent.) λυττάω, to rage or to be mad, from its exciting effects; applied by Fabricius to the Blistering fly, now called *Cantharis vesicatoria*.

**Mabo'nia** (Zool.) the name of this genus of Lizards is from the native American name *Mabonya*.

**Maca'cus** (Zool.) the word *macaco* is used by the natives of the coast of Guinea for quadrumanous animals in general, but more particularly the monkey ; the Macaques.

**Macandrew'a'nus** (Zool.) P. N. in honour of *Mr. McAndrew*, of Liverpool, an ardent labourer in Natural History.

**Mac'a'ria** (Ent.) P. N., the daughter of Hercules and Dejanira.

**Macca'na** (Ent.) *maccus*, a buffoon.

**Mace** (Bot.) Greek, *μάκρη*; Lat. and Fr. *macis*; Ital. *mace*; the reticulated membrane which immediately covers the nutmeg, technically called the arillus.

**Macgillivra'ya** } (Zool.) P. N., a genus and family of Mollusca ; so named in honour of the late *William Macgillivray*, a Scotch naturalist, died 1852.

**Machæ'ra** (Zool.) *μάχαιρα*, a sword or dagger ; a genus of Mollusca.

**Machæ'rium** (Ichth.) *μάχαιρα*, a sword ; a genus of Anacanthous fishes.

**Macha'i'rodus** (Fos. Zool.) *μάχαιρα*, a sabre, *οδούς*, a tooth.

**Macha'on** (Ent.) P. N., one of the sons of *Aesculapius* mentioned by Homer, Il. ii. 731 ; specific name of a butterfly.

**Ma'chetes** (Ornith.) *μάχητης*, a fighter ; formerly applied to the Ruff, now called *Philomachus pugnax*, implying the same disposition.

**Mackerel** (Ichth.) Fr. *maquereau*; Dutch, *mackrel*.

**Maclea'ya** (Bot.) P. N. in honour of *A. Macleay*, Secretary to the Linnean Society.

**Maclu'ra** (Bot.) P. N. from *William Maclure*, a North American geologist ; also a genus of fossil Shells.

**Ma'coma** (Zool.) *μάκης*, length ; a genus of Mollusca.

**Macquarie'nsis** (Ichth.) P. N. belonging to the Macquarie river ; the Oligorus *Macquariensis* is the " Murray cod " of Australia.

**Macrade'nia** (Bot.) *μακρός*, long, *ἀδήν*, a gland.

**Macrauche'nia** (Zool.) *μακρός*, long, *εὐχάρι*, the neck ; an extinct tertiary mammal of South America.

**Macro-** (Zool., Bot.) a frequent prefix, signifying "large," as *Macrocephalus*, large-headed.

**Macrobiot'u's** (Zool.) *μακρός*, long, *βίων*, to live ; a genus of Infusoria.

**Macroca'rpus** (Bot.) *μακρός*, long, *καρπός*, fruit.

**Macroco'lis** (Zool.) *μακρός*, large, *κηλίς*, a spot, e.g., *Leopardus macrocelis*.

**Macroce'reus** (Ornith.) *μακρός*, long, *κέρκος*, a tail ; e.g., *Colius macrocercus*.

- Macrochilus** (Bot.) μακρός, long, χεῖλος, a lip.
- Macrochy'la** (Ent.) μακρός, abundant, χυλός, juice.
- Macrocnē'ma** (Ent.) μακρός, long, κνήμη, a leg.
- Macrocnē'mum** (Bot.) μακρός, long, κνήμη, a leg ; referring to the stalks.
- Macrocy'clis** (Zool.) μακρός, long, κύκλος, a circle ; a genus of Mollusca.
- Macro-da'ctyli** (Ornith.) μακρός, long, δάκτυλος, a toe.
- Ma'crodon** (Zool.) μακρός, long, ὀδούς, ὀδούτος, a tooth ; a genus of Mollusca.
- Macrogas'ter** (Ent.) μακρός, long, γαστήρ, the belly.
- Macrogle'nes** (Ent.) μακρός, long, γλάψη, the eye-ball.
- Macroglos'sus-a-um** (Zool., Ent.) μακρός, long, γλῶσσα, tongue ; long-tongued.
- Macrogoni'dia** (Bot.) μακρός, long, γωνία, a little angle ; miniature fronds which escape from the parent-cell in the Infusoria.
- Macrome'ris** (Ent.) μακρός, long, μέρος, the thigh ; a genus of Hymenoptera.
- Macrome'ssus** (Ent.) μακρός, long, μέσος, middle.
- Macrone'ura** (Ent.) μακρός, long, νεῦρον, a sinew (nervure).
- Macrophy'lum** (Zool.) μακρός, long, φύλλον, leaf.
- Macrophy'lus-a-um** (Bot.) μακρός, long, φύλλον, leaf, e.g., *Rubus macrophyllus*.
- Macro'pidæ** (Zool.) a family of Mammalia, of which *Macropus* is the type.
- Macro'plia** (Ent.) μακρός, long, ὅπλον, armour.
- Macropo'dium** (Bot.) μακρός, long, ποῦς, πόδος, a foot ; alluding to the seed-vessel.
- Macropo'ma** (Ichth.) μακρός, large, πώμα, operculum ; a genus of Sauroid fishes of the chalk and wealden.
- Ma'cropolis** (Zool.) μακρός, long, ποῦς, a foot ; the Kangaroo.
- Macrorha'mphus** (Ornith.) μακρός, long, βάμφος, a beak.
- Macrorhi'nus** (Zool.) μακρός, long, βίν, a nose ; the Elephant-seal ; a genus of Mammalia.
- Macrosce'lides** (Zool.) μακρός, long, σκελός, a leg ; a genus of Mammalia, called in Cape Colony, Elephant mice.
- Macroschi'sma** (Zool.) μακρός, long, σχισμή, a cleft ; a genus of Mollusca.
- Macrosto'mium** (Bot.) μακρός, long, στόμα, a mouth.
- Macrosty'lis** (Bot.) μακρός, long, στῦλος, a pillar (style).
- Ma'crothrix** (Zool.) μακρός, long, θρίξ, a hair ; a genus of Entomophaga.

- Macro'tis (Zool., Bot.) μακρός, long, ὄτς, ὄτος, the ear.
- Macrotrache'lian (Fos., Zool.) μακρός, long, τράχηλος, the neck.
- Macro'tropis (Bot.) μακρός, long, τρόπις, a keel.
- Macroura } (Zool.) μακρός, long, σύρα, a tail; Decapod Crustaceans of
- Macru'ra } the secondary and tertiary strata.
- Macrou'rūs (Zool.) μακρός, long, ὄυρά, a tail, e.g. *Leopardus macrourus*.
- Ma'ctra (Zool.) Lat. a kneading-trough; a genus of Mollusca.
- Mactre'il'a (Zool.) dim. of *Mactra*; a genus of Mollusca.
- Ma'ctrida (Zool.) the family of Mollusca, of which *Mactra* is the type.
- Mactro'id (Zool.) adjective, the genus *Mactra*, ιδος, like.
- Macula'lis (Ent.) *macula*, a spot.
- Macula'ris (Bot.) *macula*, a spot.
- Macula'rius (Ornith.) adjective, from *macula*, a spot.
- Macula'tus-a-um (Ent., Bot.) Lat. *maculatus*, spotted.
- Madagascari'en'sis-e (Zool.) Lat. relating to the Island of Madagascar,  
e.g. *Cheiromys Madagascariensis*.
- Madder (Bot.) Anglo-Sax. *madre*; Dutch, *meed*, which from *meeden*, to dye;  
the prepared root of the *Rubia tinctorum*.
- Madefacta'lis (Ent.) *madefacio*, to make wet, to moisten.
- Maderasp'a'tanus-a-um (Zool.) Lat. relating to, or belonging to,  
Madras.
- Ma'dia (Bot.) *madi*, its name in Chili; a genus of Compositæ.
- Mado'pa (Ent.) μαδός, moist, ωψ, the face.
- Madre'pora (Zool.) French, *madré*, spotted, *pore*; the Stony corals.
- Madrepori'form (Zool.) *madrepora*, and *forma*, shape.
- Madreporite (Fos., Zool.) the fossil *Madreporite*.
- Mæ'sa (Bot.) *maas*, its Arabian name.
- Magella'nicus-a-um (Zool.) Lat. relating to the straits of Magellan.
- Maggot (Ent.) Goth. and Anglo-Sax. *matha*; Welsh, *muai*; Dan. *madike*; a  
fly in its larva state.
- Magnifica'lis (Ent.) *magnificus*, noble, distinguished.
- Magnolia (Bot.) P. N. from Peter *Magnol*, M.D., Professor of Botany at  
Montpelier; typical genus of the splendid Nat. Ord. Magnoliaceæ.
- Magpie (Ornith.) *pica*, with prefix *mag*, as contracted from *magnus*, great?  
or perhaps from French, *magot*, a baboon, from its chattering. "Magot  
is the original name of the bird, being the familiar appellation given  
to pies, as we say Robin to a red-breast, Tom to a titmouse, Philip  
to a sparrow," &c.—STEEVENS.
- Maher'nia (Bot.) an anagram of *Hermannia*; a genus of Byttneriaceæ.

**Mahog'any** (Bot.) probably the result of a confusion of names, in which the name of another tree, the "Mahagua," has been misapplied to this, the wood of the *Swietenia Mahagoni*.

**Maho'nia** (Bot.) P. N. from *Bernard M<sup>c</sup>Mahon*, of North America, a lover of botany; a genus of Berberidaceæ.

**Ma'ia** (Zool.) applied by Pliny to a kind of crab.

**Ma'iadæ** (Zool.) a family of Decapods, of which *Maia* is the type.

**Maimon** (Zool.) μαϊμών, an ape or hobgoblin.

**Maine'nsis** (Ichth.) *Lat.* relating to the state of Maine, U. S. of America.

**Major, Majus** (Ornith.) *Lat. adj.* greater.

**Malacceen'sis** (Zool.) belonging to Malacca.

**Malachade'nia** (Bot.) μαλακός, soft, ἄσπινη, a gland; a genus of Orchidaceæ.

**Malacha'ria** (Bot.) μαλακία, softness; a genus of Fungi.

**Ma'lache** (Bot.) μαλακός, soft; a genus of Malvaceæ.

**Mala'chium** (Bot.) μαλακία, softness; a genus of Caryophyllaceæ.

**Malachius** (Ent.) μαλακός, soft.

**Malachode'ndron** (Bot.) μαλακός, soft, δένδρον, a tree.

**Ma'alachra** (Bot.) μαλάχη, a mallow; from the resemblance.

**Malacmæ'a** (Bot.) μαλακός, soft, ἀκρη, a point; a genus of Malpighiaceæ.

**Malacoco'rus** (Bot.) μαλακός, soft, καρπός, fruit; a genus of Zygophyllaceæ.

**Malacoceph'alus** (Bot.) μαλακός, soft, κεφαλή, head; a genus of Compositæ.

**Malacochæ'te** (Bot.) μαλακός, soft, χαλτη, a bristle; a genus of Graminae.

**Malacode'rma** (Ent.) μαλακός, soft, δέρμα, skin.

**Malaco'logy** (Zool.) μαλακός, soft, λόγος, a description; the science which treats of the Mollusca, or Soft-bodied animals.

**Malacome'ris** (Bot.) μαλακός, soft, μέρις, a part; a genus of Compositæ.

**Malacopty'gia** (Ichth.) μαλακός, soft, πτέρυξ, πτέρυγος, a fin; the Soft-finned fishes.

**Malacothri'x** (Bot.) μαλακός, soft, θρίξ, hair; a genus of Compositæ.

**Mala'xia** (Bot.) μαλάξις, softness; from its delicate texture; a genus of terrestrial Orchidaceæ.

**Malco'mia** (Bot.) P. N. from *W. Malcolm*, mentioned by Ray; a genus of Cruciferae.

**Mal'eus** (Ichth.) *malleus*, a hammer, hammer-headed; also a genus of Mollusca.

**Mallococ'ca** (Bot.) μαλλός, wool, πονκος, a berry; a genus of Tiliaceæ.

**Mallo'monas** (Zool.) μαλλός, a lock of hair, *monas*, a monad; a genus of Infusoria.

- Mallrophora** (Bot.) μαλλός, wool, φέρειν, to bear; a genus of Verbenaceæ.
- Mallo'tus** (Bot.) μαλλωτός, fleecy, a genus of Euphorbiaceæ.
- Mallo'tus** (Ichth.) μαλλός, a lock of wool; also a fossil fish of the clay marl.
- Ma'lope** (Bot.) μάλος, tender; it has soft leaves; a genus of Malvaceæ.
- Malpi'ghia** (Bot.) P. N. from *M. Malpighi*, Professor of Medicine at Bologna; typical genus of the splendid Nat. Ord. Malpighiacæ.
- Malus** (Bot.) ancient name of the apple; in Greek μῆλον, *Pyrus Malus*.
- Ma'lsa** (Bot.) μαλάσσω, to soften; referring to its emollient qualities; typical genus of the great Nat. Ord. Malvaceæ.
- Mame'stra** (Ent.) P. N., formerly the capital of Lesser Armenia.
- Mamma'lia** (Zool.) *mamma*, the breast; applied to those vertebrate animals which suckle their young.
- Mamme'a** (Bot.) *mamey*, its American name; a genus of Sapotaceæ.
- Mammiferæ** (Zool.) *mamma*, the breast, *fero*, to carry; mammifers.
- Mammilla'ria** (Bot.) *mammilla*, a nipple; the plant is covered with teat-like protuberances; a genus of Cactaceæ.
- Ma'mmoth** (Zool.) said to be of Tartar origin.
- Mana'bea** (Bot.) a genus of Verbenaceæ.
- Mana'tidae** (Zool.) a family of Mammalia, of which *Manatus* is the type.
- Ma'natus** (Zool.) having vestiges of nails on their swimming paws: the name was given from the Spanish *mano*, a hand.
- Mangani'lla** (Bot.) original native name of the Manchineel tree, *Hippomane Mancinella*.
- Mandevi'lla** (Bot.) P. N. in honour of Sir John Mandeville, an early English traveller; a genus of Apocynaceæ.
- Mandi'bula** (Ent.) Latin, a jaw.
- Mandio'cea** (Bot.) from the native Brazilian name of the Cañava plant, *Jatropha Manihot*.
- Mandra'gora** (Bot.) μάνδρα, a stable, ἀγιπεῖν, to collect, referring to its habitat; the celebrated Mandrake; a genus of Solanaceæ.
- Mandrake** (Bot.) corrupted from *mandragora*.  
“And shrieks like mandrakes, torn out of the earth,  
That living mortals, hearing them, go mad.”—SHAKSPERE.
- Mane'ttia** (Bot.) P. N. from *X. Manetti*, Professor of Botany at Florence.
- Manghas** (Bot.) native Madagascar name; the Tanghinia *Manghas*.
- Mangi'fera** (Bot.) *mango*, name of the fruit, *fero*, to bear.
- Mangle'sia** (Bot.) P. N. in honour of Captain Mangles; a genus of Myrtaceæ; also Rhodanthe *Manglesii*.

- Mangli'l'a (Bot.) its name in Peru.
- Mango (Bot.) native name; fruit of the *Mangifera Indica*.
- Mangosta'na (Bot.) native name of the fruit; the *Mangofleen*.
- Ma'ngosteen (Bot.) native name; a fruit of the *Garcinia Mangostana*.
- Mangui'ba (Bot.) native name; a genus of Apocynaceæ.
- Ma'nia (Ent.) *μανία*, madness; figuratively, hobgoblin.
- Manica'ria (Bot.) *manica*, a glove.
- Mani'hot (Bot.) native name of the *Jatropha Manihot*.
- Manis (Zool.) probably from *manus*, a hand; on account of the large foreclaws, which are employed in tearing down the nests of the Termites or White ants.
- Mann'ia (Bot.) P. N., a genus of Marchantiaceæ.
- Mansue'tus-a-um (Ornith.) *Lat.* tame, gentle.
- Mante'llia (Fos. Bot.) P. N. in honour of Dr. *Mantell*, the geologist; a genus of fossil Cycadeoidea.
- Manti'sia (Bot.) the flowers resemble the insect *mantis*; a genus of Scitamineæ.
- Mantis'pa (Ent.) unexplained.
- Manu'lea (Bot.) *manus*, the hand; from the five divisions of flowers.
- Mara'nta (Bot.) P. N. from B. *Maranti*, a Venetian physician, who died in 1554; typical genus of the Nat. Ord. Marantaceæ.
- Maras'mius (Bot.) *μαραΐω*, to dry up; a genus of Fungi, so called from their being of a less juicy nature than others, and more readily preserved by drying.
- Marat'tia (Bot.) P. N. from J. F. *Marati*, of Vallombrosa, in Tuscany, who wrote on Ferns; a genus of Filices.
- Marogra'veia (Bot.) P. N. from G. *Marograaf*, author of a voyage to Brazil; the typical genus of Maregraaviaceæ.
- Marchan'tia (Bot.) P. N. from *Nicholas Marchant*, a French botanist; the typical genus of Marchantiaceæ.
- Mare (Zool.) an Anglo-Saxon word.
- Ma'reca (Ornith.) unexplained; the genus of Birds which includes the Widgeon.
- Marga'ceus-a-um (Bot.) resembling marl (*marga*).
- Margari'ta (Zool.) *Lat.* a pearl; a genus of Mollusca.
- Margaritaceus-a-um (Bot.) *Lat.* pearly.
- Margarita'na (Zool.) *margarita*, a pearl; a genus of Mollusca.
- Margarito'phora (Zool.) *margarita*, a pearl, φίψ, to bear; the Pearl oyster; a genus of Mollusca.

- Margaro'des** } (Ent.) *μαργαρίδης*, like a pearl.  
**Margaro'didæ** }  
**Margina'tus-a-um** (Zool., Ichth., Bot.) *Lat.* bordered.  
**Marginell'a** (Zool.) dim. of *margo*, a rim ; a genus of Mollusca.  
**Marygryica'rpus** (Bot.) *μαργαρίτης*, a pearl, *χαρπός*, fruit.  
**Ma'rica** (Bot.) *μαραίνω*, to become flaccid ; a beautiful Cape genus of Iridaceæ.  
**Mariki'na** (Zool.) native name of a monkey, *Jacchus Rosalia*.  
**Mari'l'a** (Ornith.) *μαρίλη*, charcoal.  
**Marimo'nda** (Zool.) native name of a monkey from Central America, *Ateles Belzebuth*.  
**Marin'u's-a-um** (Ornith., Bot.) *Lat.* pertaining to the sea, marine.  
**Marionella** (Ent.) P. N., a name given by M. Guerin Meneville, to a species of *Hemerobius*, after his youngest daughter, Marion Frances.  
**Mari'ssus** (Bot.) applied by Pliny to a kind of rush ; perhaps from *Celtic mar*, a marsh, in which it grows ; specific name of the Cladium *Mariscus*.  
**Maritimus-a-um** (Ornith., Bot.) *Lat.* pertaining to the sea, maritime.  
**Mar'joram** (Bot.) *Arabic, maryamych ; Latin, majorana*.  
**Ma'rkia** (Ent.) P. N. in honour of *Edward W. Mark*, *Eg.* ; a genus of Orthoptera.  
**Ma'rlea** (Bot.) from *marliya*, its Bengal name.  
**Marmorat'us-a-um** (Ornith. Ent. Bot.) *Lat.* marbled.  
**Marmo'reus-a-um** (Bot.) *Lat.* like marble ; marbled.  
**Ma'rmoset** (Zool.) dim. of *French, marmot*, a monkey ; popular name of *Jacchus vulgaris*.  
**Marmot** (Zool.) *French, marmot*, a monkey ; the *Arctomys Marmotta*.  
**Marru'bium** (Bot.) *Heb. marrob*, a bitter juice ; Horehound ; a genus of Labiatæ.  
**Marsde'nia** (Bot.) P. N. from *W. Marsden, Eg.*, author of a "History of Sumatra."  
**Marshal'lia** (Bot.) P. N. from *Humphrey Marshall*, a writer on botany.  
**Marsi'lea** (Bot.) P. N. from *Count L. F. Marigli*, founder of the Academy of Sciences, Bologna.  
**Marsi'pobranchs** (Ichth.) *μάρπινος*, a bag or pouch, *θράγχια*, gills ; having facculated gills.  
**Marsu'pia** (Bot.) *μάρψυπος*, a pouch ; a genus of Jungermanniaceæ.  
**Marsupia'lia** (Zool.) *marsupium*, a pouch or purse.  
**Ma'rsupites** (Fos. Zool.) *marsupium*, a pouch ; a genus of Crinoidea of the chalk.

- Marsypian'thes (Bot.) μάρσυπος, a pouch; ἄνθος, flower; a genus of Labiateæ.
- Marsypocar'pus (Bot.) μάρσυπος, a pouch, καρπός, fruit; a genus of Cruciferae.
- Martagon (Bot.) French, martagon; the Turk's cap lily, *Lilium Martagon*.
- Marte'nsia (Bot.) P. N. in honour of —— *Martens*, the celebrated botanist; a genus of Ceramian Algeæ.
- Martes (Zool.) Lat. a marten, or marten-cat.
- Martine'zia (Bot.) P. N., a genus of Palmæ.
- Ma'rtius (Ornith.) Lat. warlike, martial.
- Marty'nia (Bot.) P. N. from *John Martyn*, F.R.S., formerly Professor of Botany at Cambridge; a curious genus of Scrophulariaceæ.
- Marygold (Bot.) so called because it is in flower at the times of all the Romish festivals of the Virgin Mary; the word gold having reference to its golden rays, compared to the rays of light around the head of the Virgin; the *Calendula officinalis*:—
- “The *marygold*, that goes to bed with the sun,  
And with him rises weeping.”—SHAKSPERE.
- Ma'saris (Ent.) perhaps from μασάμαι, to shoot out the lip; a genus of Hymenoptera.
- Masca'gnia (Bot.) P. N. in honour of *Paul Mascagni*, a celebrated Italian anatomist, born 1752, died 1815; a genus of Malpighiaceæ.
- Masso'nia (Bot.) P. N. from *Mr. F. Masson*, author of *Stapeliae Novæ*.
- Mastax (Zool.) μάσταξ, the mouth or jaws; applied by Mr. Gosse to a Rotifer.
- Masticone'ma (Bot.) μαστίχη, resin, νήμα, a filament; a genus of Algeæ.
- Mastichothri'x (Bot.) μαστίχη, resin, θρίξ, hair; a genus of Algeæ.
- Mastiff (Zool.) French, *meugle*.
- Mastigobry'um (Bot.) μάστιξ, μάστιγος, a whip, βρύος, moss; a genus of Bryoid Musci.
- Mastigoce'rta (Zool.) μάστιξ, μάστιγος, a whip; a genus of Infusoria.
- Mastigo'phora (Bot.) μάστιξ, μάστιγος, a whip, φέρω, to bear; a genus of Bryoid Musci.
- Mastigo'phorus (Bot.) μάστιξ, μάστιγος, a whip, φέρω, to bear; a genus of Compositæ.
- Mastigoscle'ria (Bot.) μάστιξ, μάστιγος, a whip, σκληρός, hard; a genus of Graminae.
- Ma'stigus (Ent.) μάστιξ, μάστιγος, a whip, referring to shape.
- Mastix'ia (Bot.) μάστιξ, a whip; a genus of Cornaceæ.

- Mastocarpus** (Bot.) *μαστός*, a nipple, *καρπός*, fruit; a genus of Algae.
- Mastodon** (Fos. Zool.) *μαστός*, a nipple, *δόντος*, *δόντρος*, a tooth; the summits of the ridges on the teeth having a resemblance to the teats of a cow.
- Mastodonsaurus** (Fos. Zool.) having features in common with *mastodon* and *saurus*; a genus of fossil Saurians.
- Mastogonia** (Zool.) *μάστιξ*, *μάστιγος*, a whip; a genus of Infusoria.
- Mastygophora** (Ent.) *μάστιξ*, *μάστηγος*, a whip, *φέρω*, to bear.
- Mata'yba** (Bot.) its vernacular name in French Guiana.
- Matthi'ola** (Bot.) P. N. from *P. A. Matthioli*, an Italian physician, who died in 1577; the Gilliflower; a genus of Cruciferæ.
- Matrica'ria** (Bot.) *matrix*, the womb, from its supposed medical effects; a genus of Compositeæ.
- Matrona'lis** (Ent., Bot.) *Lat.* womanly, matronly; specific name of the Dame's rocket, or *Hesperis matronalis*.
- Matutina'lis** (Ent.) *Lat.* pertaining to the morning; from the time of appearing.
- Maura'ndia** (Bot.) P. N. in honour of *Dr. Maurand*, a Professor of Botany at Carthagena; a beautiful genus of Scrophulariaceæ.
- Mauril'lus** (Ent.) etymol. uncertain; a genus of Hymenoptera.
- Mauri'tia** (Bot.) P. N. from *Prince Maurice*, of Nassau, the patron of Rissò; a noble genus of Palms.
- Maurus-a-um** (Bot.) *μαύρος*, black.
- Ma'veis** (Ornith.) French, *mauvais*; the Song-thrush:—  
“ When to the mirthful merle the warbling *mavis* sings.”—DRAYTON.
- Maxi'lla** (Zool.) *Lat.* the jaw, from *μαστακωμα*, to chew.
- Maxilla'ria** (Bot.) name given because the labellum, when looked at sideways, resembles the maxillaæ or jaws of some insects; a genus of epiphytic Orchidaceæ.
- Maxilla'tus** (Zool.) *maxilla*, a jaw; applied to the Perna *maxillata*, on account of the hinge having many teeth.
- Maxilli'ferus-a-um** (Ent.) *maxilla*, the jaw, *fero*, to bear.
- Maxillo'sus-a-um** (Ent.) having large jaws (*maxillæ*) i. e. *Staphylinus maxillofus*.
- Maximilia'na** (Bot.) P. N. from *Maximilian*, Prince Weid-Neuweid.
- Ma'ximus-a um** (Ornith., Bot.) *Lat.* greatest.
- Mayduke** (Bot.) this name, given to a kind of cherry, is from *Medoc*, in Burgundy.
- Ma'zus** (Bot.) *μαζός*, a teat.

- Me'adia** (Bot.) P. N. in honour of the celebrated *Dr. Mead*; specific name of the Virginian cowslip, *Dodecatheon Meadia*.
- Mea'dii** (Ent.) P.N. in honour of *R. H. Meade*, Esq., of Bradford, Yorkshire.
- Meandri'na** (Zool.) originally derived from Meander, a river in Phrygia, famous for its windings, and metaphorically applied to the convolutions of the brain; Brain-coral; a genus of Madrepores.
- Mecistoceph'alus** (Ent.) μῆκτος, longest, πρωταλή, the head.
- Mecistu'ra** (Ornith.) μῆκτος, longest, ἄσπις, tail; not, as it is sometimes written, *megiflura*.
- Mecke'lia** (Bot.) P. N., a genus of Malpighiaceæ.
- Mecone'lla** (Bot.) dim. of μῆκων, the poppy; a genus of Papaveraceæ.
- Mecone'ma** (Ent.) μῆκος, long, νήμα, thread; a genus of Orthoptera.
- Meconid'i'um** (Bot.) dim. of μῆκων, the poppy; a genus of Papaveraceæ.
- Meco'nium** (Bot.) dim. of μῆκων, the poppy; a genus of Papaveraceæ.
- Meconop'sis** (Bot.) μῆκων, a poppy, φάσις, appearance; a beautiful genus of Papaveraceæ.
- Meconostig'ma** (Bot.) μῆκων, a poppy, stigma, stigma resembling that of the poppy; a genus of Araceæ.
- Me'copus** (Bot.) μῆκος, long, πόδις, παδές, foot; from the extreme length of the stipes of its pod.
- Mecy'na** (Ent.) μηκύνω, to lengthen, draw out.
- Mede'o'la** (Bot.) P. N. from *Medea*.
- Medica'go** (Bot.) Μηδική, a term applied by Dioscorides to a *Median* grass.  
M. arborea is thought to be the *Cytisus* of Virgil, celebrated by him for causing cows to yield abundance of milk, and as being particularly grateful to goats and bees; a genus of Leguminosæ.
- Medioro'stris** (Ichth.) *medius*, middle, *rostrum*, a beak or snout.
- Me'dius-a-um** (Ornith., Bot.) *Lat.* of middle size.
- Meesia** (Bot.) P. N., a genus of Bryoid Musci.
- Megacarpa'e/a** (Bot.) μεγάς, great, καρπός, fruit.
- Megaceph'ala** (Ent.) μεγάς, great, πρωταλή, head; a genus of Coleoptera.
- Megaceph'alon** (Ornith., Ent.) μεγάς, great, πρωταλή, the head.
- Mega'ceros** (Fos. Zool.) μεγάς, great, κέρας, horn; the Irish elk, now fossil or sub-fossil.
- Megachi'le** (Ent.) μεγάς, large, χειλός, lip, from the stout mandibles; the Leaf-cutting Bee; a genus of Hymenoptera.
- Megacli'num** (Bot.) μεγάς, great, κλίω, to bend.
- Mega'cronus** (Ent.) μεγάς, great, ἄκρος, a point or end.
- Megade'rma** (Zool.) μεγάς, great, διφέα, hide, skin.

- Megæ'tra** (Zool., Ent.) P. N., one of the Furies.—*Virg. Aen.* xii. 846; a genus of Ophidians.
- Megaladerus** (Ent.) *μίγας*, *μεγάλη*, great, *δίρη*, the neck.
- Megalai'ma** (Ornith.) *μίγας*, *μεγάλη*, great, *λαιμός*, the throat.
- Megalai'gium** (Bot.) *μίγας*, *μεγάλη*, great, *ἀγγεῖον*, a vessel; a genus of Bryoid Musci.
- Megalich'ths** (Ichth.) *μίγας*, *μεγάλη*, great, *ἰχθύς*, a fish.
- Megalo'don** (Zool.) *μίγας*, *μεγάλη*, large, *δόντος*, *δόντος*, tooth; a genus of recent and fossil Mollusca.
- Megalo'ma** (Zool.) *μίγας*, *μεγάλη*, great, *λάμα*, fringe.
- Megalo'nyx** (Fos. Zool.) *μίγας*, *μεγάλη*, great, *οὐξ*, claw; a fossil mammal of the tertiary.
- Megalosau'rūs** (Fos. Zool.) *μίγας*, *μεγάλη*, great, *σαῦρος*, lizard; a fossil reptile of the chalk.
- Megalotro'cha** (Zool.) *μίγας*, *μεγάλη*, great, *τροχός*, a wheel; a genus of Infusoria.
- Mega'nteris** (Zool.) *μίγας*, great, *ἀντηρίς*, a prop; a genus of Mollusca.
- Megaphy'sa** (Ent.) *μίγας*, great, *φυσα*, a bladder.
- Megaphy'tum** (Fos. Bot.) *μίγας*, great, *φυτό*, plant; a genus of Coal-measure fossil stems.
- Megapo'dius** (Ornith.) *μίγας*, great, *πούς*, *ποδός*, a foot; applied to the Jungle-fowl of Australia.
- Mega'ptera** (Zool.) *μίγας*, great, *πτήσις*, a fin; great-finned.
- Megarthrūs** (Ent.) *μίγας*, great, *ἄρθρος*, a joint; large-jointed.
- Megasan'thes** (Bot.) *μίγας*, great, *ἄνθος*, flower; a genus of Campanulaceæ.
- Megaspí'ra** (Zool.) *μίγας*, great, *σπίρα*, a whorl; a genus of Mollusca.
- Megastach'y'a** (Bot.) *μίγας*, great, *στάχυς*, a spike; alluding to the flower.
- Megaste'gia** (Bot.) *μίγας*, great, *στίγμη*, a covering; a genus of Leguminosæ.
- Mega'stes** (Ent.) *μίγας*, large, great.
- Megastig'mus** (Ent.) *μίγας*, large, *στίγμα*, a mark; a genus of Hymenoptera.
- Mega'stoma** (Ichth.) *μίγας*, large, *στόμα*, a mouth.
- Megathe'rium** (Fos. Zool.) *μίγας*, great, *θήριον*, a wild beast.
- Mega'toma** (Ent.) *μίγας*, great, *τομή*, a cutting.
- Meger'lia** (Zool.) P. N., a genus of Mollusca.
- Mego'tara** (Zool.) *μίγα*, greatly, *τραπέα*, eared.
- Meio'ceras** (Zool.) *μικρόν*, smaller, *κέρας*, horn; a genus of Mollusca.
- Meisne'ria** (Bot.) P. N., a genus of Melastomaceæ.
- Meissar'rhena** (Bot.) *μικρότερον*, smallest, *άρηνη*, a stamen; a genus of Acanthaceæ.

- Melaca'ntha** (Zool.) μίλας, black, ἄκανθα, a spine; a genus of Mollusca.
- Melach'ne** (Bot.) μίλας, black, ἄχρη, chaff; a genus of Cyperaceæ.
- Melado'mus** (Zool.) μίλας, black, δέρμα, a dwelling; a genus of Mollusca.
- Melaleu'ca** (Bot.) μίλας, black, λευκός, white; the wood is black and the branches are white.
- Melalo'phos** (Zool.) μίλας, black, λέπης, a crest, applied to an ape, *Presbytes melalophos*.
- Melampo'dium** (Bot.) said, by *Theophrastus*, to be named after *Melampus* (μίλας, black, ποῦς, πόδος, a foot), who first used it; the Black Hellebore.
- Melam'pus** (Zool.) μίλας, black, ποῦς, a foot, black-footed; e.g. *Aepyceros Melampus*; also a genus of Mollusca.
- Melampy'rūm** (Bot.) μίλας-ανος, black, πυρός, wheat; Cows' wheat; a genus of Scrophulariaceæ.
- Melan'an'the'ra** (Bot.) μίλας-ανος, black, ἀνθήρος, flowery.
- Melanchry'sum** (Bot.) μίλας, gen. μίλανος, black, χρυσός, gold; a genus of Compositæ.
- Melanco'nium** (Bot.) μίλας-ανος, black, κόνις, dust; in allusion to its appearance.
- Melan'drium** (Bot.) μίλας, gen. μίλανος, black, ἀνήρ ἀνδράς, (figuratively) a stamen; a genus of Caryophyllaceæ.
- Melane'lla** (Zool.) dim. of *melania*; a genus of Mollusca.
- Melaner'pes** (Ornith.) μίλας-ανος, black, ἐρπω, to creep; the Black woodpeckers.
- Mela'nia** } (Zool.) μελανία, blackness; a genus and family of Mollusca.
- Melani'dae** } (Zool.) μελανία, blackness; a genus and family of Mollusca.
- Melanip'pe** (Ent.) P. N., the daughter of Æolus.
- Mela'nium** (Bot.) μελάνιον, the common violet, so called in distinction to λευκίον, literally "white-violet," supposed by some to be the Stock-gilliflower, by others the Wall-flower; a genus of Melastomaceæ.
- Melanoca'rpos** (Bot.) μίλας-ανος, black, καρπός, fruit.
- Melanoce'nchris** (Bot.) μίλας, gen. μίλανος, black, κίνητος, millet; a genus of Graminae.
- Melanoce'phalus-a-um** (Zool., Ornith.) μίλας-ανος, black, κεφαλή, head, e. g. *Pithecia Melanocéphala*.
- Melanocra'nis** (Bot.) μίλας, gen. μίλανος, black, κρανίος, rough; a genus of Graminae.
- Melanode'ndron** (Bot.) μίλας, gen. μίλανος, black, διόδος, a tree; a genus of Compositeæ.

- Melanoga'ster** (Bot.) μίλας, gen. μίλανος, black, γαστηρ, belly ; a genus of Fungi ; also in Ornithology.
- Melanolo'ma** (Bot.) μίλας, gen. μίλανος, black, λαιμα, fringe ; a genus of Compositæ.
- Melano'palis** (Ent.) μελανωός, black-looking.
- Melano'phrys** (Ornith.) μίλας-ανος, black, ὄφρις, eyebrow, e. g. *Myzantha melanophrys*.
- Melanopi'cus** (Ornith.) μίλας-ανος, black, *picus* ; a Woodpecker.
- Melanopo'gon** (Zool.) μέλας, μέλανος, black, πάγων, a beard.
- Melanopsid'iūm** (Bot.) μίλας, μίλανος, black, *psidium*, guava.
- Melanop'sis** (Zool.) the genus *Melania*, θύεις, like ; a genus of Mollusca.
- Melano'pterus** (Ornith.) μίλας, μίλανος, black, πτέρον, a wing ; e. g. *Elanus Melanopterus*, the Black-winged Falcon.
- Melano'pus** (Zool.) μίλας-ανος, black, πούς, a foot ; e. g. *Martes Melanopus*, the Japanese sable.
- Melanorrhē'a** (Bot.) μίλας, black, ρέω, to flow ; the juice is black.
- Melano'selinum** (Bot.) μίλας, black, σίλινον, parsley ; referring to its appearance.
- Melano'seris** (Bot.) μίλας, gen. μίλανος, black, σίρις, endive ; a genus of Composite.
- Melano'spora** (Bot.) μίλας, gen. μίλανος, black, σπορά, seed ; a genus of Fungi.
- Melano'sticta** (Bot.) μίλας, gen. μίλανος, black, στικτός, spotted ; a genus of Leguminosæ.
- Melano'stolus** (Ichth.) μίλας, μίλανος, black, στολή, a robe ; black-bodied.
- Melano'stومum** (Ichth.) μίλας-ανος, black, στόμα, a mouth ; black-mouthed.
- Melano'stro'ma** (Bot.) μίλας, gen. μέλανος, black, στρῶμα, bedding ; a genus of Fungi.
- Melano'tis** (Zool.) μίλας-ανος, black, αὐς, ἀτός, an ear ; black-eared ; e. g. Caracal *Melanotis*.
- Melanotop'erum** (Ichth.) μίλας-ανος, black, ῥῆ, ἀτός, ear, πτέρον, fin.
- Melano'trichum** (Bot.) μίλας, gen. μίλανος, black, θρίξ, τρίχος, hair ; a genus of Fungi.
- Melano'tus** (Ent.) μίλας-ανος, black, αὐς, ἀτός, ear.
- Melanoxan'thus** (Ornith., Bot.) μίλας, gen. μίλανος, black, ξανθός, yellow, combining the two colours ; e. g. *Coccothraustes melanoxanthus* ; also a genus of Fungi.

- Melano'xylon** (Bot.) μέλας, gen. μέλανος, black, ξύλον, wood; a genus of Leguminosæ.
- Melantha'cea** (Bot.) the Natural Order of which the Colchicum is the type, from the old name *Melanthum*, the fennel flower.
- Melanthe'rea** (Bot.) μέλας-άνθη, black, anthera; a genus of Compositeæ.
- Melanthe'sa** (Bot.) μέλας-άνθη, black, ἄνθη, flower; a genus of Euphorbiaceæ.
- Melan'thia** (Ent.) μέλανθη, dark, swarthy.
- Melan'thium** (Bot.) same derivation.
- Melanu'ra** (Ornith.) μέλας-άντη, black, ἄντη, tail; black-tailed.
- Mela'plum** (Zool.) μέλας, black, ἄπιον, a pear; a genus of Mollusca.
- Melas'a'nthus** (Bot.) μέλας, black, ἄνθης, flower; a genus of Verbenaceæ.
- Melasis** (Ent.) μέλας, black; a genus of Coleoptera.
- Mela'sma** (Bot.) μέλασμα, a black spot; a genus of Scrophulariaceæ.
- Melaso'ma** (Ent.) μέλας, black, σῶμα, body.
- Melasphæ'rula** (Bot.) μέλας, black, σφαῖρα, a sphere; alluding to the bulbs.
- Melaste'mon** (Bot.) μέλας, black, στήμα, a stamen; a genus of Ericaceæ.
- Mela'stoma** (Bot.) μέλας, black, στίμα, a mouth; the berries stain.
- Melea'gris** (Ornith., Bot.) the name given by the ancients to a sort of Guinea-fowl, from the hero *Meleager*. In Botany, the Chequered-lily, or Fritillaria *Meleagris*.
- Meleo'ta** (Ent.) mel, honey; a genus of Apidæ.
- Melin'dres** (Bot.) vernacular appellation of a species of Vervain in Buenos Ayres; the Verbena Melindres.
- Melha'ma** (Bot.) P. N. from *Mount Melhâm*, in Arabia: it was first found there.
- Me'lia** (Bot.) μελία, the Ash; typical genus of Meliaceæ.
- Mel'iа** (Ent.) μέλι, honey; the larva feeds on the nests of bees.
- Melia'na** (Ent.) P. N. from *Melos*, an island in the Ægean sea.
- Melian'thus** (Bot.) μέλι, honey, ἄνθης, a flower; the flower abounds in honey.
- Me'lica** (Bot.) the name in Italy for the Great Millet; a genus of Gramineæ.
- Melice'rta** (Zool.) P. N., a character in heathen mythology; a very beautiful genus of Infusoria.
- Meli'chrus** (Bot.) μελίχροος, honey-coloured.
- Melico'cca** (Bot.) μέλι, honey, κόκκος, a berry; alluding to the flavour.
- Meli'cope** (Bot.) μέλι, honey, κοπή, incision; nectary of notched glands.

- Meli'erax** (Ornith.) *μίλος*, a song, *ἴραξ*, a falcon ; the Chanting falcon.
- Melige'thes** (Ent.) *μέλι*, honey, *γνθίω*, to rejoice in ; a genus of Coleoptera.
- Melilo'tus** (Bot.) *μέλι*, honey, *λωτός*, lotus ; a genus of Leguminosæ.
- Mel'ina** (Zool.) *melina*, mead ; a genus of Mollusca ; also a genus of Diptera and Coleoptera.
- Melinaspé'rnum** (Bot.) *μελισίνη*, millet ; *σπερμα*, seed ; a genus of Leguminosæ.
- Meli'nia** (Bot.) *μάλινος*, ashen, apple-coloured ; a genus of Asclepiadaceæ.
- Meli'nis** (Bot.) *μέλινη*, millet ; a genus of Graminae.
- Meli'num** (Bot.) *μελίνη*, millet ; a genus of Graminae.
- Meliph'o'ra** (Ent.) *μέλι*, honey, *φύε*, a thief ; the larva feeds on the honey in bee-hives.
- Meli'pona** (Ent.) *μέλι*, honey, *τόσια*, to toil ; a genus of Hymenoptera.
- Melis'sa** (Bot.) *μέλισσα*, a bee, because abundance of honey is gathered from it ; Balm ; a genus of Labiatæ.
- Melis'sa** (Ent.) *μέλισσα*, a bee ; a genus of Hymenoptera.
- Meliso'des** (Ent.) the genus *Melitta*, and *σίδης*, like ; a genus of Hymenoptera.
- Melites'a** (Ent.) P. N., a town in Thessaly.
- Melit'tis** (Bot.) *μέλιττα*, a bee ; bees gather honey from it ; Honey-balm ; a genus of Labiatæ.
- Melittu'rga** (Ent.) *μελιττουργός*, a honey-worker ; a genus of Hymenoptera.
- Melizo'philus** (Ornith.) *μελιζώ*, to sing, *φιλίω*, to love.
- Melli'fera** (Ent.) *mel*, honey, *fero*, to carry ; the Bees.
- Melli'fleus-a-um** (Ent.) Lat. honey-making ; *Apis mellifica* is the Honey Bee.
- Me'llinus** (Ent.) *mellinia*, sweetnes, from *mel*, honey ; a genus of Hymenoptera.
- Mellisu'ga** (Ornith.) *mel*, honey, *fugere*, to suck ; Honeyfucker.
- Melli'vora** (Zool.) *mel*, honey, *voro*, to devour ; as in the Humming-bird ; Florifuga *mellivora*.
- Melo** (Bot.) the ancient name, and now the scientific one, of the *Melon*.
- Melo** (Zool.) *μῆλον*, a melon, an apple, from its shape ; a genus of Mollusca.
- Melobe'sia** (Bot.) *μίλος*, a limb, *obesus*, wasted away ; a genus of Algae.
- Meloca'ctus** (Bot.) *melon*, *cactus*, alluding to its shape ; a genus of Cactaceæ.
- Melocan'na** (Bot.) *μῆλον*, an apple, *κάννα*, a reed.
- Melo'chia** (Bot.) *melochich*, its Arabic name.
- Melodi'nus** (Bot.) *μῆλον*, an apple, *δινίω*, to turn round.

- Meloë** (Ent.) μέλος, black; the Oil-beetle; a genus of Coleoptera.
- Melolo'nthia** (Ent.) μηλολόνθη, a beetle or cock-chafer, from μηλέω, to explore, ὄθος, dung; the Fern-chafer.
- Melolon'thidae** (Ent.) a family of Coleoptera of which *Melolontha* is the type.
- Melon** (Bot.) Menage considers the melon as a large apple, and derives it from μῆλον, an apple; the Cucumis *Melo*; Nat. Ord. Cucurbitaceæ.
- Melopsittacus** (Ornith.) μέλος, a song, Ψιττακος, *psittacus*, a parrot; the Warbling parroquet.
- Melosei'ra** (Bot.) μῆλον, an apple, σειρά, a chain; referring to form of filaments; a genus of Cryptogamia.
- Melo'thria** (Bot.) μέλωθρον, a plant supposed to be white bryony, from its similarity.
- Melu'rsus** (Zool.) *mel*, honey, *ursus*, a bear; from eating bees' nests; the Honey-bear.
- Mely'ris** (Ent.) a genus of Coleoptera.
- Membrana'ceus-a-um** (Zool.) *Lat.* like a membrane or skin.
- Membrani'pora** (Zool.) μεμβράνα, a thin skin or film, πόρος, a passage.
- Meme'cydon** (Bot.) μεμέκυδον, the Greek name for the edible fruit of the Arbutus.
- Mendi'ca** (Ent.) *mendicus*, a beggar; i.e. poor in appearance.
- Mene'stho** (Zool.) P. N. from a character in heathen mythology; a genus of Mollusca.
- Menio'cus** (Bot.) μήνη, the moon, ὄψις, an eye.
- Menis'cium** (Bot.) μηνίσκος, a crescent; from shape of fructification.
- Menispe'rnum** (Bot.) μήνη, a crescent, σπίρρα, seed; from the crescentic shape of the seeds; typical genus of Menispermaceæ.
- Me'nkea** (Bot.) P. N. in honour of *Menke*, a German botanist; a genus of Cruciferae.
- Meno'ceras** (Bot.) μήνος, strength, κίρας, horn; a genus of Goodeniaceæ.
- Menodo'ra** (Bot.) μήνος, strength, δῶρον, a gift; a genus of Jasminaceæ.
- Meno'i'dium** (Zool.) μήνη, the moon, ὅδια, to swell, the body being crescentic and thicker on the outer margin; a genus of Infusoria.
- Menona'nthes** (Bot.) μίνω, to remain, ὄθος, a flower; a genus of Gentianaceæ.
- Menonvil'lea** (Bot.) P. N., a genus of Cruciferæ.
- Menopo'mata** (Zool.) μίνω, to remain, πωμάτιον, a lid or cover; applied to the operculum of amphibious animals.
- Mentha** (Bot.) P. N. from *Minthe*, or *Menthe*, the daughter of Cocytus, who was changed into this plant; Mint; a genus of Labiateæ.

- Menthra'strum** (Bot.) dim. of *mentha*, mint; Wild mint.
- Me'ntum** (Ent.) *Lat.* the chin; applied to a part of the labium of insects.
- Mentze'lia** (Bot.) P. N. from *C. Mentzel*, of Brandenburg, a writer on botany.
- Menu'ra** (Ornith.) μῆνη, the crescent moon, ὄυρα, a tail; the Lyre-bird.
- Me'nyan'thes** (Bot.) μῆν, a month, ἀρθος, a flower; alluding to the time during which it is in blossom; a beautiful genus of Gentianaceæ.
- Menzie'sia** (Bot.) P. N. from *A. Menzies*, F.L.S., an assiduous botanist; a genus of Ericaceæ.
- Meos'chium** (Bot.) μῆν, not, ὅσχη, a shoot; a genus of Graminae.
- Mephiti'dia** (Bot.) *mephitis*, a noxious exhalation, οὐδος, likeness; a genus of Cinchonaceæ.
- Mephi'tis** (Zool.) *Lat.* a noxious exhalation, applied to the Skunk.
- Mera'tia** (Bot.) P. N. in honour of *M. Merat*; a genus of Compositæ.
- Mercie'rā** (Bot.) P. N. in honour of *M. Mercier*; a genus of Campanulaceæ.
- Merckia** (Bot.) P. N. in honour of *Merke*; a genus of Caryophyllaceæ.
- Mercuria'lis** (Ent.) from the resemblance of the stigmata to the symbo of the planet *Mercury* (8).
- Mercuria'lis** (Bot.) *Mercury* first discovered the virtues of this plant; a genus of Euphorbiaceæ.
- Merde'lā** (Ent.) *merda*, dung.
- Merende'rā** (Bot.) a name given to the Colchicum by the Spaniards.
- Merga'nser** (Ornith.) popular name of the *mergus*, compounded of that word and *anser*, a goose.
- Mer'gens** (Zool.) *Lat.* diving or plunging; applied to the Duyker Bok, *Cephalopus mergens*; from its mode of escaping in the bush.
- Mergus** (Ornith.) dim. of *mergus*.
- Mérgus** (Ornith.) *Lat.* a diver or gull.
- Meria'na** (Bot.) P. N. from *M. S. Merian*, authoress of a work on the insects of Surinam; born 1647, died 1717.
- Merian'dra** (Bot.) μέριπος, a division, ἀρίζ, ἀριζός, a stamen; a genus of Labiateæ.
- Mer'i'dion** (Bot.) from its circular form; a genus of Desmidiaceæ.
- Meridiona'lis** (Ornith.) *Lat.* southern.
- Meris'ma** (Bot.) μερισμός, division.
- Merismopæ'dia** (Bot.) μερισμα, a part, παιδίον, an offshoot; a genus of Algæ.
- Meri'sta** (Zool.) μεριστός, divided; a genus of Mollusca.
- Meristostig'ma** (Bot.) μεριστός, divided, *stigma*; a genus of Iridaceæ.
- Meristotro'pis** (Bot.) μεριστός, divided, τρίπις, a keel; a genus of Leguminosæ.

**Merizomy'ria** (Bot.)  $\mu\epsilon\rho\zeta\omega$ , to divide,  $\mu\nu\rho\omega s$ , numberless; a genus of Algae.

**Merlan'gus** (Ichth.) etymol. uncertain; the Coal-fish is *M. carbonarius*;

the Whiting, *M. vulgaris*.

**Merle** (Ornith.) French, *merle*, a blackbird.

**Merlu'cius** (Ichth.) *Fr. mer*, sea, *luce*, pike; the Sea-pike; the Hake is *M. vulgaris*.

**Merocri'nidae** (Fos. Zool.)  $\mu\epsilon\rho\omega s$ , a part,  $\kappa\rho\iota\omega v$ , a lily; a family of Crinoidea.

**Meros** (Zool.) P. N., an island in the Nile; a genus of Mollusca; also in Entomology, a genus of Neuroptera.

**Mero'malus** (Ent.)  $\mu\epsilon\rho\omega s$ , the thigh,  $\delta\mu\alpha\lambda\dot{\omega}s$ , smooth.

**Meropa'chys** (Ent.)  $\mu\epsilon\rho\omega s$ , the thigh,  $\pi\alpha\chi\dot{\omega}s$ , thick.

**Merops** (Ornith.)  $\mu\epsilon\rho\omega \dot{\nu}$ , *Lat. merop*, the Bee-eater.

**Merospo'rium** (Bot.)  $\mu\epsilon\rho\omega s$ , a division,  $\sigma\pi\omega\omega s$ , a seed; a genus of Fungi.

**Merosta'chys** (Bot.)  $\mu\epsilon\rho\omega s$ , a division,  $\sigma\pi\alpha\chi\dot{\omega}s$ , a spike or bunch; a genus of Graminae.

**Mero'stenus** (Ent.)  $\mu\epsilon\rho\omega s$ , the thigh,  $\sigma\tau\epsilon\dot{\omega}s$ , narrow.

**Merten'sia** (Bot.) P. N. from *Professor F. C. Mertens*, of Bremen; a genus of Filices.

**Me'rula** (Ornith.) *Lat.* a black-bird; specific name of the Black-bird, *Turdus Merula*.

**Meruli'dæ** (Ornith.) a family of Incessores, containing the Black-bird.

**Merycothe'rium** (Fos. Zool.)  $\mu\epsilon\rho\omega\pi\zeta\omega$ , to chew the cud,  $\theta\pi\rho$ , a wild beast; a fossil Ruminant of the drift.

**Mesa'llia** (Zool.) from *Mesal*, the African name of a shell-fish; a genus of Mollusca.

**Mesembryan'themum** (Bot.)  $\mu\epsilon\sigma\eta\mu\beta\zeta\omega$ , mid-day,  $\delta\pi\theta\mu\omega$ , a flower; typical genus of the order Mesembryaceæ.

**Mesembryan'themum** (Zool.) an actinia so named from resemblance to the plant: *q. v.*

**Mesoca'rpus** (Bot.)  $\mu\epsilon\sigma\omega s$ , middle,  $\pi\alpha\rho\pi\omega s$ , fruit.

**Mesoce'na** (Zool.)  $\mu\epsilon\sigma\omega s$ , middle,  $\kappa\varepsilon\omega s$ , empty; a genus of Infusoria.

**Mesoce'ntron** (Bot.)  $\mu\epsilon\sigma\omega s$ , middle,  $\kappa\epsilon\pi\tau\omega$ , prickle; a genus of Compositeæ.

**Mesochei'ra** (Ent.)  $\mu\epsilon\sigma\omega s$ , middle,  $\chi\epsilon\pi$ , hand; a genus of Hymenoptera.

**Mesocla'stes** (Bot.)  $\mu\epsilon\sigma\omega s$ , middle,  $\kappa\lambda\alpha\pi\omega s$ , broken; a genus of Orchidaceæ.

**Mesoda'ctylus** (Bot.)  $\mu\epsilon\sigma\omega s$ , middle,  $\delta\acute{a}\kappa\tau\omega\lambda\omega s$ , a finger; a genus of Apotropaieæ.

**Mesode'sma** (Zool.)  $\mu\epsilon\sigma\omega s$ , middle,  $\delta\acute{a}\sigma\mu\omega$ , ligament; a genus of Mollusca.

**Mesoglœ'a** (Bot.)  $\mu\epsilon\sigma\omega s$ , middle,  $\gamma\lambda\omega\omega s$ , sticky; a genus of Algae.

- Mesoglo'ia** (Bot.) *μέσος*, middle, *γλωσσ*, sticky; the spines of the branches being a solid mass.
- Mesogram'ma** (Bot.) *μέσος*, middle, *γράμμα*, a marking; a genus of Composite.
- Mesome'las** (Zool.) *μέσος*, the middle, *μίλας*, black; applied to a Jackal having a dark mottled band on its back.
- Mesome'lla** (Ent.) *μέσος*, a white stone with a black stripe; a word used by Pliny.
- Mesomphalia** (Ent.) *μέσος*, middle, *δυφαλίς*, the boss of a shield.
- Mesophyl'la** (Bot.) *μέσος*, middle, *φύλλον*, leaf; a genus of Jungermanniaceæ.
- Mesopithe'cus** (Fos. Zool.) *μέσος*, middle, *πιθήκος*, an ape; the genus being regarded as transitional between Hylobates and Semnopithecus.
- Mesoreg'ma** (Bot.) *μέσος*, middle, *ριγμα*, that which is dyed; a genus of Marchantiaceæ.
- Mesophy'sria** (Bot.) *μέσος*, middle, *σφεῖρα*, a ball; a genus of Labiatæ.
- Mesoster'num** (Ent.) *μέσος*, middle, *στήνω*, the breast.
- Mesostyl'us** (Fos. Zool.) *μέσος*, the middle, *στῦλον*, a pillar; a fossil Crustacean of the chalk.
- Mespiloda'phne** (Bot.) *μεσπίλη*, *mespilus*, the Medlar-tree, *daphne*; a genus of Lauraceæ.
- Mespilo'phora** (Bot.) *μεσπίλη*, *mespilum*, the Medlar, *φίρω*, to bear; a genus of Pomaceæ.
- Mespilus** (Bot.) *μεσπίλη*, *Lat. mespilus*, the Medlar-tree; a genus of Nat. Ord. Pomiferæ.
- Messanie'l'a** (Ent.) first taken by Zeller near Messina (the ancient Messana), in Sicily.
- Messerschmi'dia** (Bot.) P. N. from *D. Mefferschmid*, a German botanist.
- Messingle'l'a** (Ent.) P. N. in honour of *Herr Hof-und Stadt-Kantor Meffing*, of Neustrelitz, who first found the species.
- Mesto'tes** (Bot.) *μετρότης*, fulness; a genus of Chailletiacæ.
- Meta'basis** (Ent.) *μετρέβασις*, shifting, as of the legs in walking; a genus of Diptera.
- Meta'basis** (Bot.) *μετρέβασις*, shifting; a genus of Compositæ.
- Meta'bolus** (Bot.) *μεταβολή*, a change; a genus of Cinchonaceæ.
- Metachi'lum** (Bot.) *μετά*, behind, *χιλός*, a lip; a genus of Orchidaceæ.
- Metalli'tes** } (Ent.) *μεταλλον*, metal; from the metallic brilliance.  
**Me'tallon** }

- Metallu'ra** (Ornith.) *μεταλλον*, metal, *ωψη*, a tail; a genus of Humming-birds.
- Metape'lma** (Ent.) *μετά*, without, *πλάκη*, the sole of the foot.
- Meta'rctos** (Zool.) *μετά*, after, *ἄρκτος*, bear; implying that it follows in the series after the bear.
- Meta'sia** (Ent.) *μετασίωμα*, to rush towards.
- Metastel'ma** (Bot.) *μετά*, instead of, *στελμα*, a crown.
- Meta'stenu** (Ent.) *μετά*, beyond, *στενός*, narrow.
- Metho'ca** (Ent.) a genus of Hymenoptera.
- Metho'rium** (Bot.) *μεθόριος*, on the border, i. e. of difficult classification; a genus of Sterculiacæ.
- Meti'culosal'lis** (Ent.) *meticulosus*, timidous; from its habit of quivering when the light is thrown on it.
- Meto'phium** (Bot.) *μετωπον*, the front or forehead; a genus of Anacardiaceæ.
- Metopi'dia** (Zool.) *μετωπίδιος*, of the forehead; a genus of Infusoria.
- Metopo'ceros** (Zool.) *μετωπον*, the forehead, *κέρας*, a horn; the Horned Iguana.
- Metopo'nia** (Ent.) *μετωπον*, the space between the eyes; a genus of Diptera.
- Metoporhi'na** (Zool.) *μετωπον*, the front, *φύση*, nose; a genus of Colubrine ophidians.
- Metroca'mpa** (Ent.) *μετρητή*, to measure, *κάμπη*, a caterpillar; alluding to the geometrical mode of progression of the larva.
- Metroside'ros** (Bot.) *μετρητη*, heart of a tree, *σιδηρός*, iron; iron-wood; Nat. Ord. Myrtaceæ.
- Metternich'ia** (Bot.) P. N., a genus of Solanaceæ.
- Metzber'ia** (Bot.) P. N., a genus of Lobeliaceæ.
- Metzgeria** (Bot.) P. N., a genus of Jungermanniaceæ.
- Metzneriel'l'a** (Ent.) P. N. in honour of *Herr Metzner*, of Frankfort on the Oder.
- Me'u'm** (Bot.) *meum*, bur-wort, which perhaps from *μειον*, smaller, from delicacy of leaves; a genus of Umbelliferæ.
- Mexica'nus-a-um** (Zool., Ornith., Bot.) relating to Mexico; e. g., *Trogon Mexicanus*.
- Meye'nia** (Bot.) P. N., a genus of Cinchonaceæ.
- Meye'ra** (Bot.) P. N. from *Gottlieb Andrew Meyer*, a German botanist.
- Meye'ria** (Bot.) P. N., a genus of Compositeæ.
- Meye'ria** (Fos. Zool.) P. N., a fossil Crustacean of the chalk.

- Mezereon** (Bot.) from Persian *madzaryoun*.
- Mia'na** (Ent.) μιαίνειν, to stain of a dark colour; on account of the dark colour of several of the species.
- Mi'arus** (Ent.) μιαρός, stained.
- Mias** (Zool.) the name used by the Dyaks for the Ourang-outang.
- Mia'ta** (Ent.) μιαίνειν, to stain; the wings, originally of a rich green, soon fade to a *dirty yellow*.
- Mi'cans** (Ent., Bot.) Lat. shining, from *mico*, to glitter; e. g., *Mesembryanthemum micans*.
- Micctro'gus** (Ent.) μικκός, = to μικρός, little, τρώγω, to gnaw or chew.
- Michau'xia** (Bot.) P. N. from *A. Michaux*, botanist to Louis XVI.
- Miche'lia** (Bot.) P. N. from *P. A. Michel*, the great Florentine botanist; Nat. Ord. Magnoliaceæ.
- Mico'nia** (Bot.) P. N. from *Dr. Micon*, M. D., a Spanish botanist.
- Mic'ra** (Ent.) μικρός, small.
- Micrac'tis** (Bot.) μικρός, small, ἀστίς, a ray; a genus of Compositæ.
- Micra'delus** (Ent.) μικρός, small, αδηλος, obscure.
- Micræ'a** (Bot.) μικρός, small; a genus of Gentianaceæ.
- Micran'dra** (Bot.) μικρός, small, ἄνθη, ἄνθος, a stamen; a genus of Sterculiaceæ.
- Micran'dria** (Bot.) same derivation; a genus of Cinchonaceæ.
- Micran'thea** (Bot.) μικρός, small ἄνθος, flower, a genus of Euphorbiaceæ.
- Micran'themum** (Bot.) μικρός, small, ἄνθος, a flower.
- Micran'thera** (Bot.) μικρός, small, ἀνθερος, flowery; a genus of Clusiaceæ.
- Micra'nthes** (Bot.) μικρός, small, ἄνθος, flower; a genus of Saxifragaceæ.
- Micra'nthus** (Bot.) same derivation; a genus of Iridaceæ.
- Micrarge'ria** (Bot.) μικρός, small, ἀργής, white, bright; a genus of Scrophulariaceæ.
- Micra'spis** (Ent.) μικρασπίς, having a small shield.
- Micra'ster** (Fos. Zool.) μικρός, small, ἀστέρι, star; a genus of fossil Spatangidae, very abundant in the chalk.
- Micraste'rias** (Bot.) μικρός, small, ἀστρίας, marked with small stars; a genus of Algeæ belonging to the Desmidiaeæ.
- Micro'lium** (Bot.) μικρός, small, ἥλιος, a sun; a genus of Compositæ.
- Micrere'mia** (Bot.) μικρός, small, ἱημιά, lonelinefs; a genus of Ericaceæ.
- Microble'pharis** (Bot.) μικρός, small, βλεφαρίς, the eye-lash; a genus of Papayaceæ.
- Microca'chrys** (Bot.) μικρός, small, κάχρυς, a catkin; a genus of Coniferæ.
- Microcale** (Bot.) μικρός, small, καλός, pretty.

- Microcalia** (Bot.) μικρός, small, καλός, beautiful; a genus of Compositæ.
- Microcarpæ'a** (Bot.) μικρός, small, καρπός, fruit; a genus of Scrophulariaceæ.
- Microce'bus** (Zool.) μικρός, small, κύβος, a long-tailed monkey.
- Microcella'ta** (Ichth.) μικρός, small, ocellatus; marked with little eye-like spots.
- Microcephalo'phis** (Zool.) μικρός, small, κεφαλή, the head, φίς, a serpent; a genus of Ophidians.
- Microce'phalus** (Ichth.) μικρός, small, κεφαλή, a head.
- Microchæ'ta** (Bot.) μικρός, small, χαίτη, a tuft; a genus of Compositæ.
- Microche'ra** (Ornith.) μικρός, small, χήρα, a widow; a genus of Humming-birds.
- Microchi'lus** (Bot.) μικρός, small, χειλός, lip; a genus of Orchidaceæ.
- Microchlo'a** (Bot.) μικρός, small, χλόα, grass.
- Microcla'dia** (Bot.) μικρός, small, κλάδος, a branch; a genus of Cryptogamia.
- Microco'don** (Bot.) μικρός, small, κωδών, a bell; a genus of Campanulaceæ.
- Microce'lia** (Bot.) μικρός, small, κοῖλος, hollow; a genus of Orchidaceæ.
- Microco'leus** (Bot.) μικρός, small, κολεός, a sheath; a genus of Algae.
- Microco'ma** (Bot.) μικρός, small, κόμη, foliage; a genus of Compositæ.
- Microco'rys** (Bot.) μικρός, small, κέρυς, a helmet; a genus of Labiatæ.
- Microcy'stis** (Bot.) μικρός, small, κύστις, a bladder; a genus of Algae.
- Microdac'tylus** (Ent.) μικρός, small, δάκτυλος, a plume.
- Micro'dera** (Ent.) μικρός, small, δέρη, neck.
- Microder'rīs** (Bot.) μικρός, small, δέρρις, skin; a genus of Compositæ.
- Microdes'mia** (Bot.) μικρός, small, δεσμός, a band or chain; a genus of Chrysobalanaceæ.
- Microdi'ctyon** (Bot.) μικρός, small, δικτύον, a net; a genus of Algae.
- Mic'rodon** (Bot.) μικρός, small, οδούς, οδοντός, a tooth; a genus of Selaginaceæ.
- Mic'rodon** (Zool.) μικρός, small, οδούς, οδοντός, a tooth; a genus of Infusoria.
- Microdo'nta** (Bot.) μικρός, small, οδούς, οδοντός, a tooth; a genus of Compositæ.
- Microe'ca** (Ornith.) μικρός, small, ογκός, the eye.
- Microelus** (Bot.) μικρός, small, γλός, a wart or knot; a genus of Euphorbiaceæ.
- Microgle'na** (Zool.) μικρός, small, γλήνη, the eye-ball; having a minute red eye-like speck at the anterior part of the body; a genus of Infusoria.
- Microglo'ssa** (Bot.) μικρός, small, γλῶσσα, a tongue; a genus of Compositæ.

- Microgom'phus** (Bot.) μικρός, small, γόμφος, a bolt or fastening; a genus of Ericaceæ.
- Microgoni'dia** (Bot.) μικρός, small, γωνίδιον, dim. of γωνία, angle; the smallest fronds which escape from the parent cell in the Infusoria.
- Microgo'nium** (Bot.) μικρός, small, γωνία, an angle; a genus of Polypodioid Filices.
- Microgram'ma** (Bot.) μικρός, small, γράμμα, a marking; a genus of Polypodioid Filices.
- Microgram'mana** (Ent.) μικρός, small, γράμμα, a mark.
- Microgy'ne** (Bot.) μικρός, small, γυνή, a pistil; a genus of Compositæ.
- Microla'e'na** (Bot.) μικρός, small, λαῖνα, a mantle; a genus of Graminae.
- Microle'pia** (Bot.) μικρός, small, λεπίς, a scale; a genus of Polypodioid Filices.
- Microle'pis** (Bot.) fame derivation; a genus of Melastomaceæ.
- Microle'stes** (Fos. Zool.) μικρός, small, ληστής, a robber; a fossil quadruped of the triassic formation.
- Microlo'ma** (Bot.) μικρός, small, λόμα, a fringe; alluding to the flower.
- Microlon'chus** (Bot.) μικρός, small, λόγχη, a spear; a genus of Compositæ.
- Microlo'phus** (Bot.) μικρός, small, λόφος, a crest; a genus of Compositæ.
- Microlo'tus** (Bot.) μικρός, small, λωτός, a lotus; a genus of Leguminosæ.
- Microme'ga** (Bot.) μικρόμεγίθης, small in size; a genus of Cryptogamia.
- Microme'lum** (Bot.) μικρός, small, μῆλον, an apple; a genus of Aurantiaceæ.
- Micro'melus** (Ent.) μικρομέλυς, small-limbed.
- Microme'ria** (Bot.) μικρός, small, μερίς, a part.
- Micro'mys** (Zool.) μικρός, small, μῦς, a mouse; the Harvest-mouse.
- Micropel'tis** (Bot.) μικρός, small, πίλτη, a leather shield; a genus of Fungi.
- Micrope'plus** (Ent.) μικρός, small, πίπλος, a covering.
- Micrope'rā** (Bot.) μικρός, small, πηρές, maimed; a genus of Orchidaceæ.
- Micropet'alum** (Bot.) μικρός, small, πίταλον, a leaf; a genus of Saxifragaceæ.
- Micropoph'y'sa** (Ent.) μικρός, small, φύσα, a bladder.
- Micropoph'y'ta** (Fos. Zool.) μικρός, small, φυτόν, plant; microscopic plants, such as many Desmids.
- Microp'i'per** (Bot.) μικρός, small, piper, the pepper plant; a genus of Piperaceæ.
- Micropleu'rā** (Bot.) μικρός, small, πλευρόν, a rib; a genus of Umbelliferae.
- Microp'o'dium** (Bot.) μικρός, small, πούς, ποδός, a foot; a genus of Cruciferæ.
- Mi'crops** (Zool.) μικρός, small, ἄψ, the face; small-faced.
- Microp'sis** (Bot.) μικρός, small, ὁψίς, appearance; a genus of Compositæ.

- Micropte'lea** (Bot.) μικρός, small, πτελία, the elm; a genus of Ulmaceæ.
- Microp'teris** (Bot.) μικρός, small, πτερίς, a fern; a genus of Polypodioid Filices.
- Microp'teryx** (Ent.) μικρός, little, πτήσις, the wing.
- Micro'pus** (Bot.) μικρός, small, πούς, a foot; small-footed.
- Micropy'xis** (Bot.) μικρός, small, πυξίς, *Lat. pyxis*, a box; a genus of Primulaceæ.
- Microrha'gus** (Ent.) μικρός, small, ραγάς, a rent or chink.
- Microrhyn'chus** (Bot.) μικρός, small, ῥυγχός, a beak; a genus of Composite.
- Microsac'cus** (Bot.) μικρός, small, σάκνος, a bag; a genus of Orchidaceæ.
- Microsa'urus** (Ent.) μικρός, small, σαῦρος, lizard.
- Microscia'dium** (Bot.) μικρός, small, σκιάδιον, an umbel; a genus of Umbelliferæ.
- Microseris** (Bot.) μικρός, small, σέρις, a kind of endive; a genus of Composite.
- Microso'rhus** (Bot.) μικρός, small, σορός, a purse; a genus of Polypodioid Filices.
- Microsper'mum** (Bot.) μικρός, small, σπίρμα, seed; a genus of Composite.
- Microspo'ra** (Bot.) μικρός, small, σπόρος, a seed.
- Microsta'chys** (Bot.) μικρός, small, στάχυς, a bunch; a genus of Euphorbiaceæ.
- Microste'gium** (Bot.) μικρός, small, στίγμη, a covering; a genus of Graminae.
- Microste'phium** (Bot.) μικρός, small, στίφος, a wreath; a genus of Composite.
- Microstic'ticus** (Bot.) μικρός, small, στικτός, spotted.
- Microsti'gma** (Bot.) μικρός, small, *Rigma*, a botanical term: *q. v.*
- Micro'stoma** (Ichth.) μικρός, small, στόμα, mouth.
- Micro'stylis** (Bot.) μικρός, small, στῦλος, a pillar (style).
- Microte'a** (Bot.) μικρότης, smallness; referring to the minute parts of fructification.
- Microthe'ca** (Bot.) μικρός, small, θήκη, a sheath; a genus of Algae.
- Microthe'ca** (Zool.) μικρός, small, θήκη, a sheath; a genus of Infusoria.
- Microthe'cium** (Bot.) same derivation; a genus of Fungi.
- Microtheriel'lā** (Ent.) μικρός, small, and dim. from θηρίον, a beast.
- Microthy'rium** (Bot.) μικρός, small, θύρων, a little opening; a genus of Fungi.
- Micro'tis** (Zool.) μικρός, small, οὖς, ἀτίς, an ear; a genus of Mollusca.
- Micro'tis** (Bot.) same derivation; appendage to anther.

- Microtre'ma** (Bot.) μικρός, small, τρύπα, a hole; a genus of Ericaceæ.
- Microtri'chia** (Bot.) μικρός, small, θηλή, τρίχα, a hair; a genus of Compositæ.
- Microzo'a** (Zool.) μικρός, small, ζῷα, animals; microscopic animals.
- Microzo'um** (Ent.) μικρός, small, ζῷον, animal.
- Middendorf'ia** (Bot.) P. N. given in honour of *Baron Middendorff*, an eminent Russian naturalist; a genus of Lythraceæ.
- Mie'gia** (Bot.) P. N., a genus of Compositæ.
- Mielichhofe'ria** (Bot.) P. N., a genus of Bryoid Musci.
- Mie'rria** (Bot.) μιερρά, stained; a genus of Compositæ.
- Mie'rsia** (Bot.) P. N., a genus of Gilliesiaceæ.
- Mig'gadops** (Ent.) μιγάδος, mixed, ὁψ, the countenance.
- Migrato'rius-a-um** (Ornith.) Lat. wandering; e. g., *Ectopistes migratorius*, the Passenger pigeon.
- Mika'nia** (Bot.) P. N. from *Joseph Mickan*, Professor of Botany at Prague.
- Milfoil** (Bot.) contraction of *millefolium*; the Achillea *Millefolium*.
- Milia'tria** (Ornith.) *miliarius*, pertaining to millet (*Milium*).
- Milia'ris** (Zool., Ornith.) Lat. fed upon millet; e. g., *Emberiza miliaris*.
- Milia'rium** (Bot.) *milium*, millet; a genus of Graminae.
- Mili'ola** (Zool.) dim. of *milium*, millet; a genus of minute Foraminifera; also a genus of Infusoria.
- Mil'i um** (Bot.) Lat. millet; a genus of Graminae.
- Mil'lea** (Bot.) P. N. from *Julien Milla*, chief gardener, Royal Gardens, Madrid.
- Millegra'na** (Bot.) *mille*, a thousand, *grana*, grains; e. g., *Radiola Millegrana*.
- Mille'pora** (Fos. Zool.) *mille*, a thousand, *porus*, an outlet; a genus of fossil Corals.
- Millepori'dæ** (Fos. Zool.) *Millepora*, with fam. term.; a family of Corals.
- Millepo'rum** (Bot.) *mille*, a thousand, *porus*, an opening; a genus of Hypericaceæ.
- Mille'tria** (Bot.) P. N. from *Philip Miller*, F.R.S., author of the "Gardener's Dictionary."
- Mille'tia** (Bot.) P. N. in honour of *M. Millet*; a genus of Leguminosæ.
- Milliga'nia** (Bot.) P. N. in honour of *J. Milligan*; a genus of Araliaceæ.
- Millingo'nia** (Bot.) P. N. from *Sir T. Millington*, Savilian Professor at Oxford.
- Millo'tia** (Bot.) P. N., a genus of Compositæ.
- Milne'a** (Bot.) P. N., a genus of Meliaceæ.

- Miltit'zia (Bot.) P. N., a genus of Hydrophyllaceæ.
- Miltonia (Bot.) P. N. given by Dr. Lindley in honour of Earl Fitzwilliam; a genus of Orchidaceæ.
- Milva'go (Ornith.) dim. of *milvus*, a kite; a genus of Falconidæ.
- Mi'lulus (Ornith.) dim. of *milvus*, a kite; a genus of Muscicapidæ or Fly-catchers.
- Milvus (Ornith.) *Lat.* a kite.
- Mime'sa (Ent.) *μίμησις*, imitation; a genus of Hymenoptera.
- Mime'tea (Bot.) *μίμησις*, a mimic.
- Mimo'sa (Bot.) *μίμησις*, a mimic; simulates animal sensibility; the Sensitive-plant; a genus of Leguminosæ.
- Mimosi'tes (Fos. Bot.) bearing some resemblance to Mimoſa; a genus of Fossil seed-pods.
- Mi'mulus (Bot.) *Lat.* a little monkey, from its grotesque appearance; a genus of Scrophulariacæ.
- Mimu'sops (Bot.) *μίμησις*; an actor,  $\ddot{\wedge}$ , the face; referring to shape of the flowers.
- Mi'na (Bot.) P. N. in honour of *Don Francisco Xavier Mina*, a Mexican Minister of State.
- Min'dium (Bot.) from the local name of a plant in Senegal, appropriated by Adanson, the great French Naturalist; a genus of Campanulaceæ, now included in *Michauxia*.
- Minia'tus-a-um (Bot., Ent.) *Lat.* coloured red.
- Min'imus-a-um (Zool., Ent., Bot.) *Lat.* least, e. g., *Alaptus minimus*, said to be the smallest Hymenopterous insect known.
- Minio'sa (Ent.) *minium*, red lead.
- Min'now (Ichth.) French, *menuise*.
- Mino'a (Ent.) P. N., a town of Palestine (Gaza). It was also the name of several towns in Greece and Sicily.
- Mino'lia (Zool.) so called by Mr. A. Adams, from *Mino-Sima*, a little island near Nippon; a genus of Mollusca.
- Minor (Zool., Bot.) *Lat.* less; e. g., *Galago minor*.
- Minos (Ent.) P. N., one of the Judges of departed souls; from its gloomy aspect.
- Mint (Bot.) *Lat. mentha*, French, *menthe*.
- Minthi'dium (Bot.) *mentha*, mint,  $\pi\lambda\sigma$ , like; a genus of Labiatæ.
- Minthosta'chys (Bot.) *mentha*, mint,  $\sigma\tau\alpha\chi\mu\sigma$ , a bunch; a genus of Labiatæ.
- Minuar'tia (Bot.) P. N. from *Minuart*, a Spanish apothecary.
- Minu'tia (Bot.) *minutus*, small; a genus of Oleaceæ.

- Minutis'simus** (Zool., Ent.) *Lat.* smallest; *e. g.* *Halictus minutissimus*, the smallest bee found in this country.
- Minu'tus-a-um** (Ornith.) *Lat.* little, small; *e. g.* *Sterna minuta*.
- Minyrotham'nus** (Bot.) *μινπίζης*, to wail, θάμνος, a shrub; a genus of Compositæ.
- Mioc'a'rus** (Bot.) *μισίως*, smaller, καρπός, fruit; a genus of Melastomaceæ.
- Mique'lia** (Bot.) P. N., a genus of Graminae.
- Mira'bills** (Bot.) *Lat.* wonderful, alluding to the flowers; a beautiful genus of Nyctaginaceæ.
- Mira'lia** (Zool.) derivation uncertain; a genus of Ophidians.
- Mirbe'lia** (Bot.) P. N. from *C. F. B. Mirbel*, a celebrated French physiologist.
- Mircocoa** (Bot.) etymology unknown; a genus of Lythraceæ.
- Miriki** (Zool.) native name of a Brazilian monkey, *Brachyteles hypoxanthus*.
- Mischoca'rpus** (Bot.) *μισχός*, a stalk, καρπός, fruit; a genus of Sapindaceæ.
- Mischoca'ryon** (Bot.) *μισχός*, a stalk, κάρπος, a nut; a genus of Proteaceæ.
- Mischocyttarus** (Ent.) *μισχός*, or *μίσκος*, a stalk, κύτταρος, a cavity; a genus of Hymenoptera.
- Misco'dera** (Ent.) *μισχός*, a stalk or stem, δέρη, the neck.
- Miscolo'bium** (Bot.) *μισχός*, a stalk, λοβός, a pod; a genus of Leguminosæ.
- Mis'cophus** (Ent.) *μισκός*, a stalk; from the spines on the tibiae; a genus of Hymenoptera.
- Mi'scus** (Ent.) *μισχός*, a stem or stalk; a genus of Hymenoptera.
- Mise'lia** (Ent.) *μιστῖ*, to hate, ἥλιος, the sun.
- Misoden'dron** (Bot.) *μιστός*, hated, δίνδρον, a tree; a genus of Loranthaceæ.
- Misolam'pus** (Ent.) *μισίως*, to hate, λαμπάς, a torch.
- Mississippen'sis-e** (Zool.) relating to the river *Mississippi*; *e. g.* *Ictinia Mississippensis*.
- Misty'llus** (Bot.) *μιστυλλός*, to cut up; a genus of Leguminosæ.
- Mitchel'la** (Bot.) P. N. from *Mr. Mitchell*, an Englishman who travelled in Virginia.
- Mitel'la** (Bot.) *Lat.* a turban; referring to the capsule; a pretty genus of Saxifragaceæ.
- Mitello'psis** (Bot.) the genus *Mitella*, ὄψις, aspect; a genus of Saxifragaceæ.
- Mitis-e** (Zool.) *Lat.* gentle, placid.

- Mito'cera** (Ent.) *μίτρας*, a thread, *κίρας*, horn (antenna).
- Mitope'talum** (Bot.) *μίτρας*, a thread, *petalum*; a genus of Orchidaceæ.
- Mitosti'gma** (Bot.) *μίτρας*, a thread, *figma*; a genus of Asclepiadaceæ.
- Mi'tra** (Zool.) *Lat.* a turban; a genus of Mollusca.
- Mitracar'pum** (Bot.) *μίτρα*, a garland, *κερπός*, fruit; a genus of Cinchonaceæ.
- Mitra'gyne** (Bot.) *μίτρα*, a garland, *γυνή*, a pistil; a genus of Cinchonaceæ.
- Mitra'lis** (Zool.) *mitra*, a turban.
- Mitra'ria** (Bot.) *μίτρα*, a mitre, from form of corolla; a genus of Gesneraceæ.
- Mirasac'me** (Bot.) *μίτρα*, a mitre, *ἀκράτη*, a point.
- Mistrastig'ma** (Bot.) *μίτρα*, a mitre, *figma*; a genus of Cinchonaceæ.
- Mitra'tus-a-um** (Zool.) *mitra*, a turban, a hood; e.g., *Basiliscus mitratus*, the Hooded Basilisk.
- Mitre'phora** (Bot.) *μίτρα*, a garland, *φέρω*, to bear; a genus of Anonaceæ.
- Mitriostig'ma** (Bot.) *μίτρας*, a little garland, *figma*; a genus of Cinchonaceæ.
- Mitroph'ora** (Bot.) *μίτρα*, a garland, *φέρω*, to bear; a genus of Valerianaceæ.
- Mitru'la** (Bot.) *μίτρα*, a mitre; referring to its form.
- Mitterpacheria'na** (Ent.) P. N. in honour of *L. Mitterpacher*, Professor of Natural History at Pesth; died 1814.
- Mixed'ia** (Ent.) *μιξοδία*, a place where several roads meet.
- Mnemi'on** ((Bot.) *μνησίας*, a memorial; a section of the genus *Viola*.
- Mni'arus-a-um** (Bot.) *μνιαζός*, mossy.
- Mnioph'il'a** (Ent.) *μνιος*, moss, *φίλη*, fond of.
- Mniop'sis** (Bot.) the genus *Mnium*, *ὅψις*, like; a genus of Podostemaceæ.
- Mniotil'ta** (Ornith.) *μνιος*, moss, *τιλτίσ*, pulled, plucked; moss being used in making the nest; a genus of Warblers.
- Mni'um** (Bot.) *μνιος*, moss; a genus of Musci.
- Mode'cca** (Bot.) its Indian name.
- Modee'ria** (Zool.) P. N. in honour of *Adolph Modeer*, a Swede.
- Modes'tus-a-um** (Ornith.) *Lat.* mild, gentle, shy.
- Modi'o'la** (Zool.) *modiolus*, a small measure, or drinking cup; the Horse-mussel; a genus of Bivalve shells, both living and fossil; in Botany applied to a genus of Malvaceæ.
- Modiola'ria** (Zool.) resembling *modiola*; a genus of Mollusca.
- Modiolo'psis** (Zool.) the genus *modiola*, *ὅψις*, like; a genus of Mollusca.
- Modula'tris** (Ornith.) *modulor*, to sing or play melodiously.
- Modula'rius** (Ornith.) same derivation; e. g. *Accentor modularius*.

- Mod'ulus** (Zool.) *Lat.*, a small measure ; a genus of Mollusca.
- Mœhrin'gia** (Bot.) P. N. from *P. H. G. Mähring*, a celebrated German physician; a genus of Caryophyllaceæ.
- Mœsta'tis** (Ent.) *magistus*, sad, gloomy.
- Mogi'phanes** (Bot.) *μέγις*, scarcely, *φαίνεσθαι*, to appear ; a genus of Amarantaceæ.
- Mo'hria** (Bot.) P. N., a genus of Polypodioid Filices.
- Mo'la** (Ichth.) *Lat.* a mill-stone ; the Sun-fish.
- Moldenhawera** (Bot.) P. N., a genus of Leguminosæ.
- Mole** (Zool.) of *Anglo-Sax.* etymology, signifying the thrower-up of *mould* or earth.
- Mo'lgula** (Zool.) *μολγός*, a hide ; a genus of Ascidians.
- Moline'ria** (Bot.) P. N. from *Ignatio Molinerio*, Director of the Botanical Gardens at Turin.
- Molin'ia** (Bot.) P. N. from *G. J. Molina*, who wrote on the plants of Chili in 1782 ; a genus of Graminae.
- Mollipen'nes** (Ent.) *mollis*, soft, *penna*, a wing ; applied to certain beetles having soft elytra.
- Mol'lis-e** (Bot.) *Lat.* soft ; e. g. *Bromus mollis*.
- Mollis'simus a-um** (Zool., Ornith.) *Lat.* very soft ; e. g. *Somateria mollifrons*, the Eider-duck.
- Mollu'go** (Bot.) a name in Pliny, retained by Linnaeus.
- Mollu'sea** (Zool.) *mollis*, soft, or *mollities*, softness. Applied to the sub-kingdom of animals, the members of which are destitute of a bony skeleton.
- Mol'ooh** (Zool.) a name given to an uncouth and horrid-looking reptile from Western Australia, *Moloch horridus*.
- Moloposper'mum** (Bot.) *μωλωψή*, a wheat, *σπηρμά*, a seed.
- Molos'sus** (Zool.) derivation uncertain ; the Thick-lipped bat.
- Molothrus** (Ornith.) *μωλεῖν*, to transplant, from the habit of depositing its eggs in the nests of other birds ; the Cow-pen bird is *M. pecoris*.
- Molpa'dia** (Bot.) P. N., a genus of Compositæ ; also, in Zoology, a genus of Echinodermata.
- Mol'tikia** (Bot.) P. N. a genus of Boraginaceæ.
- Molucc'e'lla** (Bot.) it was brought from the *Moluccas*; a genus of Labiateæ.
- Moly** (Bot.) *μῶλυ*, a kind of garlic ; specific name of the Allium *Moly* of Linnaeus.
- Moly'tes** (Ent.) *μωλύτης*, feeble, sluggish.

**Momor'dica** (Bot.) *mordēo*, to bite; the seeds seem bitten; a genus of Cucurbitaceæ.

**Momo'tus** (Ornith.) Latinized form of the word *Motmot*, which is said to be from the note of the bird.

**Mo'na** (Zool.) this is a sort of generic name for monkey in some parts of the south of Europe, and was applied by Buffon to the *Cercopithecus Mona*.

**Mo'nacha** (Ent.) *Lat.* a nun, from its black and white wings.

**Monachan'thus** (Bot.) *monachut*, a monk, *ἄρθος*, flower; from resemblance of labellum of the original species to a monk's cowl.

**Mona'cline** (Bot.) *μόνος*, single, *ἄχυν*, a point or awn; a genus of Graminae.

**Mona'ctinus** (Zool.) *μόνος*, single, *άκτιν*, a ray; a genus of Infusoria.

**Monac'tis** (Bot.) *μόνος*, single, *άκτις*, a ray; a genus of Compositæ.

**Monad** (Zool.) *μόνος*, alone, single; because never clustering like other genera of Infusoria.

**Monadelph'ous** (Bot.) *μόνος*, single, *ἀδελφός*, a brother; having the stamens united into one bundle.

**Monade'nia** (Bot.) *μόνος*, single, *αδήνη*, a gland; a genus of Orchidaceæ.

**Monadi'na** (Zool.) *monas*, with fam. term.; a family of Infusoria.

**Monan'dria** (Bot.) *μόνος*, single, *ἄνηρ*, *ἀνδρός*, a man (symbolically a stamen), having a single stamen.

**Monan'thes** (Bot.) *μόνος*, one, *ἄνθος*, a flower.

**Monar'da** } (Bot.) { P. N. from *N. Monardes*, a physician of Seville; **Monarde'lla** } (Bot.) { in the 16th century; genera of Labiateæ.

**Monarrhe'nus** (Bot.) *μόνος*, single, *αρρήν*, a male, i. e., stamen; a genus of Compositæ.

**Mon'a's** (Zool.) explained under *Monad*.

**Mon'ax** (Zool.) *μονάξ*, singly, alone; applied to *Arctomys monax*, the Maryland marmot, because it is said to appoint sentinels.

**Mön'chia** (Bot.) P. N. in honour of *M. Mönch*; a genus of Caryophyllaceæ.

**Mone'chmia** (Bot.) *μόνος*, single, *ἴχμη*, a holdfast or stay; a genus of Acanthaceæ.

**Mone'dula** (Ornith.) *Lat.* a jackdaw, the scientific name of which is *Corvus Monedula*:—

“Non plus aurum tibi quam monedula committebant.”—Cic. Fl. 31.

**Mone'ma** (Bot.) *μόνος*, one, *μίμη*, a filament; alluding to its simplicity.

**Monen'sis** (Ichth., Bot.) *Lat.* belonging to the Isle of Man—*Mona*; *e. g.* *Brassica Monensis*.

**Monen'teles** (Bot.) *μόνος*, single, *ἴτιλης*, complete; a genus of Compositæ.

- Moner'ma** (Bot.) μόνος, one, ἡμία, a support; having one glume.
- Mone'tia** (Bot.) P. N. from *Monet de la Marck*, a celebrated French botanist.
- Mongos** (Zool.) Latinized form of the word *Mongous*.
- Moni'lia** (Zool., Bot.) *monile*, a necklace; the filaments are articulated; also a genus of Mollusca.
- Monili'fera** (Zool.) *monile*, a necklace, *fero*, to bear; also in Bot., a genus of Algae.
- Monilifor'mia** (Bot.) *monile*, a necklace, *forma*, shape; a genus of Algæ.
- Monili'n'a** (Bot.) *monile*, a necklace; a genus of Algæ.
- Monimia** (Bot.) μόνιμος, stedfast; typical genus of Nat. Ord. Monimiaceæ.
- Mon'itor** (Zool.) Lat. one who gives warning; these reptiles being believed to give warning of the crocodile's approach.
- Monitoridæ** (Zool.) *monitor*, fam. term. *ide*; a division of Reptilia.
- Mon'key** (Zool.) Dr. Johnson says from *monikin*, a little man; Dr. Todd prefers *monicchio*, the old Italian for monkey.
- Monnie'tra** } (Bot.) { P. N. in honour of *M. le Monnier*, physician to  
**Monnie'ria** } (Bot.) { Louis XV., an able botanist.
- Mono'bia** (Ent.) μόνος, alone, βίωσ, to live; a genus of Hymenoptera.
- Monoboth'rium** (Bot.) μόνος, single, βόθρος, a hole or pit; a genus of Gentianaceæ.
- Monoca'ryum** (Bot.) μόνος, single, κάρυον, a nut; a genus of Melanthaceæ.
- Monoce'lis** (Zool.) μόνος, single, κηλίς, a spot; a genus of Annulata.
- Monocen'tra** (Bot.) μόνος, single, κίντρον, a prickle; a genus of Melastomaceæ.
- Monocen'tris** (Ichth.) μόνος, single, κίντρον, a spine; a genus of Acanthopterygian fishes.
- Mono'cera** (Bot.) μόνος, single, κίρας, a horn; a genus of Tiliaceæ.
- Mono'ceros** (Zool.) μόνος, single, κίρας, a horn; specific name of the Narwhal, *Monodon Monoceros*.
- Monochæ'tum** (Bot.) μόνος, single, χαίτη, a bristle; a genus of Melastomaceæ.
- Mono'chamus** (Ent.) μόνος, single, χαρός, a hook.
- Monochi'lus** (Bot.) μόνος, single, χεῖλος, a lip; a genus of Verbenaceæ.
- Monochi'rurus** (Ichth.) μόνος, single χεῖρ, a hand, or fin.
- Monochlæ'na** (Bot.) μόνος, single, χλæνα, a mantle; a genus of Composite.
- Monochlamy'dæ** } (Bot.) { μόνος, one, χλæμύς, a coat or covering;  
**Monochlamy'deou** } (Bot.) { exogenous plants with no corolla.

**Monocondylæ'a** (Zool.) *μόνος*, single, *κένθαλος*, a joint; a genus of Mollusca.

**Monoco'smia** (Bot.) *μόνος*, single, *κόσμος*, order, beauty; a genus of Portulacaceæ.

**Monocotylé'dons** (Bot.) *μόνος*, single, *cotyledon*, seed-leaf; equivalent to Endogens.

**Monocys'tis** (Bot.) *μόνος*, single, *κύτης*, a pouch; a genus of Zingiberaceæ.

**Monodao'na** (Zool.) *μόνος*, single, *δάκνω*, to bite; having a single hinge-tooth.

**Mo'nodon** (Zool.) *μόνος*, single, *δόδος*, *δόδοντος*, a tooth; *M.* Monoceros is the Narwhal.

**Monodo'nta** (Zool.) *μόνος*, one, *δόδος*, *δόδοντος*, a tooth; a genus of Mollusca.

**Mono'dora** (Bot.) *μόνος*, one, *δορά* a skin; the fruit is one-celled.

**Monogo'nia** (Bot.) *μόνος*, single, *γωνία*, an angle; a genus of Polypodioid Filices.

**Monogram'ma** (Zool.) *μόνος*, single, *γράμμα*, an inscription; a genus of Infusoria; in Botany, a genus of Polypodioid Filices.

**Monogra'psus** (Fos. Zool.) *μόνος*, single, *γράφω*, *γραψω*, to write or engrave.

**Monogy'nia** (Bot.) *μόνος*, single, *γυνη*, a female (symbolically a pistil).

**Mono'labis** (Zool.) *μόνος*, single, *λαβή*, a handle; a genus of Infusoria.

**Mono'lepis** (Bot.) *μόνος*, single, *λεπίς*, a scale; a genus of Chenopodiaceæ.

**Monolo'cular** (Bot.) *μόνος*, single, *λοւλούς*, a small cavity; one-celled.

**Monolo'pia** (Bot.) *μόνος*, single, *λόπος*, a shell or hulk; a genus of Compositeæ.

**Monome'rìa** (Bot.) *μόνος*, single, *μέρις*, a part; a genus of Orchidaceæ.

**Monomphal'lii** (Zool.) *μόνος*, single, *μύφαλος*, the navel; two bodies being united by means of one umbilicus.

**Monomy'a'ria** (Zool.) *μόνος*, single, *μύς*, a mussel; an order of Bivalve shells, having only one muscular depression on each valve.

**Mono'nychus** (Ent.) *μόνος*, single, *ὤνξ*, *ὤνχος*, a claw.

**Monope'talous** (Bot.) *μόνος*, single, *πίταλον*, a leaf (petal); having many petals united together by their edges.

**Monoph'lebus** (Ent.) *μόνος*, single, *φλεΐ*, *φλεβός*, a vein; a genus of Hemiptera.

**Monophyl'ius-a-um** (Zool., Bot.) *μόνος*, single, having simple leaflets; e. g. Kennedya *monophylla*.

**Monophyl'lae'a** (Bot.) *μόνος*, single, *φύλλον*, leaf; a genus of Gesneriaceæ.

**Monophy'odonts** (Zool.) *μόνος*, once, *φύω*, to generate, *δόδος*, *δόδοντος*, a tooth; the term used by Professor Owen to express those animals having a single set of unrenewable teeth.

- Monopleu'ra** (Zool.) μόνος, single, πλευρα, a rib ; a genus of Mollusca.
- Mono'ploca** (Bot.) μόνος, single, πλέκω, a wreath ; a genus of Crucifere.
- Monopo'gon** (Bot.) μόνος, single, πάγων, a beard ; a genus of Graminae.
- Mono'prion** (Fos. Zool.) μόνος, single, πρίων, a saw ; a family of Graptolites.
- Mono'psis** (Bot.) μόνος, one, ὄψις, appearance.
- Mono'ptera** (Bot.) μόνος, single, πτήσις, a wing ; a genus of Compositæ.
- Mono'pteris** (Ichth.) μόνος, single, πτήσις, a fin ; one-finned.
- Mono'ptilon** (Bot.) μόνος, single, πτῆλον, a feather ; a genus of Compositæ.
- Monopto'gma** (Zool.) μόνος, single, πτύγμα, a fold ; a genus of Mollusca.
- Monor'chis** (Bot.) μόνος, single, ὄρχις, an orchid ; a genus of Orchidaceæ.
- Monor'mia** (Bot.) μόνος, single, ὄρμια, a fishing-line ; a genus of Algæ.
- Mono'sis** (Bot.) μόνωσις, solitariness ; a genus of Compositæ.
- Monospo'ra** (Bot.) μόνος, single, σπορὰ, a seed ; a genus of Euphorbiaceæ.
- Mono'stega** (Zool.) μόνος, single στήγη, a chamber ; an order of Foramini-  
fera.
- Monostic'tides** (Bot.) μόνος, single, στικτός, spotted ; having one row of  
seeds attached to the septum ; a division of Bignoniaceæ.
- Mono'stoma** (Zool.) μόνος, single, στόμα, mouth.
- Monosty'la** (Zool.) μόνος, single, στῦλον, a pillar ; a genus of Infusoria.
- Monotax'is** (Bot.) μόνος, single, τάξις, arrangement ; a genus of Euphor-  
biaceæ.
- Monothal'amous** (Zool.) μόνος, single, θάλαμος, a chamber ; not divided  
by partitions.
- Monothel'ca** (Bot.) μόνος, single, θήλη, a sheath ; a genus of Myrsinaceæ.
- Monothel'cium** (Bot.) same derivation ; a genus of Acanthaceæ.
- Monothyl'a'cium** (Bot.) μόνος, single, θύλακος, a pouch ; a genus of  
Asclepiadaceæ.
- Mono'tis** (Zool.) μόνος, single, οὖς, ἀτός, ear ; a genus of Mollusca.
- Mono'toca** (Bot.) μόνος, one, τόκος, birth ; the germen is one-seeded.
- Mono'toma** (Ent.) μόνος, single, τομή, a cutting.
- Monotospo'ra** (Bot.) μόνος, single, οὖς, ἀτός, ear, σπορὰ, seed ; a genus of  
Fungi.
- Monotre'mata** (Zool.) μόνος, single, τρῆμα, a hole or opening ; having a  
single excretory and generative outlet ; a division of the Mammalia.
- Mono'tropa** (Bot.) μόνος, one, τρίπτω, to turn ; the flowers are turned one  
way ; typical genus of Monotropaceæ.
- Monotrop'sis** (Bot.) the genus *Monotropa*, ὅψις, likeness ; a genus of Mono-  
tropaceæ.

- Monso'nia (Bot.) P. N. from *Lady Anne Monson*, who was eminent as a botanist; a genus of Geraniaceæ.
- Montacu'ta (Zool.) P. N. in honour of *Col. George Montagu*, a distinguished early English naturalist; a genus of Mollusca.
- Montana'ta (Ent.) *montanus*, dwelling among mountains.
- Montane'llus (Ornith.) dim. of *montanus*, dwelling among mountains.
- Montano'a (Bot.) P. N. from *Montano*, a Mexican patriot.
- Monta'nus-a-um (Ornith., Bot.) *Lat.* frequenting or growing upon mountains; *e. g.*, *Passer montanus*.
- Montezu'ma (Bot.) P. N. from *Montezuma*, the celebrated king of Mexico.
- Mo'ntia (Bot.) P. N. from *Joséph Monti*, Professor of Botany at Bologna; Nat. Ord. Portulacaceæ.
- Monticola'na (Ent.) *montes*, mountains, *colere*, to frequent.
- Montifringilla (Ornith.) *mons*, *montis*, a mountain, *fringilla*, a finch; the Mountain-finches.
- Monti'nia (Bot.) P. N. from *Laurence Montin*, a Swedish botanist.
- Mon'tium (Ornith.) gen. pl. of *mons*, a mountain; *e. g.*, *Linota montium*, the mountain Linnet.
- Monu'ra (Zool.) *μύρος*, fingle, *οὐρα*, tail; a genus of Infusoria.
- Moo'nia (Bot.) P. N., a genus of Compositæ.
- Moorcroft'ia (Bot.) P. N., a genus of Convolvulaceæ.
- Moqui'lea (Bot.) P. N., a genus of Chrysobalanaceæ.
- Moqui'nia (Bot.) P. N., a genus of Compositæ.
- More'a (Bot.) P. N. from *R. Moore*, a botanist of Shrewsbury; a genus of Iridaceæ.
- Morche'lla (Bot.) from *morchel*, the German name of the plant; the Morel; a genus of Fungi.
- Morchella'na (Zool.) from resemblance to the Fungus *morchella*.
- Morda'cia (Ichth.) *mordax-acis*, biting, stinging.
- Morde'illa (Ent.) *mordet*, to bite.
- Morde'llidæ (Ent.) *mordella*, with fam. term.
- Morelia (Zool.) etymology uncertain; a genus of Ophidians.
- Moreno'a (Bot.) P. N. from *P. Moreno*, a Mexican patriot.
- Morican'dia (Bot.) P. N. from *Stephen Moricand*, an Italian botanist.
- Morie'ra (Bot.) P. N., a genus of Cruciferæ.
- Morila'ndia (Bot.) P. N., a genus of Sanguisorbaceæ.
- Mori'na (Bot.) P. N. from *L. Morin*, a French botanist.
- Morin'da (Bot.) *μερός*, the mulberry-tree, *Inda*, Indian.

- Morine'llus** (Ornith.) *Lat.* a little fool ; applied to the Dotterell, *Charadrius morinellus*, from its supposed stupidity.
- Morin'ga** (Bot.) its name in Malabar ; typical genus of Nat. Ord. Moringaceæ.
- Morio** (Zool.) *Ital. morione*; *Sp. and Fr. morion*, a helmet ; in Botany, from resemblance of flower to a little helmet ; *e. g.*, the *Orchis morio*.
- Mori'sia** (Bot.) P. N., a genus of Graminae.
- Moris'o'nia** (Bot.) P. N. from *R. Morison*, Professor of Botany at Oxford, who died in 1683.
- Morit'zia** (Bot.) P. N., a genus of Boraginaceæ.
- Mormo'des** (Bot.) *μορμώδης*, a frightful-looking object ; in allusion to the strange appearance of the flowers ; a genus of Orchidaceæ.
- Mor'mon** (Ornith.) *μορμόν*, a spectre ; from the mask-like projection on the beak ; the Culterneb.
- Mormo'nia** (Ent.) *μορμώνια*, a mask ; a genus of the Phryganidæ.
- Mormo'ops** (Zool.) *μορμών*, a mask, &c., face.
- Mormy'rōps** (Ichth.) *mormyrus*, and &c., countenance.
- Mormy'rūs** (Ichth.) *μορμύρος*, a sea-fish mentioned by Aristotle ; a genus of malacopterous or soft-finned Fishes.
- Moroca'rpus** (Bot.) *μορόπε*, the mulberry, *καρπός*, fruit ; mulberry-fruited ; a genus of Chenopodiaceæ.
- Morpheus** (Ent.) P. N., the god of sleep.
- Mor'phidæ** (Ent.) a family of Lepidoptera, of which *morpho* is the type.
- Mor'rpho** (Ent.) P. N., a name of Aphrodite ; a genus of large diurnal Lepidoptera.
- Morpho'ta** (Ent.) *μορφίων*, to have shape or form ; a genus of Hymenoptera.
- Mor'rhu'a** (Ichth.) *Lat.* the Cod-fish ; the common Cod is *M. callarius* ; the Haddock, *M. saglefinus*.
- Morris'ia** (Zool.) P. N. in honour of —— *Morris* ; a genus of Mollusca.
- Morse** (Zool.) *Rufian*, *morsi* ; *Lapponic*, *morf*.
- Mor'sitans** (Ent.) *Lat.* biting ; *e. g.*, *Glossina morsitans*, the Tse-tse fly of Africa.
- Morun'ga** (Zool.) etymology unknown ; the Sea-elephant.
- Mo'rūs** (Bot.) *Celt. mor*, black ; alluding to the colour of the fruit ; the Mulberry.
- Moryl'lea** (Zool.) P. N. ; a genus of Mollusca.
- Moscha'ria** (Bot.) *μέσχης*, musk ; referring to the odour.
- Mos'chateL** (Bot.) common name of *Adoxa moschatellina*, because of its smell.
- Moscha'tus-a-um** (Zool., Bot.) *e. g.*, *Ovibos moschatus*, the Musk-ox.

**Moschi'ferus-a-um** (Zool., Bot.) *moschus*, musk, *fero*, to bear ; musk-yielding.

**Moschi'na** (Zool.) a sub-family of Mammalia, which contains the *Musk-deer*, *Moschus moschiferus*.

**Moschi'tus** (Ornith.) *Lat.* smelling of musk; applied to a Humming bird; *Chrysolampis moschatus*.

**Moscho'sma** (Bot.) *μισχός*, musk, *οσμή*, a smell.

**Moscho'xylon** (Bot.) *moschus*, musk, *ξύλον*, wood ; a genus of Meliaceæ.

**Mo'schus** (Zool.) from the Arabic *mash*, musk ; the Musk-deer family.

**Moss** (Bot.) from the Gallic *mouffe*, of similar meaning when applied to plants, but which also signifies froth or lather, and is itself derived from *mou*, soft or loose, like the foam of the sea or vesicles of lather.

**Moss-crop** (Bot.) popular name of the Eriophorum or Cotton-grass.

**Mösslera** (Bot.) P. N., a genus of Bruniaceæ.

**Motaci'lla** (Ornith.) *Lat.* a wagtail ; the meaning of the word is precisely similar to our wagtail ; being, as Varro states, *quod semper movet caudam*.

**Motacilli'næ** (Ornith.) a sub-family of Incessores, containing the genus *Motacilla* ; the Wagtails.

**Motan'dra** (Bot.) *μοτίς*, lint, *ἀνίπ*, *ἀνθερός*, a male (stamen), from its flocculent appearance ; a genus of Apocynaceæ.

**Mouffetel'la** (Ent.) P. N. in honour of *Thomas Mouffet*, a physician and naturalist of the 17th century.

**Mougeo'tia** (Bot.) P. N. from *J. B. Maugeot*, a Cryptogamic botanist ; a genus of Algae.

**Mouri'ria** (Bot.) from *mouriri*, its name in Guiana.

**Mouse** (Zool.) *μῦς*; *Latin*, *mus*; *Anglo-Sax.* *mus*; *Germ.* *mausen*.

**Moxo'stoma** (Ichth.) a genus of Cyprinoid Fishes.

**Mozin'na** (Bot.) native name ; a genus of Euphorbiaceæ.

**Mo'zula** (Bot.) unexplained ; a genus of Lythraceæ.

**Muce'dines** (Bot.) *mucedo*, mucus ; a family of Fungi.

**Mucizo'nia** (Bot.) *mucus*, and *ζώνη*, a belt ; a genus of Crassulaceæ.

**Mu'cor** (Bot.) *Lat.* mould, from *mucco*, to be musty ; because found on musty bread, vegetables, &c.; a genus of Cryptogamia.

**Mucora'ceæ** } (Bot.) { *mucor*, mould, with fam. term.; a division of **Mucori'ni** } Fungi; *Mucorini* is more generally used.

**Mucrona'tus-a-um** (Zool., Bot.) *Lat.* pointed, sharp-pointed.

**Mucro'nea** (Bot.) *mucro*, a sharp point ; a genus of Polygonaceæ.

**Mucronel'lus** (Ent.) dim. of *mucro*, a sharp point.

- Mucu'na** (Bot.) *mucuna-guaca* is the Brazilian name of *M. urens*; Cow-itch; a genus of Leguminosæ.
- Mugil** (Ichth.) *Lat.* a mullet; *Ital.* *muggine*; *Sp.* *mujol*; *Fr.* *muge*; a genus of soft-finned Fishes.
- Mugi'lidæ** (Ichth.) the family of the Mullets.
- Mugwort** (Bot.) from *Anglo-Sax.* *mugwyrst*; the common name of the *Artemisia vulgaris*.
- Mühlenbec'kia** (Bot.) P. N., a genus of Polygonaceæ.
- Mulde'ra** (Bot.) P. N., a genus of Piperaceæ.
- Mulge'dium** (Bot.) *mulgo*, to milk; a genus of Compositæ.
- Mulle'ræ** (Bot.) P. N. from *O. F. Muller*, a Dane, one of the editors of the *Flora Danica*.
- Mullus** (Ichth.) *Lat.* a mullet; the Red mullet is *M. furmuletus*; the Bearded mullet, *M. barbatus*. The origin of this name is said by Pliny to be *mulleus*, a fashionable red slipper; but Dr. Badham suggests that it must have had a name before these were used, and favours the derivation from *mollis*, soft; from the extreme softness of the skin.
- Multi'fidus-a-um** (Bot.) *Lat.* many-clefts; divided into many shallow lobes.
- Multiline'a'lis** (Ent.) *multi*, many, *linea*, a line.
- Multiparti'tus-a-um** (Bot.) *Lat.* much-divided; divided into many deep lobes.
- Multiplica'lis** (Ent.) *multi*, many, *plica*, a fold.
- Multiscut'a'ta** (Zool.) *multus*, much, *scutum*, a shield; many-shielded.
- Multistriga'ria** (Ent.) *multus*, many, *striga*, a streak.
- Münchhausia** (Bot.) P. N., a genus of Lythraceæ.
- Mu'nda** (Ent.) *Lat.* neat, cleanly.
- Munda'nus-a-um** (Ent.) *Lat.* of the earth.
- Mu'ndia** (Bot.) *mundus*, neat; referring to its appearance.
- Munnic'kia** (Bot.) P. N., a genus of Aristolochiaceæ.
- Munnic'ksia** (Bot.) P. N., a genus of Pangiacæ.
- Munno'zia** (Bot.) P. N., a genus of Compositæ.
- Muntin'gia** (Bot.) P. N. from *Abraham Munting*, Professor of Botany at Groningen, who died in 1683.
- Muntja'cus** (Zool.) Latinized form of the native name *Muntjac*.
- Mure'na** (Ichth.) *Lat.* an eel; applied to the Murry.
- Muræne'sox** (Ichth.) compounded of *muræna*, an eel, and *sox*, a pike; applied to a genus of Congeroid fishes.
- Mure'nidæ** (Ichth.) *murena*, an eel; eel-shaped Fishes.

- Murænoble'nnia (Ichth.) *muræna*, an eel, and *blennius*, the blenny.
- Murænoi'des (Ichth.) *μύεανα*, an eel or lamprey, *εἰδος*, resemblance.
- Murænop'sis (Ichth.) *muræna*, *ὅψις*, resemblance.
- Mura'lis (Ent.) *Lat.* belonging to a wall; found fitting on walls.
- Mural'tia (Bot.) P. N. from *John von Muralt*, a Swiss botanist; a genus of Polygalaceæ.
- Mura'rius-a-um (Ornith.) *murus*, a wall; *e. g.*, *Tichódroma murarius*, the Wall-creeper.
- Murchiso'nia (Fos. Zool.) P. N. in honour of the distinguished geologist, *Sir Roderick Murchison*; a genus of Haliotidæ.
- Mu'rex (Zool.) the ancient name of a univalve mollusk, from which the Tyrian dye was derived; a genus of Mollusca.
- Murica'ria (Bot.) *muricatus*, pointed, prickly.
- Murica'tus-a-um (Bot.) *Lat.* pointed; *e. g.* *Pinus muricata*.
- Muri'cidæ (Zool.) a family of Mollusca, of which *Murex* is the type.
- Murici'dea (Zool.) the genus *Murex*, and *εἰδος*, resemblance; a genus of Mollusca.
- Muri'colus-a-um (Zool.) *murus*, a wall, *colo*, to frequent; applied to a bat which clings to walls, *Vespertilio muricola*.
- Mur'idæ} (Zool.) { a family and sub-family of Mammalia, containing  
Muri'na } (Zool.) { the genus *Mus*.
- Muri'nus-a-um (Zool., Bot.) *Lat.* relating to mice, mouse-coloured, *e. g.*, *Vespertilio murinus*, the Mouse-coloured Bat.
- Murra'ya (Bot.) P. N. from *J. A. Murray*, Professor of Botany at Gottingen.
- Mus (Zool.) *Lat.* a mouse; Greek, *μῦς*.
- Mu'sa (Bot.) perhaps in honour of *Antonius Musa*, physician to *Augustus*; the Plantain; typical genus of Nat. Ord. Mufaceæ.
- Mus'ca (Ent.) *Lat.* a fly.
- Musca'ria (Bot.) *muscarium*, a fly-trap; a genus of Saxifragaceæ.
- Musci (Bot.) *Lat.* Mosses; the name is probably derived from *μύσχος*, tender; a division of Acrogens.
- Musci'cappa (Ornith.) *musca*, a fly, *capiō*, to catch; the Fly-catchers.
- Musci'ferus-a-um (Bot.) *musca*, a fly, *fero*, to bear; applied to the Fly-orchis.
- Musci'tes (Fos. Bot.) *muscus*, moss; fossil plants resembling moss.
- Muscula'na (Ent.) *musculus*, a little fly, or *musculus*, a little mouse, from the colour.
- Muse'niūm (Bot.) perhaps from *μύρων*, loathsome; a genus of Umbelliferæ.
- Mush'room (Bot.) French, *moufferon*.

- Mus'cious-a-um** (Ornith.) *Lat.* tuneful ; *e. g.* *Meliérax myscus*, the Chanting-falcon ; *Turdus myscus*, the Song-thrush.
- Muso'phaga** (Ornith.) *myfa*, the Plantain-tree, φάγω, to eat.
- Mus'quash** (Zool.) the Cree Indians' name for the Musk-rat of Canada ; *Fiber zibeticus*.
- Mussæ'nda** (Bot.) its name in Ceylon ; a beautiful genus of *Cinchonaceæ*.
- Mussehlia'na** (Ent.) P. N. in honour of *Herr Pastor Muffel*, of Kotalow, in Mecklenburg-Strelitz.
- Mussel** (Zool.) *μῦς*, *Lat.* *musculus*, *I. al.* *musculo*.
- Mustard** (Bot.) French, *moutarde* ; *muſtum ardens*, hot wine, the sweet must of new wine being one of the ingredients of French table-mustard.
- Muste'la** (Zool.) *Lat.* a weasel ; also, in Ichthyology a name applied by Pliny to some fish ; now the Rockling.
- Mustell'na** (Zool.) *muſtela* ; a sub-family of *Mammalia*.
- Muta'bilis-e** (Bot.) *Lat.* changing colour ; *e.g.* *Cheiranthus mutabilis*.
- Mu'ticus-a-um** (Ornith.) *Lat.* curtailed, docked ; *e. g.* *Pavo muticus*, the Japanese peacock.
- Mutilla (Ent.)** perhaps a dim. of *μυῖα*, a fly ; a genus of *Hymenoptera*.
- Mutilla'rius-a-um** (Ent.) resembling the hymenopterous genus *Mutilla* ; *e. g.*, *Tillus muſillarius*.
- Muti'llidæ** (Ent.) *mutilla*, with fam. term. ; the Velvet-ants ; a family of *Hymenoptera*.
- Muti'sia** (Bot.) P. N. from *Célesteine Mutis*, the discoverer, a South American botanist ; an extraordinary genus of *Compositæ*, having tendrils.
- Mu'tus-a-um** (Ornith.) *Lat.* dumb.
- My'a** (Zool.) *μῦν*, to compress ; form of shell ; a genus of *Mollusca*.
- Myaci'tes** (Zool.) *mya*, a mussel ; a genus of *Mollusca*.
- Myacoproi'des** (Bot.) *μυῖα*, a fly, κόπρος, dung, εἰδος, likeness.
- My'adæ** (Zool.) *mya*, with fam. term. ; a family of Conchiferous *mollusca*, both fossil and recent.
- Myagro'psis** (Bot.) *myagrum*, ὅψις, likeness ; a genus of *Algae*.
- My-agrum** (Bot.) *μυῖα*, a fly, ἄγρα, a capture ; alluding to its viscosity.
- Myan'thus** (Bot.) *μυῖα*, a fly, ἄνθος, flower ; the Fly-orchis ; a genus of *Orchidaceæ*.
- Myco'lium** (Bot.)
- Myco'nia** (Bot.) *μυκήτης*, a mushroom ; a genus of *Fungi*.
- Mycoetan'the** (Bot.) *μυκητης*, a mushroom, ἄνθος, flower ; a genus of *Rafflesiacæ*.
- Myco'tes** (Bot.) *μυκητης*, a fungous or mushroom ; Sprengel's name for the *Fungi*.
- Myco'tes** (Zool.) *μυκήτης*, a bellower ; a genus of *Monkeys* ; the Howlers.

**Mycetobius** (Ent.) *μύκης*, a mushroom, *βίω*, to live.

**Myceto'charus** (Ent.) *μύκης*, a fungus, *χαῖρε*, to rejoice in; a genus of Coleoptera.

**Myceto'logy** (Bot.) *μύκης*, a mushroom, *λόγος* a discourse; a dissertation on mushrooms; synonymous with mycology.

**Myceto'phagus** (Ent.) *μύκης*, a fungus, *φάγω*, to eat.

**Myceto'pidæ** } (Zool.) { *μύκης*, a mushroom, *πούς*, foot; a family and **Myce'topus** } { genus of Mollusca.

**Myceto'porus** (Ent.) *μύκης*, a fungus, *πόρος*, a cavity.

**Mycine'ma** (Bot.) *μύκης*, a fungus, *νήμα*, a thread; a genus of Cryptogamia.

**Mycoco'lium** (Bot.) *μύκης*, a fungus, *κοῖλος*, hollow; a genus of Algæ.

**Mycoder'ma** (Bot.) *μύκος*, mucus, *δέρμα*, skin; a genus of Fungi.

**Myco'logy** (Zool.) *μύς*, a muscle, *λόγος*, a discourse; the science of the Fungi; equivalent to Mycetology.

**Mycopo'rūm** (Bot.) *μύκος*, mucus, *πόρος*, an opening; a genus of Lichenes.

**Mycotham'nion** (Bot.) *μύκης*, a fungus, *θάμνος*, a shoot; a genus of Algæ.

**Mycte'ria** (Ornith.) *μυκτήρ*, the nose or snout; *M. australis*, is the Australian Jabiru.

**Mycte'rus** (Ent.) *μυκτήρ*, the nose or snout; a genus of Coleoptera.

**Mydaus** (Zool.) *μυδός*, decay, alluding to the fetid smell of the animal to which it is applied, the Stinkard or Teledu; a genus of Mustelidæ.

**Mydonospo'rium** (Bot.) *μυδών-ῶνος*, fungus-like flesh, *πορὰ* feed; a genus of Fungi.

**Mydonotri'chum** (Bot.) *μυδών-ῶνος*, fungus-like flesh, *θρίξ*, *τρίχος*, hair; a genus of Fungi.

**Myelo'mium** (Bot.) *μυελός*, marrow; a genus of Algæ.

**Myeloph'ilā** (Ent.) *μυελός*, marrow, pith, *φιλος*, loving; the larva lives in stems of thistles, feeding on the pith.

**My'gale** (Ent.) *μυγάλη*, a field-mouse; a genus of hairy-bodied spiders, sometimes called (but erroneously) Bird-catching Spiders.

**Myga'lidæ** (Ent.) a family of Arachnida, of which the genus *Mygale* is the type.

**Mygalu'rus** (Bot.) *μυγάλη*, a field-mouse, *οὐρά*, a tail; a genus of Gramina.

**Mygin'da** (Bot.) P. N. from *Couns. Mygind*, of Vienna, a botanical amateur; a genus of Aquifoliaceæ.

**Myiabel'llia** (Ornith.) *μυῖα*, a fly, *Fr. abeille*, a bee; a genus of Humming-birds.

**Myia'gra** (Ornith.) *μυῖα*, a fly, *ἄγριος*, wild.

- Myriome'les** (Bot.) *μυρίος*, countless, *μῆλον*, an apple; a genus of Pomaceæ.
- Myrione'ma** (Bot.) *μυρίος*, countless, *μῆμα*, a thread; a genus of Algæ.
- Myrioneu'ron** (Bot.) *μυρίος*, countless, *μύρον*, a rib; a genus of Cinchonaceæ.
- Myriophylli'tes** (Fos. Bot.) *μυρίος*, countless, *φύλλον*, leaf; a genus of Fossil stems.
- Myriophyl'lum** (Bot.) *μυρίος*, innumerable, *φύλλον*, a leaf; a genus of Haloragaceæ.
- Myrio'pteron** (Bot.) *μυρίος*, countless, *πτερόν*, a wing; a genus of Asclepiadaceæ.
- Myrio'stoma** (Bot.) *μυρίος*, countless, *στόμα*, mouth; a genus of Fungi.
- Myroiothe'ca** (Bot.) *μυρίος*, countless, *θήκη*, a sheath; a genus of Filices.
- Myriotre'ma** (Bot.) *μυρίος*, countless, *τρῆμα*, a hole; a genus of Algæ.
- Myriotri'chia** (Bot.) *μυρίος*, countless, *θρῖξ*, *τρίχος*, hair; a genus of Algæ.
- Myripri'stis** (Ichth.) *μυρίος*, myriad, *πρίστις*, a saw; a genus of Acanthopterygian fishes.
- Myri'stica** (Bot.) *μυριστικός*, sweet-smelling; referring to the odour of the fruit; the Nutmeg; typical genus of Nat. Ord. Myristicaceæ.
- Myrmecia** (Bot.) *μύρμηξ*, an ant; a genus of Gentianaceæ.
- Myrmeco'dia** (Bot.) *μύρμηξ-ηκος*, an ant; a genus of Cinchonaceæ.
- Myrmeco'phaga** (Zool.) *μύρμηξ-ηκος*, an ant, *φάγω*, to eat; the Ant-eater.
- Myrmecophagi'na** (Zool.) *μύρμηξ-ηκος*, an ant, *φάγω*, to eat; the Ant-eater; a sub-family of Mammalia.
- Myrmecosty'lum** (Bot.) *μύρμηξ-ηκος*, an ant, *στυλόν*, a pillar; a genus of Polypodioid Filices.
- Myroba'lanus** (Bot.) *μύρο*, an ointment, *βάλανος*, a nut, because formerly used in ointments; a genus of Compositæ.
- Myrobatin'dum** (Bot.) *μύρρα*, myrrh, *βάτινος*, of a thicket or bush; a genus of Verbenaceæ.
- Myroden'dron** (Bot.) *μύρρα*, myrrh, *δίνδρον*, a tree; a genus of Humiriaceæ.
- Myro'dia** (Bot.) *μύρος*, a perfume, *οδμή*, smell; in allusion to the odour of the plant.
- Mytron** (Zool.) *μύρον*, a perfume; a genus of Ophidians.
- My'rophilis** (Ichth.) *μύρος*, a sea-eel, *ὄφις*, a serpent; a genus of Ophiduridae.
- Myro'sma** (Bot.) *μύρρα*, myrrh, *οσμή*, smell; a genus of Marantaceæ.
- Myrosper'mum** (Bot.) *μύρος*, perfume, *σωρειά*, seed.

**Myrothe'cium** (Bot.) μύρωθίκη, a box of unguent.

**Myrox'yton** (Bot.) μύρος, an ointment, ξύλον, wood; a genus of Leguminosæ.

**Myrrh** } (Bot.) { μύρρα, the Myrrh-tree, now called Balsamodendron  
**Myrrha** } (Bot.) { Myrrha: the word was anciently, as now, applied to the gum-resin as well as to the tree.

**Myrrhi'dium** (Bot.) μύρρα, myrrh, εἶδος, like; a genus of Geraniaceæ.

**Myrrhi'nium** (Bot.) μύρρινος, relating to myrtle; a genus of Melastomaceæ.

**Myr'rhis** (Bot.) a name used by Dioscorides; a genus of Umbelliferæ.

**Myrs'i'dium** (Bot.) μυρσίνη, the myrtle, εἶδος, like; a genus of Algæ.

**Myrsi'ne** (Bot.) μυρσίνη, the myrtle; typical genus of Myrsinaceæ.

**Myrsiphyl'lum** (Bot.) μυρσίνη, a myrtle, φύλλον, a leaf.

**Myrtill'us** (Bot.) dim. of *myrtus*, the myrtle.

**Myrtiphyll'um** (Bot.) *myrtus*, myrtle, φύλλον, a leaf; a genus of Cinchonaceæ.

**Myrtus** (Bot.) μύρτος, Lat. *myrtus*, the Myrtle-tree, probably from μῦρος, sweet perfume, referring to its fragrance; the Myrtle; typical genus of Nat. Ord. Myrtaceæ.

**My'ruse** (Ichth.) μῦρος, a sea-eel.

**My'sca** (Zool.) μύσκη, a small sea-mussel (dim. of μῦς); a genus of Mollusca.

**My'scolus** (Bot.) μῦς, mouse, πόλον, fodder; a genus of Compositæ.

**My'sis** (Zool.) μύση, a closure; a genus of Crustacea.

**Mysoto'cium** (Bot.) μύστης, loathsome, θήκη, a sheath; a genus of Fungi.

**Mystaci'dium** (Bot.) μύσταξ-αρος, a moustache, εἶδος, like; a genus of Orchidaceæ.

**Mysta'cinus-a-um** (Zool.) μύσταξ, the upper lip, the moustache; whiskered; e. g., *Vespertilio myotacina*, which has coloured streaks like a moustache on the upper lip.

**Mystice'tus** (Zool.) μύσταξ, the upper lip, πότος, a sea-monster; e. g., *Balaena Mylietus*, the Greenland whale.

**Mystri'ophis** (Ichth.) μύστριος, a small spoon, ὄφις, a serpent.

**Mystrope'talum** (Bot.) μύστρον, a spoon (shape), πεταλον, a leaf (petal); a genus of Balanophoraceæ.

**Mystrospo'rium** (Bot.) μύστρον, a spoon, *spora*; a genus of Fungi.

**Mystro'xylon** (Bot.) μύστρον, a spoon, ξύλον, wood; a genus of Celastraceæ.

- Mytila'ceæ** (Zool.) *mytilus*, a mussel ; the Mussel family.
- Myti'lidae** (Zool.) the family of Mollufca, of which *mytilus* is the type.
- Mytilime'ria** (Zool.) *Mytilus*, a mussel, μερίς, a bit or portion ; a genus of Mollufca.
- Mytilus** (Zool.) Lat. a sea-mussel ; a genus of Mollufca.
- Myu'rūs** (Bot.) μῦς, mouse, οὐρά, tail ; the plant Mouse-tail.
- My'xa** (Bot.) μύξα was a kind of plum ; according to Sprengel, *Cordia myxa* ; a genus of Cordiaceæ.
- Myxa cium** (Bot.) μυξαζω, to be mucous ; a genus of Fungi.
- Myxi'ne** (Ichth.) μυξινός, a smooth sea-fish, literally slime-fish ; a genus of eel-shaped fishes, of the family Petromyzidae, or Stone-suckers.
- My'xinoïd** (Ichth.) *myxine*, εἰδος, likeness.
- Myxocla'dium** (Bot.) μύξα, mucus, κλαδός, a branch ; a genus of Fungi.
- Myxo'des** (Ichth.) μύξα, mucus, slime, εἰδος, like ; a genus of Goboid fishes.
- Myxoga'stres** (Bot.) μύξα, mucus, γαστήρ, belly ; a genus of Fungi.
- Myxon'phalon** (Bot.) μύξα, mucus, ὄμφαλός, bullion or knob (primarily the navel) ; a genus of Fungi.
- Myxone'ma** (Bot.) μύξα, mucus, νήμα, thread ; a genus of Fungi.
- Myxopun'tia** (Bot.) μύξα, mucus, *opuntia*, the Prickly-pear ; a genus of Lichenes.
- Myxospo'rium** (Bot.) μύξα, mucus, σπέρμα, seed, a genus of Fungi.
- Myxo'trichum** (Bot.) μύξα, mucus, θρίξ, τρίχος, hair ; a genus of Fungi.
- My'xotrix** (Bot.) same derivation ; a genus of Algae.
- Myxozo'on** (Zool.) μύξα, mucus, ζῷον, an animal.
- Myzan'tha** (Ornith.) μυζάω, to fuck, ἄνθος, flower ; the Honey-eater.
- Myzi'ne** (Ent.) μυζάω, to suck ; a family of Hymenoptera.
- Myzoden'dron** (Bot.) μύξα, to moan, διδύον, a tree ; a genus of Loranthaceæ.
- Myzo'mela** (Ornith.) μυζάω, to fuck, μέλι, honey ; the Honey-sucker.

- 
- Nacca'tria** (Bot.) unexplained ; a genus of Algae.
- Nacel'la** (Zool.) dim. from νάκη, a goat-skin ; a genus of Mollusca.
- Nacerda** (Ent.)
- Naci'bea** (Bot.) νάκη, a woolly or hairy skin ; a genus of Cinchonaceæ.
- Nac'reus-a-um** (Zool.) French, nacre, mother of pearl ; pearly.

- Næmas'pora (Bot.) νήμα, a thread, σπόρα, a sporule; from its resemblance.
- Næmatelia (Bot.) νεματεια, gelatine, σύλλω, to collect; a genus of Fungi.
- Næva'na (Ent.) nævus, a mole or spot.
- Næ'vius-a-um (Ornith.) Lat. spotted, tawny, e. g., *Aquila nævia*.
- Nagassa'rium (Bot.) from the native word; a genus of Clusiaceæ.
- Nagei'a (Bot.) *Nagi*, its Japanese name, signifying catkin-bearing.
- Nage'lia (Bot.) P. N., a genus of Pomaceæ.
- Nahu'sia (Bot.) P. N., a genus of Onagraceæ.
- Naiada'ceæ (Bot.) the Pondweed family of plants, of which *Naias* is a genus.
- Nai'as (Zool., Bot.) P. N., a river-nymph; a genus of Unionidæ; in botany, a genus of the Pondweed family.
- Nais (Zool.) P. N., a water-nymph; a genus of fresh-water Worms.
- Naja or Naia (Zool.) its Indian name; a genus of Colubrine ophidians.
- Na'jas (Bot.) Ναϊάς, a water-nymph; from its habitation.
- Na'ma (Bot.) νάμα, running water; from its habitat; a genus of Hydrophyllaceæ.
- Nanan'thea (Bot.) νᾶνος, a dwarf, ἄνθος, a flower; a genus of Compositæ.
- Nandi'na (Bot.) *nandin*, its name in Japan; a curious genus of Berberidaceæ.
- Nanel'la (Ent.) dim. of *nanus*, a dwarf.
- Nano'dea (Bot.) νανώδης, dwarfish; a genus of Santalaceæ.
- Nano'des (Bot.) νανώδης, dwarfish; a genus of Orchidaceæ; also, in Zoology, a genus of Parrots.
- Nanophy'tum (Bot.) νᾶνος, a dwarf, φύτον, a plant; a genus of Chenopodiaceæ.
- Nanotra'gus (Zool.) νᾶνος, a dwarf; τράγος, a he-goat; a genus of Antelopes.
- Napæ'a (Bot.) νεπαία, of a wooded vale or dell; a genus of Malvaceæ.
- Napean'thus (Bot.) νεπανη, a glen, ἄνθος, a flower; a genus of Gesneraceæ.
- Napel'lus (Bot.) dim. of *napus*, a turnip; from its bulbous root; specific name of Aconitum *Napellus*, Monkshood.
- Napoleo'na (Bot.) P. N. in honour of Napoleon I.; typical genus of Nat. Ord. Belvisiaceæ.
- Na'pus (Bot.) Lat. a turnip.
- Narave'lia (Bot.) *naraaval*, its name in Ceylon.
- Narcis'sus (Bot.) νάρκη, stupor; from the effects of the smell: it has been conjectured that Virgil's Narcissus was the *Amaryllis lutea*, the yellow autumnal lily;
- “ Nec fero comantem ”
- Narcissum “ can hardly apply to an early spring flower.”

- Nardophyl'lum** (Bot.) *νάρδος*, *nardus*, an aromatic plant, φύλλον, a leaf; a genus of Compositæ.
- Nardos'mia** (Bot.) *νάρδος*, *nard*, οσμή, smell; a genus of Compositæ.
- Nardo'stachys** (Bot.) *νάρδος*, a sweet-scented shrub, στάχυς, a spike; a genus of Valerianaceæ.
- Na'rdus** (Bot.) *νάρδος*, a peculiar perfume; a genus of Graminae.
- Na'rica** (Zool.) *naris*, a nostril, e. g., Nasua *narica*, one of the Apes, the muzzle being extended into a movable proboscis.
- Na'rica** } Zool. { unexplained; a genus and family of Gasteropodous  
**Nari'cidae** } Mollusca.
- Nari'na** (Ornith.) specific name of a Trogon, given by *Le Vaillant*, in remembrance of a young Hottentot girl.
- Narthe'clum** (Bot.) *νάρθηξ*, a rod; it has a long stem; the Lancashire asphodel; a genus of Nat. Ord. Juncaceæ.
- Nar'whal** (Zool.) from a Gothic word signifying "beaked-whale;" the Monodon monoceros or Unicorn whale.
- Nasa'lis** (Zool.) *nafus*, the nose; a genus of Monkeys, containing only *N. larvatus*, the Proboscis monkey.
- Nas'cia** (Ent.) P. N., the goddess of birth.
- Naseus** (Ichth.) *nafus*, the nose; a genus of Fishes, the front part of whose head is produced into a horn.
- Nasmy'tha** (Bot.) P. N., a genus of Eriocaulaceæ.
- Nasomacula'ta** (Zool.) *nafus*, the nose, *maculatus*, spotted.
- Naso'nia** (Bot.) *nafus*, a nose; from a remarkable protuberance; a genus of Orchidaceæ.
- Na'ssa** (Zool.) Lat. a basket used for catching fish; the Dogwhelk; a genus of Mollusca.
- Nassa'ria** (Zool.) same derivation; a genus of Mollusca.
- Nassa'veia** (Bot.) P. N. in honour of the house of Nassau; a genus of Compositæ.
- Nas'sidae** (Zool.) a family of Mollusca, of which *Nassa* is the type.
- Nasso'veia** (Bot.) P. N., same derivation; a genus of Compositæ.
- Nas'sula** (Zool.) dim. of *nafus*, a wheel, from the form of the circlet of teeth; a genus of Infusoria.
- Nasta'nthus** (Bot.) *ναστίς*, crowded, ἄρθος, a flower; because of the densely aggregated flowers and achenia in each of its capitula; a genus of Calyceraceæ.
- Nastur'tium** (Bot.) *nafus*, a nose, *tortus*, tormented, from its effects: the English name of the *Tropaeolum majus*, and the Latin one of the common Water-cress.

- Nas'tus (Bot.) ναστός, the Greek name for a kind of reed.
- Na'sua (Zool.) from the great length of the nose, *nasō*; the Coatis.
- Nasu'tus-a-um (Zool.) Lat. large-nosed, e. g., *Tockus nasutus*.
- Natalen'sis-e (Zool.) Lat. relating to Natal.
- Nata'lia (Bot.) P. N. from Natal; a genus of Sapindaceæ.
- Natato'res (Ornith.) plural of *natator*, a swimmer; the Swimming-birds.
- Nathu'sia (Bot.) unexplained; a genus of Oleaceæ.
- Na'tica (Zool.) unexplained; a genus of Gasteropodous Mollusca.
- Naticel'la (Zool.) dim. of *Natica*; a genus of Mollusca.
- Nati'cidæ (Zool.) the family of Mollusca, of which *Natica* is the type; the Sea-snails.
- Natri'cidæ (Zool.) a family of Colubrine ophidians, of which *Natrix* is the type.
- Natrix* (Zool.) Lat. a Water-snake.
- Nattere'ri (Zool.) P. N. in honour of —— Natterer.
- Nau'clea (Bot.) ναῦς, a ship, κλείω, to enclose; from its hull-shaped semi-capsule.
- Naucle'rus (Ornith.) ναύληνος, a seaman; a genus of Scombrid Fishes.
- Nau'coris (Ent.) ναῦς, a ship, κόρις, a bug; a genus of Water-bugs.
- Nau'crates (Ichth.) ναυκράτης, commanding the sea; the Pilot-fish.
- Nauember'gia (Bot.) P. N. in honour of John Samuel Nauemberg, a writer on botany.
- Naune'ma (Zool.) ναῦς, a ship, νήμα, thread or cable; a genus of Infusoria.
- Nauil'i'dæ (Zool.) a well-known family of Tetrabranch Cephalopods, of which *nautilus* is the type.
- Nautili'tes (Fos. Zool.) fossil shells allied to the *nautilus*.
- Nau'ilus (Zool.) dim. from ναῦς, a ship; the pearly Nautilus is *N. Pompilius*; a genus of Mollusca, of the class Cephalopoda.
- Nav'alis-e (Ent.) pertaining to ships, e. g., *Lymexylon navale*, a boring insect.
- Navicel'la (Zool.) Lat. a small boat; a genus of Mollusca.
- Navi'cula (Zool.) Lat. a small vessel.
- Navicula'ria (Bot.) *navicula*, a small vessel; a genus of Graminae.
- Navus-a-um (Ent.) busy, industrious.
- Neba'lia { (Zool.) { unexplained; a genus and family of Entomos-  
Nebali'adæ } tracous crustaceans.
- Ne'bria (Ent.) νεβρίας, fawn-coloured.
- Ne'bris (Ichth.) νεβρίς, a fawn-skin; a genus of Ctenoid Fishes.
- Nebrita'na (Ent.) νεβρίτης, like a fawn-skin.

- Nebulō'sus-a-um** (Ornith.) *Lat.* cloudy, dark.
- Necke'ra** (Bot.) P. N. in honour of *N. J. Necker*, a German botanist ; a genus of Musci.
- Necro'bia** (Ent.) *νεκρός*, a dead body, *βιώω*, to live ; a genus of Coleoptera.
- Necro'des** (Ent.) *νεκρόδης*, corpse-like ; a genus of Coleoptera.
- Necroph'aga** (Ent.) *νεκρός*, a dead body, *φαγω*, to eat ; a genus of Coleoptera.
- Necrophilō'phagus** (Ent.) *νεκρός*, dead, *φλούς*, bark, *φάγω*, to eat.
- Necroph'orus** (Ent.) *νεκρός*, a dead body, *φορός*, a carrying ; the Sexton-beetles ; a genus of Coleoptera, of the family Silphidae.
- Nectan'dra** (Bot.) *νηκτός*, floating, *ἀνήρ*, *ἀνδρός*, a male (stamen) ; a genus of Lauraceæ.
- Nec'tarine** (Bot.) popular name of the fruit of the Amygdalus *Nectarina*.
- Nectari'nia** (Ornith.) a name given by Illiger to a genus of Birds which suck the nectar of flowers.
- Nectarin'idæ** (Ornith.) the Honey-suckers.
- Nectarobo'thrium** (Bot.) *nectarium*, nectary or honey-cup, *βοθίον*, a little pit or hollow ; a genus of Liliaceæ.
- Nectarosco'rđum** (Bot.) *nectarium*, nectary, *σκόρδον*, garlic ; a genus of Liliaceæ.
- Nec'tary** (Bot.) *νέκταρ*, nectar ; applied originally, in Botany, to those parts of a flower which secrete honey ; sometimes called the honey-cup.
- Nectu'ra** (Zool.) *νέκτης*, a swimmer, *οὐρα*, a tail ; a genus of Amphibia.
- Necy'dalis** (Ent.) *νεκύδαλος*, the larva or nymph of the silk-worm ; a genus of Coleoptera.
- Nedy'us** (Ent.) *νέδυς*, a paunch ; a genus of Coleoptera.
- Needha'mia** (Bot.) P. N., a genus of Epacridaceæ.
- Nee'sia** (Bot.) P. N., a genus of Sterculiaceæ.
- Neffe'l'a** (Bot.) P. N., a genus of Scrophulariaceæ.
- Neglec'ti** (Ornith.) *negligē*, to neglect ; applied by Scopoli to those birds whose flesh is not used by man.
- Negre'tia** (Bot.) a genus of Leguminosæ.
- Negun'dium** (Bot.) meaning unknown ; a genus of Aceraceæ.
- Nehemiv'a** (Bot.) P. N. in honour of *Nehemiah Grew*, vide *Grewia* ; a genus of Tiliaceæ.
- Neill'ia** (Bot.) P. N., a genus of Rosaceæ.
- Ne'ja** (Bot.) without meaning.
- Ne'litrīs** (Bot.) *νη*, priv., *ἴλιτρον*, a feed-cafe.

- Nelso'nia (Bot.) P. N. in honour of *D. Nelson*, a botanist, who accompanied Captain Cook.
- Nelumbia'ceæ (Bot.) a Nat. Ord. of Dicotyledonous plants, of which the genus *Nelumbium* is the type and solitary genus.
- Nelum'bium (Bot.) from the Cingalese *Nelumbo*. The *Nelumbium speciosum* was the plant which produced the Pythagorean or Sacred Indian bean; a genus of Nelumbiaceæ.
- Nemacan'thus (Fos. Ichth.) *ῥῆμα*, a thread, *ἄκανθα*, a thorn; a genus of Oolitic Ichthyodorulites.
- Nemaco'nia (Bot.) *ῥῆμα*, a thread, *χόνος*, dusty; a genus of Orchidaceæ.
- Nema'ctis (Zool.) *ῥῆμα*, thread, *άστις*, a ray; a genus of Actiniæ.
- Nemadac'tylus (Ichth.) *ῥῆμα*, thread, *δακτυλον*, a fin; the under rays of the pectorals being like hanging threads; a genus of Ctenoid acanthopterous Fishes.
- Nema'lion (Bot.) dim. of *ῥῆμα*, a thread; a genus of Ceramian Algæ.
- Nema'spora (Bot.) *ῥῆμα*, a thread, *σπέρμα*, seed; a genus of Fungi.
- Nemas'toma (Bot.) *ῥῆμα*, a thread, *στόμα*, a mouth; a genus of Algæ.
- Nemas'tylis (Bot.) *ῥῆμα*, a thread, *στῦλον*, a style; a genus of Iridaceæ.
- Nematan'thera (Bot.) *ῥῆμα-ατος*, a thread, *anthera*; having thread-like anthers.
- Nematan'thus (Bot.) *ῥῆμα*, a thread, *ἄνθος*, flower; a genus of Gesneraceæ.
- Nemate'l'mia (Zool.) *ῥῆμα-ατος*, thread, *τίλμα*, a pond; pond-threads; an order of Parasitic worms.
- Ne'mathrix (Bot.) *ῥῆμα*, a thread, *θρίξ*, hair; a genus of Algæ.
- Nematocoo'cus (Bot.) *ῥῆμα-ατος*, a thread, *κόκκος*, a berry; a genus of Algæ.
- Nematoi'dea (Zool.) *ῥῆμα*, thread, *εἶδος*, like; an order of intestinal worms.
- Nemato'is (Ent.) *ῥεματόης*, thread-like; referring to the long antennæ.
- Nemato'plata (Bot.) *ῥῆμα-ατος*, a thread, *πλατύς*, broad; a genus of Algæ.
- Nemato'po'ma (Ichth.) *ῥῆμα-ατος*, a thread, *πωμα*, a lid; a genus of Malacopterous Fishes.
- Nemato'stig'ma (Bot.) *ῥῆμα-ατος*, a thread, *σίγμα*; a genus of Iridaceæ.
- Nemau'chenes (Bot.) *ῥῆμα*, a thread, *αὐχήν*, the neck; a genus of Compositeæ.
- Neme'dra (Bot.) *ῥῆμα*, a thread, *βῆρα*, afeat or foundation; a genus of Meliaceæ.
- Neme'o'bius (Ent.) *ῥῆμος*, a grove, *βίος*, life; living in woods.
- Nemer'tes (Zool.) *ῥημετής*, unerring; a genus of marine Worms.
- Neme'sia (Bot.) a name given by Dioscorides to a kind of Antirrhinum; now applied to a genus of Scrophulariaceæ.

- Ne'mia (Bot.) *nemus*, a wood or grove; a genus of Scrophulariaceæ.
- Nemich'ths (Ichth.) *νῆμα*, thread, *ἰχθύς*, a fish.
- Nemoch'loa (Bot.) *νῆμα*, a thread, *χλόα*, grass; a genus of Graminae.
- Nemopan'thes (Bot.) *νῖμος*, a grove, *ὤψ*, the eye, *ἄνθος*, a flower.
- Nemoph'idae (Ichth.) a family of Fishes of which *Nemophis* is the type.
- Nemoph'ila (Bot.) *νῖμος*, a grove, *φιλός*, loving; Nat. Ord. Hydrophyllaceæ.
- Nemoph'is (Ichth.) *νῆμα*, thread, *ὄφες*, a serpent; a genus of Riband-shaped Fishes.
- Nemora'lis-e (Zool., Bot.) *Lat.* belonging to groves or woods; *e.g.*, *Helix nemoralis*, *Poa nemoralis*.
- Nemo'ria (Ent.) *nemus*, a grove.
- Nemori'va'gus (Zool.) *Lat.* one that wanders in the woods.
- Nemo'sia (Ornith.) *νῖμος*, a wooded pasture.
- Nemoso'ma (Ent.) *νῆμα*, thread, *σῶμα*, body; a genus of Coleoptera.
- Nemo'telus (Ent.) *νῆμα*, thread, *τίλος*, extremity; a genus of Diptera.
- Nenu'phar (Bot.) *νῖμος*, new, *nuphar*, a water-lily; a genus of Nymphaeaceæ.
- Neo'phron (Ornith.) *νεόφρων*, childish in spirit; applied to the Scavenger-vulture.
- Neot'tia (Bot.) *νεστία*, a bird's nest; in allusion to the interwoven fibres of the roots; a genus of terrestrial Orchidaceæ.
- Neottid'ium (Bot.) the genus *Neottia*, *εἴδος*, like; a genus of Orchidaceæ.
- Neottioso'ria (Bot.) *νεστία*, a nest, *σπορά*; a genus of Algae.
- Neottop'teris (Bot.) *νεστία*, a nest, *πτήσις*, a fern; a genus of Polypodioid ferns.
- Nepen'thes (Bot.) a family of Dicotyledonous plants, of which *Nepenthes* is the only species.
- Nepen'thes (Bot.) *νη*, priv. *νίνθος*, grief; because supposed to dispel vexation; the Nepente of Homer is supposed to have been the poppy, or possibly tobacco; typical genus of Nepenthacæ; East Indian Pitcher-plants.
- Ne'peta (Bot.) *Ital. nepitella*, cat-mint; a genus of Labiatæ.
- Nephelaphy'lum (Bot.) *νεφέλη*, a cloud, *φύλλον*, leaf; a genus of Orchidaceæ.
- Nephel'is (Ent.) *νεφέλη*, a cloud; a genus of Annelida.
- Neph'e'lum (Bot.) from dim. *νεφέλη*, a little cloud; a genus of Sapindaceæ.
- Nephelo'des (Ent.) *νεφελώδης*, cloud-like.
- Neph'o'bolus (Bot.) *νῖφος*, a cloud, *βάλλω*, to cast.
- Nephop'teryx (Ent.) *νῖφος*, a cloud, *πτέρυξ*, a wing.
- Nephrade'nia (Bot.) *νεφρός*, the kidney (referring to shape), *δόνη*, a gland; a genus of Asclepiadaceæ.

- Nephran'dra (Bot.) *νεφρός*, a kidney (referring to shape), ἀνάρη, ἀνδρός, a male (stamen); a genus of Verbenaceæ.
- Nephran'thera (Bot.) *νεφρός*, a kidney, *anthera*; having kidney-shaped anthers; a genus of Orchidaceæ.
- Nephro'dium (Bot.) *νεφρός*, a kidney, *ἴλιος*, like; a genus of Polypodioid Filices.
- Nephroi'a (Bot.) *νεφρός*, a kidney; a genus of Menispermaceæ.
- Nephro'lepis (Bot.) *νεφρός*, a kidney, *λεπίς*, a scale; a genus of Polypodioid Filices.
- Nephro'ma (Bot.) *νεφρός*, a kidney; from the form of the apothecia; a genus of Cryptogamia.
- Ne'phrops (Zool.) *νεφρός*, kidney, ὄψ, eye; a genus of Crustacea.
- Nephro'sis (Bot.) *νεφρός*, a kidney; a genus of Leguminosæ.
- Neph'thys (Zool.) unexplained; a genus of Annelida.
- Nepti'cula (Ent.) dim. of *neptis*.
- Ne'ptis (Ent.) *νέπτης*, sober, discreet.
- Neptisa'lis (Ent.) resembling the genus *Neptis*.
- Nepto'menus (Ichth.) *νέπτης*, discreet, *μίνες*, disposition; a genus of Scombrid Fishes.
- Neptu'nia (Bot.) P. N., well known in mythology; a curious aquatic genus of Leguminosæ.
- Nere'i'dæ } (Zool.) { P. N. from ancient mythology; a family and  
Nere'i'eis } (Zool.) { genus of Annelida.
- Nerei'dea (Bot.) resembling *Nereis*, a genus of Annelides; a genus of Algæ.
- Nerei'tea (Fos. Zool.) a family or genus of fossil *Nereideæ*, or Sea-centipedes.
- Nereocys'tis (Bot.) *nereis*, a worm, *κύστις*, a bladder; a genus of Algæ.
- Nereogra'pus (Fos. Zool.) a section of the fossil *nereites*, having engraved markings (*γραμμός*, written.)
- Nerian'dra (Bot.) the genus *Nerium*, ἀνάρη, ἀνδρός, a stamen, i. e., implying resemblance; a genus of Apocynaceæ.
- Ne'riene (Ent.) P. N., a wife of Mars; a genus of Araneidæ.
- Nerinæ'a (Zool.) P. N., *Nereis*, a sea-nymph; a genus of Mollusca.
- Neri'ta } Zool. { *νερίτης*, a sea-shell; a genus and family of Mol-  
Neri'tidae } Zool. { lusca.
- Neriti'na (Zool.) dim. of *Nerita*; a genus of Mollusca.
- Neri'toma (Zool.) the genus *Nerita*, *τομή*, a cutting, from the notch in the middle of the outer lip; a genus of Mollusca.
- Nerito'pais (Zool.) the genus *Nerita*, *όψις*, like; having a shell somewhat similar; a genus of Mollusca.

- Ner'ium** (Bot.) *νηρός*, humid, referring to its habitation; the Oleander; a genus of Apocynaceæ.
- Nervo'sa** (Ent.) *nervos*, a finew, string.
- Nesæ'a** (Bot.) P. N., one of the sea nymphs.
- Neslia** (Bot.) unexplained.
- Neso'phila** (Bot.) *νησος*, an island, φιλίω, to love; growing in moist places; a genus of Campanulaceæ.
- Nes'tis** (Ichth.) *νητης*, an ancient name of a fish; a genus of Mugiloid Fishes.
- Nes'tlera** (Bot.) P. N., a genus of Compositæ.
- Nestor** (Ornith.) P. N., a genus of Scanorial birds; family Psittacidæ.
- Net'tapus** (Ornith.) *νηττα*, a duck, πεῦς, a foot; duck-footed.
- Netta'stoma** (Ichth.) *νηττα*, a duck, στόμα, a mouth; a genus of Congroid Fishes.
- Nettle** (Bot.) an alteration of *needle*, or at least both are of the same Anglo-Saxon root, *netel* or *nedl*, and obviously refers to the needle-like stings of the plant.
- Neube'r'ia** (Bot.) P. N., a genus of Iridaceæ.
- Neudo'rfia** (Bot.) P. N., a genus of Nolanaceæ.
- Neuman'nia** (Bot.) P. N., a genus of Bromeliaceæ.
- Neuma'yera** (Bot.) P. N., a genus of Caryophyllaceæ.
- Neuraca'nthus** (Bot.) *νηυπορ*, a nerve, ἀκαθθα, a spine; a genus of Acanthaceæ.
- Neurapo'physes** (Zool.) *νηυπορ*, a nerve, ἀναφύω, to grow from; from their being developed to protect the great nervous trunk.
- Neu'r'ia** (Ent.) *νηυπορ*, a finew; on account of the pale nervures so plainly visible.
- Neu'r'ica** (Ent.) *νηυπικός*, finewy.
- Neuroca'lyx** (Bot.) *νηυπορ*, a nerve, *calyx*.
- Neurocarpæ'a** (Bot.) *νηυπορ*, a nerve, *xarpwos*, fruit; a genus of Cinchonaceæ.
- Neurocar'pum** (Bot.) *νηυπορ*, a nerve or tendon, *xarpwos*, fruit.
- Neuroglo'ssum** (Bot.) *νηυπορ*, a nerve, γλῶσσα, tongue; a genus of Alge.
- Neurogram'ma** (Bot.) *νηυπορ*, a nerve, γράμμα, an inscription; a genus of Polypodioid Filices.
- Neurolae'na** (Bot.) *νηυπορ*, a nerve or tendon, λαίνα, a cloak.
- Neurolo'ma** (Bot.) *νηυπορ*, a nerve or tendon, λώμα, a fringe.
- Neuro'n'ia** (Bot.) *νηυπορ*, a nerve; a genus of Polypodioid Filices.
- Neurope'l'tis** (Bot.) *νηυπορ*, a nerve, πλάτη, a shield; a genus of Convolvulaceæ.

- Neurophyllum** (Bot.) νεῦρον, a nerve, φύλλον, a leaf; a genus of Polypodioid Filices.
- Neuropo'gon** (Bot.) νεῦρον, a nerve, πάγκων, a beard; a genus of Lichenes.
- Neuro'ptera** (Ent.) νεῦρον, tendon, πτερόν, wing; having reticulate membranous wings; an order of Insecta.
- Neuropterel'la** (Ent.) νεῦρον, a tendon, πτερόν, a wing; the wing nervature being distinctly cinnamon brown.
- Neuropteris** (Fos. Zool.) νεῦρον, a nerve, πτερίς, a fern; a genus of fossil Ferns.
- Neuro'scapha** (Bot.) νεῦρον, a nerve, σκάφη, a trough; a genus of Leguminosæ.
- Neurosper'ma** (Bot.) νεῦρον, a nerve, σπερμα, seed.
- Neuro'tropis** (Bot.) νεῦρον, a nerve, τρόπης, a keel; a genus of Cruciferæ.
- Neus'tria** (Ent.) P. N., formerly applied to a portion of France, including Normandy, Brittany, and Anjou.
- Neveri'ta** (Zool.) P. N., a genus of Mollusca.
- Newt** (Zool.) corruption of *civet*, *cft*, *a-n-cft* = a newt.
- Nicel'lii** (Ent.) P. N. in honour of *Graf von Nicelli*, a German entomologist.
- Nicholso'nia** (Bot.) P. N., a genus of Leguminosæ.
- Nicoba'ricus-a-um** (Ornith.) relating to the island of Nicobar; applied to a pigeon only found there; *Calanias nicobarica*.
- Nicode'mia** (Bot.) P. N., a genus of Scrophulariaceæ.
- Nicolso'nia** (Bot.) P. N. in honour of *M. Nicolson*, a writer on the natural history of St. Domingo.
- Nicothoë** (Zool.) P. N. from *Nicothoë*, one of the Harpies; a genus of Entomosthaca.
- Nicotia'na** (Bot.) P. N. in honour of *J. Nicot*, of Niçmes, who first brought it into Europe; the Tobacco-plant; a genus of Solanaceæ.
- Nie'titans** (Zool.) Lat. winking; e. g., *Cercopithecus nietitans*.
- Nidula'ria** (Bot.) *nidus*, a nest; the plants consist of cups containing egg-like seeds; a genus of Fungi.
- Niduli'tes** (Fos. Zool.) *nidus*, a nest, λίθος, stone; fossil Silurian organisms, probably allied to the Bryozoa.
- Niebu'hria** (Bot.) P. N. in honour of *Carsten Niebuhr*, a traveller in Arabia.
- Nierember'gia** (Bot.) P. N., a genus of Solanaceæ.
- Nige'lla** (Bot.) dim. of *niger*, dark, black; the seeds are of that colour; a genus of Ranunculaceæ; also, in Entomology.

- Niger, Nigra, Nigrum (Zool., Ent., Bot.) *Lat.* black or dingy; *e. g.*, *Sciurus niger*, *Fritillaria nigra*, *Ribes nigrum*.
- Nightshade (Bot.) from their deadly qualities and gloomy aspect; the genus *Solanum*, also the *Atropa Belladonna*.
- Nigra'lis (Ent.) *niger*, black.
- Nigre'scens (Zool., Bot.) *Lat.* slightly black.
- Ni'griceps (Ornith.) *niger*, black, *caput*, head; black-headed.
- Nigri'na (Bot.) *nigra*, to be black; a genus of Scrophulariaceæ.
- Nigripunctel'la (Bot.) *niger*, black, *punctum*, a spot; black-spotted.
- Nigrite'lla (Bot.) *nigritia*, black colour; a genus of Orchidaceæ.
- Nigritel'lus-a-um (Bot.) dim. of *niger*, black; in allusion to the colour of the flowers; blackish or dusky, *e. g.*, *Juncus nigritellus*.
- Nigrogula'ris (Ornith.) *niger*, black, *gula*, throat; black-throated, *e. g.*, *Cracticus nigrogularis*.
- Nigro-vitta'tus (Zool.) *niger*, black, *vitta*, a band; black-banded.
- Nilo'ticus-a-um (Zool., Bot.) *Lat.* relating to the Nile.
- Nilso'nia (Fos. Zool.) P. N., a genus of fossil Cycadaceous leaves of the lias and oolite.
- Ni'ma (Bot.) unexplained; a genus of Simarubaceæ.
- Nimbel'la (Ent.) dim. of *nimbus*, a cloud.
- Niobæ'a (Bot.) P. N. from *Niobe*; a genus of Hypoxidaceæ.
- Ni'obe (Bot.) P. N., a genus of Liliaceæ.
- Ni'pa (Bot.) its name in the Moluccas; it yields Neepah sugar.
- Nipadi'tes (Fos. Zool.) *nipa*, a genus of Indian palms which produces neepah sugar; a genus of fossil Palm-nuts.
- Niphæ'a (Bot.) *νιφάς*, a snow-flake; a genus of Gesneraceæ.
- Niph'o'bolus (Bot.) *νιφόβολος*, covered with snow; the indutia are like flakes of snow; a genus of Filices; also, a genus of Simarubaceæ.
- Ni'phon (Ichth.) this fish is only found in Japanese seas, and takes its name from the principal island, *Nippon*; a genus of the family Percideæ.
- Niph'o'na (Ent.) *νιφά*, snow; a genus of Coleoptera.
- Niphus (Bot.) *νιφάς*, a snow-flake; a genus of Aristolochiaceæ.
- Nip'plewort (Bot.) bitter juice applied by country mothers to *nipples* before weaning; the *Lapsana communis*.
- Ni'ptus (Ent.) *νιφάς*, waled; a genus of Coleoptera.
- Nisa'na (Ent.) *nifus*, flight, from its rapid movements.
- Niso (Zool.) unexplained; a genus of Mollusca.

- Nisso'lia (Bot.) P. N. in honour of *William Niffolle*, a French botanist; a genus of Leguminosæ: also the specific name of a Lathyrus.
- Ni'sus (Ornith.) Lat. flight; applied to the Sparrow-hawk, *Accipiter Nifus*, perhaps because of its rapid flight.
- Nite'l'a (Ent.) Lat. brightness, splendour; a genus of Hymenoptera.
- Nitel'ium (Bot.) *nitela*, brightness; a genus of Compositæ.
- Nitel'l'a (Bot.) *nitea*, to shine; a genus of Characeæ, of which the stems are sometimes translucent.
- Nitidella (Zool.) dim. of *nitidus*, polished; a genus of Mollusca; also, a genus of Insects.
- Niti'dula } (Ent.) { dim. of *nitidus*, glittering; a genus and family of Nitidu'lidae } Coleoptera.
- Ni'tidus-a-um (Bot.) shining.
- Nitra'ria (Bot.) *nitrum*, nitre; it is found near the nitre-works in Siberia.
- Niva'lis-e (Ornith.) Lat. snowy, e. g., *Plectrophanes nivalis*.
- Niva'ria (Bot.) *nivus*, snow; the *Leucojum*, or snow-flake; a genus of Amaryllidaceæ.
- Nivea'ria (Ent.) *niveus*, snowy.
- Niveicoste'l'a (Ent.) *niveus*, snowy, *costa*, the anterior margin of wing.
- Nive'nia (Bot.) P. N. in honour of *J. Niven*, a collector of Cape plants.
- Niv'eus-a-um (Ornith.) Lat. snowy, e. g., *Nyctea nivea*, the Snowy Owl.
- Nivive'nter (Zool.) *niveus*, snowy, *venter*, belly; white-bellied.
- No'cca (Bot.) P. N. in honour of *Dominic Nocca*, an Italian professor.
- Noctilu'ca (Ent.) Lat. a candle; applied to the Glow-worm, *Lampyris noctiluca*.
- Nocti'-vagus (Zool.) Lat. night-wandering; having nocturnal habits, e. g., *Spalacopus noctivagus*.
- Noctu'ae (Ent.) pl. of *noctua*, an owl; from their nocturnal habits, applied to the Night-moths.
- Noctuli'nia (Zool.) the *Noctule* or Great Bat.
- Noctuo-bomby'cidae (Ent.) having affinities with *Noctuæ* and *Bombyces*.
- Noctuomor'pha (Ent.) having the form (*μορφή*) of the *Noctuæ*.
- Nodosa'lis (Ent.) *nodosus*, knotty.
- Nodosa'ria (Fos. Zool.) *nodosus*, full of knots; a genus of fossil Foraminifera.
- Nodula'ria (Zool.) *nodulus*, a little knot; a genus of Mollusca.
- Noeggerath'ia (Fos. Zool.) P. N., a genus of fossil Palm-like leaves.
- Noëtia (Zool.) P. N., a genus of Mollusca.
- Noise'ttia (Bot.) P. N. in honour of *L. G. Noisette*, a nurseryman at Paris; also applied to a class of Rosæ.

- No'lā** (Ent.) P. N., a town in Campania in Italy.
- Nola'na** (Bot.) *nola*, a little bell; in reference to the corolla; the typical genus of Nolanaceæ.
- Nolin'a** (Bot.) P. N. from *P. C. Nolin*, an American botanist.
- Noma'da** (Ent.) *Nomades*, wandering people; the Wasp-bees; a genus of Hymenoptera.
- Nonag'ria** (Ent.) P. N., an island in the Ægean sea, said by Pliny to have been the earlier name of Andros.
- Non'nea** (Bot.) P. N. from *J. P. Nonne*, a German botanist.
- Nonioni'na** (Fos. Zool.) a genus of fossil Nautiloid organisms.
- Noran'tea** (Bot.) from *Gonoro-Antegri*, its name in Guiana.
- Nordmannia'nus** (Zool., Bot.) P. N. from *Alexander von Nordmann*, an eminent Prussian naturalist; e. g., *Pinus Nordmanniana*.
- Norfolcen'sis-e** (Zool.) Lat. belonging to Norfolk Island.
- Northia** (Zool.) P. N., a genus of Mollusca.
- Nos'too** (Bot.) unexplained; a genus of terrestrial Algæ.
- Nostoca'ceæ** (Bot.) a family of conervoid Algæ, of which *Nostoc* is the type.
- Notacan'tha** (Ent.) νῶτος, the back, ἀκανθα, a thorn; Thorn-backs, armed flies
- Notar'chus** (Zool.) νῶτος, the back, ἀρχή, vent; a genus of Mollusca.
- Nota'tus-a-um** (Ent.) Lat. marked.
- Notelæ'a** (Bot.) νότος, the south, οἰλιά, the olive.
- Notero'phila** (Bot.) νοτερός, wet, moist, φιλίω, to love; a genus of Melastomaceæ.
- Noth'iūm** (Bot.) νόθος, spurious; a genus of Orchidaceæ.
- Nothochlæ'na** (Bot.) νόθος, spurious, χλαινία, a cloak; a genus of Filices.
- **Nothoge'nia** (Bot.) νοθο-γίνητος, of spurious origin; a genus of Ceramian Algæ.
- Notho'nia** (Bot.) νόθος, spurious; a genus of Compositæ.
- Nothosau'rūs** (Fos. Zool.) νόθος, spurious, σαῦπος, a lizard.
- Nothoscor'dum** (Bot.) νόθος, spurious, σκόρδον, garlic; a genus of Liliaceæ.
- No'thria** (Bot.) νοθέα, sluggish; a section of the genus Frankenia.
- No'thris** (Ent.) νοθρίς, sluggish.
- No'thus** (Ent.) νόθος, spurious; a genus of Coleoptera.
- Notida'nidae** { (Ichth.) { νοτιδανός, a shark with sharp-pointed dorsal fin; a family and genus of Galeoid Fishes.

- Notid'anus** (Fos. Zool.) *νῶτος*, a ridge, *ἴδησις*, comely; a genus of fossil Shark-teeth.
- Notido'bia** (Ent.) *νῶτος*, the back, *βέσω*, to live; a genus of the Phryganidæ.
- Notiomí'mus** (Ent.) *νότος*, southern *μίμησις*, an imitator; a genus of Coleoptera.
- Notio'philus** (Ent.) *νότος*, damp, *φιλόω*, to love; a genus of Coleoptera.
- Noto'ceras** (Bot.) *νῶτος*, the back, *κίρας*, a horn; alluding to the back of the pod.
- Notochæ'te** (Bot.) *νῶτος*, back, *χείρη*, a bristle; a genus of Labiate.
- No'tochord** (Ichth.) *νῶτος*, the back, *χορδά*; an elastic gelatinous chord enclosing the myelon in some fishes.
- Notocy'phus** (Ent.) *νῶτος*, the back, *κυψός*, bent; a genus of Hymenoptera.
- Notode'iphys** (Zool.) *νῶτος*, the back, *διλφύς*, the matrix or womb; a genus of Entomostraca.
- Notodo'nta** (Ent.) *νῶτος*, the back, *δούσις*, *οδοντος* a tooth; from the tooth-like projections on the inner edge of the fore-wings, which meet over the back.
- Notom'mata** (Zool.) *νῶτος*, the back, *ομμα-ατος*, the eye; a genus of Infusoria.
- Notonec'ta** (Ent.) *νῶτος*, the back, *νήτης*, a swimmer; the Boat-fly.
- Notopocory'stes** (Fos. Zool.) *νῶτος*, a ridge, *corypha*; a genus of Crustacea; a genus of fossil Corals of the Chalk.
- No'tops** (Zool.) *νῶτος*, the back, *ὤψ*, the eye.
- Noto'pterus** (Ichth.) *νῶτος*, the back, *πτίφων*, a fin; a genus of Herring-pikes.
- Notorhi'zeæ** (Bot.) *νῶτος*, the back, *ῥίζα*, root; having the cotyledons flat, and the radicle issuing from the back; a section of Nat. Ord. Cruciferæ.
- Notor'nis** (Ornith.) *νῶτος*, the south, *ὄρνις*, a bird, i. e., the "Southern bird;" a sub-fossil and recent bird of New Zealand.
- Notothe'rium** (Fos. Zool.) *νῶτος*, south, and *θηγανίος*, a wild animal; the southern animal; a fossil genus of Australian Quadrupeds.
- Noto'xidae** } (Ent.) { *νῶτος*, the back, *ἰξίς*, sharp; the thorax being produced in front, over the head; a genus and family of Heteromerous Coleoptera.
- Noty'lia** (Bot.) *νῶτος*, the back, *τύλος*, a hump; in allusion to the singular callosity on the stigma.
- Novaculi'na** (Zool.) *novacula*, a razor; a genus of Mollusca.
- Noveboracen'sis-e** (Ichth.) the Latin adj. for what appertains to New York, North America.

- Nubeculo'sus-a-um** (Ent.) *Lat.* covered with little clouds.
- Nucifra'ga** (Ornith.) *nucēs*, nuts, *frango*, to break ; the Nut-crackers. The Greek equivalent is Caryocatactes.
- Nucleoli'tes** (Fos. Zool.) *nucleus*, a little nut, and *λίθος*, a stone ; a fossil genus of Clypeidae.
- Nu'cleus** (Zool.) *Lat.* a little nut, a kernel.
- Nu'cula** (Zool.) dim. of *nux*, a nut ; a genus of bivalve shells of the family Arcadæ.
- Nucu'lia** } (Zool.) *nucula*, a small nut ; a genus and family of Mollusca.
- Nucu'lidæ** } Nucunel'la (Zool.) dim. of *nucula* ; a genus of Mollusca.
- Nuda'ria** (Ent.) *nudus*, naked ; the wings being only slightly clothed with scales.
- Nudibranchia'ta** (Zool.) *nudus*, naked, *branchiae*, gills ; an order of gasteropod Mollusca ; equivalent to Gymnobranchiata.
- Nu'dipes** (Ornith.) *nudus*, naked, *pēs*, the foot ; naked-footed.
- Nudive'nter** (Zool.) *nudus*, naked, *venter*, the belly ; naked-footed.
- Nu'dus-a-um** (Zool., Bot.) *Lat.* bare or leafless.
- Nulli'pora** (Zool.) *nullus*, none, *porus*, a passage ; applied to corallines having no apparent pores on the surface.
- Nume'nius** (Ornith.) derivation unknown to me ; a genus of Scolopacidae. *N. phæopus*, and *N. arquata*, are the Whimbrel and Curlew.
- Nume'ria** (Ent.) P. N., the goddess of numbers.
- Nu'mida** (Ornith.) P. N., the Guinea-Fowl is named *Numida* from *Numidia* in Africa, whence it came.
- Nummula'ria** (Bot.) *nummus*, money ; from the similarity of its round leaves to money. Hence also Moneywort, Herb-twopenny, and Twopenny grass.
- Nummuli'na** } *nummus*, a coin or piece of money ; a genus of minute Nummuli'tes } Animalcules.
- Nummuli'tes** (Fos. Zool.) *nummus*, a coin, *λίθος*, stone ; a large class of fossil Foraminifera.
- Nu'phar** (Bot.) *Arab. Neufar*, the name for *Nymphaea* ; a genus of Nymphaeaceæ.
- Nut** (Bot.) *Anglo-Sax. hnūt*; *Dan. noot*; *Swed. noet*; *Fr. noix*.
- Nuthe'tes** (Fos. Zool.) *νύθετης*, a monitor ; a genus of fossil Lizards.
- Nutmeg** (Bot.) formerly called *noce-muge* ; from *Ital. noce moscada*, musk nut.

**Nuttall'ia** (Bot.) P. N. in honour of *Thomas Nuttall*, formerly Professor of Mineralogy at Cambridge, New England, who died in 1858; a genus of Malvaceæ.

**Nuy'tsia** (Bot.) P. N., the celebrated “Fire-tree” of Australia; a genus of Loranthaceæ.

**Nyctage'lla** (Bot.) dim. of *Nyctago*; a section of the genus *Nicotiana*.

**Nyctagina'ceæ** (Bot.) an order of plants of which *Nyctago* is the type.

**Nycta'go** (Bot.) dim. of νέκτης, νυκτός, night; the plant called Marvel-of-Peru.

**Nyctan'thes** (Bot.) νέκτης, νυκτός, night, ἀνθεσ, a flower; a genus of Jasminaceæ.

**Nyc'tea** (Ornith.) νέκτης, νυκτός, night; *N. nivea* is the Snowy Owl.

**Nycte'gretes** (Ent.) νυκτηγρύπτης, watching by night; from the nocturnal flight of the moth.

**Nyctemera'lis** (Ent.) νέκτης, νυκτός, night, ἡμέρα, day, implying that it flies at both periods.

**Nyctereu'tes** (Zool.) νέκτης, νυκτός, night, πυρές, running.

**Nycteri'bia** (Ent.) νυκτερίς, a night-bird, βίος, life; a genus of wingless insects parasitic on the Chiroptera.

**Nycteri'nia** (Bot.) νύκτερος, nocturnal; fragrant only after dark; a genus of Scrophulariaceæ.

**Ny'cterus** (Zool.) νυκτερίς, a night bird.

**Nycterisi'l'ion** (Bot.) νυκτερίς, a bat, ειδής, food; referring to the flower.

**Nycte'rium** (Bot.) νύκτερος, nocturnal; alluding to the time of flowering.

**Nycthe'merus** (Ornith.) νέκτης, νυκτός, night, ἡμέρα, day, e.g., *Phasianus Nycthemerus*, the Silver Pheasant.

**Nycti'bius** (Ornith.) νέκτης, νυκτός, night, βίος, life; a genus of Goatsuckers.

**Nyctice'bus** (Zool.) νέκτης, νυκτός, night, κῆρας, an ape.

**Nyctico'rax** (Ornith.) νέκτης, νυκτός, night, κόραξ, a crow; the Night Heron.

**Nycti'nomus** (Zool.) νέκτης, νυκτός, night, νομός, habitation; a genus of Night-prowling mammalia.

**Nyctipithe'cus** (Zool.) νέκτης, νυκτός, night, πιθηκός, an ape.

**Nyctisau'ra** (Zool.) νέκτης, νυκτός, night, σαῦρος, a lizard; the Nocturnal lizards.

**Ny'ctomys** (Zool.) νέκτης, νυκτός, night, μῦς, rat; a genus of South American Mammalia.

**Nycto'philus** (Zool.) νέκτης, νυκτός, night, φιλος, a lover.

**Nycto'phylax** (Bot.) νύκτος-φύλαξ, keeping watch by night; a genus of Zingiberaceæ.

- Nyland'tia** (Bot.) P. N., the same as the genus *Mundia*.
- Nylghau** (Zool.) a *Persian* word, meaning Blue Ox.
- Ny'mpha** (Ent.) νύμφη, a chrysalis or pupa.
- Nymphæ'a** (Bot.) νύμφη, a Water-nymph; referring to its habitation. The *Nymphaea* Lotus was the Egyptian lotus of the ancients; the typical genus of the splendid aquatic order *Nymphæaceæ*.
- Nymphæ'a'ceæ** (Bot.) an order of Dicotyledonous plants, of which *Nymphaea* is the type.
- Nymphæ'anthe** (Bot.) νύμφη, a nymph, ἄνθος, a flower; the same as *Villarsia*; a beautiful aquatic genus of Gentianaceæ.
- Nymphan'thus** (Bot.) νύμφη, a nymph, ἄνθος, a flower; now included in the genus *Phyllanthus*.
- Nym'phicus** (Ornith.) νυμφικός, bridal; a genus of Parroquets.
- Nymphoi'des** (Bot.) νύμφη, a nymph, εἶδος, likeness; *Tournefort's* name for the *Limnanthemum*.
- Nymphosa'nthus** (Bot.) νύμφη, a nymph, ἄνθος, a flower; a genus of *Nymphæaceæ*, now included in *Nuphar*.
- Ny'pa** (Bot.) P. N., the name of a nymph; the Tupelo; a genus of Alangiaceæ.
- Nys'sa** (Bot.) probably the name of a Water-nymph; alluding to its habitation; the Tupelo.
- Nys'sia** (Ent.) P. N., from *Nyssa*, the birthplace of Bacchus; or from νύσσων, to pierce or prick, as its bristly thorax might do.
- Nys'son** (Ent.) νύσσων, to prick or pierce; a genus of Hymenoptera.
- Nysson'idæ** (Ent.) a family of fossorial Hymenoptera, of which *Nysson* is the type.
- Nysta'lea** (Ent.) νυσταλίος, drowsy.
- 

- Oak** (Bot.) *Anglo-Sax. ac, æc*; query, connected with *oculus*.?
- Obelis'ca** (Ent.) *obeliscus*, a small spit; from the mark (†) on the fore-wings.
- Obelisca'ria** (Bot.) ὁβελίσκος, a pointed pillar, from the conical form of the receptacle; a genus of Compositæ.
- Obeliscothe'ca** (Bot.) ὁβελίσκος, an obelisk, θήση, a sheath; a genus of Compositæ.
- Obero'nia** (Bot.) P. N. from fairy mythology; a genus of Orchidaceæ.
- Obe'sia** (Bot.) *ob-e'-sia*, fat, in allusion to the flowers.

- Obe'sus-a-um (Zool., Bot.) *Lat.* fat, plump.
- Obi'one (Bot.) P. N., a genus of Chenopodiaceæ.
- Obla/tus-a-um (Zool.) *Lat.* broader than long.
- Obliqua'ria (Ent.) *obliquus*, oblique; referring to the oblique dark brown bar across the wings.
- Oblo'ngus-a-um (Zool., Bot.) *Lat.* rather long, longer than broad; *e. g.*, *Succinea oblonga*.
- Obola'ria (Bot.) *obolus*, an ancient coin; a genus of Orobanchaceæ.
- Obova'tus-a-um (Bot.) *Lat.* egg-shaped, as to outline.
- O'brium (Ent.) *obrisia*, the young of animals; a genus of Coleoptera, family Cerambycidæ.
- Obscu'rus-a-um (Zool.) *Lat.* indistinct, obscure, used with reference to colour, form, or relations; *e. g.*, *Bulimus obscurus*.
- Obsole'tus-a-um (Zool. Bot.) *Lat.* worn out, poor.
- Obtusilin'gues (Ent.) *obtusus*, blunt, *lingua*, tongue; a sub-family of Hymenoptera, so called by Westwood from the bluntness of their tongues.
- Obtusus-a-um (Zool., Bot.) *Lat.* blunt, dull, rounded off.
- Obvolu'tus-a-um (Zool. Bot.) *Lat.* folded, tied about; *e. g.*, *Helix obvoluta*.
- Oca'lea (Ent.) *οκείλλια*, to run aground; a genus of Coleoptera.
- Occidenta'lis-e (Zool., Bot.) *Lat.* western, relating to the west, with particular reference to America.
- Ocea'nia } Zool. { *ώκεανός*, oceanus, the ocean; a genus and family  
Ocea'nidæ } of Medusæ.
- Ocella'ria (Fos. Zool.) *ocellus*, a little eye; a fossil Zoophyte of the chalk.
- Oce'anus (Zool.) same derivation; a genus of Nautilidæ.
- Ocellu'tus-a-um (Zool., Ent.) *Lat.* covered with eye-like spots.
- Ocellu'ria (Bot.) *ocellus*, a little eye; a genus of Lichenes.
- O'celot (Zool.) *ocellus*, a little eye, from the beautiful eye-like markings of the fur.
- Ochanopa'ypus (Bot.) *ἰχηρός*, a leather strap, *πάππως*, the down on seeds; a genus of Composite.
- Ocheto'phila (Bot.) *ἰχηρός*, a ditch or canal, *φιλία*, to love; a genus of Rhamnaceæ.
- Och'na (Bot.) Greek name of the wild pear, to which it has some resemblance. The typical genus of Ochnaceæ.
- Ochna'ceæ (Bot.) the Button-flower family of plants, of which *Ochna* is the type.

- Ochra'ceus-a-um** (Ornith., Bot.) ὄχραῖος, pale-yellow, *e. g.* *Campephaga ochracea*.
- Ochrade'nus** (Bot.) ὄχρεός, pale-yellow, ἀδάνη, a nut or acorn: a genus of *Resedaceæ*.
- Ochran'the** (Bot.) ὄχρις, pale-yellow, ἀνθος, a flower; a genus of *Cunoniaceæ*.
- Ochrea'ta** (Ent.) *ochreus*, ochre-yellow.
- Ochroca'rpus** (Bot.) ὄχρις, pale-yellow, καρπός, fruit; a genus of *Clusiaceæ*.
- Ochroceph'alus-a-um** (Ornith.) ὄχρις, pale-yellow, κεφαλή, head; yellow-headed, *e. g.* *Muscicapa ochrocephala*.
- Ochroleu'cus-a-um** (Ent., Bot., Ornith.) ὄχρολευκός, yellowish-white, *e. g.* *Sylvia ochroleuca*.
- Ochro'ma** (Bot.) ὄχρις, fallow; a genus of *Sterculiaceæ*.
- Ochroptera'lis** (Ent.) ὄχρις, pale-yellow, πτερά, wings.
- Ochro'pteris** (Bot.) ὄχρις, pale-yellow, πτίς, a fern; a genus of *Poly-podioid Filices*.
- Och'ropus** (Ornith.) ὄχρις, pale-yellow, πόδις, foot.
- Ochrosan'thus** (Bot.) ὄχρις, pale-yellow, ἀνθος, a flower; a section of the genus *Goodenia*.
- Ochro'sia** (Bot.) ὄχρις, pale-yellow.
- Ochro'stoma** (Bot.) ὄχρις, pale, στόμα, a mouth.
- Ochrox'ylium** (Bot.) ὄχρις, pale-yellow, ξύλον, wood; a genus of *Xanthoxylaceæ*, now included in *Xanthoxylon*.
- O'chrus** (Bot.) ὄχρις, pale; referring to its pale muddy-coloured flowers.
- Oehsenheim'e'ria** (Ent.) P. N. in honour of *Ferdinand Oehsenheimer*, who died in 1822.
- Oehthoco'smus** (Bot.) ὄχρις, pale-yellow, κοσμος, an ornament; a genus of *Ternströmiaceæ*.
- O'cimum** (Bot.) same as *Ocimum*, q. v.
- Ocke'nia** (Bot.) P. N. in honour of the celebrated *Oken*; a genus of *Rutaceæ*, now included in *Adenandra*.
- Ocnero'stoma** (Ent.) ὄνυχος, uñeleñs, στόμα, the mouth.
- Oe'nus** (Zool.) ὄνεις, hesitation, sluggishness.
- O'crea** (Bot.) *Lut. ocrea*, a boot; the name applied to the united stipules which form a sheath round the stem in the family *Polygonaceæ*.
- Ootac'tis** (Zool.) ὅτατη, eight, ἀκτίς, a ray.
- Octade'nia** (Bot.) ὁκτώ, eight, ἀδάνη, a gland or acorn; a genus of *Cruciferæ*.
- Octa'ndria** (Bot.) ὁκτώ, eight, ἀνδρίς, ἀνδρίς, a male; having eight stamens.

- Octarillum (Bot.) ὀκτά, eight, *arillus*, a seed-covering; a genus of Santalaceæ.
- Octa'via (Bot.) P. N., a genus of Cinchonaceæ.
- Octavia'na (Bot.) P. N., a genus of Fungi.
- Octhe'bius (Ent.) ὀκθή, a bank or shore, βίω, to live; a genus of Coleoptera.
- Occho'dium (Bot.) ὁχθόης, warted; referring to the surface of siliques.
- Octoble'pharum (Bot.) ὀκτά, eight, βλίφερον, the eyelid; a genus of Bryoid musci.
- Octobo'thrium (Zool.) ὀκτώ, eight, θόρος, a pit, having four cup-shaped depressions on each side of the body; a genus of Entozoa.
- Otodoi'ceras (Bot.) ὀκτά, eight, δίκερος, a double-horn; a genus of Bryoid musci.
- Oc'todon (Bot.) ὀκτά, eight, οδούς, οδόντος, a tooth; a genus of Cinchonaceæ.
- Oc'todon (Zool.) ὀκτά, eight, δόντος, δόντης, a tooth; a genus of Rodent animals.
- Octog'yria (Bot.) ὀκτά, eight, γυνή, a female; having eight pistils.
- Octome'ria (Bot.) ὀκτά, eight, μερίς, a part.
- Octo'meris (Zool.) ὀκτά, eight, μερίς, a part; a genus of Cirripedes.
- Octonoculi'na (Zool.) octo, eight, *oculus*, an eye; a tribe of Spiders.
- Octo'pera (Bot.) ὀκτά, eight, μέρος, an extremity; a section of the genus *Erica*.
- Ocophyl'lus-a-um (Bot.) ὀκτά, eight, φύλλον, leaf, e. g. *Aralia octophylla*
- Ocopicla'tus-a-um (Zool.) Lat. eight-folded.
- Ocotoptery'gius-a-um (Zool.) ὀκτά, eight, πτερόν, πτερυγος, a wing or fin.
- Octopodi'dæ} } (Zool.) { ὀκτά, eight, πόδις, πόδος, a foot; the Sea-spiders;
- Oc'topus } } a family and genus of Cephalopods.
- Oculat'u's-a-um (Zool.) Lat. having eyes, or eye-like spots, e. g. *Cellepora oculata*.
- Ocu'lea (Ent.) *oculus*, an eye; on account of the conspicuous stigma.
- Oculi'ferus-a-um (Zool.) *oculus*, an eye, *fero*, to bear; e. g. *Emys acutifera*.
- Oculi'na (Zool.) *oculus*, an eye; a genus of Corals; *O. virginea* is the common White-branched coral.
- Oculi'nus-a-um (Zool.) Lat. full of eyes, or eye-like spots.
- Ocy'alus (Ornith.) ὁκύαλος, swift.
- Ocy'dromus (Zool.) ὁκὺς, quick, ὀφέλεας, flight, escape; applied to the Kangaroo.
- O'cymum (Bot.) ὄξω, to smell, it has a powerful scent; Basil; a genus of fragrant Labiateæ.
- O'cyphaps (Ornith.) ὁκύς, swift, φάγη, a wild pigeon.

- Ocy'poda (Zool.) ἀκύς, swift, ποδός, foot; a genus of Crustacea.
- Ocy'ptera (Ent.) ἀκύς, swift, πτήση, wing, a genus of Diptera.
- Ocy'pterus (Ornith.) same derivation; a genus of the Laniadæ.
- O'cypus (Ent.) ἀκύς, swift, ποδός, foot; a genus of Coleoptera.
- O'cys (Ent.) ἀκύς, swift; a genus of Coleoptera.
- Ocythoë (Zool.) P. N. in Mythology; a genus of Mollusca.
- Odaca'ntha (Ent.) ὄδαξ, biting, ἀκάνθα, a spine; a genus of Coleoptera.
- Odax (Ichth.) ὄδαξ, biting.
- Odone'ctis (Bot.) ὁδός, a path, νικτης, a swimmer; a genus of Orchidaceæ.
- Odones'tis (Ent.) according to Agassiz, ὄδοντος, a tooth, νῆστος, hunger; perhaps from its voracity.
- Odontade'nia (Bot.) οδούς, οδόντος, a tooth, ἀδήνη, a gland or acorn; a genus of Apocynaceæ.
- Odontanthe'ra (Bot.) οδούς, οδόντος, a tooth; anthera; a genus of Asclepiadaceæ.
- Odontarrhe'na (Bot.) οδούς, οδόντος, a tooth, ἄρπη, a male (stamen); having toothed stamens; a genus of Cruciferæ.
- Odontas'pis (Fos. Zool.) οδούς, οδόντος, a tooth, ἀσπίς, a buckler; a genus of Shark-like Fishes, so termed from the buckler-like aspect of their teeth, the only portions yet known.
- Odonte'lla (Bot.) οδούς, οδόντος, a tooth, with diminutive terminal; a genus of Algæ.
- Odontha'lia (Bot.) οδούς, οδόντος, a tooth, θελλάς, a shoot; a genus of Cryptogamia.
- Odonti'dium (Zool.) οδούς, οδόντος, a tooth, εἰδός, likeness; a genus of Infusoria.
- Odo'ntia (Ent.) οδούς, οδόντος, a tooth; from the toothed streaks and marks upon the wings.
- Odo'ntia (Bot.) οδούς, οδόντος, a tooth; a genus of Fungi.
- Odon'tidæ (Ent.) the family of which *Odontia* is the type.
- Odonti'tes (Bot.) οδούς, οδόντος, a tooth; specific name of a species of *Bartsia*.
- Odontoca'rya (Bot.) οδούς, οδόντος, a tooth, κάρπων, a nut, i. e., having indented nuts; a genus of Menispermaceæ.
- Odontocy'clus (Bot.) οδούς, οδόντος, a tooth, κύκλος, a circle; a genus of Cruciferæ.
- Odonto'des (Ent.) the genus *Odontia*, εἶδος, likeness.
- Odontodis'cus (Zool.) οδούς, οδόντος, a tooth, δίσκος, a round plate; a genus of Infusoria.

- Odontoglos'sum** (Bot.) ὀδούς, οδόντις, a tooth, γλώττα, a tongue, alluding probably to the crest of the labellum.
- Odontogna'tia** (Bot.) ὀδούς, οδόντος, a tooth, γεύθει, a mouth; a genus of Compositeæ.
- Odontogna'thus** (Ichth.) ὀδούς, ὀδόντος, a tooth, γεύθει, a mouth; a genus of Clupeoid Fishes.
- Odontole'pis** (Bot.) ὀδούς, οδόντος, a tooth, λεπίς, a scale; a genus of Compositeæ.
- Odonto'logy** (Zool.) ὀδούς, οδόντος, a tooth, λόγος, a discourse.
- Odontolo'ma** (Bot.) ὀδούς, οδόντος, a tooth, λωμα, a fringe; a genus of Compositeæ.
- Odontolo'phus** (Bot.) ὀδούς, οδόντος, a tooth, λόφος, a crest; a genus of Compositeæ.
- Odon'tomus** (Zool.) ὀδούς, ὀδόντος, a tooth, τόμη, a cutting; a genus of Colubrine ophidians.
- Odontone'ma** (Bot.) ὀδούς, οδόντος, a tooth, νήμα, thread; a genus of Acanthaceæ.
- Odon'tonyx** (Ent.) ὀδούς, οδόντος, a tooth, ονυξ, a claw.
- Odonto'pera** (Ent.) ὀδούς, οδόντος, a tooth, πίπας, an end, a boundary; the margin of the wings being toothed.
- Odontope'talum** (Bot.) ὀδούς, οδόντος, a tooth, πέταλον, a leaf; a section of the genus *Monsonia*, Nat. Ord. Geraniaceæ.
- Odontophy'lum** (Bot.) ὀδούς, οδόντος, a tooth, φύλλον, a leaf; a genus of Compositeæ.
- Odonto'ptera** (Bot.) ὀδούς, οδόντος, a tooth, πτερόν, a wing; a genus of Compositeæ.
- Odonto'pteris** (Bot.) ὀδούς, οδόντος, a tooth, πτερίς, a fern; a genus of Polypodioid Filices; also applied to a genus of fossil Ferns, from the blunt tooth-like lobes of their leaflets.
- Odontoschi'sma** (Bot.) ὀδούς, οδόντος, a tooth, σχίσμα, a division; a genus of Jungermanniaceæ.
- Odonto'soria** (Bot.) ὀδούς, οδόντος, a tooth, σωρός, a heap, i. e. the *fori*; a genus of Polypodioid Filices.
- Odontospe'rnum** (Bot.) ὀδούς, οδόντος, a tooth, σπίρνει, feed; a genus of Compositeæ.
- Odontostem'ma** (Bot.) ὀδούς, οδόντος, a tooth, στίμμα, a wreath; a genus of Caryophyllaceæ.
- Odontosty'lis** (Bot.) ὀδούς, οδόντος, a tooth, στῦλος, a pillar, i. e., a style; a genus of Orchidaceæ.

- Odonto'trichum** (Bot.) οδούς, οδότρος, a tooth, θρίξ, τρίχος, hair; a genus of Compositeæ.
- Odosto'mia** (Zool.) οδούς, a tooth, στόμα, a mouth; a genus of Mollusca.
- Ody'nerus** (Ent.) ὀδυνέρος, painful, alluding to the sting; a genus of Hymenoptera.
- Œcanthus** (Ent.) οἴκος, a house, ἄνθος, a flower; from the circumstance of this American species of cricket living among flowers and not upon the ground.
- Œcoeloclades** (Bot.) οἰκοῦσις, domestic, κλάδος, a branch; a genus of Orchidaceæ.
- Œchmea** (Bot.) same as *Echmea*, which latter is the correct spelling.
- Œcist'es** } (Zool.) οἰκοστής, a colonizer; genera of Infusoria.
- Œcisti'na** } (Zool.) οἰκοστήν, a colonizer; genera of Infusoria.
- Œco'doma** (Ent.) οἰκοδόμος, a house-builder; a genus of Ants.
- Œcoge'nia** (Ent.) οἰκογενής, born in the house; the moth occurs in houses.
- Œco'phora** (Ent.) οἴκος, a house, φέρει, to carry; the Cage-bearers.
- Œda** (Ent.) οἶδος, a swelling; a genus of Homoptera.
- Œdeme'rā** } (Ent.) οἴδος, a swelling, μηρός, the thigh; a genus and  
**Œdeme'ridæ** } family of Coleoptera.
- Œde'mium** (Bot.) οἴημα, a tumour; a genus of Fungi.
- Œde'ra** (Bot.) P. N. in honour of *George Eder*, a Dane, Professor of Botany at Copenhagen; a genus of Compositeæ.
- Œde'ria** (Bot.) οἰδίω, to swell; a genus of Compositeæ.
- Œdiene'mus** (Ornith.) οἰδίω, to swell, κνήμη, the leg; the Thick-knee.
- Œdipa'chne** (Bot.) οἴδος, a swelling, ἄχυν, chaff (awn); a genus of Graminae.
- Œdi'poda** (Ent.) οἰδίω, to swell, ποῦς, ποδός, a foot; a genus of Orthoptera.
- Œdipoda'lis** (Ent.) οἰδίω, to swell, ποῦς, ποδός, the foot.
- Œdipo'dium** (Bot.) οἰδίω, to swell, ποῦς, ποδός, the foot; a genus of Cryptogamia.
- Œhlmanni'la** (Ent.) P. N. in honour of *Æhlmann*, an Entomologist of Leipsic, the discoverer of the species.
- Œnan'the** (Bot.) οἴος, wine, ἄνθος, flower; alluding to the odour; a genus of Umbelliferæ. The οἰάθη of Theophrastus and Dioscorides was probably **Œnanthe** pimpinelloides.
- Œnas** (Ornith.) the Greek name of a wild pigeon, of the colour of ripening grapes, from οἴος, wine; now used as the specific name of the Stock-dove.

- G**enec'tra (Ent.) *γενής*, the vine, *τρίβειν*, to destroy.
- G**enocar'pus (Bot.) *οἶνος*, wine, *καρπός*, fruit; a genus of South American Palms.
- G**enoph'ila (Ent.) *οἶνος*, wine, *φίλος*, loving; found in wine-cellars, the larva feeding on the corks of the bottles.
- G**enothe'ra (Bot.) *οἶνος*, wine, *θῆμα*, a catching; the Evening Primrose; so-named because the roots are said to smell like wine; and the ancients supposed that, when mixed with drink, they possessed the power of calming the most ferocious animals. Our *Gentiana* is not the genus to which Theophrastus applied the name, being wholly American.
- G**e's'trus (Ent.) *οἴστρος*, the Gad-fly or Breeze-fly; a genus of Diptera.
- G**ethra (Zool.) etymology obscure; a genus of Crustacea.
- O**goerostyl'us (Bot.) *ογκοφύτευσις*, swollen, *στῦλος*, a pillar (style); a genus of Compositeæ.
- Ogcoso'ma (Ent.) *σύνοσις*, bent, *πώμα*, body; should be *Oncosoma*.
- Ogie'r'a (Bot.) P. N., a genus of Compositeæ.
- O'gilfa (Bot.) P. N., a genus of Compositeæ.
- Ogy'gia (Fos. Zool.) P. N. from *Ogyges*, the Greek monarch; a genus of Silurian trilobites.
- Ohlendor'fia (Bot.) P. N., a genus of Scrophulariacæ.
- Oiceopto'ma (Ent.) *οἰκεῖος*, domestic, *πτωμα*, calamity.
- Oide'mia (Ornith.) *οἴδημα*, a swelling; it should be *Edemias*; a genus of Ducks.
- O'i'dium (Bot.) *οἴδειν*, to swell; from its wonderful power of rapid growth; a genus of parasitic Fungi.
- Oiosper'mum (Bot.) *οἶος*, alone, *πιπίμα*, seed; a genus of Compositeæ.
- O'lax (Bot.) *ἄλαξ*, a furrow, referring to the flowers; typical genus of Olacaceæ.
- Oldenbur'gia (Bot.) P. N., a genus of Compositeæ.
- Oldenia'ndia (Bot.) P. N., given by Linnaeus in honour of *H. B. Oldenland*, a Dutch Naturalist, who travelled in Africa.
- Oldha'mia (Fos. Zool.) P. N. in honour of Professor *Oldham*, of Dublin; a genus of Silurian zoophytes or polyzoa.
- Olea (Bot.) *ἰλαία*, the Olive-tree, which was sacred to Athena; the typical genus of Nat. Ord. Oleaceæ.
- Olea'ceæ (Bot.) the natural family of plants of which *Olea* is the type.
- Olea'ster (Bot.) *Lat.* the Wild Olive-tree; the *Elaeagnus*.
- Olera'ceus-a-um (Bot.) *Lat.* resembling herbs (from *olus*, cabbage, colewort): Areca *oleracea*, the cabbage-palm of the West Indies has

acquired its name from the practice of cutting off the young buds and cooking them like coleworts.

**Olfe'rsia** (Bot.) P. N., a genus of Polypodioid Filices.

**Oliga'crion** (Bot.) ολίγος, few, ἄκρος, a summit; a genus of Compositæ.

**Oligac'tis** (Bot.) ολίγος, few, ἀκτίς, a ray; a genus of Compositæ.

**Oligac'tis** (Zool.) ολίγος, few, ἀκτίς, a ray.

**Oligan'dra** (Bot.) ολίγος, few, ἀνήρ, ἀρδεός, a male (stamen); a genus of Compositæ.

**Oliga'nthera** (Bot.) ολίγος, few, ἄνθη, a blossom; a genus of Chenopodiaceæ.

**Oliga'nthes** (Bot.) ολίγος, few, ἄνθος, a flower; a genus of Compositæ.

**Oligarrhe'na** (Bot.) ολίγος, few, ἄρρεν, a male (stamen); a genus of Epacridaceæ.

**Oligoca'rpha** } (Bot.) { ολίγος, few, μαρπές, fruit; genera of Com-

Oligoca'rpus } (Bot.) { positæ.

**Oli'gocene** (Fos. Zool.) ολίγος, small, καινός, recent; applied by M. Beyrich to certain beds a little more recent than Eocene.

**Oligochæ'ta** (Bot.) ολίγος, few, χαίτη, a lock of hair; metaphorically, foliage: a genus of Compositæ.

**Olig'odon** (Zool.) ολίγος, few, οδούς, οδοντός, a tooth; a genus of Colubrine ophidians.

**Oligodo'ra** (Bot.) ολίγος, few, δῶρον, a gift; a genus of Compositæ.

**Oligogy'ne** (Bot.) ολίγος, few, γυνή, a female (pistil); a genus of Compositæ.

**Oligo'lepis** (Bot.) ολίγος, few, λεπίς, a scale; a genus of Compositæ.

**Oligo'meris** (Bot.) ολίγος, few, μερίς, a part; a genus of Resedaceæ.

**Oligophy'llon** (Bot.) ολίγος, few, φύλλων, leaf; a genus of Compositæ.

**Oligo'rhus** (Ichth.) ολιγωρία, to esteem lightly; Dr. Günther's name for a genus of Ctenoid Acanthopterous fishes.

**Oligosporus** (Bot.) ολίγος, few, σπόρος, seed; a genus of Compositæ.

**Oligostig'ma** (Ent.) ολίγος, small, στίγμα, a mark.

**Oli'gota** (Ent.) ολίγος, small.

**Oligothrix** (Bot.) ολίγος, few, θρίξ, hair; a genus of Compositæ.

**Oligo'trichum** (Bot.) ολίγος, few, θρίξ, τρίχος, hair; a genus of Bryoid Musci.

**Olin'dia** (Ent.) P. N., a town of South America, near Pernambuco.

**Olistophorus** (Ent.) ολισθεός, smoothness; a genus of Coleoptera.

**Oli've** (Zool., Bot.) *Lat.* the olive; in Zoology, a genus of Mollusca, popularly called the Olive-shell; in Botany, the Olive-plant.

- Oliva'ceus-a-um** (Bot.) *Lat.* olive-coloured; *e.g.*, *Muscicapa olivacea*, a fly-catcher.
- Olive** (Bot.) *Lat. oliva*, an olive-plant.
- Olive'ria** (Bot.) P. N. in honour of *G. A. Olivier*, a French botanist.
- Oliveto'rūm** (Ornith.) gen. pl. of *olivetum*, an olive-yard, that being the bird's frequent resort.
- Oli'veia** (Bot.) P. N., a genus of Fucoid Algae.
- Olme'dia** (Bot.) uncertain derivation; a genus of Artocarpaceæ.
- O'lōphrum** (Ent.) ὁλόφυτον, consisting all of one piece; a genus of Coleoptera.
- Olusa'trum** (Bot.) *olus*, a pot-herb, *ater*, black, alluding to the colour of the fruit; specific name of the Smyrnium *Olusatrum*, or "Alexanders;" a genus of Nat. Ord. Umbelliferæ.
- Oly'mpia** (Bot.) P. N., a genus of Hypericaceæ.
- Olyn'thia** (Bot.) ὄλυνθος, an unripe fig.
- Oly'ra** (Bot.) ὄλυρα, a kind of grain mentioned by Herodotus and others as food for horses, along with barley.
- Omalan'thus** (Bot.) ὄμαλός, smooth, ἄνθος, a flower.
- Omala'xis** (Zool.) ὄμαλός, smooth, *axis*; a genus of Mollusca.
- Oma'lia** (Bot.) ὄμαλός, level, smooth; a genus of Musci.
- Omal'i'dæ** } (Ent.) { ὄμαλός, level, smooth; a family and genus of Coleoptera.
- Oma'līum** } (Ent.) { Coleoptera.
- Oma'lipus** (Ent.) ὄμαλός, smooth, πόδις, foot; a genus of Coleoptera.
- Omali'sus** (Ent.) a genus of Coleoptera.
- Omalocli'ne** (Bot.) ὄμαλός, smooth, κλίνη, a couch; a genus of Compositæ.
- Omalop'lia** (Ent.) ὄμαλός, smooth, ὅπλον, armour; a genus of Coleoptera.
- Omaloth'e'ca** (Bot.) ὄμαλος, smooth, θήκη, a sheath; a genus of Compositæ.
- Oma'seus** (Ent.) ομάξ, the whole?
- Om'bria** (Fos. Zool.) ομέθησ, a shower of rain; a name formerly applied to fossil Sea-urchins, supposed to have fallen from heaven in showers.
- Ombrophy'tum** (Bot.) ὄμεθησ, a shower of rain, φυτόν, a plant; a genus of Balanophoraceæ.
- Omi'a** (Ent.) ὄμια, a projection as of a wing or shoulder.
- Omi'as** (Ent.) ὄμιας, broad-shouldered; a genus of Coleoptera.
- Omicron'a'ria** (Ent.) ομικρόν, the little o; the wings are marked with an o-like circle.
- Omio'des** (Ent.) resembling the genus *Omia*.
- Ommastre'phes** (Zool.) ὄμματον, the eye, στρέψω, to turn; a genus of Cephalopods

- Ommato'dium** (Bot.) ὄμματα,-ώντος, an eye, εἶδος, like; a genus of Orchidaceæ.
- Ommatoph'ora** } (Ent.) ὄμματα, eyes, φέρω, to carry.  
**Ommatopho'ridæ** }
- Omœ'a** (Bot.) ὄμοιος, resembling; a genus of Orchidaceæ.
- Omo'phlus** (Ent.) ὄμέφλοιος, bark-like; a genus of Coleoptera.
- Omophro'nides** (Ent.) ὄμέφρων, agreeing, united; a genus of Coleoptera.
- Omphala'ndria** (Bot.) ομφαλός, a dimple, ἀνάπη, ἀνδρός, a male (pistil); a genus of Euphorbiaceæ.
- Omphale'a** (Bot.) ομφαλός, the navel; having umbilicated anthers.
- Omphal'a'lia** (Bot.) ομφαλός, a navel, from the depression in the centre of pileus; a genus of Fungi.
- Omphali'dium** (Bot.) ομφαλός, a navel, εἶδος, likeness, from the many cavities; a genus of Lichenes.
- Omphal'i'um** (Bot.) ομφαλός, a navel; from the form of the fruit; a genus of Boraginaceæ.
- Omphalo'bium** (Bot.) ομφαλός, the navel, λοβός, a pod.
- Omphaloca'rpus** (Bot.) ομφαλός, a navel, κάρπος, fruit; a genus of Sapotaceæ.
- Omphaloca'ryon** (Bot.) ομφαλός, a knob or lop, καρύον, a nut; a genus of Ericaceæ.
- Omphaloco'cca** (Bot.) ομφαλός, a knob, κάκκος, a berry or kernel; a genus of Verbenaceæ.
- Omphalo'des** (Bot.) ομφαλός, a navel, εἶδος, like, referring to the seeds; a genus of Boraginaceæ.
- Omphalope'lta** (Zool.) ομφαλός, the navel, πτίλη, a light shield; a genus of Infusoria.
- Omphalo'phora** (Bot.) ομφαλός, a knob, φέρω, to carry; a genus of Musci.
- Omphalospo'ra** (Bot.) ομφαλός, a knob, σπέρμα, seed; a genus of Scrophulariaceæ.
- Omphalostig'ma** (Bot.) ομφαλός, a knob, στίγμα, a mark or spot (figma); a genus of Gentianaceæ.
- O'nagra** (Bot.) named from the wild as (ὄνος ἀγρίος;) probably because it was thought to feed on the plant; a genus now included in *Œnothera*.
- Onagra'ceæ** (Bot.) the natural family of plants of which *Onagra* is (or rather was) the type; the Fuchsia family.
- On'chus** (Fos. Zool.) σγύνειος, bent or hooked; applied by Agassiz to a genus of fossil Fishes.

- Oncid'ium** (Bot.) ὄγκιδην, a little tubercle : plants belonging to this genus have warts, tumours, or other excrescences at the base of the labellum ; a genus of Orchidaceæ.
- Oncine'ma** (Bot.) ὄγκος, a hook, νήμα, a filament ; a genus of Asclepiadaceæ.
- On'cinus** (Bot.) ὄγκινος, a hook ; a genus of Myrsinaceæ.
- Oncoby'rса** (Bot.) ὄγκος, a hook, βύρσα, a hide, a sheath ; a genus of Algæ.
- Oncocera** (Ent.) ὄγκος, a mass, κέρας, a horn ; the males have a mass of scales at the base of the antennæ.
- Oncoga'stra** (Bot.) ὄγκος, a hook, γαστήρ, belly ; a genus of Gesneraceæ.
- Oncome'ra** (Ent.) ὄγκος, a tumour, μηρός, the thigh ; a genus of Coleoptera.
- Oncophorus** (Bot.) ὄγκος, a hook, φέρω, to carry ; a genus of Musci.
- Oncorhi'nus** (Ent.) ὄγκος, a tumour, φίν, the snout ; a genus of Hymenoptera.
- Oncorhy'nchus** (Bot.) ὄγκος, a hook, πυγχός, a beak ; a genus of Scrophulariaceæ.
- Oncosperma** (Bot.) ὄγκος, a hook, σπίρου, seed ; a genus of Palmae.
- Oncosphe'nia** (Zool.) ὄγκος, a hook, σφήνη, a wedge ; a genus of Infusoria.
- Oncospo'rūm** (Bot.) ὄγκος, a hook, σπίρος, seed ; a genus of Pittosporaceæ.
- Oncoste'mum** (Bot.) ὄγκος, a hook, στήμα, the Greek form of stamen ; a genus of Myrsinaceæ.
- Oncostylis** (Bot.) ὄγκος, a hook, στῦλος, a pillar (style) ; a genus of Cyperaceæ.
- Oncotylus** (Bot.) ὄγκος, a hook, κατύλη, a cup ; a genus of Algæ.
- On'cus** (Bot.) ὄγκος, a hook ; a genus of Liliaceæ.
- Oneillia** (Bot.) P. N. in honour of Mr. O'Neill ; a genus of Algæ.
- Onichoga'lea** (Zool.) ὄνυξ, ὄνυχος, a nail or claw, galea, a helmet.
- Onion** (Bot.) from Fr. *oignon*, which perhaps from *unus*, one, the root having no offsets.
- Onis'cus** (Zool.) ὄνισκος, the wood-louse.
- Onobro'ma** (Bot.) ὄνος, an ass, θρῆμα, food ; asses are fond of it.
- Onobry'chis** (Bot.) ὄνος, an ass, βρύχω, to gnaw ; in allusion to the fondness of cattle for these plants ; Saint-foin ; a genus of Leguminosæ.
- Onochi'lus** (Bot.) ὄνος, an ass, χεῖλος, a lip ; formerly applied to the Alkanet.
- Onocle'a** (Bot.) ὄνος, a vessel, κλείω, to enclose ; a genus of Filices.

- Onocro'talus** (Ornith.) ὄνος, an *afs*, *κρόταλον*, a creaking ; applied by Pliny to a marsh-bird, which was thought to bray like an *afs*, perhaps the Bittern.
- Ono'nis** (Bot.) ὄνος, an *afs*, ὀνίημι, to delight ; Rest-harrow ; a genus of Leguminosæ.
- Onopox** (Bot.) ονίνυξ, was the name of some unknown plant mentioned by Theophrastus ; a genus of Compositæ.
- Onopor'dum** (Bot.) ὄνος, an *afs*, *πίρδομαι*, *pedere* ; the Cotton-thistle ; a genus of Compositæ.
- Ono'pteris** (Bot.) literally “*afs's-fern*,” from *ονος*, an *afs*, *πτερίς*, fern ; a genus of Polypodioid Filices.
- Onos'ma** (Bot.) ὄνος, an *afs*, ὁσμή, smell, from the supposition that these plants are grateful to that animal ; a genus of Boraginaceæ.
- Onosmo'dium** (Bot.) the genus *Onosma*, οἴδος, likeness.
- Ontho'phagus** (Ent.) ὄνθος, dung, φάγω, to eat ; a genus of Coleoptera.
- Ontho'philus** (Ent.) ὄνθος, dung, φιλέω, to love ; a genus of Coleoptera.
- Ony'chium** (Bot.) ονυξ-υχος, a claw ; a genus of Polypodioid Filices.
- Ony'chius-a-um** (Zool.) *Lat.* shaped like a little claw.
- Onychogna'thus** (Ornith.) ὄνυξ-υχος, a claw, γνάθος, the jaw.
- Onycho'phis** (Zool.) ονυξ-υχος, a claw, φίδις, a snake ; the Claw-headed snake.
- Onychoteu'thidæ** } (Zool.) { ονυξ, a claw, τευθίς, a cuttle-fish ; a family
- Onychoteu'this** } (Zool.) { and genus of Mollusca.
- Onychothe'rium** (Fos. Zool.) ονυξ-υχος, a claw, θηρίον, a beast ; a genus of fossil Mammalia.
- Ony'gena** (Bot.) ονύξ, a hoof, γίνεται, offspring ; an exotic fungus found on buffaloes' horns.
- Cō'ardiūm** (Bot.) a genus of Desmidieæ.
- Ooce'phalus** (Bot.) οὐρά, an egg, κεφαλή, head ; a genus of Labiatæ.
- Oöcli'niūm** (Bot.) οὐρά, an egg-shaped cavity, κλίνω a couch ; a genus of Compositæ.
- Ooco'cua** (Bot.) οὐρά, an egg (shape) κοκκος, a berry ; a genus of Sapindaceæ.
- Oodes** (Ent.) οὐρά, egg-like, oval ; a genus of Coleoptera.
- Ooli'tes** (Fos. Zool.) οὐρά, an egg, λίθος, a stone ; fossil eggs.
- Oology** (Ornith.) οὐρά, an egg, λογος, discourse.
- Oomorphus** (Ent.) οὐρά, an egg, μορφή, shape ; a genus of Coleoptera.
- Oonops** (Ent.) οὐρά, an egg, ωψ, the face.
- Opa'dia** (Ent.) οπαδος, an attendant ; always flying with other species.
- Opala'lis** } (Ent.) { *opalus*, the opal, a gem ; from the various shades  
**Opaliza'lis** } (Ent.) { of colour on the wings.

Ope'grapha (Bot.) ὄπιγράφη, a chink, γράφω, to write ; a genus of Lichenes.

Opercul'a'ria (Bot.) operculum, a lid, in allusion to the calyx ; also a genus of Infusoria.

Opercul'a'ris-e (Zool.) furnished with an opercular bone, from *operculum*, a lid.

Opercul'i'na (Bot.) operculum, a lid ; a genus of Convolvulaceæ.

Oper'colum (Zool., Bot.) Lat. a cover or lid. In Zoology, applied to the calcareous or horny mouth-covering of some mollusca ; in Botany, chiefly applied to the lid covering the theca of mosses.

Ope'ticla (Bot.) οπήτιον, a little awl ; a genus of Cyperaceæ.

Opetiorh'y'nochus (Zool.) ὅπητηρος, an awl, βύγχος, a snout.

Ophe'lia (Bot.) P. N., a genus of Gentianaceæ.

Opheli'mus (Ent.) ὄφελλω, to increase.

O'phelus (Bot.) οφελός, helpful ; a genus of Sterculiaceæ.

Ophi'ala (Bot.) dim. from *ophis*, a serpent ; a genus of Ophioglossaceæ.

Ophi'deres { (Ent.) ὄφις, a serpent, δίζη, the neck.

Ophide'ridæ {

Ophi'dia (Zool.) ὄφις, a serpent, εἶδος, form or shape ; an order of Reptiles.

Ophidi'na (Ichth.) ὄφις, a serpent, with fam. term. ; a family of elongated Fishes.

Ophi'dioids (Ichth.) ὄφις, a serpent, εἶδος, likeness ; the Snake-like Fishes.

Ophi'dion (Ichth.) ὄφιδος, a little snake ; one of the Pipe-fishes.

Ophi'dium (Ichth.) ὄφις, a serpent, εἶδος, likeness ; a genus of Snake-like Fishes.

Ophioca'ryon (Bot.) οφις, a snake, κάρπων, a nut ; a genus of Sapindaceæ.

Ophioco'ma (Zool.) ὄφις, a serpent, κόμη, hair ; the Brittle-stars.

Ophiode'rma (Bot.) οφις, a snake, δέρμα, skin ; a genus of Ophioglossaceæ.

Ophio'des (Ent.) ὄφις, a serpent, εἶδος, appearance.

Ophiogloss'a'ceæ (Bot.) the natural order of plants of which *ophioglossum* is the type ; the Adder's-tongue family.

Ophioglos'sum (Bot.) ὄφις, a serpent, γλώττα, a tongue ; Adder's-tongue ; a genus of Filices.

Ophiogram'ma (Ent.) ὄφις, a snake, γραμμή, a line.

Ophio'logy (Zool.) ὄφις, a serpent, λόγος, a discourse ; equivalent to Herpetology.

Ophio'phagus (Zool.) οφις, a serpent, φάγω, to eat.

Ophio'pon (Bot.) οφις, a serpent, πάγων, a beard.

Ophiops (Zool.) οφις, a serpent, ωψ, resemblance ; a genus of Reptilia.

- Ophio'pteris** (Bot.) ὄφις, snake, πτερίς, fern; a genus of Polypodioid Filices.
- Ophiorhi'za** (Bot.) ὄφις, a serpent, πίζα, a root; Snake-root; a genus of Cinchonaceæ.
- Ophiocor'odon** (Bot.) ὄφιο-σκόρδον, or Wild garlic of Dioscorides.
- Ophiospe'rma** (Bot.) ὄφις, snake, σπίρμα, seed; a genus of Myrsinaceæ.
- Ophiosta'chys** (Bot.) ὄφις, a snake, σταχυς, a bunch (spike); a genus of Melanthaceæ.
- Ophio'xylon** (Bot.) ὄφις, a serpent, ξύλον, wood; because it has a twisted root and stems; or, as some think, because supposed to be an antidote to serpents' bites; a genus of Apocynaceæ.
- Ophisau'rurus** (Zool.) ὄφις, a serpent, σαῦρος, a lizard; the Glass-snake; a genus of Reptilia.
- Ophispe'rmum** (Bot.) ὄφις, a snake, σπίρμα, seed; a genus of Aquilariacæ.
- Ophister'non** (Ichth.) ὄφις, a serpent, στήπηρ, the breast; a genus of Serpentiform Fishes.
- Ophisu'raphis** (Ichth.) ὄφις, a serpent, οὐρά, tail, φαρις, a needle-shaped Sea-fish.
- Ophisu'ridæ** } (Ichth.) { a family and sub-family of Eel-like Fishes, of  
**Ophisuri'næ** } (Ichth.) { which *Ophichthus* is the type.
- Ophisu'rurus** (Ichth.) ὄφις, a serpent, οὐρά, a tail; a genus of Serpentiform Apodal Fishes.
- Ophi'tes** (Zool.) ὄφιτης, like a serpent; a genus of Colubrine ophidians.
- Ophiu'ra** } (Zool.) { ὄφις, a snake, οὐρά, a tail, so named from the long  
**Ophiu'ridæ** } (Zool.) { serpent or worm-like arms, which are appended to their round, depressed, urchin-like bodies; a genus and family of Echinodermata.
- Ophiu'rurus** (Bot.) ὄφις, a serpent, οὐρά a tail; a genus of Graminae.
- Ophryoscle'ria** (Bot.) ὄφρυς, a margin, σκληρός, hard; a genus of Cyperaceæ.
- Ophryospo'rus** (Bot.) ὄφρυς, a margin, σπόρος, seed; a genus of Compositæ.
- Oph'rys** (Bot.) ὄφρυς, an eyebrow; referring to fringe of inner sepals; a genus of terrestrial Orchidaceæ, including the Bee and the Fly orchis.
- Ophthal'mi'dium** (Bot.) ὄφθαλμός, an eye, ίδος, likeness; from the eye-like fructification; a genus of Lichenes.
- Ophthal'mobi'um** (Zool.) ὄφθαλμός, an eye, θέω, to live; specific name of a parasite found in the capsule of the eye.

- O'pilus (Ent.) etymology unknown; a genus of Coleoptera.
- Opisthocœlia (Fos. Zool.) ὄπισθε, behind, κοῖλος, hollow; vertebra concave behind, convex or flat in front.
- Opistho'comus (Ornith.) ὄπισθε, behind, κέρας, a lock of hair; having certain elongated feathers forming a crest which bends backwards.
- Opisthoglo'ssa (Zool.) ὄπισθε, behind, γλῶσσα, tongue; applied to certain Batrachians with a tongue adherent in front and more or less free behind.
- Opium (Bot.) ὄπιος, sap or juice: it was called by Dioscorides, μάκενος ὄπιος, juice of the Poppy.
- Opli'smenus (Bot.) ὀπλισμένος, part. of ὅπλιζω, to make ready; a genus of Gramine.
- Oplothe'ca (Bot.) ὄπλον, armour, θήση, a sheath.
- Opo'panax (Bot.) ὄπο-πάναξ, mentioned by Dioscorides and Pliny, from ὄπος, juice, *panax*, the plant yielding it; a genus of Umbelliferae.
- Opora'bia (Ent.) ὄπάρια, autumn, βίος, life; a genus of Lepidoptera.
- Oporan'thus (Bot.) ὄπώρα, autumn, ωρός, flower; a genus of Amaryllidaceæ.
- Opo'rins (Ent.) ὄπώρα, the autumn, from the time of its appearance; a genus of Lepidoptera.
- Opori'nia (Bot.) ὄπωρινός, autumnal; alluding to its time of flowering; a genus of Compositæ.
- Opospe'rnum (Bot.) ὄπιος, juice, σπερμα, seed; a genus of Alge.
- Opos'tega (Ent.) ὄψ, the face, στέγη, a roof; alluding to the large eye-caps; a genus of Lepidoptera.
- Opsa'zion (Ichth.) ὄψάριον, a little fish.
- Opsian'thus (Bot.) ὄψ, the eye, ωρός, flower; a genus of Onagraceæ.
- O'pus (Bot.) derivation doubtful; specific name of the Guelder-rose, *Viburnum Opulus*.
- Opun'tia (Bot.) it was plentiful near *Opus* (gen. *Opuntia*), a city of Locris; now applied to a genus of Cactaceæ.
- Opuntia'ceæ (Bot.) the family of plants of which *Opuntia* is (or rather was) the type; the Indian-fig family.
- Or (Ent.) from the letters *or*, supposed to be legible on the forewings.
- Oracan'thus (Fos. Ichth.) ὄπειος, hilly, ἄκαρθος, a spine; a genus of fossil Fin-spines.
- Orange (Bot.) altered from *Zatin aurantium*, which is from *aurum*, gold, in reference to its colour.
- Ora'ng-outan (Zool.) the Malay name for the Simia Satyrus, meaning "Man of the woods."

**Or'bea** (Bot.) *orbis*, an orb ; alluding to the flowers.

**Orbi'cula** (Zool.) *Lat.* a little orb ; a genus of Mollusca.

**Orbicula'ris-e** (Zool.) *Lat.* of rounded form.

**Orbiculi'na** (Zool.) *orbiculus*, a small orb or disk ; a genus of living and fossil Foraminifera.

**Orbig'nya** (Bot.) } P. N. in honour of the late celebrated French  
**Orbignya'nus** (Zool.) } naturalist, *M. D'Orbigny* ; in Bot. a genus of  
**Orbigny'ia** (Zool.) } Palmæ.

**Orbo'na** (Ent.) P. N., the goddess of parents who had lost their children.

**Orchesis** (Ent.) *Ὀρχησίς*, dancing ; a genus of Coleoptera.

**Orche'stes** (Ent.) *Ὀρχηστής*, a dancer ; a genus of Coleoptera.

**Orchida'ceæ** (Bot.) the *Orchis* family of plants.

**Orchi'dium** (Bot.) *Ὀρχίδιον*, dim. of *Ὀρχις*, *tufis* ; a genus of Orchidaceæ.

**Orchidoca'rpus** (Bot.) *orchis*, and *καρπός*, fruit ; orchis-fruited ; a genus of Anonaceæ.

**Orchidofu'nkia** (Bot.) compounded of *Orchis* and *Funkia* (a beautiful genus of Liliaceæ,) because it resembles both ; a genus of Orchidaceæ.

**Orchipe'da** (Bot.) *orchis* ; *pes*, *pedis*, a foot ; a genus of Apocynaceæ.

**Orchipe'dum** (Bot.) same derivation ; a genus of Orchidaceæ.

**Or'chis** (Bot.) *Ὀρχις*, *tufis* ; from the shape in some roots of terrestrial species ; typical genus of Nat. Ord. Orchidaceæ.

**Ore'a'des** (Bot.) P. N., a peculiar tribe of nymphs in Grecian mythology ; specific name of a fungus, *Agaricus Oreades* ; from its habit of growing in regular rings, popularly considered fairy rings.

**Orea'nthes** (Bot.) literally “ *oreas*-flowered ; ” a genus of Vacciniaceæ.

**O'reas** (Bot.) P. N., an Oread, or Mountain-nymph ; a genus of Cruciferæ ; also, in Zoology, a genus of Mammalia.

**Orectochel'i'lus** (Ent.) *Ὀρεκτόχελος*, stretched out, *χεῖλος*, lip ; a genus of Coleoptera.

**Oregu'ra** (Bot.) *Ὀργύω*, to stretch out, *οὐρά*, tail ; a genus of Orchidaceæ.

**Oreo'bolus** (Bot.) literally “ mountain-spread,” from *οὐρα*, mountain, and *βάλλω*, to throw at ; a genus of Gramina.

**Oreoca'l'lis** (Bot.) literally “ mountain-beauty,” from *οὐρα*, mountain, *καλλος*, beauty ; a genus of Proteaceæ.

**Oreo'charis** (Bot.) *οὐρα*, mountain, *χάρις*, grace or beauty ; a genus of Boraginaceæ.

**Oreochlo'a** (Bot.) *οὐρα*, mountain, *χλόα*, grass ; Mountain-grass ; a genus of Gramina.

- Oreoda'phne (Bot.) literally "mountain-laurel," from ὄψης, a mountain, δέρμη, a laurel; a genus of Lauraceæ.
- Oreodo'xa (Bot.) ὄψης, mountain, δέξα, credit; a genus of Palmæ.
- Oreoge'um (Bot.) ὄψης, mountain, and *Gum*; a genus of Rosaceæ.
- Oreoi'ca (Ornith.) ἔγεις, a chain of hills, οἰνίω, to inhabit.
- Oreomyr'rhis (Bot.) ὄψης, mountain, and *Myrrhia*, a genus of Umbelliferæ.
- Oreo'phila (Bot.) ὄψης, mountain, φιλίω, to love; a genus of Compositeæ.
- Oreo'phylax (Bot.) ὄψης, mountain, φύλαξ, a guardian; a genus of Gentianaceæ.
- Oreo'pteris (Bot.) ὄψης, a mountain, πτερίς, a fern; Sweet mountain-fern, or "Oreads' fern;" specific name of the Aspidium *Oreopteris*.
- Oreopy'ra (Ornith.) ὄψης, a mountain, πῦρ, fire; a genus of Humming-birds.
- Oreoscia'dium (Bot.) ὄψης, mountain, σκιάδης:ον, an umbrella or parasol, metaphorically an umbel; a genus of Umbelliferæ.
- Oreoseli'num (Bot.) "mountain-parley," from ὄψης, a mountain, στλήνω, parsley; a genus of Umbelliferæ.
- Oreose'ris (Bot.) ὄψης, mountain, σίρις, endive; a genus of Compositæ.
- Oreospo'rium (Bot.) ὄψης, mountain, σπλάνχνω, spleenwort; a genus of Saxifragaceæ.
- Oreothrau'pis (Ornith.) ὄψης, a mountain, θραυπίς, a little bird like the goldfinch; a genus of Tanagers.
- Oreotra'u'gus (Zool.) ὄψης, a mountain, τράγος, a he-goat.
- Oreotro'chilus (Ornith.) ὄψης, a mountain, *trochilus*, a humming-bird; Mountain Humming-bird.
- Orga'nica (Ornith.) this name was given by Mr. Gould from the resemblance of the bird's note to "the sounds of a hand-organ out of tune."
- Or'ganum (Zool.) arranged like the pipes of an *organ*.
- Orgyi'a (Ent.) ὄγγυια, the outstretched arm; from the insect's habit of extending the fore feet; a genus of Lepidoptera.
- Oriba'tidae (Zool.) ὄψης, a paling, βάτης, walking; a family of Arachnida: the Wood-mites.
- Orig'anum (Bot.) ὄψης, a mountain, γάρος, delight, referring to its habitation and odour; Marjoram; a genus of aromatic Labiatæ.
- Orioli'næ (Ornith.) a sub-family of Incessores, of which *oriolus* is the typical genus.
- Ori'olus (Ornith.) Latinized form of *Oriole*, which was probably given in imitation of the bird's cry.
- Ori'on (Ent.) P. N., the handsomest hunter of his race. (Hom. Odyss. v. 121, seq.); specific name of a butterfly.

- Orithy'ia** (Zool.) P. N., daughter of Erechtheus; a genus of *Crustacea*.
- Or'ium** (Bot.) ὄριον, a little hill, where it is chiefly found; a genus of *Cru-ciferæ*.
- Ormenis** (Bot.) ὄρμησος, a stem or stalk; a genus of *Compositæ*.
- Ormi'scus** (Bot.) ὄρμισκος, a small necklace; a genus of *Cruciferæ*.
- Ormocar'pus** (Bot.) ὄρμεος, a necklace; καρπός, fruit.
- Ormosia'dium** (Bot.) ὄρμεος, a necklace or collar; σκιδῶν, an umbrella; (metaphorically) an umbel; a genus of *Umbelliferæ*.
- Ormo'sia** (Bot.) ὄρμεος, a necklace, seeds were worn in necklaces; a genus of tropical *Leguminosæ*.
- Ormosole'nia** (Bot.) literally a “grooved necklace,” from ὄρμεος, a necklace, σαλήν, a channel; a genus of *Umbelliferæ*.
- Ornata'lis** (Ent.) *ornatus*, part. of *orno*, to adorn.
- Ornatissimus-a-um** (Zool.) *Lat.* superl. very much adorned.
- Orna'tus-a-um** (Ent., Bot.) *Lat.* adorned; *e. g.*, *Lupinus ornatus*.
- Ornithich'nites** (Fos. Ichth.) ὄρνις-ιθος, a bird, and ἵχνος, a foot-print; fossil Bird-foot-prints.
- Ornithichno'logy** (Fos. Zool.) ὄρνις-ιθος, a bird, ἵχνος, a foot-print, λόγος, a discourse; the science of fossil footmarks of Birds.
- Ornithid'iūm** (Bot.) ὄρνις-ιθος, a bird, εἶδος, likeness; the upper lip of the stigma is beak-like.
- Ornithoceph'alus** (Bot.) ὄρνις-ιθος, a bird, κεφαλή, a head.
- Ornithochoi'lus** (Bot.) ὄρνις-ιθος, a bird, χῖλος, a beak; a genus of *Orchi-daceæ*.
- Ornithogalum** (Bot.) ὄρνις-ιθος, a bird, γάλα, milk; the Star of Bethlehem.
- Ornithoglos'sum** (Bot.) ὄρνις-ιθος, a bird, γλῶσσα, a tongue.
- Ornithoi'des** (Zool.) ὄρνις-ιθος, a bird, εἶδος, likeness.
- Ornitholi'tes** (Fos. Zool.) ὄρνις-ιθος, a bird, λίθος, stone; a general term applied to fossil Birds.
- Ornitho'logy** (Ornith.) ὄρνις-ιθος, a bird, λόγος, a discourse; the Science of Birds.
- Ornitoptera'lis** (Ent.) ὄρνις-ιθος, a bird, πτερόν, a wing.
- Orni'thopus** (Bot.) ὄρνις ιθος, a bird, πόδης, a foot; claw-like pods; a genus of *Leguminosæ*.
- Ornithorhynch'ina** (Zool.) ὄρνις-ιθος, a bird, πίγχος, a beak.
- Ornithorhyn'cus-a-um** (Bot.) ὄρνις-ιθος, a bird, πίγχος, a beak; having the form of a bird's beak; the Duck-billed Platypus.
- Ornithoxan'thum** (Bot.) ὄρνις-ιθος, a bird, καρότης, yellow; a genus of *Lili-acceæ*.

Or'nix (Ent.) ὄψης, a bird; a genus of Lepidoptera.

Or'nus (Bot.) *Lat.* the Ash-tree; the Manna-ash; a genus of Nat. Ord. Oleaceæ.

Orobancha'ceæ (Bot.) the family of plants of which *Orobanche* is the type; the Broom-rape family.

Oroban'che (Bot.) ὄφελος, a kind of vetch, ἀγχω, to strangle, because it chokes or strangles the *Orobus*; the Broom-rape; typical genus of the parasitic order Orobanchaceæ.

Orobi'tis (Ent.) feeding on the vetch (*Orobus*); a genus of Coleoptera.

O'robus (Bot.) ὄφελος, the bitter vetch; *O. tuberosus* is supposed to be the Chara mentioned in Cæsar's Commentaries, on which, mixed with milk, the soldiers of Valerius' army subsisted during a scarcity of bread.

O'rodus (Fos. Ornith.) ἀραιός, beautiful, ὀδούς, a tooth; a beautiful genus of fossil Fish-teeth.

Orontia'ceæ (Bot.) the Sweet-flag family, of which *Orontium* is the type.

Oron'tium (Bot.) a Greek name adopted by Linnaeus; typical genus of the Nat. Ord. Orontiaceæ.

Oropé'tium (Bot.) ὄπος, mountain, πετε, to travel to; a genus of Gramina.

Oro'phanes (Bot.) ὄφας, mountain, φαίσις, brightnes; a genus of Ericaceæ.

Oro'pheas (Bot.) ὄφεψι, a roof-tree; a genus of Anonaceæ.

Orosta'chys (Bot.) ὄπος, mountain, στάχυς, a bunch, (spike); a genus of Crassulaceæ.

Oro'xylum (Bot.) "mountain-wood," from ὄφος, mountain, ξύλον, wood; a genus of Bignoniaceæ.

Or'ris-root (Bot.) *i. e.* Iris-root, (*Iris Florentina*.)

Orsoda'cna (Ent.) ὄροδάκνη, a name used by Aristotle for an insect which eats the buds of plants; a genus of Coleoptera.

Orte'gia (Bot.) P. N. in honour of C. G. de Ortega, a Spanish botanist.

Orthagoris'cus (Ichth.) ὄρθογορίσκος, a sucking-pig; the Sun-fish.

Orthan'thera (Bot.) ὄχθης, straight, ἀνθηές, flowery; a genus of Asclepiadaceæ.

Or'this } (Fos. Zool.) { ὄχθης, straight; genera of fossil Bivalves, occur-  
Orthisi'na } ring only in palæozoic strata.

Orthocan'thus (Fos. Zool.) ὄχθης, straight, ἀκανθα, a spine; a genus of fossil Fin-spines.

Orthocarpæ'a (Bot.) ὄχθης, straight, καρπός, fruit; a genus of Sterculiaceæ.

Orthoca'rpus (Bot.) same derivation; a genus of Scrophulariaceæ.

Orthoce'ntrum (Bot.) ὄχθης, straight; κίτρινον, a prickle; a genus of Compositeæ.

- Orthoceras** (Bot.) ὁρθός, straight, κίρας, a horn.
- Orthochætes** (Ent.) ὁρθός, straight, χαῖτη, bristle; a genus of Coleoptera.
- Orthoclada** (Bot.) ὁρθός, straight, κλάδος, a shoot or young branch; a genus of Graminae.
- Orthodanum** (Bot.) ὁρθός, straight, δανός, dry, parched; a genus of Leguminosæ.
- Orthonodon** (Bot.) ὁρθός, straight, οδούς, οδούτος, tooth; a genus of Bryoid Musci.
- Orthodontium** (Bot.) same derivation; a genus of Bryoid Musci.
- Orthogenys** (Ornith.) ὁρθός, straight, γίνεται, the jaw; a genus of Tanagers.
- Orthognathus** (Zool.) ὁρθός, upright, γνάθος, the jaw.
- Orthognathus** (Ent.) ὁρθός-γώνιος, rectangular.
- Orthogramma** (Ent.) ὁρθός, straight, γράμμα, a marking.
- Orthonotus** (Fos. Zool.) ὁρθός, straight, νῶτος, the back; also a genus of Mollusca.
- Orthoperus** (Ent.) ὁρθός, straight, κίρας, an extremity; a genus of Coleoptera.
- Orthoploceæ** (Bot.) ὁρθός, straight, πλακεῖ, a web; the cotyledons conduplicate, or longitudinally folded; a section of the Cruciferæ.
- Orthopogon** (Bot.) ὁρθός, straight, πέπων, a beard.
- Orthoptera** (Ent.) ὁρθός, straight, πτερόν, a wing.
- Orthopyxis** (Bot.) ὁρθός, straight, πυξίς, a box; a genus of Bryoid Musci.
- Orthoraphium** (Bot.) ὁρθός, straight, βάσφιον, dim. of βάσφις, a needle; a genus of Graminae.
- Orthorhynchus** (Ornith.) ὁρθός, straight, βυγχος, a beak; a genus of Humming-birds.
- Orthosia** (Bot.) ὁρθοσίς, straightness; a genus of Asclepiadaceæ.
- Orthosia** } (Ent.) { P. N., a surname of Diana. PIND. Olymp: iii. 54; a genus and family of Lepidoptera.
- Orthosiphon** (Bot.) ὁρθός, straight, σίφων, a tube; a genus of Labiatæ.
- Orthosporum** (Bot.) ὁρθός, straight, σπόρος, seed; a genus of Chenopodiaceæ.
- Orthostemon** (Bot.) ὁρθός, straight, στήματος, a spindle (stamen); a genus of Gentianaceæ.
- Orthotarsia** (Ent.) ὁρθός, straight, ταρίξια, a band; a genus of Lepidoptera.
- Orthotelia** (Ent.) ὁρθός, straight, τίλος, an end; a genus of Lepidoptera.
- Orthotheca** (Bot.) ὁρθός, straight, θήκη, a sheath; a genus of Bryoid Musci.
- Orthothecium** (Bot.) same derivation; a genus of Sterculiaceæ.
- Orthotomus** (Ornith.) ὁρθός, straight, τομή, a cutting; the Tailor-bird.

- Orthotrichum* (Bot.) ὁρθός, straight, θρίξ, τρίχος, hair; a genus of Musci.
- Orthotropis* (Bot.) ὁρθός, straight, τρίπτω, to turn; a genus of Leguminosæ.
- Orthrosanthus* (Bot.) ὥρθος, morning, ἥθος, a flower.
- Ortolan* (Ornith.) *Fr.* ortolan; *Ital.* ortulano; from *hortulanus*, relating to gardens, which it frequents; common name of the Emberiza *hortulana*.
- Ortygomeatra* (Ornith.) ὄρτυξ νύστη, a quail, μήτηρ, mother; "the mother of the quails," applied by Aristotle, Aldrovandus and others to the Corn-crake.
- Orytyx* (Ornith.) ὄρτυξ, a quail; a genus of American Birds, related to the partridge; the Collins.
- Orvala* (Bot.) French, *orval*, the herb Clary; specific name of a species of Dead-nettle, Lamium *Orvala*.
- Orychophragma* (Bot.) ὄρχοξ, a pickaxe, φράγμα, protection; a genus of Cruciferæ.
- Orycteroopus* (Zool.) ὄρυκτης, a digger, πόδις, a foot; antelope-footed; a genus of Mammalia.
- Orycterothrium* (Fos. Zool.) ὄρυκτης, dug up, θηρίον, a beast.
- Orycterus* (Zool.) ὄρυκτης, a digger; a genus of Rats.
- Oryctes* (Ent.) ὄρυκτης, a digger; a genus of Coleoptera.
- Oryctis* (Ent.) ὄρυκτης, a digger; a genus of Coleoptera.
- Oryctology* (Fos. Zool.) ὄρυκτος, dug up, λεγός, a discourse: the science of Extinct animals; almost displaced by Palæontology, q. v.
- Oryctophaga* (Ent.) *i. e.* eater, (φάγω, to eat) of the beetle *Oryctes*; spec. name of Scolia *oryctophaga*, a fossorial hymenopterous insect.
- Orygia* (Bot.) ὄρυγχη, a digging; a genus of Mesembryaceæ.
- Oryx* (Zool.) ὄρυξ, a gazelle or antelope, from ὄρύσσω, to dig up, on account of its pointed horns.
- Oryza* (Bot.) *Lat.* rice; *Arab.* *Oruz*; *Greek*, ὄρυζα; the rice plant; a genus of Cereal grasses.
- Oryzivorus-a-um* (Ornith.) *Lat.* rice-eating, *e. g.* Dolichonyx *oryzivorus*.
- Oryzopsis* (Bot.) *oryza*, rice, σχήμα, appearance; rice-like.
- Oryzornis* (Ornith.) ὄρυζα, the rice plant, (which from Arab. *oruz*) ὄρυξ, bird; the Rice-bird; a genus of Passeres.
- Osbeckia* (Bot.) P. N. in honour of *P. Obeck*, a Swedish clergyman and naturalist; a genus of Melastomaceæ.
- Oscillaria* (Bot.) *oscillum*, a swing; a genus of Algae.
- Oscillatoria* (Bot.) plants having an oscillatory or swinging motion; a genus of Algae.
- Osculifer* (Zool.) *Lat.* having a little mouth.

Osi'ris (Ent.) P. N., an Egyptian divinity; a genus of Hymenoptera.

Osmade'nia (Bot.) ὄσμη, fragrance, ἀδή, a gland; a genus of Compositæ.

Osma'nthus (Bot.) ὄσμη, fragrance, ἀθετος, a flower; a genus of Oleaceæ.

Osmeroi'des (Fos. Ichth.) σωμῆνος, the smelt, and εἶδος, likeness; a genus of fossil Fishes of the chalk, so named from their resemblance to the smelt.

Osme'rus (Ichth.) σωμῆνης, sweet-smelling; the Snielt.

Osmi'tes (Bot.) σωμῆ, perfume; it has a strong smell of Camphor.

Osmo'phytum (Bot.) σωμῆ, fragrance, φυτόν, a plant; a genus of Orchidaceæ.

Osmorri'za (Bot.) σωμῆ, fragrance, μίζα, root; a genus of Umbelliferæ.

Osmosole'ria (Bot.) σωμῆ, fragrance, σκληρός, hard; a genus of Graminae.

Osmotha'mnus (Bot.) σωμῆ, fragrance, θάμνος, a shrub; a genus of Ericaceæ.

Osmun'da } (Bot.) { (Sax.) *Osmund*, strength; a genus and family Osmunda'ceæ } of Filices.

Osmunda'ria (Bot.) having some resemblance to the Flowering-fern or *Osmunda*; a genus of Algæ.

Osmundi'a (Bot.) same derivation; a genus of Algæ.

Osmy'lus (Ent.) ὄσμιλος, strong-smelling; a genus of Neuroptera.

Osphe'an'ter (Zool.) ὄσφεατήριος, able to smell, sharp-smelling.

Osphe'ronius (Ichth.) ὄσφερόνιος, tracking by smell; the Gourami.

Ospriospo'rium (Bot.) ὄσπριον, pulle (shaped), σώγες, seed; a genus of Fungi.

O'sseus-a-um (Zool.) Lat. bony; composed of, or armed with, bone.

Osteole'ipis (Fos. Zool.) στειρίον, a bone, λεπίς, a scale; a genus of Ganoid Fishes, so called from the enamelled bony character of its scales.

Osteo'logy (Zool.) στειρίον, a bone, λέγος, a discourse; that which treats of the bony structures of the animals.

Osteome'les (Bot.) στειρίον, a stone or kernel of fruit, μῆλον, an apple; a genus of Pomaceæ.

Osteosper'mum (Bot.) στειρίον, a bone, σπερμάτης, seed; alluding to the hardness of the seed.

Osterdy'ckia (Bot.) P. N., a genus of Cunoniaceæ.

Ostracoc'o'cum (Bot.) ὄστρακον, a shell, κόκκος, berry; a genus of Fungi.

Ostraco'o'da (Zool.) ὄστρακον, a shell; an order of Entomostraca.

Ostracode'rma (Bot.) ὄστρακον, a shell, δέρμα, skin; a genus of Fungi.

Ostra'legus (Ornith.) *oſtreas*, an oyster, *lego*, to collect; e.g., *Hæmatopus oſtralegus*, the Oyster-catcher.

O'strea (Zool.) *oſtreas*, an oyster; the Oyster; a genus of bivalve Mollusca.

Ostreæfo'rmis-e (Zool.) *oſtreas*, an oyster, *formis*, shape; oyster-shaped.

O'strich (Ornith.) *French*, *aufſtriche*; *Latin*, *ſtruthio*.

Ostro'pa (Bot.) etymology unknown; a genus of Fungi.

O'strya (Bot.) *oſtręva* of *Theophrastus*, a tree with very hard wood; the Hop-hornbeam; a genus of *Corylaceæ*.

Ostryo'dium (Bot.) the genus *Oſtrya*, *oſtros*, likeness; a genus of Leguminosæ.

Oswa'lda (Bot.) P. N., a genus of Compositæ.

Osyri'cera (Bot.) the genus *Oſyris*, and *cera*, wax; a genus of Orchidaceæ.

Osy'ris (Bot.) *oſyris* of *Dioscorides*, a shrub with dark tough branches; Poets' Cassia; a genus of Santalaceæ.

Otach'yrium (Bot.) *oſs*, *oſtōs*, an ear, *oſkopos*, husk; a genus of Graminae.

Otan'dra (Bot.) *oſs*, *oſtōs*, an ear (shaped) *oſnē*, *oſtōs*, a male (stamen); a genus of Orchidaceæ.

Otan'thera (Bot.) *oſs*, *oſtōs*, an ear (shaped) *oſtēpōs*, flowery; a genus of Melastomaceæ.

Otan'thus (Bot.) *oſs*, *oſtōs*, an ear, *oſbos*, a flower; a genus of Compositæ.

Ota'ria (Zool.) *oſtrapēs*, large-eared; a genus of Seals with external ears.

Othon'na (Bot.) *oſtōnē*, linen; alluding to the downy clothing of the original plant; a genus of Compositæ.

Oti'na } (Zool.) { *oſs*, *oſtōs*, an ear; a genus and sub-family of Otiini'nae } { Mollusca.

Oti'nae (Ornith.) a sub-family of Birds, of which *Otis* is the type; the Bustards.

Otiorhyn'chus (Ent.) *oſtōs*, a little ear; *rhynchos*, a beak; a genus of Coleoptera.

O'tis (Ornith.) *oſtis*, a bustard; a genus of Birds.

Otoco'ris (Ornith.) *oſs*, *oſtōs*, the ear, *xépos*, a sprout; the bird has, above the forehead, on each side, a few elongated feathers, which it has the power of raising in the form of a pair of pointed ears.

Oto'cyon (Zool.) *oſs*, *oſtōs*, the ear, *xóon*, a dog; the Eared-dog.

O'togyps (Ornith.) *oſs*, *oſtōs*, the ear, *yúf*, *yunōs*, a vulture; a genus of Vultures.

Otolic'nus (Zool.) *oſs*, *oſtōs*, an ear, *līnos*, a shovel; a genus of Lemuræ.

Otop'teris (Fos. Bot.) ὄτος, ἀτός, an ear; πτίσις, a fern; alluding to the ear-shaped projection with which the bases of their leaflets are furnished.

Ot'ter (Zool.) *Anglo-Sax.* oter; *Dutch and Ger.* otter; common name of *Lutra vulgaris*.

O'tus (Ornith.) ὄτος, ἀτός, an ear; the Long-eared Bat.

Oude'ndon (Fos. Zool.) οὐδείς, none, οὐδούς, a tooth; the upper as well as lower jaws being quite or nearly without teeth.

Ounce (Zool.) common name of the *Felis uncia*; *Portug.* onça; *Ital.* lonza; *Sp.* onza; *Fr.* once; this last was formerly written *l'once*, and is evidently from *λύκη*, *Lat.* lynx.

Ou'tea (Bot.) a Carib name.

Ouviran'dra (Bot.) literally, "water-yam;" in the Malagasy and Polynesian languages, *ouvi* means yam, and *rano*, in the former, signifies water.—*Rev. W. Ellis.*—The Lattice-leaf plant.

Ova'lis-e (Zool. Bot.) *Lat.* egg-shaped, oval; *e. g.*, *Sphærium ovale*.

Ova'tus-a-um (Zool. Bot.) *Lat.* ovate, egg-shaped; *e. g.*, *Limnaea ovata*.

O'vebos (Zool.) *ovis*, a sheep, *bov*, a bull, an ox.

Ovifo'rmis-e (Zool. Bot.) *Lat.* egg-shaped.

O'vels (Zool.) *Lat.* a sheep.

Ovo'i dea (Zool.) *ovum*, an egg, εἴδος, likeness; egg-like.

O'vula (Zool.) *Lat.* a little egg; a genus of Mollusca.

Ovula'lia (Ent.) dim. of *ovum*, an egg.

O'weni (Zool.) P N. in honour of the celebrated anatomist and naturalist Professor *Richard Owen*, F.R.S.

Owl (Ornith.) *Lat.*, *ulula*, the screech-owl, from *ululo*, to howl or shriek; *owl* and *howl* are essentially the same words, the young of the owl being termed *howlets*, as remarked by Dr. Trench.

Oxa'a (Ent.) ὁξάς, sharp; a genus of Hymenoptera.

Ox'alis (Bot.) ὁξάς, sharp or sour, alluding to its qualities, Wood-sorrel; typical genus of Oxalidaceæ.

Oxyac'o tis (Bot.) ὁξάς, sharp, ἀκτίς, ray; the berries are disposed starwise; the Star or Bitter-pepper of China.

Oxyan'thus (Bot.) ὁξάς, sharp, ἀθρός, a flower.

Oxybaph'u's (Bot.) ὁξάς, sharp, θαφή, dye.

Oxybelus (Ent.) ὁξυβελής, sharp-pointed; a genus of Hymenoptera.

Oxycepha'lum (Zool.) ὁξάς, sharp, κεφάλη, head.

Oxyce'rea (Ent.) ὁξάς, sharp, κέρας, a horn; a genus of Diptera.

- Oxyco'cus (Bot.) ὄξυς, sharp, acid, κεκκος, a berry, from the sharp, acid taste of the berries; the Cranberry; a genus of Vacciniaceæ.
- Oxygna'thus (Ent.) ὄξυς, sharp, γνάθος, the jaw; a genus of Coleoptera.
- Oxyl'o'bium (Bot.) ὄξυς, sharp, λαβός, a legume or pod; a genus of Leguminosæ.
- Oxylo'phus (Ent.) ὄξυς, sharp, λέφος, a crest; a genus of Coleoptera.
- Oxynas'pis (Zool.) ὄξυνω, to sharpen, ἀσπίς, a shield; a genus of Cirripedes.
- Oxyno'pterus (Ent.) ὄξύνω, to sharpen, πτερόν, a feather (antennæ).
- Oxyno'tus (Ornith.) ὄξυς, sharp, νῶτος, the back; a genus of Laniadæ.
- Oxyo'mus (Ent.) ὄξυς, sharp, ὠμος, the shoulder; a genus of Coleoptera.
- Oxype'talum (Bot.) ὄξυς, sharp, πίταλον, a leaf (petal).
- Oxypo'da (Ent.) ὄξυς, sharp, ποῦς, ποδός, a foot; a genus of Coleoptera.
- Oxypo'gon (Ornith.) ὄξυς, sharp, πάγων, a beard; a genus of Humming-birds.
- Oxypo'rūs (Ent.) ὄξυς, sharp, πόρος, an opening; a genus of Coleoptera.
- Oxyrho'pus (Zool.) ὄξυρ-πότος, easily turned; a genus of Colubrine Ophidians.
- Oxyrhyn'ca (Zool.) ὄξυς, sharp, φύγχος, beak; a division of Crustacea.
- Oxyrhyn'cus (Ornith.) ὄξυς, sharp, φύγχος, a beak; a genus of Picidæ.
- Oxyrhyn'cus-a-um (Ichth.) ὄξυς, sharp, φύγχος, a snout, e.g., *Mormyrus Oxyrhyncus*.
- Oxy'ria (Bot.) ὄξυς, sharp; a genus of Polygonaceæ; *O. reniformis* is the Mountain-forrel.
- Oxystel'ma (Bot.) ὄξυς, sharp, στέλμα, a crown.
- Oxy'stoma (Zool., Ent.) ὄξυς, sharp, στόμα, mouth; in Zoology, a genus of Crustacea; in Entomology, a genus of Coleoptera.
- Oxyte'lidae { (Ent.) { ὄξυς, sharp, τέλος, extremity; a family and genus Oxy'telus } of Coleoptera.
- Oxy'tropis (Bot.) ὄξυς, sharp, pointed, τρόπις, a keel; a genus of Leguminosæ.
- Oxy'u'ra (Bot.) ὄξυς, sharp, οὐρα, tail; a genus of Composite.
- Oxy'u'ris (Ent.) ὄξυς, sharp, ωρα, tail; a genus of Entozoa.
- Oyster (Zool.) Anglo-Sax. *oſtra*; Latin, *oſrea*; Greek, ὄστραcon.
- Ozo'nium (Bot.) ὄξος, a branch; having branched filaments.
- Ozotham'nus (Bot.) οξος, a branch, θάμνος, a shrub.

- Pache'tra** (Ent.) *παχύς*, thick, *τροπή*, the abdomen ; a genus of Lepidoptera.
- Pachi'ria** (Bot.) etymology uncertain ; a genus of Sterculiaceæ.
- Pachi'tes** (Bot.) *παχύς*, thick ; a genus of Orchidaceæ.
- Pachno'bria** (Ent.) *πάχυν*, frost, *βίος*, life ; a genus of Lepidoptera.
- Pachnooy'be** (Bot.) *πάχυν*, hoar-frost, *κεφαλή*, a head.
- Pachycalyx** (Bot.) *παχύς*, thick, *καλύξ* ; a genus of Ericaceæ.
- Pachycar'pus** (Bot.) *παχύς*, thick, *καρπός*, fruit ; a genus of Algeæ.
- Pachyceen'tria** (Bot.) *παχύς*, thick, *κίνητος*, a prickle ; a genus of Melastomaceæ.
- Pachyceph'ala** (Zool.) *παχύς*, thick, *κεφαλή*, the head ; having a broad and shield-shaped head ; a tribe of Entomostracous Crustaceans.
- Pachyceph'ala** (Ornith.) *παχύς*, thick, *κεφαλή*, head ; the Thick-heads of Australia.
- Pachychilli** (Ichth.) *παχύς*, thick, *χειλός*, lip ; the Thick-lippers ; a division of Cyprinoid Fishes.
- Pachychi'lus** (Bot.) *παχύς*, thick, *χειλός*, a lip ; a genus of Orchidaceæ.
- Pachyne'mia** (Ent.) *παχύς*, thick, *κνήμη*, the leg ; a genus of Lepidoptera.
- Pachycor'mus** (Zool.) *παχύς*, thick, *κορμός*, a trunk.
- Pachycoor'mus** (Fos. Ichth.) *παχύς*, thick, *κορμός*, the trunk of a tree ; a genus of fossil Gonoid Fishes.
- Pachyden'dron** (Bot.) *παχύς*, thick, *δένδρος*, a tree.
- Pa'chiderm, Pachyder'mata** (Zool.) *παχύς*, thick, *δέρμα*, the skin ; an order of Mammalia.
- Pachyder'ma** (Bot.) *παχύς*, thick, *δέρμα*, skin ; a genus of Oleaceæ.
- Pachyder'ris** (Bot.) *παχύς*, thick, *δέρμα*, coat ; a genus of Compositæ.
- Pachy'dium** (Bot.) *παχύς*, thick ; a genus of Onagraceæ.
- Pachyg'a'ster** (Ent.) *παχύς*, thick, *γαστήρ*, the belly ; a genus of Diptera.
- Pachyglos'sæ, Pachyglos'sates** (Zool.) *παχύς*, thick, *γλώσσα*, a tongue.
- Pachygna'tha** (Ent.) *παχύς*, thick, *γνάθος*, the jaw-bone.
- Pachylæ'n'a** (Bot.) *παχύς*, thick, *λαίνα*, cloak or mantle ; a genus of Compositeæ.
- Pachylar'thrus** (Ent.) *παχύς*, thick, *άρθρος*, a joint.
- Pachyla'sma** (Zool.) *παχύς*, thick, *λαστίς*, a plate ; a genus of Cirripedes.
- Pachylo'bus** (Bot.) *παχύς*, thick, *λοβός*, pod ; a genus of Amyridaceæ.
- Pachyle'pis** (Bot.) *παχύς*, thick, *λεπίς*, scale ; a genus of Compositeæ.
- Pachylo'ma** (Bot.) *παχύς*, thick, *λόμα*, fringe ; a genus of Melastomaceæ.

- Pachylo'phis (Bot.) παχύς, thick, λίθος, tuft; a genus of Onagraceæ.
- Pachy'ma (Bot.) παχύς, thick, χυμός, juice; a genus of Fungi.
- Pachy'menes (Ent.) παχύς, thick, μήνος, strength of body; a genus of Hymenoptera.
- Pachyme'ria (Bot.) παχύς, thick, μέρις, fruit; a genus of Melastomaceæ.
- Pachy'na (Bot.) παχύνω, to thicken; a genus of Orchidaceæ.
- Pachyne'ma (Bot.) παχύς, thick, νήμα, a thread; having thick filaments.
- Pachyneu'ron (Ent.) παχύς, thick, νῦρος, rib, i. e. its neuration.
- Pachyneu'rūm (Bot.) παχύς, thick, νῦρος, a rib (neuration); a genus of Cruciferae.
- Pachy'notum (Bot.) παχύς, thick, νῶτος, back; a genus of Cruciferæ.
- Pachyphlæ'us (Bot.) παχύς, thick, φλοίος, bark, rind; a genus of Fungi.
- Pachyphra'gma (Bot.) παχύς, thick, φράγμα, a fence; a genus of Cruciferæ.
- Pachyphy'lum (Bot.) παχύς, thick, φύλλον, a leaf; a genus of Orchidaceæ.
- Pachyphy'tum (Bot.) παχύς, thick, φυτόν, plant; a genus of Crassulaceæ.
- Pachypleu'ria (Bot.) παχύς, thick, πλευρόν, rib; a genus of Polypodioid Filices.
- Pachypleu'rūm (Bot.) same etymology; a genus of Umbelliferae.
- Pachypo'dium (Bot.) παχύς, thick πόδιον, a little foot (peduncle); having thick footstalks.
- Pachy'ptera (Bot.) παχύς, thick, πτέρον, wing; a genus of Bignoniacæ.
- Pachy'pteris (Fos. Bot.) παχύς, thick, πτερίς, a fern; a genus of fossil Ferns.
- Pachy'pterum (Bot.) παχύς, thick, πτέρον, wing; a genus of Compositæ.
- Pachyptery'gium (Bot.) παχύς, thick, πτερύγιον, a little wing; a genus of Cruciferæ.
- Pachy'ptila (Ornith.) παχύς, dense, πτῖλον, a feather; a genus of Birds.
- Pachyrh'i'nus (Ent.) παχύς, thick, ρίνη, ρινός, a nose or snout.
- Pachyrh'i'zus (Bot.) παχύς, thick, ρίζα, root; a genus of Leguminosæ.
- Pachyry'ncus (Bot.) παχύς, thick, ρύγχος, beak; a genus of Compositæ.
- Pachyrhyn'cus (Ent.) παχύς, thick, ρύγχος, a snout or beak.
- Pachy'sa (Bot.) παχύς, thick; a genus of Ericaceæ.
- Pachysa'ndra (Bot.) παχύς, thick, ἄνθη, ἄνθρος, a man; having thick flammes; a genus of Euphorbiaceæ.
- Pachyspondy'lus (Fos. Bot.) παχύς, thick σπόδυλον, a vertebra.
- Pachyste'mon (Bot.) παχύς, thick, στήμα, a spindle (style); a genus of Euphorbiaceæ.

- Pachystig'ma (Bot.) παχύς, thick, στίγμα, (stigma) point ; a genus of Rutaceæ.
- Pachy'stoma (Zool.) παχύς, thick, στόμα, mouth ; from the inner edge of the mouth of the shell being thickened to support the operculum ; a genus of Molusca.
- Pachy'ta (Ent.) παχύτης, thickness, fatness.
- Pachythe'rium (Fos. Zool.) παχύς, thick, θηρίον, an animal ; a genus of fossil Mammalia.
- Pa'cos (Zool.) a Peruvian wood ; the specific name of the Llama.
- Pactola'lis (Ent.) πάκτολος, compact.
- Pade'llus (Ent.) feeding on the Bird-cherry, *Prunus Padus*.
- Padifoli'e'lla (Ent.) *Padus*, the Bird-cherry, *folium*, a leaf.
- Padi'na (Bot.) παδίνης, like the Bird-cherry, "Peacock-weed" ; a genus of Marine Algæ.
- Padine'llo (Bot.) dim. of *Padina* ; a genus of Algæ.
- Pa'dus (Bot.) πάδος, Lat. *padus*, a wild plum-tree ; the Bird-cherry ; a genus of Amygdalaceæ.
- Padero'ta (Bot.) a name applied by the ancients to a species of Acanthus.
- Pæ'derüs (Ent.) feeding on *Pæderia*, q. v.
- Pæde'ria (Bot.) παιδίσπειρα, the herb Bear's-foot, as if παιδῶν ἔρως, boys' love.
- Pædi'sca (Ent.) παιδίσκη, a maiden.
- Pælo'bius (Ent.) πηλός, mud, clay, βίος, to live.
- Pæo'nla (Bot.) P. N. from an ancient Physician, *Pæon* ; or perhaps, as suggested by Dr. Don, from *Pæonia*, a mountainous country of Macedonia ; a splendid genus of Ranunculaceæ.
- Paga'pate (Bot.) πάγος, rock, πατίω, to traverse ; a genus of Myrtaceæ.
- Page'llus (Ichth.) Lat. dim. of *pagina*, a leaf, alluding to its flatness.
- Pa'gina (Bot.) *pagina*, a page or leaf ; referring to flatness.
- Pago'phila (Ornith.) πάγος, a pointed rock, φιλίω, to love.
- Pa'grus (Ichth.) πάγος, a name applied by Pliny to a kind of sea-fish ; the Braize or Becker ; *P. unicolor* is the "schnapper" of Australia.
- Pagu'ma (Zool.) πάγος, a rock or cliff. (?)
- Pagu'rus, Pagu'ridæ (Zool.) πάγουρος of Aristotle, from πάγνυμι, to fix, ὄντα, a tail ; the Hermit-crab.
- Pa'jeros (Zool.) specific name of the Pampas cat. *Leopardus Pajeros*.

- Palaechi'nus, Palaechi'nidæ (Fos. Zool.) παλαιός, old, ἐχής, the Sea-urchin.
- Palaemo'nidæ (Zool.) P. N. from Palaemon, a sea-god; a genus of decapod Crustaceans.
- Palaecran'gon (Fos. Zool.) παλαιός, ancient, κράγων, a crab.
- Palaonis'cus (Fos. Zool.) παλαιός, ancient, ονίφος, a wood-louse.
- Palaento'graphy (Fos. Zool.) παλαιός, ancient, ὥν, a being, γράψω, to write.
- Palaento'logy (Fos. Zool.) παλαιός, ancient, ὥν, a being, λόγος, a discourse.
- Pala'eophis (Fos. Zool.) παλαιός, ancient, ὄφις, a serpent.
- Palaephoto'logy (Fos. Bot.) παλαιός, ancient, φύτον, a plant, λόγος, a discourse; a description of Fossil plants.
- Palaor'nis (Zool.) παλαιός, old, ὄρνις, a bird.
- Palaospa'lax (Fos. Zool.) παλαιός, ancient, σωλαλεξ, a mole.
- Palaethe'rium (Fos. Zool.) παλαιός, ancient, θηλον, an animal; a genus of extinct Pachyderms.
- Pala'o'xylon (Fos. Bot.) παλαιός, ancient, ξυλον, wood.
- Pala'saurus (Fos. Zool.) παλαιός, ancient, σάυπος, a lizard.
- Palaozo'ic (Fos. Zool.) παλαιός, ancient, ζωή, life: the term is now restricted to the lower secondary rocks.
- Palaøza'mia (Fos. Bot.) παλαιός, ancient, zamia, a genus of Cycadaceous plants; a genus of fossil Cycadeous plants.
- Pala'zo'ology (Fos. Zool.) παλαιός, ancient, ζωή, life, λόγος, a discourse; a discourse or treatise on extinct animals.
- Palafo xia (Bot.) P. N. in honour of General *Palafox*.
- Palamede'a } (Zool.) { παλάμη, the palm of the hand; a genus and  
Palamede'idæ } (Zool.) { family of Sea birds.
- Pala'pteryx (Fos. Zool.) παλαιός, ancient, ἀπτερυξ, wingless.
- Pala'quium (Bot.) altered from the native American name; the Butter-tree, or Bussia; a genus of Sapotaceæ.
- Palarus (Ent.) πάλη, fight, battle; a genus of Hymenoptera.
- Pala'va (Bot.) P. N., a genus of Malvaceæ.
- Pala'via (Bot.) P. N. in honour of *Palau y Verdera*, formerly a Professor at Madrid; a genus of Malvaceæ.
- Palea (Bot.) Lat. chaff, from πάλλω, to vibrate.
- Palea'ceus-a-um (Bot.) Lat. chaff-like.
- Palea'lis-e (Ent.) Lat. pertaining to chaff; straw-coloured.
- Pale'lynx (Fos. Zool.) παλαιός, ancient, Eryx, a family of serpents.

- Palichthyo'logy** (Fos. Zool.) *ωαλατίς*, ancient, *Ιχθύς*, a fish, *λόγος*, a discourse; the science of fossil Fishes.
- Palicou'ria** (Bot.) called *Le Palicour*, in Guiana.
- Palim'bia** (Bot.) *ωαλιμβίας*, living again; a genus of Umbelliferæ.
- Palin'dia** } (Ent.) { etymology uncertain; a genus and family of Lepi-  
**Palin'didae** } (Ent.) { doptera.
- Paliso'ta** (Bot.) P. N. in honour of *Palisot de Beauvais*, a celebrated French writer upon Grasses; a genus of Commelinaceæ.
- Paliurus** (Bot.) a Greek name adopted from Dioscorides. Our Saviour's crown of thorns is said to have been formed from the pliant branches of the *P. aculeatus*.
- Palla'sii** (Bot.) P. N. in honour of *Peter Simon Pallas*, an eminent German botanist and traveller in Russia; born in Berlin 1741, died 1811.
- Palla'veia** (Bot.) P. N., a genus of Nyctaginaceæ.
- Pallens** (Ent.) *Lat.* pale.
- Palle'scens** (Bot.) *pallēscere*, to grow pale, e. g., *Carex palleiens*.
- Pallescente'lla** (Ent.) *Lat. pallēscere*, to grow pale.
- Palliate'lla** (Ent.) *Lat. palliatus*, cloaked; referring to peculiarities of the pupa-cafe.
- Pallidula'lis** (Ent.) *pallidulus*, palish.
- Pal'lidus-a-um** (Bot.) *Lat.* pale-coloured.
- Palliobranchia'ta** (Zool.) *pallium*, a mantle, *branchiae*, gills.
- Pal'iuum** (Zool.) *Lat.* a mantle; applied to the mantle of bivalve Mollusca, which forms the depression on the internal surface of the shell, called the "pallial" impression.
- Pallore'lla** (Ent.) *Lat. pallor*, paleness.
- Palm** (Bot.) *Lat. palma*, *Fr. paume*, *Ital. palmo*
- Palma** (Bot.) doubtless from *palma*, the hand, to the digits of which the fruit of the Date-palm was compared, and whence also it obtained the name of Daftyifera.
- Palma'ceæ** (Bot.) the Nat. Ord. of which the Palm-tree is the type. This name should be written simply *Palmeæ*.
- Palmaci'tes** (Fos. Bot.) *palma*, the palm-tree; palm-like fossils.
- Palma'les** (Bot.) *palma*, the palm-tree; the great alliance of which the *Palmeæ* are the principal representatives.
- Palma'ria** (Bot.) *palma*, palm of the hand; a genus of Algae.
- Palma'ris-e** (Bot.) *Lat.* a palm's-breadth or span; also, palm-like.
- Palma'tus-a-um** (Zool., Bot.) *Lat.* palm-shaped, e. g., *Viola palmata*.
- Palmel'la** (Bot.) *ωαλμένης*, a shaking or quivering; a genus of Algae.

- Palmico'rnis (Ichth.) *palma*, a palm, *cornu*, a horn ; the Crested Blenny.
- Palmifo'lius-a-um (Bot.) *Lat.* palm-leaved.
- Pal'mipes, pl. Palmi'pedes, (Ornith.) *Lat.* palm-footed.
- Palmoglo'a (Bot.) *palma*, a palm, γλω̄ς, sticky ; a genus of Algae.
- Pal'mon (Ent.) παλμός, a quivering.
- Palpa'lis (Ent.) *palpus*, a feeler.
- Pal'pebræ Zool.) *Lat.* eye-lids.
- Palpe'lla (Ent.) from peculiarities of the *palpi*.
- Pal'pi (Ent.) *palpus*, a feeler.
- Palpi'na (Ent. from the large *palpi*.
- Paltono'phora (Bot.) ωλτόνη, a dart, φέρειν, to carry ; a genus of Algae.
- Palto'ria (Bot. a genus of Aquifoliaceæ.
- Paluda'na (Bot.) *palus-udis*, a marsh a genus of Zingiberaceæ.
- Palude'lla (Bot.) dim. from *palus-udis*, a marsh ; a genus of Bryaceæ.
- Palude'llus (Ent.) dim. from *palus-udis*, a marsh.
- Paludicel'la } (Zool.) { *palus-udis*, a marsh, *cella*, a cell ; a genus  
Paludicella'idae } and family of Polyzoa.
- Paludi'na } (Zool.) { *palus*, a marsh ; the Pond Snail ; a genus and  
Paludi'nidae } family of Mollusca.
- Paludo'sus-a-um (Bot.) *Lat.* marshy, e. g. Carex *paludosa*.
- Palu'dum (Ent.) gen. pl. of *palus*, a marsh ; i. e. "of the marshes."
- Palumba'ria } (Ent.) *palumba*, a dove ; i. e., dove-coloured.  
Palumbe'lla }
- Palu'mbus (Ornith.) *Lat.* a wood-pigeon.
- Palustra'lis }
- Palustra'na } (Ent.) *palyster*, marshy.
- Palustre'lla }
- Palustris-tre (Ent., Bot.) *Lat.* marshy.
- Paly'na (Ent.) ωλύνειν, to scatter ; a genus of Lepidoptera.
- Pampas-grass (Bot.) popular name of the *Gynerium argenteum*, from South America.
- Pam'phagus (Zool.) πάμφος, αγος, all-devouring.
- Pampha'lea (Bot.) πάμφαλεα, to look round ; a genus of Compositæ.
- Pamphi'lia (Bot.) πάμφιλος, beloved of all ; a genus of Styracaceæ.
- Pam'philus (Ent.) P. N. a Roman surname.
- Pamplu'sia (Ent.) παμπλούσια, very rich ; alluding to its markings.
- Panagæ'us (Ent.) παναγίας, sacred.
- Pana'gra (Ent.) παναγίας, quite wild ; a genus of Lepidoptera.

- Pa'nat** (Bot.) *ωάναξ*, a plant, the meaning of the word being "cure-all;" the Ginseng; a genus of Araliaceæ.
- Panæ'olus** (Bot.) *ωανεόλος*, variegated, sparkling; a genus of Algeæ.
- Panæ'tia** (Bot.) apparently from *ωανείτιος*, cause of all; a genus of Compositæ.
- Panca'lia** (Ent.) *ωαγκάλος*, very beautiful; a genus of Lepidoptera.
- Pancra'tium** (Bot.) *ωᾶς*, all, *χρήστης*, powerful; a genus of Amaryllidaceæ.
- Pancra'tium** (Bot.) *ωᾶς*, all, *χρήστης*, potent, in allusion to medical qualities.
- Panda'lis** (Ent.) P. N. from *Panda*, a Roman goddess.
- Pandana'ceæ** (Bot.) the Screw-pines, of which *Pandanus* is the type.
- Pa'ndanophy'llum** (Bot.) "Pandanus-leaved"; a genus of Cyperaceæ.
- Panda'nus** (Bot.) from *Malayan*, *pandang*, to behold, in allusion to its being conspicuous: the Screw-pine; typical genus of Pandanaceæ.
- Panda'ridæ** (Zool.) a family of Entomostraca, of which the following is the type.
- Pa'ndarus** (Zool.) P. N. from *Pandarus*, a famous archer; a genus of Entomostraca.
- Pande'sma** (Ent.) *ωᾶς*, *ωᾶς*, all, *δισμῆν*, a bundle; a genus of Lepidoptera.
- Pandi'on** (Zool.) P. N. of a king of Athens; applied to the Osprey, or Fish-hawk.
- Pando'ra** (Zool.) P. N., *Pandora*, a mythological personage; a genus of Mollusca.
- Pandu'ratus-a-um** (Bot.) *pandura*, a musical instrument; fiddle-lipped; e. g., *Mesembryanthemum panduratum*.
- Pandu'riform** (Bot.) *pandura*, a fiddle, *forma*, shape; fiddle-shaped.
- Pa'netos** (Bot.) probably altered from the native South American name; a genus of Cinchonaceæ.
- Fangia'ceæ** (Bot.) the Nat. Ord. of which *Pangium* is the typical genus.
- Pan'gium** (Bot.) from an Indian name; a genus of Indian poisonous plants, typical of Pangiaceæ.
- Pango'nia** (Ent.) *ωᾶς*, *ωᾶς*, all, *γωνία*, an angle; a genus of Diptera.
- Pan'gus** (Ent.) etymology doubtful; a genus of Coleoptera.
- Pani'ceus-a-um** (Bot.) *Lat.* like bread; e. g., *Carex panicæa*.
- Pa'nicle** (Bot.) *panicula*, a tuft.
- Panicula'ria** (Bot.) *panicula*, a tuft; a genus of Polypodioid Filices.
- Panicula'tus** (Bot.) *panicula*, a tuft.
- Panic'ulus** (Zool.) *panicula*, a tuft.
- Pa'nicum** (Bot.) *panis*, bread, some species having been used for bread; Millet; a genus of Graminae.

- Panis'ous (Zool.) πανίσχος, dim. of παν, a little pan.
- Panno'nicus-a-um (Bot.) Lat. Hungarian.
- Panno'sus-a-um (Bot.) Lat. ragged; ragged-leaved.
- Pano'lia (Zool.) πανόλης, all-destructive.
- Panopæ'a (Zool.) P. N. of a Sea-nymph; a genus of recent and fossil Mollusca.
- Panop'lites (Ornith.) πανοπλῖτης, perfectly armed; a genus of Humming-birds.
- Pan'stenon (Ent.) πᾶ, altogether, στενός, narrow.
- Pansy (Bot.) Fr. penfée; emblem of thought, in the language of flowers: (see Shakspere :) the Hearts-ease, or Viola tricolor.
- Panto'phagous (Zool.) πᾶς, πᾶν, all, φάγω, to eat; equivalent to omnivorous.
- Panter'pe (Ornith.) παντερπής, all-delighting; a genus of Humming-birds.
- Pantheri'na (Zool.) referring to certain coloured spots resembling those of a panther.
- Panur'gidæ } (Ent.) πανούριγος, shrewd; a family and genus of Bees.
- Panur'gus } (Ent.) πανούργος, shrewd; a family and genus of Bees.
- Pa'nus (Ent.) panus, a ball of wool; a genus of Coleoptera.
- Pa'nus (Bot.) πᾶς, a web of cloth; a genus of Fungi.
- Panychlo'ra (Ornith.) πάνυ, altogether, χλωρός, light green; a genus of Humming-birds.
- Panzerell'a (P. N. from Panzer, a German entomologist.
- Panze'ria (Bot.) P. N. in honour of —— Panzer, a German botanist; a genus of Labiateæ.
- Papa'ver (Bot.) papa, pap, Celtic; formerly used in children's food as a sedative; the Poppy; typical genus of Nat. Ord. Papaveraceæ.
- Papave'r'ceæ (Bot.) papaver; the order of plants of which *Papaver* is the type.
- Papa'ya (Bot.) native name in tropical America; the Papaw-tree, *Carica Papaya*.
- Papaya'cœæ (Bot.) the Nat. Ord. of plants of which *Carica Papaya* is the typical genus.
- Paphia (Ent.) P. N. from Venus of *Paphos*.
- Papi'llo (Ent.) Lat. a butterfly; a genus of diurnal Lepidoptera.
- Papiliona'cœæ (Bot.) papilio, a butterfly; from the form of the corolla in a large section of Leguminosæ.
- Papilio'nidæ (Ent.) a family of day-flying Lepidoptera, of which *Papilio* is the type.
- Papil'læ (Ent.) papilla, a nipple.
- Papilla'tus-a-um (Zool.) papilla, a nipple or protuberance.

- Papillo'sus-a-um (Zool., Bot.) *Lat.* pustular or vesicular, from *papilla*, a nipple.
- Pa'pio (Zool.) etymology uncertain; a genus of Baboons.
- Pappochro'ma (Bot.) *pappus*, the down of seeds, and *χρῶμα*, colour; a genus of Compositæ.
- Pappopho'rea (Bot.) *pappus*, down of seeds, *φέρειν*, to carry; a tribe of Grasses remarkable for their pappus.
- Pappo'phorum (Bot.) same signification; a genus of Graminae.
- Pap'ypus (Bot.) *πάπων*, down, like the seeds of the dandelion.
- Papula'ria (Bot.) *papula*, a pimple; a genus of Fungi.
- Papyra'ceus-a-um (Bot.) *Lat.* paper-like, e. g. *Betula papyracea*.
- Papyri'u's (Bot.) Lamarck's name for the Paper-mulberry tree, *Broussonetia papyrifera*.
- Papy'rūs (Bot.) *papyrus*, the paper-reed, anciently used as a writing material; from *Syriac bābeer*.
- Paraba'trachus (Fos. Zool.) *ωαρά*, near to, *βάτραχος*, a frog; i. e. allied to the frogs.
- Paracoro'lla (Bot.) *ωαρά*, beside, *corolla*.
- Paracy'athus (Zool.) *ωαρά*, near, allied to the genus *Cyathus*.
- Para'cyon (Zool.) *ωαρά*, near to, *κύων*, a dog; a genus of Mammalia.
- Paradis'e (Ornith.) *ωαράδειος*, a pleasure-ground.
- Paradisi'aca (Bot.) spec. name given from a fanciful belief that the Plantain was the forbidden fruit of Eden; e. g. *Musa paradisiaca*.
- Paradoxu'rus (Zool.) *ωαράδοξος*, strange, puzzling, *σώμα*, a tail; a genus of Mammalia.
- Paradox'u'men-a-um (Zool., Bot.) *ωαράδοξος*, puzzling, e. g. *Carex paradoxu*.
- Paraga'lea (Zool.) *ωαρά*, allied to, *γαλῆ*, a weasel.
- Para'gia (Ent.) *ωαράγυρος*, flying near the earth; a genus of Hymenoptera.
- Para'gnathis (Bot.) *ωαραγνάθης*, the cheek-piece of a helmet; a genus of Orchidaceæ.
- Para'ilis (Ent.) *par*, a pair.
- Parame'cium (Zool.) *ωαραμέκιον*, oblong; a genus of Infusoria.
- Paramecos'oma (Ent.) *ωαραμέκιον*, oblong, *σῶμα*, body.
- Parapo'mpilus (Ent.) *ωαρά*, near to, and the genus *Pompilus*; a genus of Hymenoptera.
- Para'ponyx (Ent.) *ωαρά*, near to, like, *ὄνυξ*, the onyx, a veined stone; a genus of Lepidoptera.
- Para'pterum (Ornith., Ent.) *ωαρά*, near, *πτήσις*, a wing.
- Parascidiu'm (Zool.) *ωαρά*, like, *σκισίδιον*, an umbrella.

**Para'sia** (Ent.) either a mythological name, or perhaps from *Parrhafia*, a town of Arcadia; a genus of Lepidoptera.

**Parasite**, Parasitical (Zool., Bot.) *παράσιτος*, one who lives on another.

**Parasitel'la** (Ent.) dim. of *παράσιτος*, a parasite.

**Parasit'icus** (Ornith., Ent., Bot.) *παράσιτος*, a parasite, one who lives at another's expense.

**Pa'rasphex** (Ent.) *παρά*, near to, and the genus *Sphex*.

**Parasta'sia** (Ent.) *παράστασις*, a representation.

**Paratar'sium** (Ornith.) *παρά*, near, *τάρσος*, the tarsus.

**Pa'rdalis** (Zool.) *παρδαλίς*, a leopard.

**Pardalo'tus** (Ornith.) *παρδαλωτός*, spotted like the pard; a genus of Ampellidae.

**Parda'nthus** (Bot.) *παράθος*, a leopard, *ἄθος*, a flower; alluding to the spotted flowers.

**Pa'rdia** (Ent.) *παράθος*, a leopard, alluding to the spots; a genus of Lepidoptera.

**Pardi'color** (Zool.) *pardus*, a leopard; color, colour; party-coloured.

**Pardi'nus-a-um** (Zool.) *pardus*, a leopard; panther-like.

**Pa'reas** (Zool.) *παρέας*, to let pass; a genus of Colubrine ophidians.

**Parenchy'ma** (Zool., Bot.) *παρείγχυμα*, from *παρείγχυν*, to strain through; applied by botanists to some forms of cellular tissue.

**Parenthesel'la** (Ent.) *παρεψησίς*, an insertion; referring to certain wing-marks.

**Paria'næ** (Ornith.) *parus*, a titmouse; a sub-family of Incessores.

**Parieta'ria** (Bot.) *paries*, a wall, from its habitat; Pellitory: a genus of Urticaceæ.

**Parina'rium** (Bot.) *Parinari*, the Guiana name of the species.

**Paripennel'la** (Ent.) *par*, *paris*, equal, *penna*, a feather.

**Pa'ris** (Bot.) *par*, *paris*, equal; from the regularity of its leaves and flowers; a curious genus of Trilliaceæ.

**Pa'rkia** (Bot.) P. N. in honour of the famous African traveller, *Mungo Park*; a genus of Leguminosæ.

**Parkinso'nia** (Bot.) P. N. in honour of *John Parkinson*, a celebrated botanist, author of the "Theatre of Plants," who died in 1650.

**Parmace'ilia** } (Zool.) { *πάρμην*, a small shield; a genus and family of **Parmace'llide** } (Zool.) { Pulmoniferous Mollusca.

**Parma'phorus** (Zool.) *πάρμην*, a shield, *φέρει*, to bear; a genus of Mollusca.

**Parme'lia** (Bot.) *πάρμην*, a shield; a genus of Lichenes.

**Parnas'sia** (Bot.) P. N. from Mount *Parnassus*; a beautiful genus of *Saxifrageæ*.

- Par'nidæ** (Ent.) a family of Coleoptera of which *Parnus* is the type.
- Par'nus** (Ent.) etymology unknown ; a genus of Coleoptera.
- Paro'malus** (Ent.) παρόμαλος, nearly equal ; a genus of Coleoptera.
- Paronychia'cæ** (Bot.) *paronychia*, a medical term for a disease of the nail ; the Knot-worts ; the family is now generally called Illecebraceæ.
- Paro'tia** (Ornith.) παρά, beside, ὄτς, the ear ; the female having two ear-like tufts on the head.
- Par'ra** (Ornith.) *parra*, a bird of ill-omen ; a genus of Rallidæ.
- Parrot** (Ornith.) contraction of French, *parroquet*.
- Parsley** (Bot.) some say a corruption of *Petrofelinum*, *q. v.* but probably because an herb to be chopped, alluding to its use in fauces, &c., *ley* being only another spelling of *lea*, *graſs*, as in the song—  
“Over the water and over the lea,”  
but in Parsley it is used for herb, as Virgil, on the contrary, uses *herba* for *graſs*: In molli consedimus herba.—Buc. iii. 55.
- Parsnep** (Bot.) the *nep*, which, from its size, requires to be chopped up or divided into small portions before it can be eaten, as school-boys are said to *parse* their lessons, when they divide them grammatically.
- Parthe'neas** (Ent.) παρθένος, a maid.
- Parthe'num** (Bot.) παρθενος, maidenly ; a genus of Compositæ.
- Partheno'des** (Ent.) the genus *Parthenos*, οὐδος, likeness ; a genus of Lepidoptera.
- Par'thenos** (Ent.) παρθένος, a virgin ; a genus of Lepidoptera.
- Parti'tus-a-um** (Bot.) Lat. divided.
- Partridge** (Ornith.) properly *partrich*; like ostrich, from French, *perdrix*; Lat. *perdix*; Greek, *πειρίδη*.
- Pa'rūs** (Ornith.) Lat, a titmouse.
- Parvidac'tylus** (Ent.) *parvus*, small, δάκτυλος, a finger.
- Pa'rvidens** (Ichth.) *parvus*, small, *dens*, a tooth.
- Parviſlo'rus-a-um** (Bot.) *parvus*, small, *flos, floris*, a flower.
- Par'vulus** (Zool.) Lat. very small.
- Pasca lia** (Bot.) P. N. in honour of *Pascal*, the celebrated French moralist and epistolist ; a genus of Compositæ.
- Pascuel'lus** (Ent.) *pascuum*, a meadow.
- Pasi'tes** (Ent.) παστος, possession ; a genus of Hymenoptera.
- Pasithe'a** (Ent.) one of the Graces ; a genus of Spiders.
- Pas'palum** (Bot.) παστωάλη, one of the Greek names for Millet.
- Pasque-flower** (Bot.) *i. e.* *pâque*, or Easter-flower (French) ; because it blossoms about Easter.

**Passalœ'cus** (Ent.) *πάσσαλος*, a peg, *οἶκος*, a house; a genus of Hymenoptera.

**Pas'salus** (Ent.) *πάσσαλος*, a peg; a genus of Coleoptera.

**Pas'ser** (Ornith.) *Lat.* a sparrow.

**Pas'seres** (Ornith.) plural of *passer*, a sparrow.

**Passeri'na** (Bot.) *paffer*, a sparrow, from having beaked seeds; a genus of Thymelaceæ.

**Passeri'ta** (Zool.) derivation unknown; a genus of Colubrine ophidians.

**Passiflo'ra** (Bot.) this name (constructed from *Flor passionis*) with its equiv.

Passion-flower, is said to have been given to the genus from a supposition of some of the older botanists that the appendages of the flower represent the passion of our Saviour; their fertile imagination having led them to compare the five stamens to the five wounds, the three styles to the Trinity, the column which supports the germ to the cross, and the filamentous rays to the crown of thorns.

**Passion-flower** (Bot.) *vide Passiflora*.

**Pastina'ca** (Bot.) *Lat.* a parsnip, probably from *paſinum*, a forked planting tool, from its resemblance; the Parsnip; a genus of Nat. Ord. Umbelliferæ.

**Pastinace'lla** (Ent.) feeding on the Wild-parsnip, *Pasinaca sativa*.

**Pas'tor** (Ornith.) *Lat.* a shepherd or herdsman, because frequently seen in company with sheep or cattle; specific name of a tern.

**Patacho'nicus-a-um** (Zool.) *Lat.* Patagonian.

**Patæ'cus** (Ichth.) from *παταιζει*, the name given to certain images of Phoenician gods, from fancied resemblance.

**Patel'la, Patel'lidae** (Zool.) *patella*, a small pan or dish; a genus and family of Mollusca.

**Patellifor'mis** (Bot.) *patella, forma*, shape; dish-shaped.

**Pa'tens** (Bot.) *Lat.* spreading, e. g., *Salvia patens*.

**Paterso'nia** (Bot.) P. N.; a genus of Iridaceæ.

**Patiен'tia** (Bot.) "Several species of this genus, (*Rumex*), have from time to time been used in medicine, but, on account of their general inertness, they are now discarded. Indeed, *R. patientia* seems to have been wittily named from the length of time it took to cure diseases, and the exemplary patience required in those who recovered under its administration."—BURNETT.

**Patricia'lis** (Ent.) *patricius*, a noble.

**Patri'nia** (Bot.) P. N. from *M. Patrin*, a Siberian traveller; a genus of Valerianaceæ.

**Patrōbus** (Ent.) P. N., an ancient surname; a genus of Coleoptera.

**Pat'ula** (Ent.) *patulus*, wide-open; a genus of Lepidoptera.

**Pat'ulus-a-um** (Bot.) *Lat. patuo*, to stand open; spreading, standing open; e. g. *Atriplex patula*.

**Pauciflo'rūs-a-um** (Bot.) *pauci*, few, *flos*, a flower.

**Paucispi'rūs-a-um** (Bot.) *pauci*, few, *spira*, a whorl.

**Paulow'nia** (Bot.) P. N. in honour of Her Imperial and Royal Highness the hereditary Princesses of the Netherlands; a genus of Scrophulariaceæ.

**Paupe'lla** (Ent.) *pauper*, poor.

**Paupera'na** (Ent.) *pauper*, poor.

**Paus'sidae** } (Ent.) { etymology doubtful; a family and genus of Coleoptera.

**Paus'sus** } (Ent.) { pteria.

**Pave'tta** (Bot.) a Malabar name; a genus of Cinchonaceæ.

**Pa'veria** (Bot.) P. N. from *Pierre Pavv*, Professor of Botany at Leyden; the Scarlet Horse-chesnut.

**Pavo** (Zool.) *Lat.* a peacock.

**Pavona'ria** (Zool.) *pavo*, a peacock; a genus of Zoophytes.

**Pavo'nia** (Bot.) P. N. in honour of *Don Joseph Pavon*, M.D. of Madrid, a traveller in Peru, and one of the authors of "Flora Peruviana."

**Pavo'nius-a-um** (Zool., Bot.) *pavoninus*, coloured like a peacock's tail, e. g., *Corallina pavonia*.

**Paxi'llus** (Zool.) *Lat.* a peg.

**Paxto'nia** (Bot.) P. N.; a genus of Orchidaceous plants named in honour of *Sir Joseph Paxton*, Kt.

**Paykullia'na** (Ent.) P. N. from *G. de Paykull*, a Swedish entomologist.

**Peach'ia** (Zool.) P. N. in honour of *Charles W. Peach*, an intelligent and active naturalist; a genus of Zoophytes.

**Pec'cary** (Zool.) common name of a pachydermatous quadruped, Dicotyles *Tajacu*.

**Pec'o'pterus** (Fos. Bot.) *πίκων*, to comb, *πτερίς*, a fern; the Comb-fern.

**Peo'ten** (Zool.) *Lat.* a comb; a genus of Mollusca.

**Pec'ten-Ven'eris** (Bot.) "Venus' comb;" a species of *Scandix*, with fruit like the teeth of a comb.

**Pectin'a'lis** (Ent.) *pecten*, a comb.

**Pectina'tus-a-um** (Bot.) *Lat.* sloped two ways like a comb, toothed; comb-leaved.

**Pectina'ria** } (Ent.) *pecten*, a comb.  
**Pecti'nea** }

- Pectinibranchia'ta (Zool.) *pektén*, a comb, *branchiae*, gills; a division of Gasteropodous Mollusca, having combed or plumed gills.
- Pectincto'na'lis (Ent.) *pektén*, a comb, *cornu*, a horn.
- Pecti'nidae (Zool.) the family of Mollusca of which *pektén* is the type.
- Pectinifor'mis-e (Bot.) *pektén*, a comb, *forma*, shape.
- Pe'ctis (Bot.) an ancient name of some plant.
- Pecto'cera (Ent.) *wixtós*, or *wixtós*, combed, *xípēs*, a horn; having comb-horned antennæ.
- Pectora'lis (Ornith.) *Lat.* belonging to the breast.
- Pectripo'gon (Ent.) *wixtós*, shorn, combed, *wáyav*, a beard.
- Pectun'culus (Zool.) *Lat.* a small comb; a genus of Mollusca.
- Pedalia'ceæ (Bot.) the natural family of plants of which *Pedalium* is the type.
- Peda'lium (Bot.) *wñdáλιον*, a rudder; from the dilated angles of the fruit.
- Pe'date (Bot.) *pes*, *pedis*, a foot; applied to foot-shaped leaves.
- Pede'lla (Ent.) *pes*, *pedis*, a foot; from the position of the insect's foot.
- Pedesti'na (Zool.) *pedefler*, a walker; the Jumping Hare; a rodent animal of the Jerboa family.
- Pedia'streæ } (Bot.) { *pes*, *pedis*, a foot, *afrum*, a star; a sub-family and  
Pedia'strum } (Bot.) { genus of Desmidieæ.
- Pedicella'tus-a-um (Zool.) *pediculus*, a little foot.
- Pedicelli'na (Zool.) dim. of *pes*, *pedis*, a foot; a genus of Polyzoa.
- Pedicula'ris (Bot.) *pediculus*, a louse; formerly supposed to bring on disease in sheep; Red-Rattle; a genus of Scrophulariaceæ.
- Pedicula'tus-a-um (Zool., Bot.) *pediculus*, a little foot.
- Pediou'lidae } (Ent.) { *pediculus*, a louse; the Louse-family and its typical  
Pedi'culus } (Ent.) { genus.
- Pedila'nthus (Bot.) *widilas*, a slipper, *āθos*; a flower.
- Pedima'ni (Zool.) *pes*, *pedis*, a foot, *manus*, a hand.
- Pe'dinus (Ent.) *widivs*, flat, level; a genus of Coleoptera.
- Pe'dipes (Zool.) apparently from a duplication of *pes*, a foot, on account of its division into two parts, separated by a transverse groove.
- Pedipila'lis (Ent.) *pes*, *pedis*, a foot, *pilus*, a hair; hairy-footed.
- Pedriole'lus (Ent.) P. N., found at *Pedriole*, on Monte Rota.
- Peduncula'tus-a-um (Bot.) *Lat.* stalked; e.g., *Atriplex pedunculata*.
- Pe'ganum (Bot.) *wíyav*, the herb rue.
- Pela'gicus-a-um (Zool.) *wéλάγιος*, pertaining to the sea; e.g. *Thalassidroma pelagica*, the Stormy Petrel.
- Pelamy'a (Ent.) *wnλás*, mud, *muīza*, a fly; the Mud-fly.

- Pel'amis** (Zool.) πηλός, mud, clay; a genus of amphibious Ophidians.
- Pel'amyia** (Ichth.) πηλαμύς, a name applied by Pliny to the young Tunny-fish, from πηλός, mud; *P. farda* is the Bonito.
- Pelargona'tus** (Zool.) πελαργός, a stork.
- Pelargo'nium** (Bot.) πελαργός, a stork; from some fancied resemblance of the fruit; a genus of Geraniaceæ.
- Peleci'nus** (Ent.) πίλεκυς, a hatchet; a genus of Ichneumonidæ; also, in Botany the Hatchet-vetch.
- Pel'ias** (Zool.) *P. N.* from *Pelias*, an ancient King; a genus of Ophidians.
- Pel'ican**, *Pelican'idae* (Zool.) πελεκάνη, a Greek name for a bird.
- Peli'dna** (Ornith.) πελιδνός, livid.
- Pelie'lla** (Ent.) dim. of πηλός, mud, or clay.
- Peliosa'nthes** (Bot.) πελιός, livid, dark-blue, θεος, a flower.
- Pelisseria'na** (Bot.) *P. N.* in honour of *M. Pelisser*; specific name of a species of Linaria: Nat. Ord. Scrophulariaceæ.
- Pella** (Bot., Ent.) πίλλα, a cup; a genus of Ferns; in Entomology, a genus of Coleoptera.
- Pellicle** (Zool., Bot.) *pellicula*, a thin skin.
- Pellione'lla** (Ent.) *pellis*, a skin or hide; the larva feeding on feathers.
- Pellu'cidus-a-um** (Bot.) *Lat.* transparent; e.g. *Tetraphis pellucida*.
- Pelo'bates** (Zool.) πηλός; mud, βαῖνω, to go; a mud-walker; a genus of Batrachians.
- Pelody'tes** (Zool.) πηλός, mud, δύτης, a burrower or diver; a genus of Batrachians.
- Pelopæ'us** (Ent.) literally, "the Plasterer," because it forms cells with soft mud (πηλός); a genus of Hymenoptera.
- Pelo'phila** (Ent.) πηλός, mud, φιλέω, to love.
- Pelo'philus** (Zool.) πηλός, mud, φιλίω, to love; a genus of Ophidians.
- Pelo'ria** (Bot.) πελώμος, monstrous; from its having an unusual number of spurs, e.g. *Linaria vulgaris*, *B. Peloria*.
- Pelorosau'russ** (Fos. Zool.) πίλωρ, a monster, σαῦρος, a lizard.
- Pelta'lis** (Ent.) πίλτη, a shield; shield-shaped.
- Pelta'ria** (Bot.) πίλτη, a small shield; in allusion to the form of the fruit; a genus of Cruciferae.
- Pelti'dea** (Bot.) πίλτη, a shield; a genus of Lichenes.
- Pelti'gera** (Ent.) πίλτη, *pelta*, a light shield, *gerere*, to bear.
- Pel'tis** (Ent.) πίλτη, one that bears a shield.
- Peltoce'phala** (Zool.) πίλτη, a shield, κεφάλη, a head; a tribe of Entomostraca.

Pelu'rga (Ent.) πηλούργης, a worker in clay ; having *clay-coloured* wings ; a genus of Lepidoptera.

Pempe'lia (Ent.) πεμπέλια, an old person ; a genus of Lepidoptera.

Pem'pheris (Ichth.) πεμφέρις, a name applied anciently to a fish.

Pem'phredon (Ent.) πεμφρέδων, equivalent to τευθρηδών, a kind of wasp ; a genus of Hymenoptera.

Penæ'a (Bot.) P. N. in honour of *M. Pena*, conjoint author with Lobel, of *Adverfaria Botanica*, 1570.

Penæ'a'cea (Bot.) a natural family of Plants of which *Penæa* is the type.

Pendula'ria (Ent.) pendulus, hanging.

Penduli'nus (Ornith.) pendulus, hanging.

Pene'lope (Zool., Ornith.) P. N. from the wife of Ulysses ; in Ornithology, a genus of Cracidae.

Pen'golin (Zool.) the Malay name of the scaly Ant-eater, implying "rolling itself up" into a compact ball.

Penichro'a (Ent.) πίνχρος, poor, destitute ; a genus of Coleoptera.

Penicilla'lis (Ent.) penicillum, a pencil, a brush.

Penicilla'ria (Bot.) penicillum, a brush.

Pe'nium (Bot.) so called from its resemblance to the quill (*πηνίον*) on which the bobbin is wound in weaving ; a genus of Desmidiaeæ.

Penkleria'na (Ent.) P. N. in honour of Baron *Penkler*, a German Entomologist.

Penna'ntii (Ichth.) P. N. in honour of *Thomas Pennant*, a British Naturalist, who died 1798.

Penna'ria (Ent.) penna, a feather.

Penna'tula } (Zool.) { dim. of *penna*, a quill ; a genus and family of Pennatu'lidae } (Zool.) { Zoophytes.

Penna'tus-a-um (Ornith., Bot.) Lat. feathered, winged.

Pennicil'liform (Bot.) pennicillum, a pencil or brush, *forma*, a shape.

Pennise'tum (Bot.) *penna*, a feather, *cta*, a bristle.

Penta'ceros (Zool.) πεντή, five, κίρας, a horn ; a genus of Echinodermata.

Penta'crinite } (Fos. Zool.) { πεντή, five, κρίνη, a lily, because their joints Penta'crinus } are five-sided ; a genus of Echinodermata.

Pentac'tæ (Zool.) πεντή, five, ἀκτή, an edge, from the five parallel rows of ambulacræ ; a sub-family of Echinodermata.

Pentadac'tylus (Ent.) πενταδάκτυλος, having five fingers, referring to the five plumes ; a genus of Pluma moths.

Penta'gonal (Bot.) πεντή, five, γωνία, a corner or angle.

Pentagy'nia (Bot.) πεντή, five, γυνή, a female ; i. e., having five pistils.

- Penta'smis (Zool.) πίντη, five, ἵλασμα, a plate; a genus of Cirripedes.
- Penta'merus (Zool.) πίντη, five, μέρος, a part; five-partitioned: a genus of Mollusca.
- Penta'ndria (Bot.) πίντη, five, ἀνδρός, ἀνδρός, a male; having five stamens.
- Pentangula'tus (Zool.) πίντη, five, ἀνγουλός, angulatus, cornered.
- Pentape'talous (Bot.) πίντη, five, πίταλος, a leaf, or petal.
- Pentaphyl'lous (Bot.) πίντη, five, φύλλος, a leaf; having five leaves.
- Pentapla'thrus (Ent.) πίντη, five, πλατύς, broad, ἄρθρος, a joint.
- Pentara'phia (Bot.) πίντη, five, ράφις, a spike.
- Pentaspe'rmous (Bot.) πίντη, five, σπίρμα, a seed, five-seeded.
- Pentaste'rias (Bot.) πίντη, five, αστέρι, a star; a genus of Diatoms.
- Penta'stoma (Zool.) πίντη, five, στόμα, a mouth; because of the five openings on the under surface of the head; a genus of Entozoa.
- Penta'stomas-a-um (Zool.) same derivation; five-mouthed.
- Pentasty'lous (Bot.) πίντη, five, στύλος, a shaft, (style).
- Pen'thina } (Ent.) { πίθης, sorrow, mourning, from the black and  
Penthin'iðæ } white markings of the wings; a genus and family of Lepidoptera.
- Pen'thorum (Bot.) πίντη, five, ὅπος, a column; from its capsule.
- Pentremi'tes (Fos. Zool.) πίντη, five, remus, an oar; a genus of fossil Crinoids.
- Pentste'mon (Bot.) πίντη, five, στήμων, a spindle (stamen); in allusion to the additional or fifth sterile stamen, the usual number in Scrophulariaceæ being four.
- Pe'ntz a (Bot.) P. N. from *Charles John Pentz*, a pupil of Thunberg.
- Peo'sina (Ent.) πηνία, a kinsman.
- Pep'lis (Bot.) an ancient name of a plant; a genus of Lythraceæ; also a species of Euphorbia.
- Pe'plus (Bot.) Lat. a robe; specific name of a species of Euphorbia, (as well as Peplis).
- Pe'po (Bot.) πίπων, a gourd or melon; the Pumpkin: Nat. Ord. Cucurbitaceæ.
- Pepper (Bot.) alteration of Latin *Piper*.
- Pe'psis (Ent.) πίπτει, to fall down; a genus of Hymenoptera.
- Peraca'ntha (Zool.) πίπας, extremity, ἀκαθά, a spine; a genus of Entomofraca.
- Perame'les } (Zool.) { πίπας, a pouch, mel-, a badger; a genus and sub-  
Perameli'na } family of Mammalia; the Bandicoots.
- Perarma'tus-a-um (Zool.) Lat. well-armed.

- Pe'roa (Ichth.) *ωίρη*, *Lat.* *perca*, a perch.
- Percari'na (Ichth.) *perca*; a genus of the family Percidæ.
- Pe'rcidæ (Ichth.) *perca*, a perch, term. *idæ*; a family of Acanthopterygian fishes.
- Percno'pterus (Ornith.) *ωιρνής-ωτηπός*, dusky-winged; a genus of Vultures.
- Percusa'ria (Bot.) *percurfor*, one who runs through; a genus of Algae.
- Perdi'cidæ (Ornith.) *perdix*, a partridge, with fam. term.
- Per'dix (Ornith.) *περδίξ*, *Lat.* *perdix*, a partridge.
- Pere'bea (Bot.) probably the native American name; a genus of Arto-carpaceæ.
- Peregrin'u's-a-um (Zool., Bot.) *Lat.* foreign, wandering, e. g., Scrophularia *peregrina*.
- Perei'ria (Bot.) P. N. in honour of the celebrated writer on *Materia Me-dica*, Dr. *Pereira*, who died in 1853; a genus of Menispermaceæ.
- Peren'nial (Bot.) *per*, through, *annus*, a year; living more than one or two years, and thus opposed to annual and bi-annual.
- Pere'skia (Bot.) P. N. from *N. F. Peireskius*, of Provence; a genus of Caftaceæ.
- Pere'zia (Bot.) P. N. in honour of *M. Perez*; a genus of Compositeæ.
- Perfidus-a-um (Zool., Ent.) *Lat.* treacherous.
- Perfila'tus-a-um (Bot.) *Lat.* threaded.
- Perfolia'tus-a-um (Bot.) when the stem appears to pass through the leaf, owing to certain adhesions of the latter, e. g. *Chlora per-foliata*.
- Perfora'tus-a-um (Zool., Bot.) *Lat.* pierced.
- Pergula'ria (Bot.) *pergula*, trellis-work, being fit for arbours; a genus of Asclepiadaceæ.
- Perian'dra (Bot.) *ωρη*, a round, *ἄνθη*, *ἄνθετος*, a male (stamen); a genus of Caryophyllaceæ.
- Pe'rianth (Bot.) *περιπή*, around, *ἄνθος*, a flower; the total of the floral envelopes, comprising both calyx and corolla, when both are present, and equivalent to "calyx" when there are no petals.
- Periantho'podus (Bot.) *ωρη*, around, *ἄνθος*, flower, *ωδη*, *ωδος*, foot; a genus of Cucurbitaceæ.
- Periba's'a (Bot.) *ωιρβαίνει*, to go round; a genus of Liliaceæ.
- Periba'llia (Bot.) *ωιρβάλλω*, to throw round; a genus of Graminae.
- Perible'ma (Bot.) *ωιρβλημα*, a covering; a genus of Crescentiaceæ.
- Peribo'tryon (Bot.) *ωιρη*, around, *βήτρυν*, a cluster; a genus of Fungi.

- Perica'ilia** (Ent.) *περικαλλής*, exceedingly beautiful ; a genus of Lepidoptera.
- Pericallis** (Bot.) *περικαλλής*, very beautiful ; a genus of Compositæ.
- Pericalym'ma** (Bot.) *περικάλυμμα*, a garment or covering ; a genus of Myrtaceæ.
- Pe'ricarp** (Bot.) *περί*, around, *πεπών*, fruit ; the seed-vessel of plants.
- Pericha'e'na** (Bot.) *περιχένα*, to gape ; a genus of Fungi.
- Pericha'e'tium** (Bot.) *περί*, around, *χαίτη*, a hair or bristle ; applied to the scaly sheath round the base of the foot-stalk in some mosses.
- Pericli'nium** (Bot.) *περί*, around, *χλιδη*, a bed ; applied to the mass of bractæ which surrounds the flowers in certain plants.
- Pericli'stia** (Bot.) *περικλίστια*, far-famed ; a genus of Samydaceæ.
- Pericy'menum** (Bot.) *περικλίνειν*, the honeysuckle, from its creeping habit ; the wild honeysuckle is *Lonicera Periclymenum* ; Nat. Ord. Caprifoliaceæ.
- Perico'nia** (Bot.) *περικύνειν*, to smear with pitch ; a genus of Fungi.
- Pericroco'tus** (Ornith.) *περί*, around, *κρόκος*, saffron ; from its orange-coloured plumage.
- Pericy'cla** (Bot.) *περίκυκλος*, spherical ; a genus of Palmaceæ.
- Perideræa** (Bot.) *περιδέραιος*, a necklace ; a genus of Compositæ.
- Perider'i'dia** (Bot.) *περιδέραιος*, a necklace, *ἴδη*, likeness ; a genus of Umbelliferae.
- Periderm** (Bot.) *περί*, around, *δέρμα*, skin ; applied to the outer layer of bark.
- Peridi'nium** (Zool.) *περιδίνιο*, to wheel round ; a genus of Infusoria.
- Peri'dium** (Bot.) *περιδίον*, dim. of *πέρια*, a leathern pouch ; applied to the dry seed-case of some mushrooms ; also used for the envelope of some fruits.
- Periechocri'nites** (Fos. Zool.) *περιέχω*, to surround, *κρίνω*, a lily.
- Perige'a** (Ent.) *περίγειος*, about or upon the earth.
- Periglo'ssum** (Bot.) *περί*, around, *γλῶσσα*, a tongue ; a genus of Asclepiadaceæ.
- Perigo'niun** (Bot.) *περὶ*, around, *γονὴ*, a seed ; applied to the perianth or corolla.
- Peri'gynous** (Bot.) *περί*, around, *γυνή*, female (pistil) : stamens growing upon the calyx or corolla are so termed.
- Perila'mpus** (Ent.) *περιλάμψω*, to shine around.
- Peril'l'a** (Bot.) etymology uncertain ; a genus of Labiatæ.
- Peri'ola** (Bot.) dim. of *πέρια*, a leathern pouch ; a genus of Fungi.

**Perio'mia** (Bot.) *περιόμιον*, a garment worn round the shoulders (*ωσπί,* ὥμαι); a genus of Labiatæ.

**Periphra'gmos** (Bot.) *ωσπί*, around, *φραγμός*, a fence or hedge; a genus of Polemoniacæ.

**Periphryga'na** (Zool.) *ωσπί*, around, *φρύγανος*, a dry stick; the body being surrounded with setaceous tentacles; a genus of Infusoria.

**Peri'ploca** (Bot.) *ωσπίωλονος*, folded, entangled; a genus of Asclepiadaceæ.

**Peri'ptera** (Bot.) *ωσηίωτηρα*, a shuttlecock; from resemblance of flowers.

**Periso'mio** (Zool.) *ωσπί*, around, *σῶμα*, the body; applied to certain plates which surround the body.

**Pe'risperm** (Bot.) *ωσπί*, around, *σωρόμα*, a seed; the albumen of albuminous seeds.

**Perisphæ'ricus-a-um** (Bot.) *ωσπί*, around, *σφαίρα*, a sphere or globe.

**Pe'rispore** (Bot.) *ωσπί*, around, *σωρός*, seed.

**Perissodac'tyla** (Zool.) *ωσπιστός*, unequal, *δακτυλος*, a toe; that division of the Ungulata having an odd number of toes.

**Periste'dion** (Ichth.) *ωσπί*, around, *στίδιον*, a course; from its swimming in circles.

**Peri'stera** (Zool., Bot.) *ωσπιστηρά*, a dove.

**Periste'thus** (Ichth.) *ωσπί*, around, *στήθος*, the breast; the Mailed Gurnard.

**Pe'ristome** (Bot.) *ωσπί*, around, *στόμα*, a mouth; the fringe round the theca of many mosses.

**Peri'toma** (Bot.) *περιτομή*, a cutting round about; from base of calyx.

**Peri'ttia** (Ent.) *ωσπιττός*, uncommon; a genus of Lepidoptera.

**Periwinkle** (Bot.) French, *pervenche*; Latin, *vinca*; Low Latin, *pervincia*.

The old spelling was *pervinké*:

“There sprang the violet al newe  
And fresh pervinké, rich of hewe.”—CHAUCER.

**Per'i'a** (Ent.) Lat. a pearl; a genus of aquatic insects.

**Perlel'ius** (Ent.) dim. of *perla*, a pearl.

**Perlepida'na** } (Ent.) *perlepidus*, very pretty.  
**Perlepide'lla** } (Ent.) *perlepidus*, very pretty.

**Perlucida'lis** (Ent.) *perlucidus*, very transparent.

**Permuta'na** (Ent.) *permutare*, to change.

**Per'na** (Zool.) an ancient name for a shell-fish, which took its name from its resemblance to a gammon of bacon (*perna*); a genus of Mollusca.

**Per'nis** (Ornith.) *ωιρόν*, the name of a bird of prey; the Buzzard.

**Per'nix** (Ent.) Lat. swift.

**Pernota'ta** (Ent.) *pernotatus*, well-marked.

- Perodio'ticus** (Zool.) *ωνός*, maimed, διετούσ, pointing, from the shortness of the index of the anterior hands; a genus of Lemuridæ.
- Perogna'thus** (Zool.) *ωνός*, maimed, γάθος, the jaw; a genus of Mammalia.
- Perone'a** (Ent.) *ωσέρην*, a buckle or button; one of the Button-moths.
- Pero'pteres** (Ichth.) *ωνός*, maimed, *ωτίπερ*, a fin.
- Pe'rotis** (Bot.) *ωνός*, deficient; i. e., the flower.
- Perpendicula'lis** (Ent.) *perpendiculum*, a plumb-line.
- Perplexa'lis** } (Ent.) *perplexus*, confused, obscure.  
**Perplexe'lla** }
- Perpusil'lus** (Bot.) Lat. very diminutive, e. g. *Ornithopus perpusillus*.
- Pe'rsea** (Bot.) used by Theophrastus for an Egyptian tree.
- Persica** (Bot.) P. N. from *Persia*, whence the fruit came; the Peach and Nectarine are respectively *Persica vulgaris*, and *P. levis*.
- Persica'ria** (Bot.) the leaves resemble those of the peach-tree (*Persica*); a genus of Polygonaceæ.
- Persicifolius-a-um** (Bot.) Lat. Peach-tree-leaved; e. g. *Campanula persicifolia*.
- Persis'tent** (Bot.) *περιστό*, to continue standing: a calyx or corolla remaining till the fruit is ripe, is so called.
- Persona'tus-a-um** (Bot.) *persona*, a mask; applied to corollas that resemble a creature's muzzle.
- Persoon'la** (Bot.) P. N. in honour of the great Botanist *Persoon*.
- Perspecilla'tus-a-um** (Ornith.) *perspicilli*, spectacles, e. g. *Anas perspicillata*.
- Perspecta'lis** (Ent.) *perspectus*, well-known.
- Perspica'lis** (Ent.) *perspicax*, sharp-sighted.
- Pertinax** (Ent.) Lat. obstinate; applied to a beetle, *Anobium pertinax*, from its pertinacious simulation of death.
- Pertusa'lis** (Ent.) *pertusus*, part. *pertundo*, to perforate, to bore through.
- Pertusa'ria** (Bot.) *pertusus*, full of holes; a genus of Cryptogamia.
- Pertu'sus-a-um** (Bot.) Lat. perforated, full of holes.
- Per'uла** (Bot.) *perula*, a little fatchel.
- Perversa'lis** (Ent.) *perversus*, turned the wrong way.
- Per'yphus** (Ent.) *ωπερφύω*, to cling to, to go round.
- Petal** (Bot.) *ωταλον*, a leaf.
- Peta'liform** (Bot.) *ωταλον*, a leaf (petal), *forma*, shape.
- Petalo'dus** (Fos. Zool.) *ωταλον*, a plate, δόνος, a tooth; having flat teeth.
- Petaloid** (Bot.) *ωταλον*, a leaf, *εἶδος*, likeness; resembling a corolla in texture and colour.

- Petalō'ma** (Bot.) πίταλον, a petal, λῶμα, fringe; petals in calyx-teeth.
- Petaloste'mones** (Bot.) πίταλον, a leaf, στήμων, a stamen.
- Peta'sia** (Ent.) πετάσω, or πετάνυμι, to spread out, to sprawl; a genus of Lepidoptera.
- Petasi'tes** (Bot.) πέτασος, a head-covering; the Butter-bur; a genus of Compositæ.
- Petasi'tis** (Ent.) feeds on the Butter-bur, *Petasites vulgaris*.
- Petasoph'ora** (Ornith.) πέτασσε, a broad-brimmed hat, φέρω, to carry.
- Petau'rus** (Zool.) πεταύρων, a perch to roost upon; applied to some of the squirrels.
- Petiola tus-a-um**} (Bot.) *petiolus*, a leaf-stalk.
- Pet'irole** } *petiolule*, a petiole.
- Petiver'a'na** (Ent.) P. N. in honour of *James Petiver*, F.R.S.
- Petive'ria** (Bot.) P. N., named by Linnaeus in honour of *J. Petiver*, F.R.S., a London apothecary; typical genus of Petiveriaceæ.
- Petræ'a** (Bot.) P. N. in honour of *Lord Petre*; a splendid climbing genus of Apocynaceæ.
- Petræ'us-a-um** (Bot.) πέτρη, a rock; growing in stony places, e. g. *Hutchinsia petraea*.
- Petra'ria** (Ent.) πέτρη, a rock or crag.
- Petre'a** (Bot.) P. N. in honour of *Robert James, Lord Petre*, a great patron of botany, who died in 1742.
- Petri'cola** (Zool.) *petra*, a rock, *cole*, to inhabit; a genus of Mollusca.
- Petrifica'ta** (Ent.) *petrificatus*, turned to stone, from its habit of counterfeiting death.
- Petrocal'lis** (Bot.) πέτρης, a rock, κάλλος, beauty; beautifying rocks.
- Petrocin'cla** (Ornith.) πέτρη, a rock, κίγκλος, a wagtail; a genus of Merulidae.
- Petro'gale** (Zool.) πέτρη, a rock, γαλίνη, a marten-cat; a genus of Marsupial animals, some of which are called Rock Kangaroos.
- Pe'tromys** (Zool.) πέτρη, a rock, μῦς, a mouse: a genus of Rodent Mammals.
- Petromy'zon** } (Ichth.) *petromyzon*, a stone, μύζω, to suck; a genus and  
**Petromyo'nidae** } family of Chondropterygious Fishes; the Lampreys.
- Petrophas'sa** (Ornith.) πέτρη, rock, φαστη, a pigeon or dove.
- Petro'phila** (Ornith., Bot.) πέτρης, a stone, φιλίω, to love.
- Petrophiloi'des** (Fos. Bot.) πέτρη, a rock, φύλλον, a leaf; hard-leaved fossil cones, allied to the Nat. Ord. Proteaceæ.

- Petrosell'num** (Bot.) πίτρα, a rock, and σίλιον, parsley, from its habitat; common Parsley: a genus of Nat. Ord. Umbelliferae.
- Petro'sus-a-um** (Zool., Ornith.) *Lat.* rocky.
- Petu'nia** (Bot.) the name for tobacco in Brazil is *Petun*; a genus of Solanaceæ.
- Peuce'danum** (Bot.) πουκέδανον, of Theophrastus and Dioscorides, from πούκη, a pine, on account of the resinous smell of the plant; Hog's-fennel; a genus of Umbelliferæ.
- Peuci'tes** (Fos. Bot.) πευκή, the fir-tree; fossil coniferous wood.
- Pezi'za** (Bot.) πίζις, a fungus without a stalk; now applied to a genus of Hymenomycetous Fungi.
- Pezo'porus** (Ornith.) πεζός-πόρος, pedestrian, going on foot; a genus of Scanorial birds.
- Pfeiffere'lla** (Ent.) (Ent.) P. N., named after *Carl Pfeiffer*, a German Naturalist.
- Pha'ca** (Bot.) φάκις, a lentil; a genus of Leguminosæ.
- Phacel'o'monas** (Zool.) φάκηλος, a skiff, *monas*; a genus of Infusoria.
- Phaci'dium** (Bot.) φάκις, a lentil, ἕδος, likeness; a genus of Fungi.
- Phacoca'pnos** (Bot.) φάκις, lentil, κάπνος, Fumitory; a genus of Fumariaceæ.
- Phacocho'e'rūs** (Zool.) φάκις, a wart, χοῖρος, a hog; the Wart-hog.
- Phacops** (Fos. Zool.) φάκις, a lentil, ὄψ, the eye; a genus of Trilobites.
- Phacosper'ma** (Bot.) φάκις, a lentil, σπίρα, a seed.
- Phæ'a'lis** (Ent.) φαῖς, dusky.
- Phæ'don** (Ent.) P. N., a disciple of Socrates and friend of Plato.
- Phædrana'ssa** (Bot.) φαιδρός, showy, ἀναστα, a queen, from the beautiful appearance of the flowers; a genus of Liliaceæ.
- Phænicu'ra** (Zool.) φαιρεῖ, to display, εὐā, a tail.
- Phænoca'rpus** (Bot.) φαινεῖ, to display, καρπός, fruit; a genus of Sapindaceæ.
- Phæno'coma** (Bot.) φαινεῖ, to shine, κόμη, a tuft; a beautiful Cape genus of "Everlastings"; Nat. Ord. Compositæ.
- Phæno'gamous** (Bot.) φαινεῖ to display, γαμεῖ, marriage; equivalent to Phanerogamous.
- Phæno'poda** ! (Bot.) { φαινεῖ, to shine, ποῦς, ποδός, a foot (stem);  
Phæ'nopus } { genera of Compositæ.
- Phæochro'a** (Ornith.) φαιός, dusky, χρόα, colour; a genus of Humming-birds.
- Phæocordy'lis** (Bot.) φαιός, dusky, καρδύλη, a tuber; a genus of Balanophoraceæ.

**Phæocyma** (Ent.) φαιός, dusky, κυμα, a wave, i. e., on the wings; a genus of Lepidoptera.

**Phæoda'ctylus** (Ent.) φαιός, dusky, δάκτυλος, a plume.

**Phæolæ'ma** (Ornith.) φαιός, dusky, λαιμός, throat; a genus of Humming-birds.

**Phæoleuca'lis** (Ent.) φαιός, dusky, λευκός, white, i. e. grey.

**Phæone'ma** (Bot.) φαιός, dusky, νήμα, thread; a genus of Algae.

**Phæopap'pus** (Bot.) φαιός, dusky, παππος, the down of seeds; a genus of Compositæ.

**Phæoptera'lis** (Ent.) φαιός, dusky, ἀνέρος, a wing.

**Phæopthalmus-a-um** (Bot.) φαιός, brown, ὄφθαλμός, the eye, having eye-like spots.

**Phæo'ptila** (Ornith.) φαιός, dusky, obscure, ἀπίλωτος, a feather; a genus of Humming-birds.

**Phæ'opus** (Ornith.) φαιός, dusky, πούς, a foot; dark-footed.

**Phæo'stoma** (Bot.) φαιός, dusky, στόμα, mouth; a genus of Onagraceæ.

**Phætho'rnis** } (Ornith.) { the proper name *Phæton*, ὄρνις, a bird; a Phæthornithi'nae } genus and family of Humming-birds.

**Phaëton** (Zool., Ornith.) P. N., an epithet of the Sun; applied in ornithology to the Tropic-bird.

**Phaetu'sa** (Bot.) P. N., one of the daughters of the Sun; a genus of Compositeæ.

**Phæus-a-um** (Bot.) φαιός, dusky; e. g. Geranium *phæum*.

**Phainopi'pla** (Ornith.) φαίνος, shining, πίστηλος, a robe.

**Phai'u's** (Bot.) φαιός, brown, the first discovered species being of that colour; a genus of Orchidaceæ.

**Phakelopleu'ra** (Zool.) φάκελος, a bundle, πλευρά, the side; a genus of Chitons.

**Phakelu'r'a** (Ent.) φάκελος, a bundle, στρα, a tail; a genus of Lepidoptera.

**Phalacro'corax** (Ornith.) φαλακρός, bald-headed, κόραξ, a crow.

**Pha'lacrus** (Ent.) φαλακρός, bald-headed.

**Phalæ'na** (Ent.) φάλαινη, a moth; the Nocturnal Lepidoptera or Moths.

**Phalæno'idæ** (Ent.) φάλαινη, a moth, εἶδος, resemblance.

**Phalangio'des** (Ent.) φαλάγγιος, a spider, with terminal οὐδη; a genus of Lepidoptera; also specific name of a spider, *Pholcus phalangiodes*.

**Phalangi'sta** } (Zool.) { from the curious manner in which two of  
**Phalangisti'na** } (Zool.) { the toes are joined together as far as the  
last phalanx; a genus and family of Kangaroos.

**Phalanx**, pl. **Phalan'ges** (Zool.) φάλαγξ, a small bone of the fingers or toes, so named from the military term for a column or line of battle.

**Pha'laris** (Bot.) φάλαρις, shining, canary-seed being very glossey; a genus of Gramineæ.

**Phalar'opus** (Ornith.) φαλαρός, white, πτοῦς, a foot.

**Phale'ria** (Ent.) φαληρίς, or παλαρός, white.

**Phal'lus** (Bot.) the φαλλός of the Greeks; a genus of Fungi.

**Phalo'callis** (Bot.) φαλός, bright, shining, αέλλας, beauty; a genus of Iridaceæ.

**Phal'oë** (Bot.) φαλός, bright, shining; a genus of Caryophyllaceæ.

**Phalole'pis** (Bot.) φαλός, bright, λεπίς, a scale; a genus of Compositæ.

**Pha'nera** (Bot.) φανερός, visible; a genus of Leguminosæ.

**Phanero'ca'rpus-a-um** (Bot.) φανερός, conspicuous, καρπός, fruit.

**Phanerocotylo'dea'næs** (Bot.) "visible seed-leaves," Agardh's name for the Exogens, from φανερός, visible, κοντυληδών, a seed-lobe.

**Phaneroga'mia** (Bot.) φανερός, evident, γάμος, marriage; plants having visible flowers and seeds, in contradistinction to Cryptogamia.

**Phaneromy'cteres** (Ichth.) φανερός, conspicuous, μυκτήρ, nostril; a section of Malacopteronous fishes.

**Phanerophle'bia** (Bot.) φανερός, visible, φλεψ, φλεβές, a vein; a genus of Polypodioid Filices.

**Phan'tapus** (Zool.) φαίνομαι, to appear, πτοῦς, a foot.

**Phantasma'lis** (Ent.) φαντόσμα, an apparition.

**Pharbi'tis** (Bot.) etymology doubtful; a splendid genus of Convolvulaceæ, including the well-known "Convolvulus major."

**Pha'rium** (Bot.) dim. from φᾶρος, a cloak or mantle; a genus of Liliaceæ.

**Pharna'ceum** (Bot.) P. N. from *Pharnaces*, King of Pontus, who first used it; a genus of Illecebraceæ.

**Pha'rūs** (Bot.) φᾶρος, a covering, the leaves being used for packing; a genus of Grasies.

**Pharyngogna'thi** (Ichth.) φάρυγξ, φάρυγγος, the windpipe or throat, γνάθος, the jaw; from the union of the lower pharyngeals into a single bone.

**Phasoo'gale** (Zool.) φάσκωλος, a pouch, γαλῆ, a weasel or pole-cat.

**Phasco'lomys** (Zool.) φάσκωλος, a pouch, μῦς, a mouse; the Australian Wombat.

**Phascolother'iūm** (Fos. Zool.) φάσκωλος, a pouch, θηρίον, a wild beast; a Marsupial Mammal.

**Phascou'm** (Bot.) φάσκων, a kind of lichen mentioned by Theophrastus; a genus of Musci.

*Phaseoli'tes* (Fos. Bot.) φάσονλες, the kidney-bean; a genus of fossil Leguminous plants.

*Phase'olus* (Bot.) φάσονλες, Lat. *phasolus*, or *phascolus*, the kidney-bean; a genus of Leguminosæ.

*Phasianel'la* (Zool.) *phasianus*, a pheasant; from the beautiful pheasant-like arrangement of the colours on the shell; a genus of Mollusca.

*Phasia'nidæ* } (Ornith.) { from the bird having been brought from the  
*Phasia'nus* } banks of the river *Phasis*, in Colchis: the common pheasant is the *P. Colchicus*.

*Phasianipenne'lla* (Ent.) *phasianus*, a pheasant, *penna*, a feather.

*Phaylo'psis* (Bot.) φαῦλος, worthless, ὁμοιός, appearance.

*Pheba'lium* (Bot.) φιβάλιον, a myrtle, from *Phibalis*, in Attica.

*Phebo'lithis* (Bot.) φύτε, like as, βόλιτος, cow-dung; a genus of Sapindaceæ.

*Phego'pteris* (Bot.) φηγός, the oak, but sometimes used for the beech, *μρίπις*, a fern, the Beech-fern; from the resemblance of the outline of the frond; e. g. *Polypodium phegopteris*.

*Phella'ndrium* (Bot.) φελλάς, cork, ἀνήρ, ἀνδρός, male (stamen); a genus of Umbelliferæ.

*Phe'llia* (Zool.) φελλάς, the Cork-tree, from the rough appearance of the epidermis.

*Phenicea'lis* (Ent.) φενίκεος, purple-red.

*Phibalap'teryx* (Ent.) φιβαλός, graceful, *μρίπυξ*, a wing; a genus of Lepidoptera.

*Phibalo'cera* (Ent.) φιβαλός, slender, κέρας, a horn; a genus of Lepidoptera.

*Phibalu'ra* (Ornith.) φιβαλός, graceful, σύρα, a tail.

*Phiga'lia* (Ent.) P. N. from a town of Arcadia; a genus of Lepidoptera.

*Philadel'phicus-a-um* (Bot.) Lat. Philadelphian.

*Philadel'phus* (Bot.) used by Athenaeus for a tree now unknown; now applied to the typical genus of Nat. Ord. Philadelphaceæ.

*Phila'nder* (Zool.) φιλανθρώπος, conjugal; a genus of Marsupial animals.

*Phila'nthus* (Ent.) φιλία, to love, ἄνθος, a flower; a genus of Hymenoptera.

*Phile'don* (Ornith.) φιλανθρώπος, given to pleasure.

*Philenope'tra* (Bot.) φιλία, to love, *μίτρα*, a rock; a genus of Leguminosæ.

*Philere'mus* (Ent.) φιλία, to love, *ιπήκοος*, a defolate place; a genus of Hymenoptera.

*Phile'sia* (Bot.) φιλανθρία, thievishness; typical genus of the splendid order Philesiacæ.

- Philesia'ceæ** (Bot.) the family of plants of which *Philesia* is the type.
- Philhy'dridæ** } (Ent.) { φιλίω, to love, ὕδωρ, water; a genus and family  
**Philhy'drus** } (Ent.) { φιλίω, to love, ὕδωρ, water; a genus and family  
 of Water-beetles.
- Philip'pia** (Bot.) P. N., a genus of Ericaceæ.
- Philippoden'dron** (Bot.) arborecent (*δέντρον*, a tree), and resembles *Phi-lippia*; a genus of Byttneriaceæ.
- Philly'rea** (Bot.) P. N. from *Philyra*, the mother of Chiron, who was changed into a tree; a genus of Oleaceæ.
- Philoco'rena** (Bot.) φιλίων, to love, *κρήνη*, a spring; a genus of Podostemaceæ.
- Philoc'thus** (Ent.) φιλίων, to love, *χθόνος*, a bank of a river.
- Philoden'dron** (Bot.) φιλόδένδρος, fond of trees; a very curious genus of Aroideæ.
- Philo'dioe** (Bot.) P. N., a genus of Eriocaulaceæ.
- Philo'dromus** (Ent.) φιλόδρομος, loving the course, fond of running.
- Philodry'as** (Zool.) φιλίων, to love, Δρυάδες, wood-nymphs, which is from δρῦ, an oak; a genus of Serpents.
- Philos'erterus** (Ornith.) φιλίων, to love, οἰτης, equality; the Republican Grosbeaks.
- Philo'maehus** (Zool.) φιλόμαχος, a lover of battles; the Ruff.
- Philome'la** } (Ornith.) { φιλομήλα, a nightingale; the nightingales;  
**Philomeli'nae** } (Ornith.) { φιλομελίνα, a genus and sub-family of Incessores.
- Philomy'cidae** } (Zool.) { φιλίων, to love, μῆκος, slime; a family and  
**Philomy'cus** } (Zool.) { φιλίων, to love, μῆκος, slime; a family and  
 genus of Pulmoniferous Mollufca.
- Philone'xis** (Zool.) φιλός, an adept, νίκη, a swimming.
- Philon'thus** (Ent.) φιλίων, to love, θήσης, dung.
- Philo'pedon** (Ent.) φιλίων, to love, τίδον, the ground.
- Philopy'ra** (Ent.) φιλίων, to love, πῦρ, fire; a genus of Lepidoptera.
- Philo'xerus** (Bot.) φιλίων, to love, ξηρός, arid; from the soil.
- Phily'drum** (Bot.) φιλός, a lover, ὕδωρ, water.
- Phlæ'sas** (Ent.) P. N., a surname of Venus.
- Phlebophyl'lum** (Bot.) φλεβή, φλεβής, a vein, φύλλον, a leaf; a genus of Acanthaceæ.
- Phlebo'pteris** (Fos. Bot.) φλεψ, φλεβής, a vein, φτερός, a fern.
- Phlebotham'nion** (Bot.) φλεψ, φλεβής, a vein, θάμνος, a sprout; a genus of Algæ.
- Phlegeto'nia** (Ent.) φλεγώ, to scorch, τόνος, a sinew or tendon; a genus of Lepidoptera.
- Phlegma'cium** (Bot.) φλεγμα, flame; a genus of Fungi.

**Phle'um** (Bot.) φλέας, or φλῶντος, a Greek name for some unknown plant ; now applied to a genus of Grasses.

**Phlœo'des** (Ent.) φλοιώδης, resembling the bark of trees ; a genus of Lepidoptera.

**Phlo'e'omys** (Zool.) φλοιός, bark, μῦς, a mouse ; a genus of Muridae.

**Phlo'ëpora** (Ent.) φλοιός, bark, ωρόπος, a passage.

**Phlo'othrips** (Ent.) φλοιός, bark ; the genus *Thrips* ; a genus of Thysanoptera.

**Phlogacan'thus** (Bot.) φλόγης, flaming, red, *acanthus* ; a genus of Acanthaceæ.

**Phlogo'philus** (Ornith.) φλόξ, φλογή, *phlox*, the name of a flower, φιλία, to love ; a genus of Humming-birds.

**Phlogo'phora** (Ent.) φλόξ, φλογός, a flame, φεύγειν, to bear ; a genus of Lepidoptera.

**Phloio'bius** (Ent.) φλοιός, bark, βίος, life.

**Phloiodicar'pus** (Bot.) φλοιώδης, bark-like, καρπός, fruit ; a genus of Umbelliferae.

**Phloio'philus** (Ent.) φλοιός, bark, φιλία, to love.

**Phloio'rya** (Ent.) φλοιός, bark, τρύω, to rub.

**Phlomido'psis** (Bot.) the genus *Phlomis*, and δῆμος, resemblance, i. e. to that genus ; a genus of Labiateæ.

**Phlomia** (Bot.) φλομία, the Greek name for mullein ; a genus of Labiateæ.

**Phlomo'i'des** (Bot.) *Phlomis*, εἶδος, shape, resemblance ; mullein-leaved.

**Phlox** (Bot.) φλόξ, a plant so called, the word signifying a flame ; a beautiful North American genus of Polemoniaceæ.

**Phlycte'noides** (Ent.) φλύκταινα, a blister, εἶδος, resemblance ; a genus of Lepidoptera.

**Phlycti'dium** (Bot.) φλυκτίς, a blister or pimple, εἶδος, likeness ; a genus of Fungi.

**Phly'ctis** (Bot.) φλυκτίς, a blister or pimple ; a genus of Lichenes.

**Pho'beros** (Bot.) φοβερός, formidable ; a genus of Flacourtiaceæ.

**Phoca** (Zool.) *Lat.* a seal, from φάση.

**Phocaena** (Zool.) φάσαινα, a porpoise.

**Pho'cidæ** } (Zool.) *{ phoca* ; from φάση, a seal, with family and sub-

**Pho'cinæ** } (Zool.) *{* family terminals.

**Phoebe** (Bot.) P. N., a genus of Lauraceæ.

**Phœnica'lis** (Ent.) φοινίκης, purple, red.

**Phœnican'themum** (Bot.) φοινικές, crimson, ἀνθήμια, blooming, from the colour of the flowers ; a genus of Loranthaceæ.

- Phœnicau'lis** (Bot.) φαινέσις, crimson, *caulis*, a stem; a genus of Cruciferae.
- Phœnico'reus** (Ornith.) φαίνω, to appear, κίρκος, a tail; sometimes inaccurately written *Phænicircus*.
- Phœnicio'eum** (Bot.) φαινίκης, purple, cinnabar-colour.
- Phœnicoi'tes** (Fos. Bot.) from *Phœnix dactylifera*, the Date-Palm; a kind of fossil palm-leaves.
- Phœnioco'e'rus** (Ornith.) φαινίκης, purple-red, κίρκος, tail; having crimson tail-feathers.
- Phœnicocí'rsus** (Bot.) φαινίξ-ικός, purple, κίρσιον, a thistle; a genus of Bignoniacæ.
- Phœniocri'nites** (Fos. Zool.) φαινίξ-ικός, a palm-tree, κρίνον, a lily; a genus of Crinoidea.
- Phœnicop'terus**, pl. **Phœnicoptera** (Ornith.) φαινίκες, purple, ἀντίφερ, a wing.
- Phœ'nix** (Bot.) φαινίξ, its Greek name; the Date-palm.
- Phoenix'ophus** (Bot.) φαινίξ, purple, πούς, ποδός, a foot (stem); a genus of Compositæ.
- Pholado'mya** (Zool.) φωλάς-άδος, a borer, μύα, a mollusk; a genus of Mollusca.
- Pholas** (Zool.) from φωλίω, to bore; a name applied to a molluscous animal which makes holes in stones; a genus of Mollusca.
- Phol'cus** (Zool.) φωλάς, bandy-legged; a genus of Araneidæ.
- Pholidan'dra** (Bot.) φωλίς, φωλίδος, a scale or spot, ἄντη, ανδρός, a stamen; a genus of Rutaceæ.
- Pholi'dia** (Bot.) φωλίς, a scale, εἶδος, likeness; a genus of Myoporaceæ.
- Pholidoga'ster** (Fos. Zool.) φωλίς, φωλίδος, a scale, γαστήρ, belly; an ichthyoid labyrinthodont.
- Pholido'rpus** (Bot.) φωλίς, a scale, δορυφόρος, a meal; a genus of Palmaceæ.
- Pholis** (Ichth.) φωλίω, to lie in a hole; alluding to the habits of the fish.
- Pholi'sma** (Bot.) φωλίς, a scale; a North American genus of Monotropaceæ.
- Pholi'u'rus** (Bot.) φωλίς, a scale, οὐρά, a tail; a genus of Graminae.
- Pholoë** (Zool.) P. N. a Nereid:—  
“As Pholoë, most that rules the monsters of the main.”—DRAYTON.
- Phormi'dium** (Bot.) φορμή-ίδος, a basket; a genus of Algæ.
- Phor'mium** (Bot.) φορμός, a basket, from its use in New Holland;  
*Phormium tenax* produces the New Zealand flax.
- Phoro'cera** (Ent.) φορός, bearing, κίρας, a horn; a genus of Lepidoptera.
- Phorode'sma** (Ent.) φορέω, to carry, δίσμα, a chain; a genus of Lepidoptera.

*Phorolo'bus* (Bot.) φερός, bearing, λόβος, a lobe or pod; a genus of Polypodioid Filices.

*Phos* (Zool.) φῶς, light; a genus of Mollusca.

*Pho'sphuga* (Zool.) φῶς, light, φυγή, flight.

*Photino'pterus* (Bot.) φωτεινός, shining, πτερίς, a fern; a genus of Polypodioid Filices.

*Phoxichili'dium* (Zool.) φοξές, pointed, χεῖλος, lip.

*Phoxi'nus* (Ichth.) φοξίνος, a river fish, mentioned by Aristotle, from φοξές, pointed; the Minnow.

*Phoxo'pteryx* (Ent.) φοξές, pointed, πτερύξ, a wing; a genus of Lepidoptera.

*Phragmite'lla* (Ent.) *phragmites*, a reed, on which it feeds.

*Phragmi'tes* (Bot.) φραγμίτης, the great English Reed, hence, an inclosure; these reeds being thus employed; a genus of Graminae.

*Phragmi'tidis* (Ent.) gen. of the above; feeding on the Reed, *Arundo Phragmites*.

*Phragmito'phis* (Zool.) literally "the reed-snake," from *phragmites*, a reed, and ὄφη, a snake.

*Phragmo'ceras* (Zool.) φραγμός, a partition, κέρας, a horn; a genus of Mollusca.

*Phra'tara* (Ent.) probably from φράτηρ, a kinsman.

*Phrea'tia* (Bot.) φρεατία, a tank or reservoir; a genus of Orchidaceæ.

*Phrissostric'hia* (Bot.) φρίστω, to be rough, θρίξ, τριχός, a hair or bristle; a genus of Bryoid Musci.

*Phryga'nea* (Ent.) φρύγανος, a faggot; a genus of Neuroptera.

*Phryganel'l'a* (Ent.) φρύγανος, a faggot; from the similarity of the larva—case.

*Phryganocy'dia* (Bot.) φρύγανος, a flick, κύδος, glory; a genus of Bignoniacæ.

*Phrygano'des* (Ent.) φρύγανος, a faggot; a genus of Lepidoptera; perhaps given from some fancied resemblance to the order of insects, *Phryganidae*.

*Phry'nium* (Bot.) φρύνη, a toad; a plant growing in marshes.

*Phrynoso'ma* (Zool.) φρύνη, a toad, σῶμα, body.

*Pitheirospe'rnum* (Bot.) φθείρ, a louse, σπέρμα, seed; a genus of Scrophulariaceæ.

*Phtheo'chroa* (Ent.) φθείρ, i. e., φθίνει, to fade, χρόνος, the skin, or rather complexion; a genus of Lepidoptera.

*Pthiru'sa* (Bot.) φθείρ, a louse; a genus of Loranthaceæ.

- Phu** (Bot.) the φῦ of Dioscorides ; a species of *Valeriana*.
- Phu'rys** (Ent.) φύρω, to mix or confound ; a genus of Lepidoptera.
- Phyœ'lla** (Bot.) dim. of φῦνος, red alkanet, from its colour.
- Phy'oidæ** (Ent.) a family of Lepidoptera, of which *Phyxis* is the type.
- Phy'oïs** (Ichth., Ent.) φυῖς, a coloured fish living in sea-weed ; in Entomology a genus of Lepidoptera, because some of the species are red.
- Phyoobo'trys** (Bot.) φῦνος, sea-weed, βότρυς, a cluster ; a genus of *Algæ*.
- Phyooos'tanum** (Bot.) φῦκος, sea-weed, κάστανος, a chestnut ; a genus of *Algæ*.
- Phyoo'des** (Ent.) φῦκος, *Lat. fucus* ; a genus of Lepidoptera.
- Phy'codrya** (Bot.) φῦκος, sea-weed, δρῦς, an oak ; a genus of *Algæ*.
- Phyocolapa'thum** (Bot.) φῦκος, sea-weed, λάσπελον, forrel ; a genus of *Algæ*.
- Phycoomy'ces** (Bot.) φῦκος, sea-weed, μύκης, a fungus ; a genus of Fungi.
- Phyco'phila** (Bot.) φῦκος, sea-weed, φιλία, to love ; a genus of *Algæ*.
- Phyco'pteris** (Bot.) φῦκος, sea-weed, πτερίς, a fern ; a genus of *Algæ*.
- Phyco'e'ris** (Bot.) φῦκος, sea-weed, σίφης, endive ; a genus of *Algæ*.
- Phy'ous** (Ent.) φῦκος, sea-weed ; a genus of Diptera.
- Phyan'thus** (Bot.) φύγειν, to escape, ἀρθος, flower ; a genus of *Iridaceæ*.
- Phyg'e'lius** (Bot.) φυγή, flight, shunning, or eschewing ; in consequence of having so long escaped the researches of botanists ; a genus of Scrophulariaceæ.
- Phyla'clum** (Bot.) φυλάσσω, to preserve ; a genus of Leguminosæ.
- Phyl'ica** (Bot.) φυλικός, leafy, from its copious evergreen foliage ; a genus of Rhamnaceæ.
- Phylla'cantha** (Bot.) φύλλον, a leaf, ἄκανθα, a thorn or spine ; a genus of *Algæ*.
- Phyllac'hne** (Bot.) φύλλον, a leaf, ἄχνη, chaff ; a genus of Styliadiaceæ.
- Phyllact'i'gium** (Bot.) the genus *Phyllactis*, ιῆδος, likeness ; a genus of *Algæ*.
- Phyllac'tis** (Bot.) φύλλον, a leaf, ἄκτις, a ray ; a genus of Valerianaceæ.
- Phyllæ'dium** (Bot.) φυλλάξ-άδος, foliage ; a genus of Fungi.
- Phylla'gathis** (Bot.) φύλλον, a leaf, ἀγαθή, good ; a genus of Melastomaceæ.
- Phylia'mphora** (Bot.) φύλλον, a leaf, ἀμφορέα, *Lat. amphora*, a pitcher ; the original generic, and now the specific name of a Pitcher-plant, *Nepenthes Phyllamphora*.
- Phyllan'theæ** (Bot.) a section of Euphorbiaceæ, represented in *Phyllanthus*.
- Phyllan'thera** (Bot.) φύλλον, a leaf, ἀθηρός, flowery ; a genus of Asclepiadaceæ.

- Phyllanthe'rum** (Bot.) φύλλον, a leaf, ἀνθηρές, flowery, from the dilated filaments; a genus of *Trilliaceæ*.
- Phyllan'thus** (Bot.) φύλλον, a leaf, ἀνθεῖ, a flower; flowers on the edges of the leaves; a genus of *Caftaceæ*.
- Phyllar'thon** (Bot.) φύλλον, leaf, αρθρον, joint; a genus of *Crescentiaceæ*.
- Phyllau'rea** (Bot.) φύλλον, a leaf, *aureus*, golden; a genus of *Euphorbiaceæ*.
- Phyl'lia** (Zool.) φύλλον, a leaf.
- Phyllidia** (Zool.) dim. of φύλλον, a leaf; a genus of *Mollusca*.
- Phyllirhoe** } (Zool.) φύλλον, a leaf, γένη, the wave; a genus of *Mollusca*.
- Phyllirhoidæ**
- Phy'llis** (Bot.) P. N., one of Virgil's nymphs.
- Phylli'tes** (Fos. Bot.) φύλλον, a leaf; certain forms of fossil leaves.
- Phyllo'bius** (Ent.) φύλλον, a leaf, Βιος, life.
- Phyllobry'on** (Bot.) φύλλον, a leaf, βρύον, moss; a genus of *Piperacæ*.
- Phyllocac'tus** (Bot.) φύλλον, a leaf, *cactus*, a genus of *Caftaceæ*.
- Phyllocalym'na** (Bot.) φύλλον, a leaf, κάλυμμα, a covering; a genus of *Compositæ*.
- Phyllocar'pus** (Bot.) φύλλον, a leaf, καρπός, fruit; a genus of *Leguminosæ*.
- Phylloceph'alum** (Bot.) φύλλον, a leaf, κεφαλή, a head; a genus of *Compositæ*.
- Phyllocla'dus** (Bot.) φύλλον, leaf, κλαδός, branch, having leaf-like branchlets; a genus of *Taxaceæ*.
- Phylloomis'tis** (Ent.) φύλλον, a leaf, κρίζει, to scrape or grate; a genus of *Lepidoptera*.
- Phylloda'ctylus** (Zool.) φύλλον, a leaf, δακτυλος, a toe, having leaf-shaped toes; a genus of *Saurians*.
- Phyllo'dea** (Ent.) φύλλον, a leaf; a genus of *Lepidoptera*.
- Phyllo'des** (Bot.) φυλλώσης, leafy; a genus of *Marantacæ*.
- Phyllo'dium** (Bot.) φύλλον, a leaf, εἶδος, likeness; applied to certain organs (wattles) of the Australian Acacias or Wattle-trees; the wattles are enlarged petioles.
- Phyllo'doce** (Zool.) P. N., the name of a sea-nymph; in Botany, a genus of *Ericaceæ*.
- Phyllo'morpha** (Ent.) φύλλον, leaf, μορφη, shape; the Leaf-shape; a genus of *Hemiptera*.
- Phyllope'rtha** (Ent.) φύλλον, a leaf, πίειθει, to destroy.
- Phyllo'phila** (Ent.) φυλλος, a leaf, φιλία, to love; a genus of *Lepidoptera*.

**Phyllo'phora** (Zool., Bot.) φύλλον, a leaf, φέρω, to carry.

**Phyllopneu'ste** (Ornith.) φύλλον, leaf, ῥνεῖστης, one who breathes hard.

**Phyllo'poda** (Zool.) φύλλον, a leaf, ποῦς, πόδος a foot; an order of Entomotrichous Crustacea.

**Phyllo'soma** (Zool.) φύλλον, a leaf, σῶμα, body; a family of Crustacea.

**Phyllo'stoma** } (Zool.) φύλλόν, leaf, στόμα, mouth, a genus and  
Phyllostomi'na} family of Bats; *P. spectrum* is the Vampire Bat.

**Phyllo'ta** (Bot.) φύλλον, a leaf, ἀυτός, ἀτρίς, an ear; a genus of Leguminosæ.

**Phylloty'lus** (Bot.) φύλλον, a leaf, τύλος, a knot; a genus of Algae.

**Phymac'tis** (Zool.) φύμα, a wave, ἀκτή, a ray; a genus of Actiniæ.

**Phymati'dium** (Bot.) φῦμα, a tumour, εἶδος, likeness; a genus of Orchidaceæ.

**Phymato'des** (Bot.) φυματώδης, full of tumours; a genus of Polypodioid Filices; also specific name of a celebrated Lichen.

**Phymatostro'ma** (Bot.) φῦμα-άτος, a swelling, στρῶμα, a bed; a genus of Fungi.

**Phymo'sia** (Bot.) φυμά, to constrict; a genus of Malvaceæ.

**Phymosper'mum** (Bot.) φῦμα, a tumour, σπίγμα, a seed; a genus of Composite.

**Phy'sa** (Bot.) φῦσα, a pouch; a genus of Mesembryaceæ.

**Phy'sa** (Zool.) φῦσα, a pouch; a genus of Mollusca.

**Physac'tis** (Bot.) φῦσα, a pouch, ἀκτή, a ray; a genus of Algae.

**Phy'salis** (Bot.) φυσαλίς, a plant with husk like bladders, from φῦσα, a bladder, from resemblance of calyx; the Winter-cherry; an admired genus of Solanaceæ.

**Physe'ter** (Zool.) φυστήρ, a blow-pipe or bellows; a genus of Cetacea.

**Physio'tium** (Bot.) φῦσα, a pouch, ὄτιον, a little ear; a genus of Jungermanniaceæ.

**Physip'h'ora** (Bot.) φῦσα, a pouch or bladder, φέρω, to carry, from the inflated capsules; a genus of Violaceæ.

**Physocaly'cium** (Bot.) φυσάς, to swell, calyx, from the inflated calyx; a genus of Crassulaceæ.

**Physocalym'ma** (Bot.) φυσάς, to swell, κάλυμμα, a covering; a genus of Lythraceæ.

**Physocalyx** (Bot.) same meaning as *Physocalycium*; a genus of Scrophulariaceæ.

**Physocarpi'dium** (Bot.) φυσάς, to inflate, καρπός, fruit, from the inflated follicles; a genus of Ranunculaceæ.

- Physocar'pus** (Bot.) φυσάω, to inflate, καρπός, fruit; a genus of Rosaceæ.
- Physocau'lou** (Bot.) φυσάω, to inflate, καυλός, a stem; a genus of Algæ.
- Physochla'na** (Bot.) φυσάω, to inflate, χλαῖνα, a mantle, from the inflated calyx; a genus of Solanaceæ.
- Physoclada** (Bot.) φυσάω, to swell, κλαδός, a branch; a genus of Cordiaceæ.
- Physoder'ma** (Bot.) φυσάω, to swell, δέρμα, the cuticle; a genus of Fungi.
- Physo'des** (Bot.) φυσῶντς, full of wind; specific name of a species of Lichenes, *Parmelia Physodes*.
- Physosi'phon** (Bot.) φυσάω, to inflate, σίφων, a tube; a genus of Orchidaceæ.
- Physospe'rnum** (Bot.) φύσα, a bladder, σώρμα, a seed; a genus of Umbelliferae.
- Physostig'ma** (Bot.) φυσάω, to inflate, στίγμα, stigma, a style.
- Physosto'mes** (Ichth.) φύσα, wind, στόμα, a mouth; having open air-bladders.
- Phy'sula** (Ent.) φυσαλίς, a bubble? a genus of Lepidoptera.
- Phytel'ephas** (Bot.) φυτόν, a plant, ἵλιφας, ivory; the Ivory-bearing plant.
- Phyteu'ma** (Bot.) a name adopted from Dioscorides; the Rampion; a genus of Campanulaceæ.
- Phyteumo'psis** (Bot.) the genus *Phyteuma*, and οὐλή, resemblance; a genus of Compositæ.
- Phyto'conis** (Bot.) φυτόν, a plant, κόνης, dust; a genus of Algæ.
- Phytocre'ne** (Bot.) φυτόν, a plant, κρήνη, a spring; the celebrated water-vine of Martaban; a genus of Artocarpaceæ.
- Phytoc'eia** (Ent.) φυτόν, a plant, οἶκος, an abode.
- Phytogeog'raphy** (Bot.) φυτόν, a plant, γῆ, the earth, γραφεῖν, to describe; the science of the distribution of trees and plants.
- Phyto'graphy** (Bot.) φυτόν, a plant, γράφω, to write; descriptive botany.
- Phytolac'ca** (Bot.) φυτόν, a plant, *lacea*, lac; having crimson fruit; typical genus of Phytolaccaceæ.
- Phytolacce'ae** (Bot.) Nat. Ord. of which *Phytolacca* is the type.
- Phytolitho'logy** (Fos. Bot.) φυτόν, a plant, λίθος, a stone, λόγος, a discourse; the science of fossil plants.
- Phyto'logy** (Bot.) φυτόν, a plant, λόγος, a description; the science of botany.
- Phytolop'sis** (Zool.) φυτόν, a plant, ὄψις, appearance; a genus of Ophidians.

**Phyto'metra** (Ent.) φυτόν, a plant, μετρεῖν, to measure; the larvæ are half-loopers.

**Phytopatho'logy** (Bot.) φυτόν, a plant, παθολογία, the doctrine of disease.

**Phyto'phagous** (Zool.) φυτόν, a plant, φάγω, to eat; plant-eating.

**Phytophysio'logy** (Bot.) φυτόν, a plant, φυσις, nature, λόγος, a description; the science of the nature of plants.

**Phyto'sus** (Ent.) φυτόν, a plant.

**Phyto'toma** (Ornith.) φυτόν, a plant, τομή, a cut; a plant-cutter; the Tailor-bird.

**Phyto'tomy** (Bot.) φυτόν, a plant, τομή, a cut or incision; the science of dissection of plants.

**Phyto'xys** (Bot.) φυτόν, a plant, ὁξύς, sharp or pointed; a genus of Labiatæ.

**Phytozo'on** (Zool.) φυτόν, a plant, ζῷον, an animal.

**Piaran'thus** (Bot.) πιάρη, fatness, θεραπεία, a flower.

**Pi'ca** (Ornith.) *Lat.* a pie or magpie.

**Pica'ta** (Ent.) *pica*, a magpie; from the contrast of colours.

**Picatha'retes** (Ornith.) *pica*; a pie or crow, καθαίρειν, to clear; the bald-headed Crow of Western Africa.

**Picea** (Bot.) *Lat.* the Silver-fir; a genus of Coniferæ.

**Pi'coidæ** (Zool.) a family of Scansorial birds called the Woodpeckers, of which *picus* is the type.

**Pi'cinus-a-um** (Ent.) *Lat.* pitch-black.

**Pi'cipes** (Ent.) *pix*, pitch, *pes*, a foot; black-footed.

**Pickerin'gia** (Bot.) P. N. in honour of *Joseph Pickering*; a genus of Leguminosæ.

**Pico'tia** (Bot.) P. N. in honour of *M. Picot*; a genus of Boraginaceæ.

**Picrade'nia** (Bot.) πικρός, bitter, ἀδήνη, a gland or acorn; a genus of Compositæ.

**Pioræ'na** (Bot.) πικρός, bitter; the Quassia-wood tree; a genus of Simarubaceæ.

**Picram'nia** (Bot.) πικρός, bitter, θάμνος, a shrub.

**Picra'sma** (Bot.) πικρασμός, bitterness; a genus of Simarubaceæ.

**Pic'ria** (Bot.) πικρία, bitterness; a genus of Gesneraceæ.

**Piori'dium** (Bot.) the genus *Picris*, εἶδος, likeness.

**Pi'cris** (Bot.) πικρίς, a bitter herb; a genus of Compositæ.

**Pi'crium** (Bot.) fame derivation; a genus of Gentianaceæ.

**Picrorhi'za** (Bot.) πικρός, bitter, ρίζα, root; a genus of Scrophulariaceæ.

**Picro'sia** (Bot.) πικρός, bitter; a genus of Compositæ.

- Pi'orotham'nus** (Bot.) *μίκρος*, bitter, θαμνός, a shrub; a genus of Compositæ.
- Picta'ria** } (Ent.) *pictus*, painted.  
**Pictel'la** } (Ent.) *pictus*, painted.
- Piote'tia** (Bot.) P. N. in honour of the celebrated *M. Picet*, of Geneva; a genus of Leguminosæ.
- Pic'tus-a-um** (Zool., Bot.) *Lat.* painted.
- Pi'cus** (Ornith.) *Lat.* a woodpecker.
- Pioum'nus** (Ornith.) dim. form of *picus*, to meet the popular term Piculets; a genus of minute Woodpeckers.
- Piddington'ia** (Bot.) P. N., a genus of Lobeliaceæ.
- Pieran'dia** (Bot.) P. N., a genus of Sapindaceæ.
- Pie'ridæ** (Ent.) P. N., a family of diurnal Lepidoptera, of which *Pieris* is the type.
- Pi'eris** (Ent.) P. N., one of the Muses; a genus of Lepidoptera; also used in Botany.
- Piesar'thrius** (Ent.) *μικρός*, to compress, ἀρθρός, a joint; flat-jointed.
- Piezophyl'lus** (Ent.) *μικρός*, to press, φύλλον, a leaf; from its remarkably compressed antennæ.
- Piezorhyn'ous** (Ornith.) *μικρός*, to compress, ρυγχός, a beak.
- Pig** (Zool.) *Dutch*, *bigge*, *big*.
- Pigeon** (Ornith.) *French*, *pigeon*; *Ital.* *piccione*.
- Pike** (Ichth.) because the head is *peaked* or pointed; the scientific name is *Esox*.
- Pila'ris** (Zool., Ornith.) *Lat.* like a ball.
- Pil'chard** (Ichth.) this word is probably from Anglo-Sax. *pylce*, the covering of a saddle; in allusion to the softness of the integuments.
- Pile'a** (Bot.) *pileus*, a cap; a genus of Urticaceæ.
- Pile'olus** (Zool.) *Lat.* a little cap; a genus of Mollusca.
- Pileo'psis** (Zool.) *πίλωση*, a cap, ὅψις, appearance.
- Pileus** (Bot.) *Lat.* a cap; applied to the cap-like expansion of a mushroom.
- Pile-wort** (Bot.) the popular name of *Ficaria verna*, because its tubers remind the surgeon of haemorrhoidal fangs.
- Pili'ferus-a-um** (Bot.) *πίλωση*, a cap, *πέρισσος*, to bear; cap-bearing.
- Pilleria'na** (Ent.) P. N. in honour of *Piller*, a German entomologist.
- Pilosa'lis** (Ent.) *pilosus*, hairy.
- Pilosa'ria** (Ent.) *pilosus*, hairy.
- Pilosel'la** (Ent.) feeding on Hawk-weed, *Hieracium Pilosella*.
- Pilo'sus-a-um** (Bot.) *Lat.* hairy.

**Pilula'ria** (Bot.) *pilula*, a little pill ; from the shape of its seed-vessels ; a genus of Marsileaceæ.

**Pimele'a** (Bot.) *πιμελέα*, fat ; a genus of Thymelacæ.

**Pimelono'tus** (Ichth.) *πιμελόντος*, fat, *ώρτης*, the back ; a genus of Siluroid Fishes.

**Pimen'ta** (Bot.) from the Spanish *pimento*, the name for Indian pepper.

**Pim'pernel** (Bot.) French, *pimprenelle* ; Latin, *pimpinella*.

**Pimpine'lla** (Bot.) altered from *bi-pinella*, twice pinnated, from the doubly pinnate leaves ; *Pimpind* ; a genus of Umbelliferæ.

**Pimpinella'ta** (Ent.) feeding on the Burnet-Saxifrage, *Pimpinella Saxifraga*.

**Pina'ceæ** (Bot.) Lindley's name for the Coniferæ, of which *Pinus*, the Fir-tree, is the type.

**Pina'nga** (Bot.) native Indian name of a genus of Asiatic palms.

**Pina'ria** (Bot.) *πιναρία*, shabby, squalid ; a genus of Cruciferæ.

**Pinaropa'ppus** (Bot.) *πιναρόπους*, shabby, *pappus*, the down of plants ; a genus of Compositæ.

**Pincenect'i'a** (Bot.) Professor Scheidweiler of Ghent says that about the year 1836, Galeotti sent to Van der Maelen some plants whose half illegible ticket appeared to be Freycinetia. The gardener to whose care they were consigned changed the word to Pincenectitia, and so it has remained ever since.

**Pinckne'ya** (Bot.) P. N. in honour of M. Pinckney, an American botanist.

**Pi'ndalus** (Ornith.) ancient Greek name for an unknown bird.

**Pinel'lia** (Bot.) P. N., a genus of Araceæ.

**Pineta'ria** (Ent.) *pinetum*, a pine-grove.

**Pinete'llus** (Ent.) *pinetum*, a fir-wood, which it frequents.

**Pine-tree** } (Bot.) { *πίνακας*, Latin, *Pinus*, apparently connected with *Celtic*  
Pinus } Ben, a mountain, as in Ben Lomond, Apennines.

**Pinguedine'lla** (Ent.) *pinguedo*, fatness.

**Pingui'cula** (Bot.) *pinguis*, fat ; the leaves are greasy to the touch ; a genus of Lentibulariaceæ.

**Pinguicula'tus** (Ent.) *pinguiculus*, somewhat fat.

**Pinguina'lis** (Ent.) *pinguis*, fat, from its greasy appearance.

**Pinia'ria** (Ent.) from feeding on the fir-tree, *Pinus Abies*, and *sylvestris*.

**Piniarie'lla** (Ent.) feeding on the *Pinus*.

**Pini'cola** (Ornith.) *pinus*, a pine-forest, *colo*, to inhabit ; the Pine Grosbeak.

**Pinicola'na** } (Ent.) *pinus*, a fir-tree, *colere*, to frequent.  
Pinicole'lla }

**Pini'tes** (Fos. Bot.) *pinus*, the fir-tree ; fossil wood allied to the Coniferæ.

**Pinivora'rus-a-um** (Ent.) *pinus*, a fir, *vorare*, to devour, i. e. g. *Retinia Pinivorana*.

**Pinna** (Zool.) *Lat.* a fin or wing; a genus of Mollusca.

**Pinnati'fidus-a-um** (Bot.) *pinna*, a feather or leaflet, *findo*, to cleave; pinnatifid; applied to leaves irregularly cut towards the mid-rib.

**Pinna'tus-a-um** (Bot.) *Lat.* feathered; pinnate.

**Pinnothe'res** (Zool.) *πίννοτήρης*, a name which occurs in Aristotle, means “pinna-guard,” from *πίννα*, the shell *pinna*, *τηρέω*, to guard, and was applied to a small crab inhabiting the shell; the Pea-crabs; a genus of Brachyurous Crustacea.

**Pin'nula** (Bot.) dim. of *pinna*, a feather or leaflet.

**Pinnula'ria** (Fos. Bot.) *pinnula*, a little feather; a genus of fossil coal-measure plants.

**Pinta'do** (Ornith.) *Spani/b*, *pintado*, painted; another name for the Guinea Fowl.

**Pi'nus** (Bot.) *Lat.* the Pine-tree; a genus of Coniferæ.

**Pio'nea** (Ent.) *πιων*, fat, sleek; a genus of Lepidoptera.

**Pi'per** (Bot.) *πιπερί*, pepper, from *πιπερίω*, to digest; but perhaps, as stated by Galen, from an Indian word.

**Piper'a'ceæ** (Bot.) the family of plants of which *Piper* is the type.

**Piperi'tus-a-um** (Bot.) of or belonging to *piper*, pepper; pepper-like, i. e., having the smell or biting taste of pepper.

**Pi'piens** (Zool.) *Lat.* piping, chirping.

**Pip'i't** (Ornith.) popular synonyme for the Titlark, *Anthus pratensis*.

**Pip'pin** (Bot.) this word is derived by Dr. Johnson from the Dutch *pup-pynke*, but it is surely more reasonable to suppose it from *Pepin*, the king of the country from which the fruit was derived.

**Pi'pra** } (Ornith.) { *πίρρα*, the name of a bird in Aristotle; a genus  
**Pi'pridæ** } (Ornith.) { and family of Passeres; the Manakins.

**Pipro'i'dea** (Ornith.) the genus *Pipra*, *ιδες*, likeness.

**Pipta'nthus** (Bot.) *πιπτώ*, to fall down, *ἀθετο*; a flower; a genus of Leguminosæ.

**Piptath'e'rum** (Bot.) *πιπτώ*, to fall, *ἄθητο*, an awn, or spike of corn.

**Piptoca'rpha** (Bot.) *πιπτώ*, to fall down, *χάρφος*, a carpel; a genus of Compositæ.

**Pipto'ceras** (Bot.) *πιπτώ*, to fall down, *κέρας*, a horn; a genus of Compositæ.

**Piptochæ'stium** (Bot.) *πιπτώ*, to fall down, *χαῖτη*, a bristle (awn); a genus of Graminae.

- Pipto'chla'mys (Bot.) πίπτω, to fall down, χλαμύς, a mantle (floral envelope); a genus of Thymelaceæ.
- Pipto'coma (Bot.) πίπτω, to fall down, κόμη, a tuft; a genus of Compositeæ.
- Piptole'sna (Bot.) πίπτω, to fall down, λαῖνα, equivalent to χλαῖνα, a mantle; a genus of Apocynaceæ.
- Pipto'lepis (Bot.) πίπτω, to fall down, λεπίς, a scale.
- Piptopo'gon (Bot.) πίπτω, to fall down, πύρων, a beard; a genus of Compositeæ.
- Piptoste'gia (Bot.) πίπτω, to fall down, στίγη, a covering; a genus of Convolvulaceæ.
- Piptostem'ma (Bot.) πίπτω, to fall down, στίμμα, a wreath; a genus of Compositeæ.
- Pique'ria (Bot.) P. N. in honour of *Andreas Piquerio*, a Spanish botanist.
- Pisa'na (Zool.) *pisum*, a pea, referring to shape.
- Pisa'nia (Zool.) P. N. from *Pisa*, in Italy; a genus of Mollusca.
- Piscato'rius-a-um (Ichth.) Lat. relating to fishermen; e. g. the Fishing Frog, *Lopilicus Pifatorius*.
- Pisces (Ichth.) pl. of *pīcīs*, a fish; the great division of vertebrata called Fishes.
- Pisci'culus (Ichth.) dim. of *pīcīs*, a fish; a little fish.
- Pisci'dia (Bot.) *pīcīs*, a fish, cædo, to kill; parts of the plant being used to stupefy fish; a genus of Leguminosæ.
- Piscina'lis-e (Zool.) Lat. pertaining to a bath, i. e. found in bath-rooms, e. g. *Valvata pīcīnalis*.
- Pisci'vorus-a-um (Zool.) *pīcīs*, a fish, voro, to devour; fish-eating; equivalent to Ichthyophagus.
- Pisifor'mis-e (Zool.) *pīsum*, a pea, formis, shape; pea-shaped.
- Pis'mire (Ent.) popular name of the *Formica rufa*.
- Pisodono'phis (Ichth.) πίσος, pea, ὀδούς, ὀδοτές, tooth, ὄφις, a serpent; a genus of Snake-like fishes.
- Piso'nia (Bot.) P. N. in honour of *M. Pijo*, an eminent Italian physician; a genus of Nyctaginaceæ.
- Pissō'des (Ent.) πίσσα, pitch, ἕδος, likeness; a genus of Coleoptera, family Curculionidæ.
- Pista'cia (Bot.) said to be altered from *soufag*, its Arabic name; the Terebinth-tree; a genus of Anacardiaceæ.
- Pistaci'nus-a-um (Ent.) being the colour of the *Pistachio*-tree.
- Pi'stia (Bot.) etymology unknown; typical genus of the following family.
- Pistia'ceæ (Bot.) the Duck-meat family of plants, of which *Pistia* is the type.

Pistilli'dium (Bot.) dim. of *pistillum*, a pistil; applied to the equivalent of the pistil in mosses and liverworts.

Pistilli'ferus-a-um (Bot.) *pistillum*, a pistil, *fero*, to bear.

Pistill'um (Bot.) *Lat.* a pestle (pistil).

Pistosau'rus (Fos. Zool.) *πιστός*, true, *σαῦρος*, a serpent.

Pi'sum (Bot.) *Lat.* a pea; a genus of Leguminosæ.

Pitan'gus (Ornith.) etymology unknown; a genus of Thrushes.

Pitcair'nia (Bot.) P. N. in honour of *Dr. Pitcairn*, an eminent physician; a genus of Bromeliaceæ.

Pithe'cia (Zool.) *πιθηκός*, an ape; a genus of quadrumanous animals of the family Cebidæ.

Pithyor'nis (Ornith.) *πίτυς*, a pine-tree, *Ὥρνις*, a bird.

Pit'ta (Ornith.) *πίττα*, pitch, referring to colour; the Ant-thrushes.

Pittospo'rumb (Bot.) *πίττα*, pitch, *πορφύρα*, a seed; the seeds are covered with a black resinous pulp; typical genus of Pittosporaceæ.

Pituo'phis (Zool.) *πίτυς*, the pine-tree, *ὄφης*, a snake; a genus of Colubrine ophidians.

Pity'lus (Ornith.) *πίτυλος*, a quick sound or movement; a genus of Tanagers.

Pity'o'phagus (Ent.) *πίτυς*, the pine-tree, *φάγω*, to eat.

Pityopsit'tacus (Ornith.) *πίτυς*, the pine-tree, *ψιττακός*, a parrot; the Parrot Crossbill.

Placen'ta (Zool., Bot.) *πλακοῦς*, a flat cake.

Placo'dium (Bot.) *πλακοῦς*, a flat cake, *εἶδος*, likeness.

Placode'r mata (Fos. Zool.) *πλάξ*, *πλακίς*, a plate, *δέρμα*, skin; a genus of extinct Fishes.

Placo'des (Ent.) *πλακώδης*, flat.

Pla'coild (Ichth.) *πλάξ*, *πλακός*, a plate, *εἶδος*, likeness.

Placothal'lus (Bot.) *πλάξ*, *πλακός*, flat, *θαλλός*, a young shoot.

Placu'na (Zool.) *πλάξ*, *πλακός*, a broad plate; a genus of Mollusca.

Placu'sa (Ent.) *πλακοῦς*, a flat cake.

Plagian'thus (Bot.) *πλάγιος*, oblique, *ἄνθος*, a flower.

Plagia'ta (Ent.) *plaga*, a zone, from the pattern of the wings.

Plagiau'lax (Fos. Zool.) abbreviation of *Plagiaulacodon*, from *πλάγιος*, oblique, *αὐλάξ*, a groove, *δόντις*, a tooth; having reference to the diagonal grooving of the premolar tooth.

Plagiocole'lla (Ent.) *plaga*, an open ground, *colere*, to frequent.

Plagiodes'tylus (Ent.) *πλάγιος*, oblique, *δάκτυλος*, a plume.

Plagio'dera (Ent.) *πλάγιος*, slanting, *διχή*, the neck; a genus of phytophagous Beetles.

**Pla'giopus** (Bot.) *πλάγιος*, slanting, *πεδ*, a foot; a genus of Bryoid Musci.

**Plagioste'mon** (Bot.) *πλάγιος*, slanting, *στίφων*, a stamen; a genus of Ericaceæ.

**Plagio'stoma** } (Zool.) { *πλάγιος*, oblique, *στόμα*, the mouth; the name  
Plagio'stomes } of certain bivalve Molluscs.

**Plagiota'xis** (Bot.) *πλάγιος*, slanting, *τάξις*, arrangement; a genus of Cedrelaceæ.

**Plagio'tis** (Bot.) *πλαγιότης*, a slanting direction; a genus of Labiatæ.

**Plagio'tome** (Bot.) *πλάγιος*, slanting, *τομή*, a cutting; a genus of Compositæ.

**Pla'gius** (Bot.) *πλάγιος*, slanting; a genus of Compositæ.

**Plana'ria** (Zool., Bot.) *planus*, flat; in Zoology, a genus of Annelids; in Botany, a genus of Leguminosæ.

**Planax'is** (Zool.) *planus*, flat, *axis*; a genus of Mollusca.

**Plane'ra** (Bot.) P. N. in honour of *J. Planer*, a German Botanist.

**Plane-tree** (Bot.) abbreviated from *Platanus*.

**Pla'niceps** (Ent.) "flat-headed," from *planus*, flat, *caput*, head; a genus of Hymenoptera.

**Planicosta'tus-a-um** (Zool.) *planus*, straight, flat, *costa*, a rib.

**Planicoul'mis-e** (Bot.) *planus*, flat, *culmus*, a stem; flat-stalked.

**Planipen'nes** (Ent.) *planus*, flat, *penna*, a feather, i.e. having flat antennæ; one of Latreille's three sections of the Neuroptera.

**Planius'culus** (Bot.) *Lat.* a little flattened.

**Planor'bis** (Zool.) *planus*, flat, *orbis*, a disk; a genus of Mollusca.

**Plantagi'neus-a-um** (Bot.) *Lat.* plantain-leaved.

**Planta'go** (Bot.) *planta*, the sole of the foot, from the shape of the leaves; the Plantain.

**Plan'tia** (Bot.) P. N., a genus of Iridaceæ.

**Plantigra'da** (Zool.) *planta*, the sole of the foot, *gradior*, to walk; applied to an order of carnivorous animals which place the whole of the sole of the foot upon the ground, as the bears, etc.

**Plantigra'dus-a-um** (Zool.) same derivation; flat-footed.

**Plappe'rtila** (Bot.) P. N., a genus of Chailletiaceæ.

**Plata'lea** (Ornith.) *Lat.* a spoonbill.

**Platana'ceæ** (Bot.) splendid Nat. Ord. of plants composed of the genus *Platanus*, or Plane-trees.

**Platanoca'rpus** (Bot.) "platanus-fruited;" from *platanus*, and *καρπός*, fruit; a genus of Cinchonaceæ.

**Platanthe'ra** (Bot.) *πλατύτρυς*, broad, *ἀνθη*, an anther.

*Platanus* (Bot.) *πλατύς*, spreading, in allusion to the branches and foliage ; the Plane-tree.

*Platax* (Ichth.) *πλατάσσω*, to make a noise by striking ; a genus of Chaetodont Fishes.

*Platea* (Bot.) *πλατύς*, broad ; a genus of Olacaceæ.

*Plates'sa* (Ichth.) *Lat.* a flat-fish ; the Plaice.

*Plathyme'nia* (Bot.) *πλατύς*, broad, *ιμών*, skin or membrane ; a genus of Leguminosæ.

*Platis'ma* (Bot.) *πλατύς*, broad ; a genus of Lichenes.

*Plato'nia* (Bot.) P. N. in honour of *Plato* ; a genus of Graminae.

*Plato'stoma* (Bot.) *πλατύς*, broad, *στόμα*, a mouth ; a genus of Labiatæ.

*Platu'nium* (Bot.) *πλατίνω*, to widen ; a genus of Labiatæ.

*Platycap'nos* (Bot.) *πλατύς*, broad, *κυπρίνος*, fumitory ; a genus of Fumariaceæ.

*Platyca'r'a* (Ichth.) *πλατύς*, broad, *κέρα*, the head ; a genus of Cyprinoid Fishes.

*Platycar'pha* (Bot.) *πλατύς*, broad, *κέρφος*, a stalk ; a genus of Compositæ.

*Platycar'pos* (Bot.) *πλατύς*, broad, *κερπός*, fruit ; flat-podded.

*Platycar'pum* (Bot.) *πλατύς*, broad, *κερπώς*, fruit ; a genus of Bignoniacæ.

*Platyce'rous* (Ornith.) *πλατύς*, broad, *κέρνος*, a tail ; a genus of Parrakeets.

*Platyce'rium* (Bot.) literally "broad-horn;" from *πλατύς*, broad, *κέρας*, horn ; a magnificent Australian genus of Polypodioid Ferns, including the "Stag's horn," and the "Elk's horn."

*Platy'cerus-a-um* (Ent.) *πλατύς*, broad, *κέρας*, a horn.

*Platychei'lus* (Bot.) *πλατύς*, broad, *χεῖλος*, lip ; a genus of Compositæ.

*Platychi'lum* (Bot.) *πλατύς*, broad, *χεῖλος*, a lip : *i. e.* the corolla.

*Platycla'dus* (Bot.) *πλατύς*, broad, *κλάδος*, a branch ; a genus of Coniferae.

*Platycne'mis* (Ent.) *πλατύς*, broad, *κνήμη*, the leg, having the tibiae much dilated ; a genus of Neuroptera.

*Platyc'o'don* (Bot.) *πλατύς*, broad, *κωδων*, a bell, from the width of the corolla ; a genus of Campanulaceæ.

*Platycra'ter* (Bot.) *πλατύς*, broad, *κρατηρ*, a bowl ; a genus of Hydrangeacæ.

*Platycr'i'nus* (Fos. Zool.) *πλατύς*, broad, *κρίνη*, a lily ; a genus of Encrinites.

*Platydac'tylus* (Zool.) *πλατύς*, broad, *δάκτυλος*, a toe ; a genus of Saurians.

*Platyde'ma* (Ent.) *πλατύς*, broad, *δημάς*, bat.

*Platyderus* (Ent.) *πλατύς*, broad, *δέρη*, the neck.

**Platy'dia** } (Ent.) { *πλατύς*, broad; a genus and family of Lepido-  
**Platy'didæ** } ptera.

**Platyl'mia** (Zool.) *πλατύς*, broad, *ελμίνης*, a worm; an order of Helmin-thia or parasitic worms.

**Platygram'ma** (Bot.) *πλατύς*, broad, *γράμμα*, a line or inscription; a genus of Lichenes.

**Platygy'na** (Bot.) *πλατύς*, broad, *γυνή*, a female (pistil); a genus of Euphorbiaceæ.

**Platyle'pas** (Zool.) *πλατύς*, broad, *λιπέτης*, a limpet; a genus of Cirripedes.

**Platylepi'dea** (Bot.) *πλατύς*, broad, *λεπίδης*, a scale; a genus of Compositæ.

**Platyle'pis** (Bot.) same derivation; a genus of Compositæ.

**Platyo'bium** (Bot.) *πλατύς*, broad, *λοβός*, a pod, in reference to the broad legumes.

**Platyo'ma** (Bot.) *πλατύς*, broad, *λῦμα*, a fringe; a genus of Polypodioid Filices.

**Platyo'phus** (Bot.) *πλατύς*, broad, *λίφος*, a crest; a genus of Compositæ.

**Flatymeto'pus** (Ent.) *πλατύς*, broad, *μίτωπος*, forehead.

**Platymi'scium** (Bot.) *πλατύς*, broad, *μίσκος*, a stem; a genus of Leguminosæ.

**Platy'na** (Ent.) *πλατύνειν*, to make broad; a genus of Diptera.

**Platyne'ma** (Bot.) *πλατύς*, broad, *νήμα*, a thread (filament); a genus of Malpighiaceæ.

**Platynobla'stæ** (Bot.) *πλατύς*, broad, *βλάστος*, a sprout; a section of Algæ.

**Platynochei'lus** (Ent.) *πλατύνειν*, to make broad, *χειλός*, the lip.

**Platyno'ta** (Zool.) *πλατύς*, broad, *ώτος*, the back; broad-backed.

**Platy'nus** (Ent.) *πλατύνειν*, to make broad.

**Platype'talum** (Bot.) *πλατύς*, broad, *ώταλον*, a leaf (petal); a genus of Cruciferæ.

**Platyphe'lum** (Bot.) *πλατύς*, broad, *φυλλον*, a leaf; a genus of Lichenes.

**Platypo'dium** (Bot.) *πλατύς*, broad, *πούς*, *ποδός*, a foot; a genus of Leguminosæ.

**Platy'pteris** (Bot.) *πλατύς*, broad, *πτερόν*, a wing, from margin of seeds.

**Platy'pteryx** (Ent.) *πλατύς*, broad, *πτερύξ*, wing; a genus of Lepidoptera.

**Pla'typus** (Zool., Ent.) *πλατύς*, broad, *ποῦς*, a foot; in Zoology, a synonyme of Ornithorhynchus.

**Platyraph'hium** (Bot.) *πλατύς*, broad, *ῥάφις*, a needle; a genus of Compositæ.

**Platyri'hinos** (Zool.) } *πλατύς*, broad, *ρίνη*, the nose; broad-nosed.

**Platyri'hinus** (Ent.) } *πλατύς*, broad, *ρίνη*, the nose; broad-nosed.

- Platysa'ce (Bot.) *πλατύς*, broad, *σάνος*, a shield; a genus of Umbelliferæ.
- Platyse'ma (Bot.) *πλατύς*, broad, *σῆμα*, a mound; a genus of Leguminofæ.
- Platy'sma (Ent.) *πλατύτυμα*, anything flat; also, in Botany, a genus of Orchidaceæ.
- Platyso'ma (Ent.) *πλατύς*, broad, *σῶμα*, body; a genus of Coleoptera.
- Platyso'mus (Fos. Zool.) fame derivation; a genus of Ganoid Fishes.
- Platysper'mum (Bot.) *πλατύς*, broad, *σωίμα*, feed; a genus of Umbelliferæ.
- Platyspo'r'a (Bot.) *πλατύς*, broad, *σωρός*, seed (spores); a genus of Ericaceæ.
- Platyste'gia (Bot.) *πλατύς*, broad, *στίγη*, a covering; a genus of Leguminofæ.
- Platystem'ma (Bot.) *πλατύς*, broad, *στέμμα*, a wreath; a genus of Gesneraceæ.
- Platyste'mon (Bot.) *πλατύς*, broad, *στήμων*, stamen; a very curious genus of Californian Papaveraceæ.
- Platystig'ma (Bot.) *πλατύς*, broad, *στίγμα*, a mark (stigma); a very curious genus of Californian Papaveraceæ.
- Platysty'lis (Bot.) *πλατύς*, broad, *στῦλος*, a pillar (style); a genus of Orchidaceæ.
- Platy'tes (Ent.) *πλατύτης*, breadth; a genus of Lepidoptera.
- Platytha'lia (Bot.) *πλατύς*, broad, *θάλλος*, a shoot or sprout.
- Platythe'ca (Bot.) *πλατύς*, broad, *θάλη*, a sheath; a genus of Tremandraceæ.
- Platythrix (Zool.) *πλατύς*, broad, *θρίξ*, hair.
- Platzo'ma (Bot.) *πλατύς*, broad, *ξύμα*, a girdle; a genus of Polypodioid Filices.
- Plat'zia (Bot.) P. N., a genus of Compositæ.
- Pla'xia (Ent.) *πλάξι*, anything flat.
- Plaze'rium (Bot.) *πλάξιο*, to wander; a genus of Gramina.
- Pleco'ptera (Ent.) *πλέκειν*, to fold, *πτερόν*, a wing.
- Plecostig'ma (Bot.) *πλέκος*, twisted, *στίγμα*, stigma; a genus of Liliaceæ.
- Pleco'stoma (Bot.) *πλέκος*, twisted, *στόμα*, a mouth; a genus of Fungi.
- Plecotre'ma (Zool.) *πλέκειν*, to fold, *τρύμα* an opening.
- Pleco'trichum (Bot.) *πλέκος*, twisted, *θρίξ*, *τρίχος*, hair; a genus of Fungi.
- Pleco'tus (Zool.) *πλέκειν*, to fold, *στού*, *άντος*, an ear; a genus of Bats.
- Plecta (Ent.) *πλεκτή*, twisted.
- Plectane'ia (Bot.) *πλεκτάνη*, a coil; a genus of Apocynaceæ.
- Plectan'thera (Bot.) *πλέκειν*, to twine, *ἀνθή*, an anther; a genus of Sauvagesiaceæ.

- Plectocar'pon** (Bot.) πλίκω, to twine, καρπός, fruit ; a genus of Lichenes.
- Plectoce'phalus** (Bot.) πλίκω, to twist, κεφάλη, a head ; a genus of Compositæ.
- Plectoco'mia** (Bot.) πλίκω, to twist, κομή, a lock of hair, a tuft ; a genus of Palmæ.
- Plectode'rā** (Ent.) πλίκτος, twisted, διψη, the neck ; a genus of Coleoptera.
- Plectogna'thi** (Ichth.) πλίκτος, twisted, γνάθος, the jaw, from the union by indented suture of the right and left halves of the upper jaw and mandible.
- Plectorham'pus** (Ornith.) πλίκτος, twisted, βάμφος, a beak ; sometimes written *Plectoramphus*. N. B.—Naturalists seem too often to forget that the initial *p* in Greek being aspirated, all words of Greek derivation which commence with *p* must be followed by *h*, which they retain in composition.
- Plectran'thus** (Bot.) πλίκτρον, a cock's spur, ἄνθος, a flower ; a genus of Labiateæ.
- Plectrocar'pa** (Bot.) πλίκτρον, a cock's-spur, καρπός, fruit, alluding to shape ; a genus of Zygophyllaceæ.
- Plectroma'ntis** (Zool.) πλίκτρον, a spur, μαντίς, a frog ; a genus of Tree-frogs.
- Plectro'nia** (Bot.) πλίκτρον, a cock's spur, being a tree with large spines.
- Plectro'phanes** (Ornith.) πλίκτρον, a spur, φαίνω, to show ; the Bunting.
- Plectro'tropis** (Bot.) πλίκτρον, a cock's-spur, πρίσπω, to turn ; a genus of Leguminosæ.
- Pleio'meris** (Bot.) πλιόνιος, full, μίρις, a part ; a genus of Myrsinaceæ.
- Pleionac'tis** (Bot.) πλιόνιος, full, ἀκτίς, a ray ; a genus of Compositæ.
- Ple'ione** (Bot.) P. N., the daughter of Oceanus and mother of the Pleiades ; a genus of Orchidaceæ.
- Plekohei'lus** (Zool.) πλίκω, to fold, χεῖλος, the lip.
- Plen'ckia** (Bot.) P. N. in honour of J. J. Plenck ; a genus of Mesembryaceæ.
- Pleocar'phus** (Bot.) πλιόνιος, full, κέρπος, a chip (slipule) ; a genus of Compositeæ.
- Pleocne'mia** (Bot.) πλιόνιος, full, κυνίμη, the spoke of a wheel ; a genus of Polypodioid Filices.
- Pleopel'tis** (Bot.) πλιόνιος, full, πίλτη, a shield ; from the form of the indusium.
- Pleostic'tides** (Bot.) πλιόνιος, full, στικτός, spotted ; having two, three, or four rows of feeds attached to the septum ; a division of Bignoniacæ.
- Pleothe'ca** (Bot.) πλιόνιος, full, θήκη, a sheath ; a genus of Cinchonacæ.

**Pleroma** (Bot.) *πλήρωμα*, fulness, in allusion to the cells of the capsules; a genus of Melastomaceæ.

**Plesiosau'rus** (Fos. Zool.) *πλινθός*, near, allied to, *σαῦρος*, a lizard; a genus of fossil marine Reptiles.

**Plestödon** (Zool.) *πλεύσσω*, to wound, *δόους*, *δόντος*, a tooth; a genus of Lizards.

**Plethodon** } (Zool.) { *πληθός*, crowded, *δόους*, *δόντος*, a tooth; a **Plethodon'tidae** } genus and family of Reptiles.

**Pleuracan'thus** (Fos. Bot.) *πλεύρα*, the side, *ἄκανθα*, a thorn or spine.

**Pleuran'dra** (Bot.) *πλεύρα*, a rib, *άνθη*, *άνθρος*, an anther; ribbed anthers.

**Pleuri'dium** (Bot.) *πλεύρα*, a rib, *εἶδος*, likeness; a genus of Musci; also one of Polypodioid Filices.

**Pleurobran'chidæ** (Zool.) *πλεύσιον*, a lung, *βράγχια*, gills; a division of Mollusca.

**Pleurocal'lis** (Bot.) *πλεύρα*, a rib, *κάλλος*, beauty; a genus of Ericaceæ.

**Pleuroceph'alum** (Bot.) *πλεύρα*, a rib, *κεφαλή*, head; a genus of Compositæ.

**Pleurochiiton** (Bot.) *πλεύρις*, a rib, *χιτών*, a tunic; a genus of Marchantiaceæ.

**Pleurocoo'cus** (Bot.) *πλεύρα*, a rib, *κόκκος*, a berry; a genus of Confervoid Algeæ.

**Pleurode'les** (Zool.) *πλεύσειν* the side, *δηλίζειν*, to wound; the ribs piercing the skin; a genus of Batrachians.

**Pleurodes'mia** (Bot.) *πλεύρα*, a rib, *δεσμός*, a band or chain; a genus of Dilleniaceæ.

**Pleurodo'nt** (Zool.) *πλεύρη*, the side, *δόους*, *δόντος*, a tooth; a tribe of Saurians, whose teeth are ankylosed to the bottom of an alveolar groove, and supported by its side.

**Pleurogo'niun** (Bot.) *πλεύρα*, a rib, *γωνία*, an angle; a genus of Polypodioid Filices.

**Pleurogram'ma** (Bot.) *πλεύρα*, a rib, *γράμμα*, a marking; a genus of Polypodioid Filices.

**Pleurogyn'e** (Bot.) *πλεύρα*, a rib, *γυνή*, a female (pistil); a genus of Gentianaceæ.

**Pleurogyra'tæ** (Bot.) *πλεύρα*, a rib, *γυρός*, to bend; a section of Polypodioid Filices.

**Pleurom'o'nas** (Zool.) *πλεύρα*, the side, *μονας*, a monad; the filament extending from the concave side of the body; a genus of Infusoria.

**Pleuronec'tes** } (Ichth.) { *πλεύρα*, the side, *νήκτης*, a swimmer; swimmers on the side; the Flat-fishes.

- Pleuro'phora** (Bot.) πλευρόν, a rib, φέρειν, to bear; a genus of Lythraceæ.
- Pleuro'phorus** (Zool.) πλευρόν, a rib, φέρειν, to bear; a genus of Mollusca.
- Pleurophyl'lum** (Bot.) πλευρόν, a rib, φύλλον, a leaf; a genus of Compositeæ.
- Pleuro'plitis** (Bot.) πλευρόν, the side, ὅπλιτης, armed; a genus of Graminae.
- Pleuropo'gon** (Bot.) πλευρόν, the side, πόγων, a beard; a genus of Graminae.
- Pleu'ropus** (Zool.) πλευρά, the side, πόδης, a foot.
- Pleuropy'xis** (Bot.) πλευρόν, a rib, πυξίς, a box; a genus of Fungi.
- Pleurorhi'zeæ** (Bot.) πλευρόν, the side, ρίζα, the radicle; a section of Cruciferæ.
- Pleuroschis'ma** (Bot.) πλευρόν, the side, σχίσμα, a slit; a genus of Jungermanniaceæ.
- Pleuroschismat'ypus** (Bot.) the genus *Pleuroschisma*, τύπος, a type or pattern; a genus of Jungermanniaceæ.
- Pleurospor'mum** (Bot.) πλευρόν, a rib, σπίρμα, seed; a genus of Umbelliferæ.
- Pleurosta'chys** (Bot.) πλευρόν, the side, σταχύς, a cluster; a genus of Cyperaceæ.
- Pleuro'stemon** (Bot.) πλευρόν, a rib, στήμαν, stamen; a genus of Onagraceæ.
- Pleurosty'lia** (Bot.) πλευρόν, a rib, στῦλον, a pillar (style); a genus of Celastraceæ.
- Pleuro'ta** (Ent.) πλευρόν, a rib, referring to the rib-like stripes on the wings; a genus of Lepidoptera.
- Pleurothal'lis** (Bot.) πλευρον, the side, θαλάσσης, a branch; from the one-sided arrangement of the flowers; a genus of Orchidaceæ.
- Pleuro'toma** (Zool.) πλευρόν, the side, τόμη, a slit; a genus of Mollusca.
- Pleurotoma'ria** (Fos. Zool.) resembling the genus *Pleurotoma*; a genus of fossil Mollusks.
- Pleurox'us** (Zool.) πλευρόν, the side, ὀξύς, sharp; a genus of Entomostraca.
- Plica'tula** (Zool.) plicatus, folded, plaited; a genus of Mollusca.
- Plica'tus-a-um** (Zool., Bot.) Lat. folded.
- Plicopen'nis** (Ent.) plico, to fold, penna, a wing; one of Latreille's three sections of the Neuroptera, equivalent to Trichoptera of other writers.
- Pli'nia** (Bot.) P. N. in honour of the celebrated Roman naturalist; a genus of Myrtaceæ.
- Plin'thine** (Bot.) πλινθίνης, resembling brick-work; a genus of Caryophyllaceæ.

Plin'thus (Ent.) *πλινθός*, a brick; brick-shaped.

Pli'ocene (Fos. Zool.) *πλιονίαν*, more, *καινότερον*, recent; applied by Sir Charles Lyell to the Upper Tertiary strata, because containing more recent testacea than the Miocene or Eocene.

Plio'lolphus (Fos. Zool.) *πλιολόφος*, complete, *λόφος*, a crest; a fossil Mammal.  
Pliopithe'cus (Fos. Zool.) *πλιοτίχος*, complete, *πιθηκός*, an ape; a fossil ape from the Miocene deposits.

Pliosau'rūs (Fos. Zool.) *πλιοσίος*, complete, *σαῦρος*, a lizard; a marine reptile from the Upper Oolite.

Plo'cama (Bot.) *πλόκαμος*, a lock of hair, from its pendulous branches.

Ploca'mium (Bot.) *πλόκαμος*, a lock of hair; a genus of Marine Algeæ.

Plocan'dra (Bot.) *πλοκή*, a plaiting, *ἄνηρ*, *ἀνδρίς*, a male (stamen); a genus of Gentianaceæ.

Ploca'ria (Bot.) *πλοκή*, a plaiting; a genus of Algaæ.

Ploe'us (Ornith.) *πλοκή*, a web, from the skill with which they build their nests; the Weavers.

Plocoglot'tis (Bot.) *πλοκή*, a twisting, *γλῶττα*, a tongue; a genus of Orchidaceæ.

Plo'e'sslea (Bot.) P. N., a genus of Amyridaceæ.

Ploia'rium (Bot.) *πλοιάριον*, a little skiff or boat; a genus of Ternströmiaceæ.

Plösslea (Bot.) P. N., a genus of Sapindaceæ.

Plo'tia (Bot.) P. N., a genus of Myrsinaceæ.

Plo'tus (Ornith.) *πλούτος*, a swimmer; the Darters.

Plo'ver (Ornith.) *Fr. pluvier*, equiv. to "rain-foreteller," because the bird is most active in rainy weather.—"MUDIE'S Feathered Tribes, Vol. II." Junius says: *aere pluvio*; Skinner, *quia pluvia gaudet*.

Plu'chea (Bot.) P. N., a genus of Compositeæ.

Plukene'tia (Bot.) P. N. in honour of Leonard Plukenet, an English botanist.

Plum (Bot.) *Anglo-Sax. plume*.

Pluma'ria (Ent.) *pluma*, a feather.

Plumatel'la } (Zool.) { dim. of *plumata*, feathered; a genus and  
Plumatel'lidæ } (Zool.) { family of Polyzoa.

Plumbagina'ceæ } (Bot.) { probably from a reference made by Pliny to  
Plumba'go } (Bot.) { plants used to cure an eye-complaint called  
*Plumbum*.

Plumbel'lus (Ent.) *plumbum*, lead; lead-coloured.

Flu'mbeola'tus-a-um (Ent.) *plumbeus*, lead-coloured.

Plum'beus-a-um (Bot.) *Lat.* lead-coloured.

**Plumie'ria** (Bot.) P. N. in honour of *C. Plumier*, a celebrated French botanist.

**Plumi'gerus-a-um** (Ent.) *pluma*, a feather, *gerere*, to carry.

**Plumo'sus-a-um** (Zool.) *Lat.* feathered.

**Plu'mula** (Bot.) *Lat.* a little feather; the plumule is that part of a seed which forms the stem, in opposition to the radicle.

**Plumula'ria** (Zool.) *plumula*, dim. of *pluma*, a feather; a genus of Zoophytes.

**Plu'ridens** (Bot.) *plures*, many, *dens*, a tooth; teeth of calyx like *Bidens*; a genus of Compositeæ.

**Plurimam'mis** (Zool.) *plures*, many, *mamma*, a nipple.

**Plu'sia** } (Ent.) { *ωλούσιος*, rich, i. e. in colour; a genus and family of **Plusi'idæ** } Lepidoptera.

**Plute'l'a** } (Ent.) { *ωλυτος*, washed, from the smeared markings of the **Plute'l'idæ** } wings; a genus of Lepidoptera.

**Pluvia'lis-e** (Ornith., Bot.) *Lat.* pertaining to rain, rainy.

**Pluvia'nus** (Ornith.) *pluvius*, rainy.

**Plycot'ophus** (Ornith.) *πλικωσι*, to fold, *λεφας*, a crest; a genus of Psittacidæ.

**Pneumato'phorus** (Ichth.) *πνεύμα-ατές*, wind, air, *φίρω*, to bear; referring to the swimming bladder.

**Pneumobranchia'ta** (Zool.) *πνεύμαων*, a lung, *θράγχια*, gills; a synonyme of Pulmonifera.

**Pneumode'rmon** (Zool.) *πνεύμαων*, a lung, *δέρμα*, skin; a genus of Pteropod Mollusca.

**Po'a** (Bot.) *πρά*, grafts or pasturage, which from *πράω*, to feed; Meadow-grafs; a genus of Graminae.

**Poaci'tes** (Fos. Bot.) *poa*, the Meadow-grafs; certain fossil Monocotyledonous leaves.

**Poa'phila** } (Ent.) { *πρά*, grafts, *φιλία*, to love; a genus and family of **Poaphil'idæ** } Lepidoptera.

**Pocillopo'ra** (Zool.) *pocillum*, a little cup, *porus*, an opening; a genus of Zoophytes.

**Poda'brus** (Ent.) *ποδαβρός*, smooth-footed.

**Podalir'ia** (Ent., Bot.) P. N. from *Podalirius*, son of *Æsculapius* :—

Ἀσκληπιάδα δύο ταιῆς  
Ιητῆρ ἀγαθὸς, Ποδαλίριος, ἦδι Μαχάον.

(The two sons of *Æsculapius*, skilled in leech-craft, *Podalirius* and *Machaon*.)

**Podan'thes** (Bot.) *ποδος*, πόδος, a foot, *ῥος*, a flower.

- Podar'cis** (Zool.) ποδαρκης, swift-footed; applied to some of the Lizards.
- Podenceph'ala** (Zool.) ποδης, ποδες, a foot, ιγκιφαλος, the brain; a genus of monsters in which the brain hangs by a pedicle.
- Pode'tium** (Bot.) ποδης, ποδες, a foot; applied to the footstalk of the tubercles in the Cup-lichens.
- Podiiceps** (Ornith.) ποδεξ, the rump, περ, a foot; the legs being thrown far back; the Grebes.
- Podiopsi'næ** (Ornith.) the family of Birds of which *Podiceps* is the type; it should be *Podicipinae*.
- Podium** (Ent.) ποδιον, a little foot; a genus of Hymenoptera.
- Podo'a** (Ornith.) ποδης, ποδες, a foot, ανη, a fringe; a genus of Pelecanidæ.
- Podocar'pus** (Bot.) ποδης, ποδες, a foot, καρπος, fruit; having stalked fruit; a genus of Taxaceæ.
- Podo'lepis** (Bot.) ποδης, a foot, λεπις, a scale; the flower-stalks being covered with them; a genus of Compositæ.
- Podo'lrium** (Bot.) ποδης, ποδες, a foot, λοβος, a pod; with footstalks; a genus of Leguminosæ.
- Podophyl'lum** (Bot.) “abridged from *Anapodophyllum*, a word signifying a duck's foot; the leaves bear some resemblance to that, whence the English name Duck's-foot.”—PAXTON.
- Podosper'mus-a-um** (Bot.) ποδης, ποδες, a foot, σπερμα, seed.
- Podosphe'nia** (Fos. Bot.) ποδης, ποδες, a foot, σφην, a wedge; a genus of microscopic fossil plants.
- Podu'ra** (Ent.) ποδης, ποδες, a foot, υπη, a tail; the Spring-tails; a genus of apterous insects of the order Thysanura.
- Poecilas'ma** (Zool.) ποικιλος, spotted, ιλαισμα, a plate; a genus of Cirripedes.
- Poecilocam'pa** (Ent.) ποικιλος, variegated, καμπη, a caterpillar.
- Poecilopeph'alus** (Ichth.) ποικιλος, many-coloured, κεφαλη, head; a genus of Serpentiform Fishes.
- Poecilophis** (Ichth.) ποικιλος, many-coloured, οφη, a snake; applied to the Pipiro, a serpentiform fish.
- Poecilo'poda** (Zool.) ποικιλος, various, ποδης, ποδες, foot; a division of Entomostracous Crustacea.
- Poecilo'ptera** (Ent.) ποικιλος, variegated, πτερον, a wing; a genus of Homoptera.
- Poecilo'pterus-a-um** (Ichth.) ποικιλος, variegated, πτερον, a fin.
- Poecilurich'thys** (Ichth.) ποικιλος, variegated, υψη, tail, ιχθυς, fish; a genus of West Indian Fishes.

- Poecilus-a-um** (Zool., Ent.) ποικίλος, spotted, many-coloured.
- Poen'sis-e** (Zool.) *Lat.* relating to Fernando Po.
- Poe'phagus-a-um** (Zool.) πόν, grafts, φάγω, to eat; e.g. *Bos poephagus*, the **Poëphilus-a-um** (Ornith.) πόν, grafts, φίλος to love.
- Yak or Grunting Ox.
- Pogo'nia** (Bot.) πώγων, a beard; from the fringed lip of the flowers.
- Pogo'nias** (Ornith., Ichth.) πωγωνίας, bearded.
- Pogonoche'rūs** (Ent.) πώγων, a beard, χείρ, the arm.
- Pogo'nus** (Ent.) πώγων, a beard.
- Poikilopleu'ron** (Fos. Zool.) ποικίλος, various, πλευρόν, rib.
- Poincia'na** (Bot.) P. N. from *M. de Poinci*, governor of the Antilles; a genus of Leguminosæ.
- Poinset'tia** (Bot.) P. N. in honour of *M. Poinsette*, who discovered the plant in Mexico; a genus of Euphorbiaceæ.
- Poin'ter** (Zool.) because this sporting dog is trained to stop and point towards the game.
- Pola'chius** (Ichth.) Latinized form of *Pollach*.
- Polani'sia** (Bot.) πολύ, very much, ἀνισος, unequal; stamens?
- Polemis'tria** (Ornith.) πολεμιστήριος, warrior-like; a genus of Hummingbirds.
- Polemo'nium** (Bot.) πόλεμος, a battle; from a legend which states that it caused a war between two kings.
- Polia** (Ent.) πολιός, grey.
- Polioceph'alus** (Zool.) πολιός, grey, κεφαλή, head; grey-headed.
- Polis'tes** (Ent.) πολιστής, the builder; a genus of Hymenoptera.
- Polis'tichus** (Ent.) πολύς, many, στίχος, a line.
- Polita'na** (Ent.) *politus*, polished.
- Pollen** (Bot.) *Lat.* fine flour, applied to the farina contained in the anthers of flowers.
- Pollex** (Zool.) *Lat.* the last joint of the thumb.
- Pollic'hia** (Bot.) P. N. in honour of *John Adam Pollich*, a German botanist.
- Poll'iipes** (Fos. Zool.) *pollex*, a thumb, *pes*, a foot; a genus of fossil Cirripedes.
- Pollin'ium**, pl. **Pollin'nia** (Bot.) applied to the *pollen-masses* in Orchidaceous and other plants.
- Polo'chrum** (Ent.) πολύ, much, χρώμα, yellow-ochre; a genus of Hymenoptera.
- Polo'nicus-a-um** (Bot.) *Lat.* Polish.
- Polyachy'rūs** (Bot.) πολύς, many, αχυρός, chaff.
- Polyadel'phia** (Bot.) πολύς, many, αδελφός, a brother.

**Polyan'dria** (Bot.) πολύς, many, ἀνθρός, a male (stamen); having many stamens.

**Polyan'gium** (Bot.) πολύς, many, ἀγγεῖον, a vessel or capsule.

**Polyan'thes** (Bot.) πολύς, many, ἄνθος, a flower; a genus of Liliaceæ.

**Polyan'thus** (Bot.) same derivation; a name applied to certain varieties of Primula.

**Poly'bia** (Ent.) πολύβιος, long-lived; a genus of Hymenoptera.

**Poly'borus** (Ornith.) πολυβόρος, much-devouring; a genus of Falconidæ.

**Polybo'ryta** (Bot.) πολύς, many, βότρυς, a bunch of grapes (raceme).

**Polycar'pon** (Bot.) πολύς, many, καρπός, fruit; a genus of Illecebracæ.

**Polyceph'alus-a-um** (Zool.) πολύς, many, κεφάλη, head; many-headed.

**Poly'cera** } (Zool.) { πολύς, many, κέρας, a horn; a genus and division  
of Mollusca.

**Polychlo'ros** (Ent.) πολύχλωρος, many-coloured.

**Polyne'mum** (Bot.) πολύς, many, κνήμη, a knee; having many joints.

**Polycom'mata** (Ent.) πολύς, many, κόμμα, a mark or stamp.

**Polycootyle'dons** (Bot.) πολύς, many, κοτύληδων, a cup; having many feed-vessels.

**Polycosti'na** (Zool.) πολύς, many, κύστις, a bladder; a group of the Rhizopods.

**Polydac'tylus-a-um** (Ent.) πολυδάκτυλος, many-fingered, many-plumed,  
e.g. Alucitina polydactyla.

**Polydes'ma** (Ent.) πολύς, many, δεσμός, a band; a genus of Lepidoptera.

**Polydes'mus** (Zool.) πολύς, many, δεσμός, a bundle; from the numerous groups of limbs arranged along the body; a genus of Myriapoda.

**Poly'drusus** (Ent.) πολυδρόσος, very moist.

**Poly'gala** (Bot.) πολύς, much, γάλα, milk; from its reputed effects on milch cattle.

**Polyga'mia** (Bot.) πολύς, many, γαμία, marriages.

**Polyglot'tus-a-um** (Zool.) πολύς, many, γλῶττα, a tongue.

**Poly'gonal** } (Bot.) { πολύς, many, γωνία, an angle or corner; many-  
cornered.

**Polygona'tum** (Bot.) πολύς, many, γόνη, a knee, in allusion to stem; Solomon's Seal; a genus of Liliaceæ.

**Poly'gonum** (Bot.) πολύς, many, γόνη, a knee or joint; Persicaria; typical genus of Polygonaceæ.

**Polygram'mata** (Ent.) πολύς, many, γράμμα, a mark.

**Polygrammo'des** (Ent.) πολύς, many, γράμμη, a line; a genus of Lepidoptera.

**Poly'graphus** (Ent.) πολύς, many, γραφή, a drawing; alluding to its markings.

**Polyg'yra** (Zool.) πολύς, many, γυρός, a whorl; a genus of Mollusca.

**Poly'i'des** (Bot.) πολύς, many, εἶδος, appearance; multifarious.

**Polymix'ia** (Ichth.) πολυμεξία, a mingling of many characteristics; a genus of Acanthopterygian Fishes.

**Polym'nia** (Bot.) P. N., *Polymnia* was the name of one of the Muses.

**Polymor'phus-a-um** (Bot.) πολύς, many, μορφή, a shape; variable.

**Polyne'mus** (Ichth.) πολύς, many, θήμα, a thread; alluding to the free thread-like appendages below the pectoral fin; the Mango-fish.

**Polyn'oë** (Zool.) P. N., one of the Nereids.

**Polyo'don** (Ichth., Ent.) πολύς, many, ὀδών, a tooth; in Entomology, from markings on the wings.

**Polyom'matus** (Ent.) πολύμεματος, many-eyed; a genus of Lepidoptera.

**Polyöüm** (Zool.) πολύς, many, ἄον, an egg; a specific name of a Polyzoan; from the numerous round granules on its body.

**Poly'parry** (Zool.) the structure which forms the habitation of *Polyphi*.

**Poly'pe** (Zool.) πολυπούς, many-footed.

**Polypet'alous** (Bot.) πολύς, many, πέταλον, a leaf or petal.

**Poly'phagus-a-um** (Zool.) πολύς, much or many, φάγω, to eat.

**Polyphe'mides** } (Zool.) { P. N. from *Polyphemus*; referring to the large

**Polyphe'mus** } { eye; a genus and family of Entomostraca.

**Polyphyl'lus** (Bot.) πολύς, many, φύλλον, a leaf; e. g., *Lupinus polyphyllus*.

**Polypi'de** (Zool.) a name given by Dr. Allman, in place of the word Polypary.

**Poly'pidom** (Zool.) *polypus*, the polyp, *domus*, a house.

**Polyplec'tron** (Ornith.) πολύς, many, πλάκτρον, a spur; having two spurs on each tarsus; a genus of Gallinæ.

**Polypo'dium** (Bot.) πολύς, many, πούς, ποδός, a foot; from the numerous segments of its leaves, some say of its roots; a genus of Filices.

**Polypo'gon** (Bot.) πολύς, many, πάγων, a beard; a genus of Graminae.

**Polyprif'on** (Ichth.) πολύς, many, πίσιν, a saw; a genus of Percoid Fishes.

**Polypty'chodon** (Fos. Zool.) πολύς, many, πτυχή, a ridge, ὀδούς, a tooth.

**Polyrrhi'za** (Bot.) πολύς, many, ριζα, a root; specific name of a species of *Lemna*.

**Polysipho'nia** (Bot.) πολύς, many, σίφων, a tube; a genus of marine Alge.

**Polysta'chion** (Bot.) πολύς, many, στάχυς, an ear of corn; many-spiked.

**Polystic'ta** (Ent.) πολύ, much, στικτός, spotted.

**Poly'stoma** (Ent.) πολύς, many, στόμα, a mouth.

- Poly'tela (Ent.) πολυτελής, magnificent ; a genus of Lepidoptera.
- Polythala'mia (Zool.) πολύς, many, θάλαμος, a chamber; an order of Polyzoa.
- Polyt'mus (Ornith.) πολύτμητος, deeply-cut ; i. e., the wing-feathers ; a genus of Humming-birds.
- Polyto'ca (Bot.) πολυτρόχος, bringing forth many young ones, prolific ; a genus of Graminae.
- Polytoma (Zool.) πολύς, many, τίμων, to cut, from its self-division into many sections ; a genus of Infusoria.
- Polytrichum (Bot.) πολύς, many, θηλή, τρίχος, hair, alluding to the calyptre ; a genus of Musci.
- Polytro'pia (Bot.) πολύς, many, τρέπει, a keel ; a genus of Leguminosæ.
- Polyuran'odon (Ichth.) πολύς, many, ὄψη, tail (prolongation), οδούς, οδοτρός, a tooth.
- Poly'xena (Bot.) P. N. from mythology ; a genus of Liliaceæ.
- Poly'xenus (Zool.) πολύξενος, very hospitable ; a genus of Myriapoda.
- Polyzo'a (Zool.) πολύς, many, ζώα, animals ; compound animals ; a division of molluscan Zoophytes, sometimes called Bryozoa.
- Polyzo'ne (Bot.) πολύς, many, ζώνη, a belt ; a genus of Chamælauciaceæ.
- Polyzo'nia (Bot.) same derivation ; a genus of Ceramian Algae.
- Pomaca'nthus (Ichth.) πῶμα, a lid, ἄκανθα, a spine.
- Poma'ceæ (Bot.) the Nat. Ord. of plants, of which *Pomum* is the type ; the Apple and Pear family.
- Pomader'ris (Bot.) πῶμα, a lid, δίππη, a skin, in allusion to the berries ; a genus of Rhamnaceæ.
- Poman'gium (Bot.) πῶμα, a lid, ἀγγεῖον, a vessel or capsule ; a genus of Cinchonaceæ.
- Poma'ria (Bot.) πῶμα, a lid ; a genus of Leguminosæ.
- Poma'tia (Zool., Bot.) πῶμα, a lid ; i. e. operculated, as in *Helix pomatia* ; in Botany a genus of Lauraceæ.
- Pomatoder'ris (Bot.) same etymology as Pomaderris ; a genus of Rhamnaceæ.
- Po'max (Bot.) πωμάζω, to cover with a lid ; a genus of Cinchonaceæ.
- Pomba'lia (Bot.) P. N. in honour of the *Marquis de Pombal*, a Portuguese statesman ; a genus of Violaceæ.
- Pomegran'ate (Bot.) from *pomum granatum*, the grained apple, once applied to it ; now called *Punica granatum*. The fruit was formerly called Mala Punica.
- Pomereul'ia (Bot.) P. N., a genus of Graminae.

- Pomeri'dian (Bot.) *pōfī*, after, *meridies*, mid-day.
- Pomi'ferus-a-um (Bot.) *Lat.* apple-bearing.
- Pompadou'ra (Bot.) P. N. in compliment to the celebrated *Madame Pompadour*; a genus of Calycanthaceæ.
- Pom'pholyx (Zool.) πομφόλυξ, a bubble; the name alludes to the resemblance of the Lorica to a round flat smelling-bottle; a genus of Infusoria.
- Pompi'lidae (Ent.) a family of Hymenoptera, of which *Pompilus* is the type.
- Pompi'lus (Ent.) πομπίλος, an escort or guide; a genus of Hymenoptera.
- Po'mum (Bot.) *Lat.* an apple; the Apple-tree.
- Ponæ'a (Bot.) P. N., a genus of Sapindaceæ.
- Poncele'tia (Bot.) P. N., a genus of Epacridaceæ.
- Ponga'mia (Bot.) from the Malabar name *Pongam*.
- Pontede'ra (Bot.) P. N. in honour of *Julio Pontederá*, an Italian botanist; a curious genus of aquatics, typical of Pontederaceæ.
- Ponthie've (Bot.) P. N. in honour of *M. de Ponthieu*, a French merchant; a genus of Orchidaceæ.
- Pontoppida'na (Bot.) P. N., a genus of Lecythidaceæ.
- Poöph'agus (Ent.) φείν, grafs, φάγω, to eat; herbivorous.
- Poo'tia (Bot.) P. N., a genus of Gentianaceæ.
- Pop'lar (Bot.) from *Lat. Populus*.
- Pöppi'gia (Bot.) P. N., a genus of Verbenaceæ.
- Poppou'ria (Bot.) P. N., a genus of Anonaceæ.
- Pop'py (Bot.) *Lat. papaver*, *Ital. papavero*, *Fr. pavot*.
- Popula'ta (Ent.) feeding on the Poplar, *Populus*.
- Popule'ti } Ent. { gen. singular and plural of *populetum*, a poplar-grove,  
Populeto'rūm } implying that the insects frequent these groves.
- Pop'ulus (Bot.) *Lat.* the Poplar-tree, probably from πατάλλω, to shake; i.e. by the wind; a genus of Salicaceæ.
- Pora'na (Bot.) ποπύω, to travel, from its spreading branches.
- Poran'thera (Bot.) πέπος, a passage, ἀθηρα, anther; a genus of Euphorbiaceæ.
- Pora'ria (Ent.) πέπος, the stone called Tufa, which it resembles.
- Forca'rus-a-um (Zool.) *porcus*, a swine; swine-like.
- Force'lia (Bot.) P. N., a genus of Anonaceæ.
- Porcella'na (Zool.) so called, because their shells are smooth like porcelain; the Porcelain-Crab: a genus of Crustacea.
- Porcell'io (Ent.) *Lat.* a little hog; the Wood-louse.
- Porcell'u's (Ent.) *Lat.* a little hog; specific name of a sphinx moth, Chorocampa *Porcellus*.
- Porif'erus-a-um (Zool.) πόρι, pores or openings, *fero*, to bear.

- Po'rina (Bot.) πάρινος, crumbling away, from πάρησ, the Tufa-stone.
- Porlie'ra (Bot.) P. N., a genus of Zygophyllaceæ.
- Poro'phora (Bot.) πόρος, a pore or passage, φέρω, to bear; a genus of Fungi.
- Porophyl'lum (Bot.) πόρος, a pore or passage, φύλλον, a leaf; a genus of Saxifragaceæ.
- Poropter'ides (Bot.) πόρος, a passage or pore, πτερίς, a fern; a section of Filices.
- Poro'stema (Bot.) πόρος, a passage, στέμμα, a wreath; a genus of Lauraceæ.
- Porothe'leum (Bot.) πόρος, a passage, θηλή, a nipple; a genus of Fungi.
- Porothe'lum (Bot.) fame derivation; a genus of Lichenes.
- Poro'trichum (Bot.) πόρος, a passage, θῆρις, τρίχος, hair; a genus of Bryoid Musci.
- Porphy'ra (Bot.) πορφύρα, purple, a genus of marine Algæ.
- Porphyra'lis (Ent.) πορφύρα, purple; from the prevailing colour.
- Porphyran'thus (Bot.) πορφύρας, purple, ἄνθος, a flower; a genus of Goodeniaceæ.
- Porphy'rea (Ent.) πορφύρας, purple.
- Porphyreolo'phæ (Ornith.) πορφύρεος, purple, λέπος, a crest.
- Porphy'res (Ornith.) πορφύρεος, purple.
- Porphy'rion (Bot.) πορφύρεος, purple; a genus of Saxifragaceæ.
- Porphyri'tica (Zool.) πορφύρα, purple; from the colour of the body; applied to one of the Salamanders.
- Porphyro'coma (Bot.) πορφύρα, purple, κέμην, a tuft; a superb genus of Acanthaceæ.
- Porphyro'phora (Ent.) πορφύρα, purple, φέρω, to carry; a genus of cochineal-bearing insects.
- Por'poise (Ichth.) French, porc-poison, hog-fish; sometimes written Porpeff; popular name of the Phocæna communis.
- Porrecte'lla (Ent.) Lat. porrectus, out-stretched.
- Porrec'tus-a-um (Ent.) Lat. stretched out, extended.
- Por'rigens (Bot.) Lat. spreading, e.g., Achyranthes porrigena.
- Por'rum (Bot.) Lat. a leek; the common leek is Allium porrum; a genus of Liliaceæ.
- Portale'sia (Bot.) P. N., a genus of Compositæ.
- Portax (Zool.) πίπτεξ, a calf; the Nylgau; a genus of Mammalia.
- Portenschla'gia (Bot.) P. N., a genus of Celastraceæ.
- Porte'sia (Bot.) P. N., a genus of Meliaceæ.
- Portla'ndia (Zool. Bot.) P. N. in honour of the Duke of Portland; applied to a genus of Cinchonaceæ; in Zoology, a genus of Mollusca.

- Portula'ca** } Bot. } *porto*, to carry, *lac*, milk, from the juicy nature  
**Portulaca'ceæ** } of the plants ; but some say from *portula*, a  
                     little gate, from resemblance of the leaves ;  
                     the Purslane genus and family.
- Po'ruli** (Bot.) porules ; dim. of *πῶρος*, a passage or pore.
- Po'rus**, pl. **Po'ri** (Zool., Bot.) *πῶρος*, a passage; pores.
- Posido'nia** (Bot.) *Ποσειδῶν*, the Greek deity, called by the Romans Neptune ; from its marine habitat ; a genus of Zosteraceæ.
- Posi'donomy'a** (Zool.) P.N., *Ποσειδῶν*, Neptune, *μυῖα*, a mussel ; a genus of Mollusca.
- Posoque'ria** (Bot.) P. N., a genus of Cinchonaceæ.
- Potami'des** (Zool.) *ποταμός*, a river ; a genus of Mollusca.
- Potamo'bius-a-um** (Zool.) *ποταμός*, a river, *βιώω*, to live.
- Potamochlo'a** (Bot.) *ποταμός*, a river, *χλόα*, grass ; River-grass ; from its aquatic habitat ; a genus of Gramina.
- Potamoge'ton** (Bot.) *ποταμός*, a river, *γειτόνι*, a neighbour ; Pondweed ; a genus of Fluviales.
- Potamo'philæ** (Bot.) *ποταμός*, a river, *φιλίω*, to love ; the French botanist Richard's name for the Naidaceæ.
- Potamo'philus-a-um** (Zool.) *ποταμός*, a river, *φιλίω*, to love ; frequenting streams.
- Potamophyll'ites** (Fos. Bot.) *ποταμός*, a river, *φύλλον*, a leaf.
- Potamop'i'tys** (Bot.) *ποταμός*, a river, *πίτυς*, a pine-tree ; a genus of Elatinaceæ.
- Pota'to** (Bot.) from the similarity of its tubers to those of the *Convolvulus Batatas*.
- Potato'ria** (Ent.) *potator*, a drinker.
- Potato'rum** (Bot.) *Lat.* of drinkers ; the specific name of a *Strychnos*, which is used in India for clearing muddy water.
- Potentil'la** (Bot.) *potens*, powerful, from the astringency of the root ; a genus of Rosaceæ.
- Poteran'thera** (Bot.) *ποτήριον*, a drinking cup, ἀθηρα, anther ; a genus of Melastomaceæ.
- Pote'rii** (Ent.) feeding on the Salad Burnet, *Poterium Sanguisorba*.
- Poteriocri'nites** } (Fos. Zool.) { *ποτήριον*, a goblet, and the genus *Encrinus* ;  
**Poteriocri'nus** } { a genus of goblet-shaped Encrinites.
- Pote'rium** (Bot.) *poterium*, a drinking-cup ; formerly used in the “cool tankard ;” the Salad-Burnet ; a genus of Sanguisorbaceæ.

- Pothomor'phe (Bot.) the genus *Pothos*, *μορφή*, resemblance, *i. e.*, to that plant; a genus of Piperaceæ.
- Po'thos (Bot.) from *Potha*, the common appellation given to these plants in Ceylon; a genus of Orontiaceæ.
- Po'tia (Ichth.) etymology obscure; a genus of Cyprinoid Fishes.
- Po'tima (Bot.) *πότιμος*, fresh, drinkable; a genus of Cinchonaceæ.
- Po'toro (Zool.) native Australian name of the Kangaroo Rat.
- Pot'tia (Bot.) P. N., a genus of Bryoid Musci.
- Pot'to (Zool.) native African name of the lemuring mammal, *Perodicticus Potto*.
- Pot'tsia (Bot.) P. N., a genus of Apocynaceæ.
- Pouche'tia (Bot.) P. N., a genus of Cinchonaceæ.
- Poupartia (Bot.) P. N., a genus of Anacardiaceæ.
- Pourou'ma (Bot.) probably the vernacular name in Guiana; a genus of Artocarpaceæ.
- Pourre'tia (Bot.) P. N. in honour of *M. Pourrett*, of Toulouse; a genus of Bromeliaceæ.
- Poute'ria (Bot.) P. N., a genus of Sapotaceæ.
- Pouzol'zia (Bot.) P. N., a genus of Urticaceæ.
- Pozo'a (Bot.) P. N., a genus of Umbelliferæ.
- Præal'tus-a-um (Bot.) *Lat.* very high.
- Præangu'sta (Ent.) *præangustus*, very narrow (wings).
- Præcocel'la (Ent.) dim. of *præcox*, early; *i. e.* appearance in spring.
- Præ'cox (Ent., Bot.) *Lat.* precocious, early.
- Prælatel'l'a (Ent.) *prælatus*, chosen, preferred.
- Prælonga'na (Ent.) *prælongus*, very long.
- Præmor'sus-a-um (Bot.) *Lat.* bitten off; terminating abruptly; applied to such roots as those of the Scabiosa succisa.
- Præ'nitens (Bot.) *Lat.* very glittering; *e. g.*, *Primula prænitens*.
- Pran'gos (Bot.) a native Tartar name; a genus of Umbelliferæ.
- Prani'za } (Zool.) { *πρανίζω*, to fall headlong; a genus and family of Prani'zadæ } (Crustacea.)
- Prasina'na (Ent.) *πράσινος*, leek-green.
- Pra'sium (Bot.) *πράσινη*, the name used by Dioscorides for the plant *Horehound*; a genus of Lamiaceæ.
- Prasophyl'lum (Bot.) *πράσινος*, a leek, *φύλλον*, a leaf; from similarity of form; a genus of Orchidaceæ.
- Prata'na } (Ent.) *pratum*, a meadow.
- Pratel'lus }

- Praten'sis-e** (Bot.) *Lat.* growing in meadows; *e. g.*, *Alopecurus pratensis*.
- Prawn** (Zool.) popular name of Crustaceans of the genus *Pandalus*.
- Pra'xis** (Ent.) πράξις, πράξη, to accomplish; a genus of Lepidoptera.
- Pra'y's** (Ent.) πράγμα, gentle, delicate; a genus of Lepidoptera.
- Precato'rius** (Bot.) *predator*, one who prays; because the seeds are used to make rosaries; *e. g.*, *Abrus precatorius*.
- Prehen'sile** (Zool.) *prehendo*, to take hold of.
- Prem'na** (Bot.) πρίμνα, the stump of a tree, because the species consists of shrubs and small trees; a genus of Verbenaceæ.
- Prenan'thes** (Bot.) πρενάθης, drooping, ἄθος, a flower; a genus of Compositæ.
- Preonan'thes** (Bot.) πρενάθη, a projection, ἄθος, a flower; a genus of Ranunculaceæ.
- Preoper'culum** (Ichth.) *præ*, before, *operculum*, a lid or gill-cover; applied to one of the four parts of the operculum of fishes.
- Prepu'sa** (Bot.) from an anatomical term, and referring to the inflated calyx; a beautiful genus of Gentianaceæ.
- Pres'byter** (Ichth.) πρεσβύτος, blind; specific name of the Land-smelt.
- Presbytero'i'des** (Ichth.) the genus *Presbyter*, εἶδος, likeness.
- Presby'tes** (Zool.) *Gr.* πρεσβύτης, an old man; from the old-fashioned look of this Ape; the Capped apes; a genus of Simiidæ.
- Pres'tia** (Bot.) P. N. in honour of the celebrated German writer upon Ferns; a genus of Labiatæ.
- Presto'nia** (Bot.) P. N., a genus of Apocynaceæ.
- Pretio'ssus-a-um** (Zool.) *Lat.* valuable.
- Prevos'tea** (Bot.) P. N. in honour of *M. Prevost*, of Geneva; a genus of Convolvulaceæ.
- Pria'pulus** (Zool.) from *Priapus*, a mythological name; a genus of Echinodermata.
- Priestley'a** (Bot.) P. N. in honour of *Dr. Priestley*, the celebrated chemist; a genus of Leguminosæ.
- Prieur'e'a** (Bot.) P. N., a genus of Onagraceæ.
- Primæ'vus-a-um** (Zool.) *Lat.* of the first age.
- Prima'tes** (Zool.) *primus*, first; Linnæus's first great division of Mammalia, which includes Man.
- Primno'a** (Zool.) πριμνός, an end, ἄορτη, an egg; a genus of Zoophytes.
- Prim'uла** (Bot.) *primus*, first, from its early flowering; the Primrose.
- Primula'ceæ** (Bot.) the Primrose family, of which *Primula* is the type.
- Prino'psis** (Bot.) the genus *Prinos*, οὐλή, resemblance; a genus of Compositeæ.

- Print'zia** (Bot.) P. N., a genus of Compositæ.
- Priodon'ta** (Zool.) πρίων, a faw, οδούς, οδόντις, a tooth.
- Prionach'ne** (Bot.) πρίων, a faw, ἄχυν, an awn; a genus of Graminae.
- Prionan'thes** (Bot.) πρίων, a faw, ἄθος, a flower; a genus of Compositæ.
- Prion'idæ** (Ent.) a genus of beetles, of which *Prionus* is the type.
- Prioni'tes** (Ornith.) πρίων, a faw, from the serrated mandibles; Illiger's name for the Motmots.
- Prioni'tis** (Bot.) πρίων, a faw; a genus of Umbelliferæ.
- Prio'nium** (Bot.) πρίων, a faw; a genus of Juncaceæ.
- Prionochil'ius** (Ornith.) πρίων, a faw, χεῖλος, a lip.
- Priono'des** (Ichth.) πρίων, a faw, εἶδος, likeness; a genus of the family Percidæ.
- Prion'odon** (Zool.) πρίων, a faw, οδούς, οδόντος, a tooth; a genus of carnivorous animals of the family Felidæ.
- Prion'onyx** (Ent.) πρίων, a faw, δινξ, δινυχος, a claw; a genus of Hymenoptera.
- Prio'nus** (Ent.) πρίων, a faw; a genus of Coleoptera.
- Prio'ptera** (Ent.) πρίων, a faw, πτήση, a wing; a genus of Coleoptera.
- Priosce'lis** (Ent.) πρίων, a faw, κηλη, a spot.
- Prisma'ticus-a-um** (Zool., Bot.) *Lat.* reflecting the prismatic colours, or angular like a prism.
- Prismatocar'pus** (Bot.) πρίσμα-ατος, a prism, κερπός, fruit; a genus of Campanulaceæ.
- Pristacan'thus** (Fos. Zool.) πρίστης, a faw, κακιθα, a spine; a genus of extinct Fishes.
- Pristidac'tyli** (Zool.) πρίστης, a faw, δάκτυλος, a toe; the Rough-toed lizards.
- Pristis** (Ichth.) πρίστης, a faw; the Saw-fish.
- Pristo'nychus** (Ent.) πρίστης, a faw, δινξ-υγος, a claw.
- Proboscida'lis** (Ent.) proboscis, a trunk or snout.
- Probosci'dea** (Ent., Bot.) proboscis, a trunk or snout; a sub-class of Diptera; also in Botany, as *Martynia proboscidea*.
- Proboscidi'fera** (Zool.) proboscis, a trunk or snout, *ferō*, to carry; a group of Mammalia.
- Probosci'diform** (Zool.) proboscis, a trunk or snout, *forma*, shape.
- Probo'scids** (Zool.) *Lat.* a trunk or snout.
- Procella'ria**
- |                       |   |           |   |  |
|-----------------------|---|-----------|---|--|
| <b>Procellar'i'dæ</b> | } | (Ornith.) | { | procella, a storm, <i>i. e.</i> the Storm-birds; the |
| <b>Procellari'næ</b>  |   |           |   | Petrels.   |
- Procella'ta** (Ent.) procella, a storm; from some cloudy markings on the wings.

**Prochil'odus** (Ichth.) *πρό*, forwards, *χίλος*, a lip, *δόντις*, tooth; having remarkable thick lips fringed with teeth as slender as hairs; a genus of South American Fishes.

**Proc'nias** (Ornith.) derivation uncertain; the Swallow Chatterer.

**Procc'slia** (Fos. Zool.) *πρό*, front, *κεῖλος*, hollow; having vertebræ with the cup at the fore part and the ball behind.

**Pro'crisidæ** } (Ent.) { P. N. from *Procris*, a daughter of the king of **Pro'cris** } Athens; a family and genus of Lepidoptera.

**Procru'stes** (Ent.) a mythological name; a genus of Coleoptera.

**Proctono'tus** (Zool.) *πρωκτός*, the hinder part, *ῥέντος*, a ridge; a genus of Mollusca.

**Procum'bens** (Bot.) *Lat.* leaning forward, or prostrate on the ground; *e. g.*, *Azalea procumbens*.

**Pro'cyon** (Zool.) *προκυών*, one who snarls like a dog; the Racoons.

**Procyonoi'des** (Zool.) *procyon*, a racoon, *εἴδος*, likeness.

**Prodroma'ria** (Ent.) *πρόδρομος*, a scout.

**Produc'ta** (Zool.) *Lat.* drawn out; a genus of Brachiopodous Mollusca.

**Profugel'a** (Ent.) *profugus*, a fugitive.

**Profunda'na** (Ent.) *profundus*, deep.

**Progemma'ria** (Ent.) *progemmans*, budding forth.

**Proglottis** (Zool.) *προγλωττίς*, the point of the tongue; applied to each segment of the tapeworm.

**Frogna'tho** (Zool.) *πρό*, forwards, *γνάθος*, the jaw.

**Proliferus-a-um** (Zool., Bot.) *proles*, offspring, *fero*, to bear; *e. g.*, *Hynum proliferum*.

**Promero'pidæ** } (Ornith.) { allied to *Merops*; a family and genus of **Pro'merops** } incessorial Birds, family Upupidæ.

**Pronate** } (Zool., Bot.) *pronus*, leaning forward.

**Prone** } *prona*, a bridemaid.

**Pro'nuba** (Ent.) *pronuba*, a bridemaid.

**Pronubel'l'a** (Ent.) dim. of *pronuba*, a bridemaid.

**Propinquel'l'a** (Ent.) dim. of *propinquus*, resembling.

**Propithe'cus** (Zool.) *prope*, near, allied to, *pithecus*, an ape; to express its relations.

**Propugna'ta** (Ent.) *propugnatur*, fought for, defended.

**Prorocen'trum** (Zool.) *προρέιν*, to flow forward, *κίνητος*, a point; the lorica being pointed anteriorly; a genus of Infusoria.

**Proscarabæ'us** (Ent.) having a resemblance to *Scarabæus*.

**Prosperina'ca** (Bot.) *prospero*, to creep; a genus of Haloragaceæ.

- Pro'sobranchia'ta* (Zool.)  $\pi\acute{\rho}\acute{\sigma}\acute{\iota}$ , in front of,  $\beta\acute{\iota}\delta\gamma\chi\acute{\sigma}$ , the windpipe.
- Pros'o'des* (Ent.)  $\pi\rho\sigma\acute{\omega}\acute{\delta}\eta\acute{\varsigma}$ , stinking.
- Proso'pon* (Ent.)  $\pi\rho\acute{\sigma}\omega\pi\tau\acute{\nu}$ , a mask.
- Prosoponis'cus* (Fos. Zool.)  $\pi\rho\acute{\sigma}\omega\pi\tau\acute{\nu}$ , a face or mask,  $\delta\acute{\nu}\sigma\pi\kappa\acute{\sigma}$ , the Wood-louf; the name has been given instead of *Palæocrangon*.
- Proster'non* (Ent.)  $\pi\rho\acute{\sigma}\acute{\iota}$ , front,  $\sigma\tau\acute{\epsilon}\varsigma\pi\tau\acute{\nu}$ , the breast.
- Prostheaca/nthus* (Ichth.)  $\pi\rho\acute{\sigma}\theta\acute{\sigma}\acute{\iota}$ , in front,  $\ddot{\alpha}\kappa\alpha\theta\acute{\sigma}$ , spine; a genus of Fusiform Fishes.
- Prostra'tus-a-um* (Bot.) *Lat.* trailing.
- Prosym'na* (Zool.) unexplained; a genus of Ophidians.
- Pro'tea* (Ent., Bot.) P. N. from *Proteus*, the changeable god.
- Pro'teles* (Zool.)  $\pi\rho\acute{\beta}\acute{\iota}$ , in front,  $\tau\acute{\iota}\lambda\acute{\sigma}\acute{\iota}$ , extremity, from the extended snout; the Aard Wolf; a genus of Mammalia.
- Proteroglo'ssa* (Zool.)  $\pi\rho\acute{\sigma}\tau\acute{e}\rho\acute{\sigma}\acute{\iota}$ , in front,  $\gamma\lambda\acute{\omega}\sigma\sigma\acute{\iota}$ , a tongue; applied to certain Batrachians, with a tongue free in front and adherent behind.
- Pro'teus* (Zool.) P. N., a sea-god; a genus of Amphibia.
- Protoco'cus* (Bot.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , first,  $\kappa\acute{\delta}\kappa\acute{\sigma}\acute{\iota}$ , berry; microscopic vegetables of the simplest possible structure.
- Protone'ma* (Bot.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , first,  $\tilde{\nu}\mu\acute{\iota}$ , a filament; a genus of Algae.
- Protono'psis* (Fos. Zool.)  $\pi\rho\acute{\sigma}\tau\acute{\nu}\acute{\sigma}\acute{\iota}$ , a cord,  $\delta\acute{\psi}\acute{\iota}\acute{\sigma}$ , resemblance.
- Proto'pteres* (Zool.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , the first, earliest,  $\pi\pi\acute{\sigma}\acute{\iota}$ , a fin; an osculant form between Fishes and Reptiles.
- Proto'pterus* (Zool.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , first (rudimentary),  $\pi\pi\acute{\sigma}\acute{\iota}$ , a fin; a genus of Amphibia.
- Protor'nia* (Fos. Zool.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , first,  $\tilde{\nu}\pi\acute{\iota}\acute{\sigma}$ , a bird; an early fossil bird.
- Protorosau'russ* (Fos. Zool.)  $\pi\rho\acute{\sigma}\tau\acute{e}\rho\acute{\sigma}\acute{\iota}$ , earlier,  $\sigma\acute{\nu}\pi\acute{\sigma}\acute{\iota}$ , a lizard; an early fossil reptile, known as the fossil Monitor of Thuringia.
- Protozo'a* (Zool.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , first,  $\zeta\acute{\omega}\acute{\iota}$ , life; the lowest class of the animal kingdom, corresponding to the true Infusoria.
- Protozo'ic* (Fos. Zool.)  $\pi\rho\acute{\sigma}\pi\tau\acute{\nu}$ , first,  $\zeta\acute{\omega}\acute{\iota}$ , life.
- Pro'tula* (Zool.)  $\pi\rho\acute{\beta}$ , before,  $\tau\acute{\iota}\lambda\acute{\sigma}\acute{\iota}$ , a knob; a genus of Annelids.
- Pru'ina* (Bot.) *Lat.* hoar-frost; a mealy substance on the surface of some plants.
- Pruino'sus-a-um* (Bot.) *Lat.*, hoary-frosted.
- Pruna'ta* (Ent.) from feeding on Blackthorn, *Prunus spinosa*.
- Prunel'l'a* (Bot.) from the Germ. *Die Breaune*, a name given to an affection of the fauces for which it was used; or perhaps from *pruna*, a burning coal, being used to cure burns; Self-heal; a genus of Labiateæ.
- Pruneto'rum* (Ent.) gen. pl. of *prunetum*, a floe thicket; such being the resort of the insect.

- Prunia'na** (Ent.) feeding on various species of *Prunus*.
- Pru'nus** (Bot.) *Lat.* a plum-tree; a genus of Drupaceæ.
- Prymnacan'tha** (Ornith.) πρυμνίς, the hindmost part, ἄκανθα, spine; a genus of Humming-birds.
- Psalidoco'ptus** (Ent.) ψαλίς-ιδος, a pair of shears, κόπτειν, to cut off; alluding to the elytra being cut with a delicate outline and incisures; a genus of Coleoptera.
- Psalidogna'thus** (Ent.) ψαλίς-ιδος, a pair of shears, γνάθος, a jaw; a genus of Coleoptera.
- Psalio'dus** (Fos. Zool.) ψαλίς, a pair of pincers, οδούς, a tooth.
- Psalu'rus** (Ornith.) ψαλίς, a vault, στύρα, a tail; specific name applied to birds which have the tail much arched.
- Psam'ma** (Bot.) ψάμμειος, sand; Mat-grafts.
- Psammæ'chus** (Ent.) ψάμμειος, sand, οἰκος, a habitation.
- Psammi'sia** (Bot.) P. N. from *Psammis*, a King of Egypt.
- Psammo'bria** (Zool.) ψάμμειος, sand, βίωσις, to live; a genus of Mollusca.
- Psammo'dromus** (Zool.) ψάμμειος, sand, δραμεῖν, to run; a genus of Reptilia.
- Psam'modus** (Zool.) ψάμμειος, sand, οδούς, a tooth; so called from their rough upper surfaces.
- Psammody'tes** (Zool.) ψαμμο-δύτης, a sand-diver, equivalent to Ammodytes.
- Psammo'mys** (Zool.) ψάμμειος, sand, μῦς, a mouse.
- Psammope'rca** (Ichth.) ψάμμειος, sand, σίρκη (*perca*) a perch.
- Psammo'phidæ** } (Zool.) { ψάμμειος, sand, ὄφεις, a serpent; a family and  
**Psam'mophis** } (Zool.) { genus of Colubrine ophidians.
- Psammo'phylax** (Zool.) ψάμμειος, sand, φύλαξ, a guard; a genus of Colubrine ophidians.
- Psammosau'rus** (Zool.) ψάμμειος, sand, σαῦρος, a lizard; applied to the Land Monitor.
- Psaroli'tes** or **Psaroni'tes** (Fos. Bot.) ψαρός, speckled, λιθος, a stone; applied to certain fossil tree-stems.
- Pselaph'idae** } (Ent.) { ψηλαφίδαι, to grope in the dark, because the  
**Pse'laphus** } (Ent.) { Beetle is found under stones, &c.; a family and genus of Coleoptera.
- Psen** (Ent.) ψέν, the gall insect, *Lat. Cynips*; a genus of Hymenoptera.
- Pse'phis** (Ent.) ψέφης, darkness, obscurity; a genus of Lepidoptera.
- Pset'ta** (Ichth.) ψῆττα, a turbot; the genus of Fishes which includes the Turbot and Brill.

- Pset'tus** (Ichth.)  $\psi\bar{\eta}\tau\alpha$ , a turbot ; a genus of chaetodont (bristle-toothed) Fishes.
- Pseudech'enëis** (Ichth.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\bar{e}\chi\bar{e}v\bar{n}\bar{i}s$ , the fish remora ; a genus of Siluroid Fishes.
- Pseu'dechis** (Zool.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\bar{e}\chi\bar{i}s$ , a viper ; the "Black-Snake" of Australia ; a genus of Colubrine ophidians.
- Pseudi'na** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false ; a genus of Lepidoptera.
- Pseudo** (Zool., Bot.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false ; a prefix used to imply some slight resemblance, or imperfect analogy.
- Pseudobomby'ces** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false, *Bombyces* ; a division of nocturnal Lepidoptera.
- Pseudobran'chia** (Ichth.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\beta\bar{r}\bar{a}\bar{y}\chi\bar{g}\bar{a}$ , gills.
- Pseudocer'vus** (Zool.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false, *cerous*, a stag.
- Pseudocordy'lus** (Zool.) the false *Cordylus* ; a genus of African Lizards.
- Pseudo-deltol'i'dæ** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\delta\bar{e}\lambda\tau\bar{o}\bar{s}$ , a writing tablet ; which resembled the letter Delta ( $\Delta$ ), in consequence of the moths sitting at rest with wings folded somewhat in that shape.
- Pseudola'rix** (Bot.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false, *larix*, the larch ; the Chinese Larch.
- Pseudoli'va** (Zool.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false, *oliva*, a kind of shell ; a genus of Mollusca.
- Pseu'domys** (Zool.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\mu\bar{o}\bar{s}$ , a mouse.
- Pseudo-pla'tanus** (Bot.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\pi\bar{\lambda}\bar{a}\bar{\tau}\bar{a}\bar{o}\bar{e}$  (*platanus*), the Plane.
- Pseudo'psis** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\bar{\delta}\bar{h}\bar{i}s$ , appearance.
- Pseu'dopus** (Zool.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\pi\bar{o}\bar{v}\bar{s}$ , a foot ; a genus of snake-like Lizards.
- Pseudosprete'lla** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false, *spretella*, a species of Moth.
- Pseudoterp'na** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\pi\bar{e}\bar{p}\bar{e}\bar{r}\bar{v}\bar{e}\bar{s}$ , delightful ; a genus of Lepidoptera.
- Pseudotetra'mera** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\tau\bar{i}\bar{t}\bar{r}\bar{o}\bar{m}\bar{a}$ , four,  $\mu\bar{s}\bar{p}\bar{d}\bar{s}$ , a part ; because having really five, though apparently only four, joints of the tarsus ; a division of Coleoptera.
- Pseudotri'mera** (Ent.)  $\psi\bar{e}v\bar{d}\bar{h}\bar{s}$ , false,  $\tau\bar{p}\bar{u}\bar{i}\bar{s}$ , three,  $\mu\bar{s}\bar{p}\bar{d}\bar{s}$ , a part ; because these beetles have really four, though apparently only three, joints of the tarsus ; a division of Coleoptera.
- Psi** (Ent.) from the Greek letter  $\psi$ , with which it is marked.
- Psi'dium** (Bot.)  $\psi\bar{i}\bar{b}\bar{i}\bar{a}\bar{s}$ , the Greek name of the Pomegranate ; now applied to the Guava.
- Psilo'cera** (Ent.)  $\psi\bar{i}\bar{a}\bar{h}\bar{e}\bar{s}$ , naked,  $\pi\bar{i}\bar{p}\bar{u}\bar{e}\bar{s}$ , a horn.

**Psilo'gyne** (Bot.) ψιλός, bare or naked, and γυνή, pistil; a genus of Verbenaceæ.

**Psilone'ma** (Bot.) ψιλός, bare or naked, and νήμα, filament; a genus of Cruciferæ.

**Psilo'nia** (Bot.) ψιλός, bare or naked; a genus of Fungi.

**Psilono'tus** (Ent.) ψιλός, bare, νῶτος, the back; from their appearance.

**Psilop'i'lum** (Bot.) ψιλός, naked, πῖλος, wool; a genus of Bryoid Musci.

**Psilorhyn'chus** (Ornith.) ψιλός, thin, ῥύγχος, a beak or snout.

**Psilosta'chys** (Bot.) ψιλός, naked or bare, and στάχυς, a cluster; a genus of Euphorbiaceæ.

**Psiloste'mon** (Bot.) ψιλός, naked or bare, and στάμαν, a stamen; a genus of Boraginaceæ.

**Psilos'toma** (Bot.) ψιλός, naked or bare, and στόμα, orifice; a genus of Cinchonaceæ.

**Psilosty'lis** (Bot.) ψιλός, naked or bare, στῦλος, a pillar (style); a genus of Cruciferæ.

**Psilosty'lum** (Bot.) same derivation; a genus of Cruciferæ.

**Psilo'tham'nus** (Bot.) ψιλός, naked or bare, θάμνος, a little shrub; a genus of Compositæ.

**Psilo'trichum** (Bot.) ψιλός, naked or bare, θρίξ, τρίχος, hair (filament); a genus of Amaranthaceæ.

**Psilo'tum** (Bot.) ψιλωτής, nakedness.

**Psilox'yton** (Bot.) ψιλός, naked or bare, and ξύλον, wood; a genus of Scrophulariaceæ.

**Psili'u'rus** (Bot.) ψιλός, naked or bare, and οὐρά, a tail; a genus of Gramina.

**Psithyri'sma** (Bot.) ψιθύρισμα, a whispering; beautifully adapted from the celebrated line of Theocritus:—

ἀδύ το το ψιθύρισμα και ἡ πίτυς, κ. τ. λ.

(Sweet is the whisper of the wind among the fir-trees!)

**Psittaco'ta** (Ent.) *psittacus*, a parrot, from a resemblance in colour.

**Psitta'cidæ** (Ornith., Zool.) the Parrot family, of which *Psittacus* is the type.

**Psittaco'glos'sum** (Bot.) ψιττακός, a parrot, and γλῶσσα, a tongue, from the form of labellum; a genus of Orchidaceæ.

**Psitta'cula** (Ornith.) dim. of *psittacus*, a parrot.

**Psit'tacus** (Ornith.) ψιττακός, a parrot; a genus of scandiforial Birds.

**Psitti'ro'stra** (Ornith.) *psittacus*, a parrot, *rufrum*, a beak.

**Pso'cus** (Ent.) ψώ, to rub or grind, because the insect is supposed to make a slight noise like the ticking of a clock; the Book-louse; a genus of Neuroptera.

- Pso'dos** (Ent.) φόδος, equivalent to σπόδιος, ash-coloured.
- Psoli'nus** (Zool.) φόλως, smoke; a genus of Echinodermata.
- Pso'lus** (Zool.) φόλως, foot, smoke; a genus of Echinodermata.
- Psoph'ia** (Ornith.) φόφος, a shrill sound; applied to the genus of Cranes which contains the Trumpeter.
- Psophocar'pus** (Bot.) φόφος, sounding, καρπός, fruit; a genus of Leguminosæ.
- Pso'ra** (Bot.) φορά, warty, rough; a genus of Bryoid Musci.
- Psora'lea** (Bot.) φοραλίος, scurfy, warted; from the tuberculated appearance of calyx; the Wart-vetch; a genus of Leguminosæ.
- Psoricop'tera** (Ent.) φορικός, itchy, mangy, πτέρων, a wing.
- Psoroph'y'tum** (Bot.) φορά, warty, φυτόν, a plant; a genus of Hypericaceæ.
- Psorosper'mum** (Bot.) φορά, rough, σπίρμα, seed; a genus of Hypericaceæ.
- Psy'che** (Ent.) φύχη, a butterfly, typical of the soul; a genus of Lepidoptera; also, a genus of Mollusca.
- Psy'chidæ** (Ent.) a family of Moths, of which *Psyche* is the type.
- Psychi'ne** (Bot.) φυχή, a butterfly; from wing of seed; a genus of Cinchonaceæ.
- Psychoi'des** (Ent.) resembling *Psyche* (εἴδος, likeness).
- Psycho'tria** (Bot.) φυχή, life, λατρεία, healing; from its medicinal qualities; a genus of Cinchonaceæ.
- Psychro'phila** (Bot.) φυχή, cold, φιλία, to love; a genus of Ranunculaceæ.
- Psy'drax** (Bot.) φύδραξ, a blister or pimple; a genus of Cinchonaceæ.
- Psygmatel'la** (Bot.) dim. of φύγμα, a fan; a genus of Algæ.
- Psyg'mium** (Bot.) φύγμα, a fan; a genus of Polypodioid Filices.
- Psy'llium** (Bot.) φύλλιον, ancient name of a plant, perhaps flea-wort; specific name of the *Flea*-plantain, *Plantago Psyllium*.
- Psyllocar'pus** (Bot.) φύλλως, a flea, καρπός, fruit; a genus of Cinchonaceæ.
- Psylo'xylon** (Bot.) φύλλως, a flea, ξύλον, wood; a genus of Lythraceæ.
- Ptar'mica** (Bot.) πταρμίκη, that causes sneezing; specific name of a species of *Achillea*.
- Pteraca'nthus** (Bot.) πτερόν, plume or feather, and *acanthus*; a genus of Acanthaceæ.
- Pteran'dra** (Bot.) πτερόν, plume or feather, ἀνη, ἀνερ, ἀνδρος, a stamen; a genus of Malpighiaceæ.

Pteran'thus (Bot.) πτερόν, a feather or wing, and ἄθος, a flower; a genus of Illecebraceæ.

Pte'lea (Bot.) πτελία, an elm; a genus of Xanthoxylaceæ.

Pterich'thys (Fos. Zool.) πτερόν, a wing, λύθος, a fish.

Pteridifo'lius-a-um (Bot.) πτερίφυτος, a fern, *folium*, a leaf; fern-leaved.

Pteri'nea (Fos. Zool.) πτερόν, a wing; a sub-genus of fossil shells.

Pte'ris (Bot.) πτερίς, a fern; the Brake; a genus of Filices.

Pterocar'pus (Bot.) πτερόν, a wing, καρπός, fruit; a genus of Leguminosæ.

Ptero'ceras (Zool.) πτερόν, a wing, κίρας, a horn; a genus of Mollusca.

Pterochil'us (Ent.) πτερόν, a wing, χιλία, a lip; a genus of Hymenoptera.

Pte'rocles } (Ornith.) { πτερόν, a wing, κλείς, a hook, from the two or  
Ptero'clidæ } three long tail feathers; the Sand Grouse.

Pterodon'ta (Zool.) πτερόν, a wing, οδοῦς, οδόντες, a tooth.

Pteroi'des (Bot.) πτερίς, a fern, εἶδος, likeness; fern-like.

Ptero'malus (Ent.) πτέρυμα, plumage; a genus of Hymenoptera.

Pter'omys (Zool.) πτερόν, a wing, μῦς, a mouse; a family of Bats.

Ptero'nia (Bot.) πτερόν, a wing; from the feathery scales of the receptacle.

Ptero'phanes (Ornith.) πτερόν, a wing, φάνη, to shine; a genus of Humming-birds.

Pterophori'na (Ent.) a family of Plume-moths, of which *Pterophorus* is the type.

Pteroph'orus (Ent.) πτεροφόρος, feathered, plumed; a genus of Plume-moths.

Ptero'poda (Zool.) πτερόν, a wing, πούς, ποδός, a foot.

Pterosper'mum (Bot.) πτερόν, a wing, σπέρμα, seed.

Pterosau'r'ia (Fos. Zool.) πτερόν, a wing, σαῦπος, a lizard; winged Saurians.

Ptero'stichus (Ent.) πτερόν, a wing, στίχος, a row or line.

Pterostig'ma (Ent.) πτερόν, a wing, στίγμη, a mark; the wing-spot on insects.

Pterosty'lis (Bot.) πτερόν, a wing, στῦλον, a pillar (style).

Pterothe'ca (Zool.) πτερόν, a wing, θήκη, a sheath.

Pter'uthrus (Ornith.) πτερόν, a wing, ιρυθρός, red. "To be consistent with etymology, it should be written *Ptererythrus*, but should it be thought that this is taking too great a liberty with the original name, we may, at least, venture to write it *Pterythrus*."—STRICKLAND.

Pterygo'dium (Bot.) πτερυγώδης, wing-like; i.e. the sepals,

- Pterygo'tus (Fos. Zool.) πτερόν, a wing, τυς, ὁτός, the ear; a genus of fossil Crustaceans.
- Ptilodic'tyon (Fos. Zool.) πτίλον, a feather, δίκτυον, a net; a genus of Silurian Polyzoans.
- Ptilodon'tis (Ent.) πτίλον, a feather, ὅδος, ὅδότος, a tooth.
- Ptilo'phora (Ent.) πτίλον, a feather, φέρω, to carry; alluding to the antennæ.
- Ptili'nus (Ent.) πτίλον, a feather; a genus of Coleoptera.
- Pti'nidae } (Ent.) unexplained; a family and genus of Coleoptera.
- Pti'nus } (Ent.) unexplained; a family and genus of Coleoptera.
- Ptiliogo'ny's (Ornith.) πτίλον, a feather, γένον, the knee; it should be written *Ptilogony's*.
- Ptilon'opus (Ornith.) πτίλον, a feather, πούς, a foot. Should it not be *Ptilopus?*
- Ptilonorhy'nchus (Ornith.) πτίλον, a feather, πυγχος, a beak; the Satin Bower-bird of Australia.
- Ptilo'phacus (Ornith.) πτίλον, a feather, παχύς, thick; it should be *Ptilopachys.*
- Ptilo'ta (Bot.) πτίλον, a feather; a genus of marine Algæ.
- Ptoma'phagus (Ent.) πτώμα, that which is fallen or killed, φάγω, to eat, Pto'sima (Ent.) πτώσιμος, fallen.
- Ptycho'ceras } (Fos. Zool.) { πτυχή, a fold, κίρας, a horn; a genus of fossil Shells.
- Ptychoce'ratis } (Fos. Zool.) { πτυχή, a fold, κίρας, a horn; a genus of fossil Shells.
- Ptychocheil'ius (Ichth.) πτυχή, a fold, κεῖλος, lip; a genus of Cyprinoid Fishes.
- Pty'chodus (Fos. Zool.) πτυχή, a fold, ὕδον, a tooth.
- Ptychogna'thus (Fos. Zool.) πτυχή, a ridge or fold, γνάθος, a jaw.
- Ptycho'lepis (Fos. Zool.) πτυχή, a fold or wrinkle, λεπίς, a scale; a genus of Sauroid Fishes.
- Ptycholo'ma (Ent.) πτύξη, πτυχή, a fold, λεπίς, the edge; the edge of the wing folding over.
- Ptycho'stomus (Ichth.) πτυχή, a fold, στόμα, mouth; a genus of Cypri-noid Fishes.
- Ptychozo'on (Zool.) πτυχή, a fold, ζῷον, an animal; a genus of Geckos.
- Ptyoda'ctylus (Zool.) πτύνω, a fan, δάκτυλον, a toe; because having a fan foot; a genus of thick-tongued Lizards.
- Pu'berum (Bot.) puber, downy.
- Pub'e'scens (Bot.) pubescere, to grow hairy.
- Pubicor'nelia (Ent.) puber, hair, down, cornu, a horn, from its antennæ.

- Pudibun'da** (Ent.) *pudibundus*, modest.
- Pudori'na** (Ent.) *pudor*, modesty; from the blush-like colour of wings.
- Puff'nus** (Ornith.) *P. brevicaudus* is the “ Mutton bird ” of Bass's Straits.
- Pu'gio** (Zool.) *Lat.* a digger; *e.g.* *Unio pugio*.
- Pug'nax** (Zool.) *pugnax*, quarrelsome; *e.g.* *Machetes pugnax*, the Ruff.
- Pulchella'ta** (Ent.) *pulcher*, beautiful.
- Pulchellus-a-um** (Zool., Bot.) *Lat.* beautiful, little; *e.g.* *Clarkia pulchella*.
- Pulcherimel'la** (Ent.) *pulcherrimus*, very pretty.
- Pule'gium** (Bot.) *Lat.* pennyroyal; Penny-royal or *Mentha Pulegium*.
- Pu'lex** (Ent.) *pulex*, a flea; a genus of Aphanaptera.
- Puli'cidæ** (Zool., Ent.) the family of which *Pulex* is the typical genus; the Flea family.
- Pullel'la** (Ent.) *pullus*, dark-coloured.
- Pul'lus-a-um** (Bot.) *Lat.* dusky, dark-coloured; specific name of a species of Carex.
- Pul'mo** (Zool.) *Lat.* a lung; plural *pulmones*, lungs.
- Pulmona'ria** (Bot.) *pulmo*, the lung; from its former use in pulmonary complaints; a genus of Boraginaceæ.
- Pulmona'ria** (Bot.) *pulmo*, the lung; Lung-wort; a genus of Boraginaceæ.
- Pulmoni'fera** (Zool.) *pulmo*, a lung, *fero*, to bear.
- Pulpa** } (Bot.) *pulpa*, flesh.
- Pulpa'ceus-a-um** } (Bot.) *pulpa*, flesh.
- Pulpo'sus-a-um** (Bot.) *Lat.* pulpy, fleshy.
- Pultenes'a** (Bot.) P. N. in honour of Dr. Pulteney, who wrote a Life of Linnæus; a genus of Leguminosæ.
- Pulvera'ceus-a-um** (Bot.) *pulvis*, dust.
- Pulverosel'la** (Ent.) *pulverosus*, covered with dust.
- Pulverulen'tus-a-um** (Bot.) *Lat.* covered with dust, dusty.
- Pumila'ta** (Ent.) *pumilus*, dwarfish.
- Pu'milus-a-um** (Zool., Bot.) *Lat.* dwarfish; *e.g.* *Agrostis pumila*.
- Puncta'ria** (Ent.) *punctum*, a dot.
- Puncticosta'na** (Ent.) *punctum*, a spot, *cōsta*, the front margin of the wings.
- Punctidac'tylus** (Ent.) *punctum*, a dot, *dactylus*, a finger; from resemblance.
- Punctifor'mis** (Bot.) *punctum*, a point, *formis*, shape; pointed.
- Punctula'ria** (Ent.) *punctulum*, a little dot.
- Punctula'tus-a-um** (Zool.) *Lat.* dotted, pointed.
- Puncturel'la** (Zool.) *punctum*, a small hole.
- Pungi'tius** (Ichth.) *pungo*, to prick or sting; specific name of the ten-spined stickleback, *Gasterosteus pungitius*.

Pu'nic(a) (Bot.) *Punicus*, Carthaginian, because brought from Africa; the Pomegranate-tree; a genus of Myrtaceæ.

Punicea'lis (Ent.) *puniceus*, red, purple.

Puni'ceus-a-um (Bot.) *Lat.* carmine-red; e.g. *Clianthus puniceus*.

Puntaz'zo (Ornith.) *Ital.* *puntazzo*, a promontory.

Pu'pa (Zool.) *pupa*, a doll; applied to chrysalides, from a resemblance to a swathed child or mummy.

Pupilla'na (Ent.) *pupilla*, the pupil of the eye; from its wing-spots.

Pupi'na (Zool.) *pupa*, a doll.

Pur'pura (Zool.) *πορφύρα*, *Lat.* *purpura*, the Purple-fish (mollusk); a genus of Mollusca.

Purpura'lis } (Ent.) *purpura*, purple colour.  
Purpura'na }

Purpuras'cens (Bot.) dim. part. from *purpura*; becoming purple.

Purplel'la (Ent.) *purpureus*, purple.

Purpu'reo-cæruleus (Bot.) *Lat.* violet-coloured; e.g., *Lithospermum purpureo-cæruleum*.

Pusa'ria (Ent.) *pufa*, a little maiden.

Puschki'nia (Bot.) P. N. in honour of the celebrated Polish botanist; a genus of Liliaceæ.

Pusiel'la } (Ent.) *puffillus*, small, puny.  
Pusilla'ta }

Pusill'lus-a-um (Zool., Bot.) *Lat.* small, puny; e.g. *Geranium pusillum*.

Pustula'tus-a-um (Bot.) *Lat.* blistered.

Pustulo'pora (Fos. Zool.) having the pores placed on *pustules*.

Pu'ta (Ent.) from *putus*, clear, distinct.

Puto'rius (Zool.) *putor*, a stench; specific name of the Foumart, *Mustela putorius*.

Pu'tris (Bot.) *puter*, rotten; from a resemblance to rotten wood.

Pyconanthemum (Bot.) *πυκνός*, thick, *ἀβεμέτις*, chamomile (?); a genus of Labiateæ.

Pyconodon'tidæ} (Fos. Zool.) *πυκνός*, thick, *οδούς*, *οδούτος*, a tooth; a Pye'nodonts } family of fossil Fishes.

Pyconogon'idæ} (Zool.) *πυκνός*, thick, *γόνυ*, knee; the sea-spiders; an order of Crustaceæ.

Pyconothel'ia (Bot.) *πυκνός*, compact, *θηλάσ*, a nipple; a genus of Cryptogamia.

Pygæ'ridæ (Ent.) *πυγή*, the rump, *ἀναψειν*, to raise; from the attitude of the insects,

- Pyge'rythrus-a-um (Zool.) πυγή, the rump, ἐρυθρός, red.
- Pygmæ'ola (Ent.) dim. of πυγμαῖος, dwarfish.
- Pygmea'na } (Ent.) πυγμαῖος, pigmy, dwarfish.
- Pygmea'ta } (Ent.) πυγμαῖος, pigmy, dwarfish.
- Pygobran'chia (Zool.) equivalent to Anthro-branchiata of Adanson; a group of Nudibranchiate Mollusca.
- Pygoce'phalus (Fos. Zool.) πυγός, thick, solid, κεφαλὴ, the head; a fossil Crustacean.
- Pygo'pidæ } (Zool.) { πυγή, the rump, πούς, ποδός, foot; the Rump-  
Pygo'pus } feet Lizards.
- Pygo'pterus (Fos. Zool.) πυγή, the rump, πτερόν, a fin; from the great development of caudal fins; a genus of fossil Fishes.
- Pylog'nathus (Ichth.) πύλη, a gate, γνάθος, the jaw.
- Pyralia'ta (Ent.) pyralit, an insect formerly supposed to live in the fire; having flame-coloured wings.
- Pyraloi'didæ (Ent.) Pyralides, a family of Moths, εἶδος, resemblance.
- Pyramida lis-e (Bot.) pyramid-shaped, conical; e. g. Orchis *pyramidalis*.
- Pyramide'a (Ent.) πυραμίς, a pyramid, εἶδος, likeness; also a genus of Mollusca.
- Pyramidel'la } (Zool.) { a diminutive to express the spiral, turreted,  
Pyramidel'lidæ } ed, and pyramid shape of the shell; a genus and family of Mollusca.
- Pyra'nga (Ornith.) πῦρ, fire; a genus of Tanagers, consisting chiefly of scarlet-coloured birds.
- Pyrastra'na (Ent.) πῦρ, fire, ἀστρα, a star.
- Pyraus'ta (Ent.) pyrausta, a name expressive of a love for hot sun-shine; from πῦρ, fire.
- Pyra'zus (Zool.) πυράζω, to linge, alluding to colour; a genus of Mollusca.
- Pyre'l'la (Ent.) feeding on the pear, *Pyrus*.
- Pyrena'icus-a-um (Bot.) Lat. Pyrenean, e. g. Valeriana *Pyrenaica*.
- Pyrenas'trum (Bot.) πυρίνη, stone, and ἀστρα, a star; a genus of Lichenes.
- Pyre'nium (Bot.) πυρίνη, a stone; a genus of Fungi.
- Pyreno'myctes (Bot.) πυρίνη, a kernel, μύκης, a fungus.
- Pyreno'phora (Ent.) πυρίνη, a stone, φέρω, to bear.
- Pyreno'thea (Bot.) πυρίνη, a kernel; a genus of Lichenes.
- Pyreno'trichum (Bot.) πυρίνη, a kernel, θρίξ, τρίχης, hair; a genus of Fungi.
- Pyre'nula (Bot.) dim. of πυρίνη, a stone; a genus of Lichenes.
- Pyre'thrum (Bot.) πυρίθρων, an ancient Greek name of a plant, so called from its hot taste; Pellitory; a genus of Composite.

**Pyrgil'ta** (Ornith.) πυργίτης was applied by Galen to the house-sparrow, from πύργος, a tower.

**Pyrgo'ma** (Zool.) πύργωμα, that which is furnished with towers; a genus of Cirripedes.

**Pyrgo'sea** (Bot.) πύργωσις, tower-building; a genus of Crassulaceæ.

**Py'rgula** (Zool.) πύργος, a tower, the shell being turreted; a genus of Mollusca.

**Pyr'gus** (Bot.) πύργος, a tower; a genus of Myrsinaceæ.

**Py'riform** (Bot.) *pyrus*, a pear, *forma*, shape; pear-shaped.

**Pyrochro'a** (Bot.) πῦρ, fire, and χρῶμα, colour; a genus of Lichenes; also used in Entomology.

**Pyro'des** (Ent.) πυρὸδης, fiery.

**Py'rola** (Bot.) dim. of *Pyrus*, pear-tree, having similar leaves; Winter-Green; the typical genus of Pyrolaceæ.

**Pyrolir'ion** (Bot.) "Fire-lily" (πῦρ and λείπων), from colour of flowers; a genus of Amaryllidaceæ.

**Pyro'palis** (Ent.) πῦρ, fire, ὄψ, the eye.

**Pyro'phila** (Ent.) πυρὶς, wheat, φιλεῖν, to love.

**Pyro'phorum** (Bot.) *pyrus*, a pear, φέρω, to bear; a genus of Pomaceæ.

**Pyros'o'ma** (Zool.) πῦρ, fire, σῶμα, the body; a genus of Mollusca.

**Pyro'stoma** (Bot.) πῦρ, fire, and στόμα, mouth; a genus of Verbenaceæ.

**Pyrrhan'thus** (Bot.) πυρῆς, red, and ἄνθος, a flower; a genus of Com-bretaceæ.

**Pyrrho'corax** (Ornith.) πυρῆκοραξ of Pliny; from πυρῆς, red, κόραξ, a crow; the feet and beak being flame-coloured.

**Pyrrholæ'mus-a-um** (Ornith.) πυρῆς, red, λαίμος, the throat; red-throated.

**Pyrrhopap'pus** (Bot.) πυρῆς, red, and παππός, seed-down; a genus of Compositæ.

**Pyrrhophæ'na** (Ornith.) πυρῆς, red, φάίνειν, to display; a genus of Humming-birds.

**Pyrrho'sia** (Bot.) πυρῆς, red; a genus of Polypodioid Filices.

**Pyrrhoto'rax** (Ornith.) πυρῆς, red, thorax, the breast.

**Pyrrhotri'chia** (Bot.) πυρῆς, red, and θρίξ, τρίχως, hairy surface; a genus of Leguminosæ.

**Pyrrhulia** (Ornith.) πυρῆσιλος, from πυρῆς, flame-coloured; the Bull-fin.

**Pyrrhulipen'nula** (Ent.) πυρῆς, flame-coloured, *penna*, a feather.

**Pyrr'coma** (Bot.) πυρῆς, red, κόμη, tuft; a genus of Compositæ.

**Py'rula** (Zool.) *pyrus*, a pear, from the shape of the shell; a genus of Mollusca.

- Pyrula'ria (Bot.) *pyrus*, a pear (shape of fruit); a genus of Santalaceæ.
- Py'russ (Bot.) *Lat.* a pear-tree, perhaps from *Peren*, Celtic; the Apple and Pear; Nat. Ord. Pomiferae.
- Pythagore'a (Bot.) P. N. in honour of the celebrated ancient philosopher; a genus of Lythraceæ.
- Py'thion (Bot.) πυθίων, an ancient Greek name for a bulbous plant; a genus of Araceæ.
- Py'thon (Zool.) P. N., a mythological name; a genus of Ophidians.
- Pytho'nium (Bot.) πύθω, to rot; a genus of Araceæ.
- Pyxidanthe'ra (Bot.) πυξιδίων, a little box, and ἄνθης, an anther; a genus of Diapensiaceæ.
- Pyxida'tus-a-um (Bot.) πυξίς, a box; jointed; e.g. *Scyphophorus pyxidatus*.
- Pyxidic'ulum (Fos. Bot.) *Lat.* a small box.
- Pyxi'dium (Bot.) πυξίς, a box, εἶδος, likeness; a capsule such as that of the *Anagallis*.

- 
- Quad'racus (Ichth.) *quatuor*, four, *acus*, a gar-pike.
- Quadra'ta (Ent.) *Lat.* four-cornered.
- Quadre'lla (Bot.) *quatuor*, four; a genus of Capparidaceæ.
- Quad'r'ia (Bot.) P. N. in honour of *Antoine de la Quadra*, a Spanish cultivator; a genus of Proteaceæ.
- Quadri'fidæ (Ent.) *quadrifidus*, cleft into four parts.
- Quadrime'cula'lis (Ent.) *quatuor*, four, *macula*, a spot.
- Quadrinota'tus (Ent.) *quatuor*, four, *notatus*, distinguished; in allusion to the male sex having four of the joints of the anterior tarsi distinctly dilated.
- Quadripuncta'lis (Ent.) *quatuor*, four, *punctum*, a spot or dot.
- Quadripuncta'tus-a-um (Ent.) *quatuor*, four, *punctatus*, spotted.
- Quadrirori'p'tus (Zool.) *quatuor*, four, *scriptus*, marked; applied to a *Paradoxurus* having four black stripes along the back.
- Quadristsigma'lis (Ent.) *quatuor*, four, *stigma*, a mark.
- Quadrival'i'vis (Zool., Bot.) *quatuor*, four, *valva*, valve or fold.
- Quadrivitta'tus (Zool.) *quatuor*, four, *vitta*, a chaplet; having four longitudinal grey bands.
- Quadru'mana (Zool.) *quatuor*, four, *manus*, a hand; a division of Mammalia.
- Quadru'peda (Zool.) *quatuor*, four, *pes*, a foot; a general term for four-footed mammals.
- Qua'king-grass (Bot.) popular name of *Briza*.
- Qua'len (Bot.) uncertain; a genus of Vochysiaceæ.

**Qua'moclit** (Bot.) native Indian name signifying "dwarf bean;" a genus of Convolvulaceæ.

**Quapo'ya** (Bot.) native name; a genus of Clusiaceæ.

**Quarti'nia** (Bot.) P. N.; a genus of Lythraceæ.

**Quas'sia** (Bot.) P. N. in honour of *Quassy*, a negro slave of Surinam who first used it medicinally; a genus of Simarubaceæ.

**Quel'tia** (Bot.) P. N. in honour of *Nicholas Le Quelt*.

**Quer'citron** (Bot.) *quercus*, the oak, *citron*; equivalent to "oak-citron;" a species of oak.

**Quer'cus** (Bot.) *Lat.* an oak; a celebrated genus of Corylaceæ.

**Que'ria** (Bot.) P. N. in honour of *Don J. Quir y Martinez*, a Spanish surgeon.

**Querque'dula** (Ornith.) *Lat.* a kind of duck, a teal.

**Quille'sia** (Bot.) P. N.; a genus of Olacaceæ.

**Quina'ria** (Bot.) *quinarius*, containing five; a genus of Aurantiaceæ.

**Quince** (Bot.) *Κυδώνιος μῆλον*, Cydonian apple; French, *coing*; Italian, *cotogna*; the fruit of *Cydonia vulgaris*.

**Quine'tia** (Bot.) P. N.; a genus of Asteraceæ.

**Quinque-carina'tus** (Ichth.) *quinque*, five, *carinatus*, keel-shaped; applied to a Cray-fish, *Astacoides quinque-carinatus*.

**Quinquecirra'ta** (Ichth.) *quinque*, five, *cirrus*, a curl.

**Quinque'fidus-a-um** (Bot.) *quinque*, five, *fidus*, to flit.

**Quinquefo'lius-a-um** (Bot.) *quinque*, five, *folium*, a leaf; e. g. *Parax quinquefolium*.

**Quinti'llia** (Bot.) P. N.; a genus of Gesneraceæ.

**Quinti'nia** (Bot.) P. N.; a genus of Escalloniaceæ.

**Quis'calus** (Ornith.) etymology uncertain; the Grackle; a genus of Birds called boat-tails.

**Quisqua'lis** (Bot.) *quis*, who, *qualis*, what kind; from the uncertainty; a beautiful Indian genus of Combretaceæ.

**Quivi'sia** (Bot.) from *Bois de Quivi*, name in the Isle of France.

**Raca'ria** (Bot.) uncertain; a genus of Sapindaceæ.

**Ra'ceme** (Bot.) *racemus*; a bunch of grapes; an inflorescence like that of the currant.

**Racemo'sus-a-um** (Bot.) e. g. *Passiflora racemosa*,

**Rachi'cerus** (Ent.) *ῥάχις*, a ridge, *κέρας*, a horn (antennæ); a genus of Diptera.

- Rachiodon'tidæ (Zool.) *ῥάχις*, a ridge, *ծածս*, *οδοντός*, a tooth; the spine-toothed Serpents; a family of Colubrine ophidians.
- Ra'chis (Zool., Bot.) *ῥάχις*, the back-bone or ridge; in botany the main stalk of a fern-leaf or rather *frond*.
- Racl'i'tia (Zool.) derivation unknown; a genus of Ophidians.
- Raco'dium (Bot.) *ῥάκος*, a torn garment; from the appearance of the plants.
- Racomi'trium (Bot.) *ῥάκος*, tattered, *μίτρα*, a band; a genus of Bryoid Musci.
- Raco'on' (Zool.) common (native) name of Procyon lotor.
- Racopi'lum (Bot.) *ῥάκος*, tattered, *πεπλός*, a cap; a genus of Bryoid Musci.
- Racon'bia (Bot.) P. N. a genus of Homaliaceæ.
- Radamæ'a (Bot.) P. N., named after *Radama*, Queen of Madagascar; a genus of Scrophulariaceæ.
- Rad'dia (Bot.) P. N.; a genus of Graminae.
- Raddi'sia (Bot.) P. N.; a genus of Hippocrateaceæ.
- Radema'chia (Bot.) P. N.; a genus of Artocarpaceæ.
- Ra'dia (Bot.) *ῥάδιος*, easy of access; a genus of Hæmodoraceæ.
- Radis'ria (Zool.) the *Rayed* animals, properly so called.
- Radia'ta (Zool.) *radius*, the spoke of a wheel; having the organs of sense and motion disposed circularly around a centre or axis.
- Ra'dicle Bot.) *radiculum*, a little root; the rudimentary root in the embryo.
- Radi'cula (Bot.) dim. of *radix*, a root; a genus of Cruciferæ.
- Radi'o'la (Bot.) *radiolus*, a little ray; from the radiated capsule; a genus of Linaceæ.
- Radio'lites (Fos., Zool.) so called from "the radiated structure of the outer layer of their opercular-looking upper valves;" a genus of Cretaceous bivalves.
- Rad'ish (Bot.) *Latin, radix*.
- Radius'ia (Bot.) a genus of Leguminosæ.
- Rad'u'la (Bot.) *Lat.* a scraper; a genus of Jungermanniaceæ.
- Radulo'typus (Bot.) the genus *Radula*, *typus*, an image; a genus of Jungermanniaceæ.
- Raffle'sia } (Bot.) in compliment to Sir Thomas Stamford Raffles.
- Rafflesia'ceæ }
- Rafine'squia (Bot.) P. N. in honour of the celebrated Rafinesque; a genus of Compositeæ.

- Rafnia (Bot.) P. N. in honour of *C. G. Rafn*, of Copenhagen, a writer on botany; a genus of Leguminosæ.
- Ragio'pteris (Bot.) *ῥάγνυμι*, to break in pieces, *τρίψις*, a fern; a genus of Polypodioid Filices.
- Rag'wort (Bot.) common name of *Senecio Jacobæa*.
- Rai'a (Ichth.) *Lat.* a ray or skate.
- Rai'idae (Ichth.) the family of the Rays.
- Raja'nia (Bot.) P. N. in honour of *John Ray*, a distinguished English naturalist.
- Ralei'ghia (Bot.) P. N.; a genus of Cunoniaceæ.
- Ralf'sia (Bot.) P. N. in honour of *John Ralfe*, of Penzance; a genus of Algae.
- Rai'lus (Ornith.) Latinized form of *rail*, which is formed from the sound made by the bird; a genus of Grallæ.
- Ram (Zool.) *Anglo-Sax. and Dutch, ram; German, ramm.*
- Ramali'na (Bot.) *ramale*, a withered branch; from its habitat; a genus of Lichenes.
- Ramen'ta (Bot.) *Lat.* chips, shavings; applied to the soft chaff-like hairs growing upon the petiole of ferns.
- Ramon'da (Bot.) P. N. in honour of *M. L. Ramond*, a French botanist; a genus of Solanaceæ.
- Ramphas'tideæ } (Ornith.) *ῥαμφάζομαι*, to have a beak; the Toucans.  
Ramphas'tos }
- Ram'phiæ (Ent.) *ῥάμφος*, a beak.
- Ramphomi'cron (Ornith.) *ῥάμφος*, a beak, *μικρός*, small; a genus of Humming-birds.
- Ramphorhyn'chus (Fos. Zool.) *ῥάμφος*, a beak, *ῥύγχος*, a fnout.
- Ram'phus (Ent.) *ῥάμφος*, a beak.
- Ram'sons (Bot.) common name of *Allium ursinum*; from *Anglo-Sax. Hramſa*.
- Ramtill'a (Bot.) *ram-tilla*; an Indian name for the oil procured from the seeds; a genus of Composite.
- Ramula'ria (Bot.) *ramus*, a branch; a genus of Algæ.
- Ramu'sia (Bot.) a genus of Acanthaceæ.
- Ra'na (Zool.) *Lat.* a frog; the common frog is *Rana temporaria*.
- Rana'les (Bot.) the great alliance represented by the Ranunculaceæ.
- Randa'lia (Bot.) P. N.; a genus of Eriocaulaceæ.
- Ran'dia (Bot.) P. N. in honour of *J. Rand, F.R.S.*, a London botanist; a genus of Cinchonaceæ.

- Rane'lla (Zool.) dim. of *rana*, a frog; the Frog-bell; a genus of Mollusca.
- Ran'gifer (Zool.) *rang*-bearing or *ring*-bearing; specific name of the Reindeer.
- Rangiferi'nus-a-um (Bot.) *rangifer*, the reindeer; reindeer-moss; e. g. Lichen *rangiferinus*.
- Ranhy'la (Zool.) *rana*, a frog, and the genus *Hyla*; the "green-frog" of Australia.
- Ra/niceps (Ichth.) *Lat.* frog-headed (*rana* and *caput*.)
- Rani'vorus-a-um (Zool., Ornith.) *rana*, a frog, *voro*, to devour; e. g. Circus *ranivorus*.
- Ranmaui'ssa (Bot.) P. N.; a genus of Capparidaceæ.
- Ran'tus (Ent.) *javrōs*, spotted, speckled; a genus of Coleoptera.
- Ranuncula'ceæ (Bot.) the Crow-foot family of plants, of which Ranunculus is the type.
- Ranuncula'strum (Bot.) literally, the "Star-ranunculus;" a genus of Ranunculaceæ.
- Ranun'culus (Bot.) *rana*, a frog; it inhabits humid places; Crow-foot; typical genus of Ranunculaceæ.
- Ra/pa (Bot.) *Lat.* the turnip plant; a genus of Cruciferae.
- Rapa'na (Zool.) *rapa*, a turnip; a genus of Mollusca.
- Rape (Bot.) *rapa*, turnip.
- Raphanis'trum (Bot.) formed from the genus *Raphanus*; a genus of Cruciferae.
- Raph'anus (Bot.) *ρεφανος*, a radish; probably from *ρε*, quickly, *φανω*, to appear; from its rapid germination. The Radish; Nat. Ord. Cruciferae.
- Raph'ia (Bot.) *ραφι*, a seam; a genus of Graminae.
- Raph'ides (Bot.) *ραφις*, a needle; applied to acicular or other crystals scattered among vegetable tissue.
- Raph'i'dia } (Ent.) *ραφις*, a needle; a genus and family of Neuroptera.
- Raphidi'idae }
- Raphiglos'sa (Ent.) *ραφις*, a needle, *γλωσσα*, a tongue; a genus of Hymenoptera.
- Raphigna'thus (Zool.) *ραφις*, a needle, *γλαῦξ*, the jaw or mouth; a genus of Arachnida.
- Raphiona'cme (Bot.) *ραφις*, a needle, *ἀκμή*, a point; a genus of Asclepiadaceæ.
- Raphiorhyn'chus (Ent.) *ραφις*, a needle, *ῥύγχος*, a snout; a genus of Diptera.
- Raphisa'nthe (Bot.) "needle-flower," from *ραφις*, a needle, *ἄνθη*, a flower; a genus of Loasaceæ.

- Raphis'toma (Zool.) *ῥάφις*, a needle, *στόμα*, mouth; a genus of Mollusca.
- Raphy'rus (Zool.) a genus of Sponges.
- Rapicau'dus-a-um (Zool.) *rapa*, a turnip, *cauda*, a tail; e. g. *Thecadactylus rapicauda*, the turnip-tailed Gecko.
- Rapi'nia (Bot.) P. N.; a genus of Campanulaceæ.
- Rapis'trum (Bot.) *rapum*, a turnip; from its having similar leaves; a genus of Cruciferæ.
- Rapto'res (Ornith.) *raptor*, a feizer or snatcher; an order of Birds so called from their habit of seizing and retaining their prey with their powerful talons.
- Rapun'culus (Bot.) dim. of *Rapa*; from resemblance of root; a genus of Campanulaceæ.
- Rapun'tium (Bot.) from *Rapa*; from resemblance of root; a genus of Campanulaceæ.
- Rasores (Ornith.) *Lat.* “scratches” or “scrapers;” an order of Birds which scrape up the soil with their feet.
- Raspai'lia (Bot.) P. N. in honour of the celebrated French chemist; a genus of Bruniaceæ.
- Rastri'tes (Fos. Zool.) *raster*, a rake or hoe; the Silurian Sea-pens, which have tubercular projections along the axis or stem.
- Rat (Zool.) *Anglo-Sax. rat*; root of Latin *rodo*, to gnaw.
- Rath'kea (Bot.) P. N.; a genus of Leguminoseæ.
- Ratzebu'rgia (Bot.) P. N.; a genus of Graminae.
- Ratzeburgia'na (Ent.) P. N. in honour of *Ratzeburg*, the author of “Forst-Insékten,” (1840) and other works.
- Rauwol'fia (Bot.) P. N. in honour of *M. Rauwolf*, a physician of Augsburg; a genus of Apocynaceæ.
- Rava'lis (Ent.) *ravus*, greyish.
- Ra'ven (Ornith.) *Anglo-Sax. hrefen*.
- Ravena'la (Bot.) one of Adanion's names, most likely without meaning; a genus of Musaceæ.
- Ra'vidus-a-um (Ent.) *Lat.* grey, or dark-coloured.
- Ray-grass (Bot.) corrupted from the *Fr. iorais*, which word is in the French New Testament employed for tares; the *Lolium perenne*.
- Reaumu'ria (Bot.) P. N. in honour of *Reiné A. F. de Reaumur*, an Entomologist.
- Recc'hia (Bot.) P. N.; a genus of Dilleniaceæ.
- Reclu'sa (Ent.) *Lat.* a recluse.
- Reclu'zia (Zool.) P. N.; a genus of Mollusca.

- Recta'lis** (Ent.) *rectus*, straight.
- Rectangula'ta** (Ent.) *rectus*, right, *angulus*, an angle; referring to the square spots on the apical part of the wing.
- Rectri'ces** (Ornith.) *rector*, a ruler, governor; applied to the tail-feathers of a bird, acting somewhat as rudders to guide its flight.
- Recurva'lis** (Ent.) *Lat.* *recurvus*, bent backwards.
- Recurviro'stra** } (Ornith.) *recurvus*, bent backwards, *rostrum*, the bill.  
**Recurviro'stres** }
- Recur'vus-a-um** (Bot.) curved downwards, e. g. *Carex recurva*.
- Redimita'na** (Ent.) *Lat.* *redimitus*, crowned, wreathed.
- Redoute'a** (Bot.) P. N. in honour of *P. J. Redouté*, a celebrated French botanical draughtsman; a genus of Malvaceæ.
- Redow'skia** (Bot.) P. N.; a genus of Cruciferæ.
- Reducta'lis** (Ent.) *Lat.* *reductus*, drawn back.
- Redun'cus-a-um** (Zool.) *Lat.* crooked, bent back.
- Reed** (Bot.) *Anglo-Sax.* *hreed*; scientific name, *Arundo*.
- Reeve'sia** (Bot.) P. N. in honour of *John Reeves*, of Canton; a genus of Sterculiaceæ.
- Rega'lis** (Zool., Bot., and Ent.) *Lat.* royal, e. g. *Osmunda regalis*.
- Regina'lis** (Ent.) *Lat.* *regina*, a queen.
- Regnosau'rūs** (Fos. Zool.) "royal Saurian," a fossil from the Wealden.
- Regu'leucus** (Ichth.) *rex*, king, *halecūs*, herring; i. e. king of the Herrings; the Deal-fish.
- Re'gulus** (Ornith.) *Lat.* a small bird, perhaps a wren; now applied to the genus which contains the wrens.
- Reicha'rdi** (Bot.) P. N., specific name of a Geranium, in honour of *M. Richard*, a French gentleman who discovered it in Minorca.
- Reiche'lia** (Bot.) P. N.; a genus of Hydrophyllaceæ.
- Reichenba'chia** (Bot.) P. N.; a genus of Nyctaginaceæ.
- Rein-deer** (Zool.) this word ought certainly to be *Rane*-deer; the animal was formerly called simply the *Rane*, a word of Danish origin, answering to the Saxon *hrana*, or *hranaf*.
- Rei'throdon** (Zool.) *ῥεῖθρον*, a river or stream, *ῥέω*, *οἵρτος*, tooth.
- Rejecta'ria** (Ent.) *rejectus*, part. from *rejicio*, to throw away.
- Rejou'ia** (Bot.) P. N.; a genus of Apocynaceæ.
- Relha'nia** (Bot.) P. N. in honour of *Rev. Richard Relhan*, a writer on Botany; a genus of Compositæ.
- Re'miges** (Ornith) *remex*, *remigis*, a rower; applied to the quills of a bird's wings, serving for propulsion.

- Remigia } (Ent.) *remigo*, to row.  
 Remigidæ } (Ent.) *remigo*, to row.
- Remijia (Bot.) P. N.; a genus of Cinchonaceæ.
- Remipes (Ent.) *remus*, an oar, *pes*, foot; oar-footed; a genus of Crustaceæ.
- Remirea (Bot.) its native name in Guiana; a genus of Cyperaceæ.
- Remora (Ichth.) *Lat.* a hindrance; applied by Pliny to a fish which the ancients thought could stop a ship by adhering to the rudder; the Sucking-fish.
- Remus (Ent.) *Lat.* an oar.
- Remusatia (Bot.) P. N.; a genus of Araceæ.
- Remutatus-a-um (Ent.) *Lat.* changed.
- Renanthera (Bot.) *ren*, a kidney (shaped) *anθη*, anther; a splendid genus of Orchidaceæ.
- Renealmia (Bot.) P. N. in honour of *P. & M. L. Renalme*, the first a French Physician, the other a Botanist; a splendid genus of Scitamineæ.
- Reneggeria (Bot.) P. N.; a genus of Clusiaceæ.
- Rengifia (Bot.) P. N.; a genus of Clusiaceæ.
- Reniformis (Bot.) *Lat.* kidney-shaped; e. g. *Oxyria reniformis*.
- Reinnett (Bot.) the name of this Apple is from *la Reinette*, or the Little Queen.
- Rensselaeria (Bot.) P. N.; a genus of Araceæ.
- Repandalis (Ent.) *repandus*, bent backward, turned up.
- Repanandra (Bot.) *repandus*, bent back; a genus of Orchidaceæ.
- Repanthus-a-um (Bot.) *Lat.* spread out; applied to a fungus, *Hydnus repandum*, it refers to the irregular form which the pileus often assumes.
- Reptilia (Zool.) *repto*, to creep or crawl.
- Reptonia (Bot.) P. N.; a genus of Myrsinaceæ.
- Requienia (Zool., Bot.) P. N. in honour of *M. Requier* of Avignon, a French botanist; also a genus of Mollusca.
- Reseda (Bot.) *resedo*, to calm, to appease; from its medical qualities; typical genus of Nat. Ord. Resedaceæ, or Mignonette family.
- Resedaceæ (Bot.) the Mignonette-family, from the typical *Reseda*.
- Resedella (Bot.) dim. of *Reseda*; a genus of Resedaceæ.
- Rest-harrow (Bot.) common name of *Ononis*.
- Restiaceæ (Bot.) the family of plants of which *Restio* is the type.
- Restio (Bot.) *Lat.* a rope-maker, from its use at the Cape of Good Hope; typical genus of Nat. Ord. Restiaceæ.
- Retanilla (Bot.) its name in Peru; a genus of Rhamnaceæ.

Rete'pora (Zool.) *rete*, a net, *porus*, an opening; *i. e.* a porous net-work; a genus of Polyzoa.

Reticula'ria (Bot.) *reticulum*, a net, from its appearance; a genus of Fungi.

Reticula'tus-a-um (Zool., Ent., Bot.) *Lat.* net-like, reticulated; *e. g.* *Crocus reticulatus*.

Reticulospira (Fos. Zool.) *reticulum*, a little net, *spira*, a coil; from the reticulation of the extreme spines of the whorl.

Retina'ria (Bot.) *πετρίνη*, resin, gum; a genus of Rhamnaceæ.

Reti'nia (Ent.) *rete*, a net, from the net-like markings of the wings; a genus of Lepidoptera.

Retiniphyl'lum (Bot.) *πετρίνη*, gum, φύλλον, a leaf; a genus of Cinchonaceæ.

Retinoden'dron (Bot.) *πετρίνη*, gum, δένδρον, a tree; a genus of Dipteraceæ.

Retinospo'ra (Bot.) *πετρίνη*, resin, *spora*, seeds; the seeds being coated with resin.

Retrospi'nis (Ichth.) *retro*, backwards, *spina*, prickle, spine.

Rettbergia (Bot.) P. N.; a genus of Graminae.

Ret'u'sus-a-um (Ent., Bot.) *Lat.* blunted; *e. g.* *Schizanthus retusus*.

Ret'zia (Zool., Bot.) P. N. in honour of *A. J. Retzius*, Professor of Natural History in Sweden; also a genus of Mollusca.

Revaya'na (Ent.) P. N. in honour of the Naturalist *Revay*.

Rhabarba'rūm (Bot.) the original name of *Rhubarb*, from *Rha*, root, and *Lat. barbarum*, of the barbarians.

Rhab'dia (Bot.) *ῥάβδος*, a wand; a genus of Ehretiaceæ.

Rhab'dion (Zool.) *ῥάβδιον*, a little rod; a genus of Colubrine ophidians.

Rhab'dium (Bot.) *ῥάβδος*, a wand; a genus of Algæ.

Rhabdoch'loa (Bot.) *ῥάβδος*, a twig, κλαυ, grafts.

Rhabdoc'i'laris (Fos. Zool.) *ῥάβδος*, a wand, *cidarisi*; the ambulacral pores being widely separated.

Rhabdoce'la (Zool.) *ῥάβδος*, a wand or rod, κοῖλος, hollow; a tribe of Turbellaria.

Rhabdoi'num (Bot.) *ῥάβδος*, a shaft, κρίνω, a lily; a genus of Liliaceæ.

Rhabdol'dea (Zool.) *ῥάβδος*, a rod, λεία, form; rod-like; striped-looking.

Rhabdomo'nas (Zool.) *ῥάβδος*, a wand, *monas*; a genus of Infusoria.

Rhabdoscia'dium (Bot.) *ῥάβδος*, a shaft, σκιάδιον, an umbrella or parasol; a genus of Umbelliferae.

Rhabdos'o'ma (Zool.) *ῥάβδος*, a rod or stick, σῶμα, body; a genus of Colubrine ophidians.

**Rhabdotham'nus** (Bot.) *ῥάβδος*, a shaft, *θάμνος*, a shrub; a genus of Gesneraceæ.

**Rhabdothe'ca** (Bot.) *ῥάβδος*, a shaft, *θηλή*, a sheath; a genus of Compositæ.

**Rhadoca'lyx** (Bot.) *ῥάβδος*, a shaft, *καλύξ*; a genus of Cardiacæ.

**Rhagadi'olus** (Bot.) a dim. formed from *ῥαγάς*, a slit, from the division of calyx; a genus of Compositæ.

**Rhagiga'ster** (Ent.) *ῥαγάς*, a slit, *γαστήρ*, belly; a genus of Hymenoptera.

**Rhago'dia** (Bot.) *ῥαγώδης*, like berries or grapes; its principal distinction; a genus of Chenopodiaceæ.

**Rhago'stis** (Bot.) *ῥάγος*, root, *αγριός*, wild; a genus of Chenopodiaceæ.

**Rhamna'ceæ** (Bot.) the Buckthorn family of plants, from the typical genus *Rhamnus*.

**Rham'nophis** (Zool.) *ῥάμνος*, a prickly shrub, *ὄφες*, a snake; a genus of Ophidians.

**Rhamno'psis** (Bot.) the genus *Rhamnus*, and *ὢψις*, resemblance; a genus of Flacourtiaceæ.

**Rham'nus** (Bot.) *ῥάμνος*, *Lat. rhamnus*, was applied by the ancients to a prickly shrub; Buckthorn; typical genus of Nat. Ord. Rhamnaceæ.

**Rhamphica'rpa** (Bot.) *ῥάμφης*, bent, *καρπός*, fruit; a genus of Scrophulariaceæ.

**Rhamphich'ths** (Ichth.) *ῥάμφος*, a crooked beak, *ἰχθύς*, a fish.

**Rhamphocæ'nus** (Ornith.) sometimes written *ramphocænus*, from *ῥάμφος*, a crooked beak, *καινός*, strange.

**Rhamphosper'mum** (Bot.) *ῥάμφης*, bent, *σπέρμα*, seed; a genus of Cruciferae.

**Rhaphido'phora** (Bot.) *ῥάφις-ίδης*, a needle, *φέρω*, to bear; a genus of Orontiaceæ.

**Rhaphidophy'lum** (Bot.) *ῥάφις-ίδης*, a needle, *φύλλον*, a leaf; a genus of Scrophulariaceæ.

**Rhaphido'spora** (Bot.) *ῥάφις-ίδης*, a needle; *σπόρος*, seed; a genus of Acanthaceæ.

**Rhaphio'cera** (Ent.) *ῥάφις*, a needle, *κίρκη*, horn (antennæ); a genus of Diptera.

**Rhaphi'odon** (Bot.) *ῥάφις*, a needle, *οδούς*, *οδοντος*, a tooth; a genus of Labiateæ.

**Rhaphio'lepis** (Bot.) *ῥάφις*, a needle, *λαστίς*, a scale; a genus of Pomaceæ.

**Rhaphispe'rnum** (Bot.) *ῥάφις*, a needle, *σπέρμα*, seed; a genus of Scrophulariaceæ.

**Rhaphi'telus** (Ent.) *ῥάφις*, a needle, *τιλος*, extremity.

- Rha'pis** (Bot.) *ῥάπις*, a needle ; from the acute awns of the Corolla ; a genus of Fan-palms.
- Rhapo'n'ticus-a-um** (Bot.) *rha*, root, *Ponticus*, of Pontus, near the Euxine ; specific name of rhubarb, because it grows near the river *Rha*, i. e. the Volga.
- Rhaptostyl'um** (Bot.) *ῥαπτοστύλη*, sewn together, *στυλόν*, a style ; a genus of Aquifoliaceæ.
- Rhee'dia** (Bot., Ent.) P. N. in honour of *Henr. van Rheede van Draakenstein*, a patron of botanists.
- Rhegma'todon** (Bot.) *ῥήγματον*, a rent, *ῥέω*, *ῥέντος*, a tooth ; a genus of Bryoid Musci.
- Rhego'stoma** (Zool.) *ῥήγνυμι*, to bear away, *ῥήμα*, mouth ; a genus of Mollusca.
- Rhe'u'm** (Bot.) the *ῥέα*, of Dioscorides, said to be derived from the river *Rha*, in Russia, now the Volga ; the Rhubarb plant ; a genus of Polygonaceæ.
- Rhe'sxia** (Bot.) *ῥέξια*, from *ῥήγνυμι*, to break out ; a genus of Melastomaceæ.
- Rhi'na** (Ichth.) *ῥίνη*, a snout ; a genus of Rays or Skates.
- Rhinacan'thus** (Bot.) *ῥίνη*, a snout, *ἄκανθα*, a thorn or prickle ; a genus of Acanthaceæ.
- Rhinac'tina** (Bot.) *ῥίνη*, a file, *ἄκτινη*, a ray ; a genus of Compositeæ.
- Rhinantha'ceæ** (Bot.) the section of Scrophulariaceæ represented in *Rhinanthus*, &c.
- Rhinanthe'ra** (Bot.) *ῥίνη*, a file, *ἄνθη*, an anther ; a genus of Flacourtiaceæ.
- Rhinan'thus** (Bot.) *ῥίνη*, a snout, *ἄρθος*, flower ; Yellow-rattle ; a genus of Scrophulariaceæ.
- Rhine'chis** (Zool.) *ῥίνη*, a snout, *ίχνη*, a viper ; a genus of Colubrine ophidians.
- Rhinoba'tidæ** (Ichth.) a genus of Fishes, of which *Rhinobatus* is the type.
- Rhino'batus** (Ichth.) *ῥινό-βατος*, ancient name of a fish.
- Rhinoboth'ryum** (Zool.) *ῥίνη*, nose, *βόθυος*, a hole or pit ; a genus of Colubrine ophidians.
- Rhinoca'rpus** (Bot.) *ῥίνη*, a snout, *καρπός*, fruit ; a genus of Anacardiaceæ.
- Rhinoceri'na** (Zool.) *rhinoceros* ; a sub-family of Mammalia.
- Rhino'ceros** (Zool.) *ῥινοκέρως* of the Greeks, from *ῥίνη*, *κέρας*, the nose, *κέρας*, a horn.
- Rhino'des** (Ent.) *ῥινοδης*, snout-like.
- Rhinolo'bium** (Bot.) *ῥίνη*, a snout, *λοβός*, a pod ; a genus of Asclepiadaceæ.

- Rhinolophi'na}** } (Zool.) { *ῥίνη*, nose or snout, *λεφός*, a crest; the Horse-  
**Rhino'lophus** } shoe Bats.
- Rhinomy'za** (Ent.) *ῥινός*, a hide, *μύζω*, to suck in; a genus of Diptera.
- Rhinon'chus** (Ent.) *ῥίνη*, a snout, *ὤγκος*, a curve.
- Rhinope'talum** (Bot.) *ῥινός*, a hide, *πτεράλων*, leaf; a genus of Liliaceæ.
- Rhino'psis** (Ent.) *ῥίνη*, nose, *ὅμοιος*, resemblance; a genus of Hymenoptera.
- Rhino'simus** (Zool.) *ῥινό-σιμος*, snub-nosed; a genus of Colubrine ophidians.
- Rhinoste'gia** (Bot.) *ῥίνη*, a snout, *στίγμη*, a covering; a genus of Santalaceæ.
- Rhino'stoma** (Zool.) *ῥίνη*, nose, *στόμα*, the face; a genus of Colubrine ophidians.
- Rhino'trichum** (Bot.) *ῥίνη*, a snout, *θρύξ*, *τρίχως*, hair; a genus of Fungi.
- Rhipi'cera** } (Ent.) { *ῥιπίς*, a fan, *κέρας*, a horn; having fan-shaped  
**Rhipice'ridæ** } antennæ; a genus and family of Coleoptera.
- Rhipidium** (Bot.) dim. of *ῥιπίς*, a fan; a genus of Polypodioid Filices.
- Rhipidoden'dron** (Bot.) *ῥιπίς-δέντρον*, a fan, *δένδρον*, a tree.
- Rhipido'pteris** (Bot.) *ῥιπίς*, a fan, *στρίψις*, fern; a genus of Polypodioid Filices.
- Rhipidos'iphon** (Bot.) *ῥιπίς*, a fan, *στρίψων*, a tube; a genus of Algæ.
- Rhipidu'ra** (Ornith.) *ῥιπίς*, a fan, *σύρπη*, a tail; the Fan-tail; a genus of Passeres.
- Rhipoceph'alus** (Bot.) *ῥιπίς*, a fan, *κεφαλή*, head; a genus of Algæ.
- Rhipozo'nium** (Bot.) *ῥιπίς*, a fan, *ζώνη*, a belt; a genus of Algæ.
- Rhip'salis** (Bot.) *ῥίψις*, a willow branch; referring to its flexible branches; a singular genus of Caætaceæ, with cord-like stems.
- Rhisotro'gus** (Ent.) *ῥίς*, snout, *τρωγός*, a gnawer.
- Rhizobola'ceæ** (Bot.) the Natural Order of plants of which the following is the typical genus:—
- Rhizo'bolus** (Bot.) *ῥιζό-βόλος*, throwing out roots; the same genus as Caryocar; the Souari-nut tree.
- Rhizobo'trya** (Bot.) *ῥιζα*, root, *βότρυς*, a bunch; a genus of Cruciferæ.
- Rhizoca'rpon** (Bot.) *ῥιζα*, root, *καρπός*, fruit; a genus of Lichenes.
- Rhizoceph'ala** (Zool.) *ῥιζα*, a root, *κεφαλή*, head; because the head of these apparent worms, which is inserted into the body of its host, emits roots like those of plants; a genus of parasitic Crustacea.
- Rhizochi'lus** (Zool.) *ῥιζα*, root, *χιλία*, lip; a genus of Mollusca.
- Rhizocol'o'nium** (Bot.) *ῥιζα*, root, *κλανίων*, a young shoot; a genus of Algæ.
- Rhizoco'cum** (Bot.) *ῥιζα*, root, *κόκκος*, berry; a genus of Algæ.

Rhizooto'nia (Bot.) *ρίζα*, a root, *ντέλειν*, to destroy; it destroys the roots it grows on; a genus of Fungi.

Rhi'zogens (Bot.) *ρίζα*, root, *γενάω*, to produce; Lindley's name for the great tribe represented in the Rhizanthaceæ, &c.

Rhizo'litha (Ent.) *ρίζα*, a root, *λίθος*, a stone.

Rhizo'ma (Bot.) *ρίζα*, a root; applied to a subterranean creeping stem like that of Iris.

Rhizomor'pha (Bot.) *ρίζα*, a root, *μορφή*, shape; from resemblance to the roots of trees; a name given to abnormal conditions of Fungi when developed in the dark; not a scientific genus.

Rhi'zomys (Zool.) *ρίζα*, a root, *μῦσι*, a mouse; used for the Bamboo rat.

Rhizo'nium (Bot.) *ρίζα*, root; a genus of Bryoid Musci.

Rhizoph'ora (Bot.) *ρίζα*, a root, *φερίνειν*, to bear; the seeds germinate on the branches; the Mangrove-tree; typical genus of the Nat. Ord. Rhizophoraceæ.

Rhizophora/ceæ (Bot.) the Mangroves.

Rhizo'poda (Zool.) *ρίζα*, a root, *παύει*, *παδός*, a foot; a group of the Protozoa.

Rhizopo'gon (Bot.) *ρίζα*, a root, *πάγων*, a beard; a genus of Fungi.

Rhi'zopus (Bot.) *ρίζα*, root, *πούς*, *ποδός*, foot; a genus of Fungi.

Rhizospe'rma (Bot.) *ρίζα*, root, *σπερμα*, seed; a genus of Marfileaceæ.

Rhizo'stoma (Zool.) *ρίζα*, root, *στομα*, face; a genus of Medusa.

Rhoda/mina (Bot.) *ῥάδαμηνος*, a young shoot; a genus of Myrtaceæ.

Rhoda'nthe (Bot.) *ῥάδανθη*, a rose, *κρίθος*, a flower; in allusion to the colour of the flower-heads; a genus of Australian Everlastings.

Rhoda'ria (Ent.) *ῥάδων* a rose; from its rosy colour; a genus of Lepidoptera.

Rhodax (Bot.) *ῥάδαξ*, a dwarf rose; a genus of Cistaceæ.

Rho'dea (Bot.) *ῥάδην*, a rose; a genus of Liliaceæ.

Rhodi'ola (Bot.) *ῥάδην*, a rose; its roots smell like roses; Rose-root; a genus of Crassulaceæ.

Rhodoceph'alus (Bot.) *ῥάδων*, a rose, *κεφαλή*, head; a genus of Fungi.

Rhodocer'idæ (Ent.) *ῥάδων*, a rose, *κέρας*, a horn; from the rosy-tipped antennæ; a family of Lepidoptera.

Rhodochi'ton (Bot.) *ῥάδων*, a rose, *χαίτη*, foliage; a genus of Scrophulariacæ.

Rhodoci'stus (Bot.) *ῥάδων*, a rose, *κίτρος*, a shrub; a genus of Cistaceæ.

Rhodoco'ma (Bot.) *ῥάδων*, a rose, *κόμη*, a tuft; a genus of Restiacæ.

Rhodocri'nus (Fos. Zool.) *ῥάδων*, rose, *κρίνος*, lily, equivalent to "Rose-encreniate;" a genus of Palaeozoic encrinites.

- Rhodododac'tylus-a-um** (Ent.) ρόδος, the rose (referring to the colour), δάκτυλος, a plume.
- Rhododen'dron** (Bot.) ρόδον, a rose, δένδρον, a tree; a magnificent and well-known genus of Ericaceæ.
- Rhododer'mis** (Bot.) ρόδον, a rose, δέρμα, skin; a genus of Algae.
- Rhodolæ'na** (Bot.) ρόδον, a rose, λαίνα, a mantle; a genus of Chlaenaceæ.
- Rhodo'mela** (Bot.) ρόδον, a rose, μέλος, a limb; a genus of Cryptogamia.
- Rhodome'nia** (Bot.) ρόδον, a rose, μέν, implying intensity; i. e. of colour; a genus of Marine Algae.
- Rhodomyr'tus** (Bot.) ρόδον, a rose, *myrtus*, myrtle; a genus of Myrtaceæ.
- Rhodo'na** } (Zool.) { ρόδον, a bed of roses; a genus and family of Rhodo'nidae} slender-tongued Saurians.
- Rhodone'ma** (Bot.) ρόδον, a rose, νήμα, a filament; a genus of Algae.
- Rhod'ope** (Zool.) P. N.; from classic geography; a genus of Mollusca.
- Rhodophæ'a** (Ent.) ρόδον, a rose, φαιός, dull, dusky; rosy-grey; a genus of Lepidoptera.
- Rhodoph'ora** (Ent.) ρόδον, a rose, φερίω, to carry.
- Rhodophy'ceæ** (Bot.) ρόδον, a rose, φῦκος, *Lat. fucus*, sea-weed; a family of Algae, equivalent to the Rhodospemata of Dr. Harvey.
- Rhodo'psis** (Bot.) ρόδον, a rose, ἔψις, resemblance; a genus of Portulacaceæ.
- Rhodo'r'a** (Bot.) ρόδον, a rose; alluding to the colour of the flowers; a genus of Ericaceæ.
- Rhodora'ceæ** (Bot.) a sub-family of Ericaceæ, with *Rhodora* for the type.
- Rhodorhi'za** (Bot.) ρόδον, a rose, φίλος, root; a genus of Convolvulaceæ.
- Rhodosper'mea** (Bot.) ρόδον, a rose, σπίρημα, seed; a section of Marine Algae.
- Rhodo'stoma** (Bot.) ρόδον, a rose, στόμα, mouth; a genus of Cinchonaceæ.
- Rhodotham'nus** (Bot.) ρόδον, a rose, θάμνος, a shrub; a genus of Ericaceæ.
- Rhodoty'pus** (Bot.) ρόδον, a rose, τύπος, a model or pattern; a genus of Rosaceæ.
- Rhœ'a's** (Bot.) ρία, to flow; specific name of a species of Poppy.
- Rho'gmus** (Ent.) ρωγμή, a cleft; a genus of Hymenoptera.
- Rhomba'lis-e** } (Ent.) *rhombus*, a four-sided figure; a Thomb.
- Rhom'bicus-a-um** } (Ent.) *rhombus*, rhombus-shaped, lozenge-shaped; from the form of the markings.
- Rhom'b'us** (Ichth.) *Lar.* a turbot; the Turbot.

- Rhopa'la (Bot.) *roupala*, its aboriginal name in Guiana; a splendid genus of Proteaceæ.
- Rhopaloene'mis (Bot.) *ρόπαλον*, a club; *κνήμη*, a knee; a genus of Balanophoraceæ.
- Rhopalod'on (Fos. Zool.) *ρόπαλον*, a club, *δόντις*, *δόντρος*, a tooth.
- Rhopalomy'oes (Bot.) *ρόπαλον*, a club, *μύκης*, a fungus; a genus of Fungi.
- Rhus (Bot.) *ῥῦς*, *Lat. rhus*, a small tree used in tanning; the Sumach-tree; Nat. Ord. Anacardiaceæ.
- Rhyaco'phila (Bot.) *ῥύξεως*, a mountain-stream, *φιλία*, to love; a genus of Lythraceæ.
- Rhy'ma (Bot.) *ῥύμα*, a bow-shaft; a genus of Clusiaceæ.
- Rhynchan'thera (Bot.) *ῥύγχος*, a beak, *ἄνθης*, anther; a genus of Orchidaceæ.
- Rhynchas'pis (Ornith.) *ῥύγχος*, a beak, *άσπις*, a shield.
- Rhynche'lytrum (Bot.) *ῥύγχος*, a beak, *έλυτρον*, a capsule; a genus of Graminae.
- Rhynchich'hys (Ichth.) *ῥύγχος*, a beak, *ἰχθύς*, a fish; a genus of Acanthopterygian fishes.
- Rhynchi'na (Ent.) *ῥύγχος*, a beak or snout.
- Rhynchi'tes (Ent.) *ῥύγχος*, a snout; a genus of Coleoptera.
- Rhyn'chium (Ent.) *ῥύγχος*, a snout; a genus of Hymenoptera.
- Rhynchoca'rpa (Bot.) *ῥύγχος*, a beak, *καρπός*, fruit; a genus of Curcurbitaceæ.
- Rhynchoca'rus (Bot.) same derivation; a genus of Compositæ.
- Rhynchoco'ccus (Bot.) *ῥύγχος*, a beak, *κόκκος*, a berry; a genus of Algae.
- Rhynchoco'rys (Bot.) *ῥύγχος*, a beak, *κάρυος*, a helmet; a genus of Scrophulariaceæ.
- Rhyncho'des (Ent.) *ῥύγχος*, a snout, *εἶδος*, resemblance; beak-like.
- Rhynchoglos'sum (Bot.) *ῥύγχος*, a beak, *γλῶσσα*, tongue; a genus of Gesneraceæ.
- Rhyncho'lepis (Bot.) *ῥύγχος*, a beak, *λεπίς*, a scale; a genus of Piperaceæ.
- Rhynchone'ma (Bot.) *ῥύγχος*, a beak, *νήμα*, a thread; a genus of Algae.
- Rhynchope're (Bot.) *ῥύγχος*, a beak, *πήχη*, a pouch; a genus of Orchidaceæ.
- Rhynchope'talum (Bot.) *ῥύγχος*, a beak, *πτεράλον*, a leaf (petal); a genus of Lobeliaceæ.
- Rhyncho'phora (Ent.) *ῥύγχος*, a beak, *φέρειν*, to carry; the Snouted Beetles; a division of Coleoptera.
- Rhyncho'phorus-a-um (Zool.) same derivation; snout-bearing; having a proboscis.

- Rhynchospi'dium** (Bot.) *ρύγχος*, a beak, and the genus *Psidium*, the Guava; a genus of Compositæ.
- Rhynchosau'rus** (Fos. Zool.) *ρύγχος*, a beak, *σαυπός*, a lizard.
- Rhyncho'sia** (Bot.) *ρύγχος*, a beak; a genus of Leguminosæ.
- Rhynchosper'mum** (Bot.) *ρύγχος*, a beak, *σπίρους*, seed; a genus of Chineé Apocynaceæ.
- Rhyncho'spora** (Bot.) *ρύγχος*, a beak, *σπόρα*, a seed; Beak-rush; a genus of Cyperaceæ.
- Rhynchosporel'a** (Ent.) first taken at Kilmun, N. B., hovering over and settling on the *Rhynchospora*, (Acc. List of Brit. Lepid.)
- Rhynchoste'gium** (Bot.) *ρύγχος*, a beak, *στήγος*, an urn (capsule); a genus of Mosses.
- Rhynchossty'lis** (Bot.) *ρύγχος*, a beak, *στῦλος*, a pillar (style); a genus of Orchidaceæ.
- Rhynchothe'ca** (Bot.) *ρύγχος*, a beak, *θήκη*, a sheath; a genus of Oxalidaceæ.
- Rhynchtus-a-um** (Zool., Ent.) having a snout or proboscis (*ρύγχος*).
- Rhyncolite's** (Fos. Zool.) *ρύγχος*, a beak, *λιθος*, a stone; fossil beak-like mandibles of Cephalopods.
- Rhyncone'lla** (Zool.) dim. of *ρύγχος*, a beak; a genus of Mollusca.
- Rhyn'cop's** (Ornith.) *ρύγχος*, beak, *ψ*, face; the Skimmer or Scissor-Bill; a genus of web-footed Birds.
- Rhyncoete'u>this** (Zool.) *ρύγχος*, a beak, *τυφλός*, a cuttle-fish or squid.
- Rhy'nea** (Bot.) P. N., a genus of Compositæ.
- Rhyp'o'des** (Zool.) *ρυπώδης*, dirty, smeared.
- Rhytidan'the** (Bot.) *ρυτίς-ίδης*, a wrinkle, *ἄρθος*, flower; a genus of Compositæ.
- Rhytidole'pis** (Fos. Zool.) *ρυτίς-ίδης*, a wrinkle, *λεπίς*, a scale; Sternberg's excellent name for the Sigillaria, referring to its corrugated bark.
- Rhytidophyl'lum** (Bot.) *ρυτίς-ίδης*, a wrinkle, *φύλλον*, leaf; a genus of Gesneraceæ.
- Rhytiglos'sa** (Bot.) *ρυτίς*, a wrinkle, *γλῶσσα*, tongue; a genus of Acanthaceæ.
- Rhytirhi'nus** (Ent.) *ρυτίς*, a wrinkle, *ψίν*, a nose or snout; a genus of Coleoptera.
- Rhytis's** (Bot.) *ρυτίς*, a wrinkle; a genus of Euphorbiaceæ.
- Rhytis'ma** (Bot.) *ρυτίς*, a wrinkle; referring to the appearance of the plants to which they are attached; a genus of parasitic Fungi.

*Rhytidpermum* (Bot.) *puris*, a wrinkle, *rigua*, feed; a genus of Boraginaceæ.

*Ribes* (Bot.) this generic name originated in the supposition that our currant and gooseberry plants were those to which the Arabian physicians of the eleventh and twelfth centuries gave the name of *ribas*, but which have since been discovered to be a kind of rhubarb, *Rheum Ribas*. — PAXTON. A genus of Grossulariaceæ.

*Ribesia'ceæ* (Bot.) the Nat. Ord. of plants better known as Grossulariaceæ; having the above as its typical genus.

*Rib-grass* (Bot.) those plants which have been observed to be eaten by cattle have often obtained the name of *graſt*, though differing in every other respect from real graſtes. This one is the *Plantago lanceolata*.

*Ric'cia* (Bot.) P. N. in honour of *Pietro Francifco Ricci*, a Florentine botanist; typical genus of Ricciaceæ; a division of the Cryptogamia.

*Riccie'lla* (Bot.) dim. of *Riccia*; a genus of Ricciaceæ.

*Ricciocar'pus* (Bot.) the genus *Riccia*, and *xagwós*, fruit; a genus of Ricciaceæ.

*Richæ'lia* (Bot.) P. N. in honour of *Mr. Richie*, a traveller who died at Tripoli in 1820; a genus of Loganiaceæ.

*Rice* (Bot.) *Lat. oryza*; *Gr. ὄρυζα*; *Arabic, eruz*.

*Richar'dia* (Bot.) P. N. in honour of *Louis Claude-Marie Richard*, an eminent French botanist, who died in 1821; a splendid genus of Orontiaceæ, often called the Ethiopian lily.

*Richardso'nia* (Bot.) P. N. in honour of *Richard Richardson*, an English botanist; a genus of Cinchonaceæ.

*Richardso'nii* (Zool.) P. N. in honour of *Sir John Richardson, M.D.*

*Ri'chea* (Bot.) P. N. in honour of *M. Riche*, a French naturalist who accompanied D'Entrecasteaux, and being lost three days on the coast of New Holland, lived upon the berries of an allied genus; a genus of Epacridaceæ.

*Riche'ria* (Bot.) P. N., a genus of Euphorbiaceæ.

*Richte'ria* (Bot.) P. N., a genus of Compositæ.

*Ricinocarpus* (Bot.) the genus *Ricinus*, and *xagwós*, fruit; a genus of Euphorbiaceæ.

*Rici'nula* (Zool.) dim. of *Ricinus*, the Castor-oil plant, the berries of which the shell resembles; a genus of Mollusca.

*Ri'cinus* (Bot.) *Lat.* a tick; from the resemblance of the seed; the Castor-oil plant; a genus of Nat. Ord. Euphorbiaceæ.

*Rico'tia* (Bot.) P. N., a genus of Cruciferæ.

- Riddel'lia (Bot.) P. N., a genus of Compositæ.
- Ridibun'dus-a-um (Ornith.) Lat. laughing.
- Ridol'fia (Bot.) P. N., a genus of Umbelliferæ.
- Riedle'ia (Bot.) P. N. in honour of *M. Riedle*, who accompanied Captain Baudin round the world ; a genus of Byttneriaceæ.
- Riencour'tia (Bot.) a genus of Compositæ.
- Riesenbac'hia (Bot.) P. N., a genus of Onagraceæ.
- Ri'gens (Bot.) *rigeo*, to stiffen ; e.g. *Gazania rigens*.
- Rigide'l'a (Bot.) *rigidus*, rigid, in reference to the stiffness of the peduncles, when supporting the seed-vessels.
- Ri'gidus-a-um (Bot.) Lat. stiff, hard ; e.g. *Carex rigida*.
- Rimo'sus-a-um (Bot.) Lat. full of clefts.
- Ri'mula (Zool.) dim. of *rima*, a fissure ; a genus of Mollusca.
- Rinde'r'a (Bot.) P. N. in honour of *Rinder*, Dean of Medicine in Moscow ; a genus of Boraginaceæ.
- Rin'gens (Zool., Bot.) Lat. gaping, e.g., *Melicerta ringens*.
- Ringi'cula (Zool.) dim. of *ringens*, grinning ; a genus of Mollusca.
- Rino'rea (Bot.) P. N., a genus of Violaceæ.
- Ripa'rius-a-um (Ornith., Bot.) Lat. frequenting rivers, growing on river banks ; e.g. *Carex riparia*.
- Ripi'dium (Bot.) *πιπίδιον*, a little fan ; the application is not evident ; a genus of Graminae.
- Ripidode'ndron (Bot.) *πιπίσ-ίδρων*, a fan, *δίδρων*, a tree ; a genus of Liliaceæ.
- Ripiph'orus (Ent.) *πιπίς*, a fan, *φέρω*, to carry ; a genus of Coleoptera.
- Ripi'dius (Ent.) *πιπίσ-ίδιος*, a fan ; a genus of Coleoptera.
- Ripo'gonum (Bot.) *πιπίς*, a flexible twig, *γόνος*, a shoot ; a genus of Smilacæ.
- Risso'a (Zool., Bot.) P. N. in honour of *Risso*, a French zoologist ; a genus of Mollusca ; in Botany, a genus of Aurantiaceæ.
- Riva'ta (Ent.) *rivulus*, a rivulet ; from the wave-like markings.
- Ri'vea (Bot.) P. N., a genus of Convolvulaceæ.
- Rive'ria (Bot.) P. N., a genus of Leguminosæ.
- Rivl'na (Bot.) P. N. in honour of *A. Q. Rivinus*, a botanist of Saxony, who died in 1722 ; a genus of Phytolaccaceæ, bearing racemes of red berries.
- Ri'vula (Ent.) *rivulus*, a little brook ; a genus of Lepidoptera.
- Rivula'lis (Ent.) *rivulus*, a rivulet.
- Rivula'ria (Bot.) *rivulus*, a stream because it grows in rivers ; a genus of Fresh-water Algae.

- Rivula'ris-e (Bot.) *rivulus*, a brook ; growing in brooks ; e. g. *Saxifraga rivularis*.
- Roach (Ichth.) *Anglo-Sax. reohche*; *Dutch, roch*; *Germ. roche*; common name of *Leuciscus rutilus*.
- Ro'bbia (Bot.) P. N., a genus of *Apocynaceæ*.
- Rober'gia (Bot.) P. N. from *Laurent Roberg*, Professor of Medicine at Upsal ; a genus of *Connaraceæ*.
- Rober'tia (Bot.) P. N. in honour of *M. Robert*, a Corsican botanist ; a genus of *Taxaceæ* ; also a genus of *Ranunculaceæ*.
- Rober'tsia (Bot.) P. N., a genus of *Compositæ* ; also a genus of *Sapotaceæ*.
- Robertso'nia (Bot.) P. N., a genus of *Saxifragaceæ*.
- Robique'tia (Bot.) P. N., a genus of *Orchidaceæ*.
- Rob'in (Ornith.) *Lat. rubecula*, from *rubeo*, to be red.
- Robin'ia (Bot.) P. N. in honour of *Jean Robin*, a French botanist, who died in 1597 ; the false *Acacia* ; a superb genus of Leguminous trees.
- Robso'nia (Bot.) P. N., a genus of *Grossulariaceæ*.
- Robusta'lis (Ent.) *robustus*, stout, strong.
- Roc'ambole (Bot.) common name of *Allium Scorodoprasum*.
- Roccel'la (Bot.) *Port. rocha*, a rock ; from its place of growth ; *Orchil*, a genus of Lichenes.
- Rock'et (Bot.) *French, roquette*; *Italian, ruchetta*; corrupted from *Latin, Eruca*.
- Roden'tia (Zool.) *rodo*, to gnaw ; the Rodents ; so called from their habit of gnawing or nibbling their food.
- Rodi'gia (Bot.) P. N. in honour of *Rodig*, a friend of Sprengel's ; a genus of *Compositæ*.
- Rodo'pis (Ornith.) *ρόδος*, a rose, δψ, resemblance ; a genus of Humming-birds.
- Rodrigue'zia (Bot.) P. N. in honour of *Emanuel Rodriguez*, a Spanish physician and botanist ; a genus of epiphytic *Orchidaceæ*.
- Rodschie'dia (Bot.) P. N., a genus of *Cruciferæ*.
- Roe (Zool.) *Anglo-Sax. raa, rah* ; the *Capreolus Dorcas*.
- Roëa (Bot.) P. N., a genus of Leguminosæ.
- Roel'la (Bot.) P. N. in honour of *G. Roelle*, Professor of Anatomy at Amsterdam.
- Rösel'l'a (Ent.) P. N. in honour of *A. J. Rösel*, a painter and entomologist, who died in 1759.—(Acc. List Brit. Lepid.)
- Ro'udea (Bot.) P. N. in honour of *Michael Rohde*, of Bremen in Germany.

- Röhlin'gia (Bot.) P. N., a genus of Dilleniaceæ.
- Ro'hria (Bot.) P. N., a genus of Compositæ.
- Rolan'dra (Bot.) P. N. in honour of *Daniel Rolander*, a pupil of Linnaeus, who visited Surinam ; a genus of Compositæ.
- Rolda'na (Bot.) P. N., a genus of Compositæ.
- Rolfin'kia (Bot.) P. N., a genus of Compositæ.
- Rollan'dia (Bot.) P. N., a genus of Lobeliaceæ.
- Rolli'nia (Bot.) P. N., a genus of Anonaceæ.
- Roło'fa (Bot.) P. N., a genus of Mesembryaceæ.
- Romanzo'via (Bot.) P. N., a genus of Hydrophyllaceæ.
- Röme'ria (Bot.) P. N. in honour of *J. J. Römer*, Professor of Botany at Landshut, who died in 1820 ; a genus of Papaveraceæ.
- Romne'ya (Bot.) P. N., a genus of Papaveraceæ.
- Romu'lea (Bot.) uncertain ; a genus of Iridaceæ.
- Rona'bea (Bot.) P. N., a genus of Cinchonaceæ.
- Rondele'tia (Bot.) P. N. given by Linnaeus in honour of *Rondelet*, a celebrated physician of the 16th century ; a genus of Cinchonaceæ.
- Rore'lta (Bot.) dim. of *ros*, *roris*, dew ; a genus of Droseraceæ.
- Rore'lus (Ent.) dim. of *ros*, dew.
- Ror'qual (Zool.) from a Norwegian word signifying "whale with folds."
- Rosa (Bot.) *Lat.* a rose : the *ῥόδον* of the Greeks was not a rose, but probably the pomegranate-flower.
- Rosa'ceus-a'-um (Zool., Bot.) *Lat.* rosy, rose-like ; arranged like rose-leaves ; e.g., *Musa rofaca*.
- Rosæcola'na (Ent.) *rofa*, a rose, *colere*, to frequent.
- Rosal'i'na (Zool.) *rofa*, a rose ; a genus of Foraminifera, the chambers of which are disposed in a rose-like manner.
- Rosa'ria (Bot.) *rofarius*, rose-like ; a genus of Cryptogamia.
- Roscō'ea (Bot.) P. N. in honour of *W. Roscoe*, the historian of the Medici, who died in 1831 ; a genus of Zingiberaceæ.
- Ro'seus-a'-um (Ornith., Bot.) *Lat.* rosy, rose-coloured ; arranged like rose-leaves ; e.g., *Bryum rofum*.
- Roslerstam'mia (Ent.) P. N. in honour of *Fischer von Roslerflamm*, a writer on Entomology ; a genus of Lepidoptera.
- Rosmari'nus (Bot.) *ros*, dew, *marinus*, belonging to the sea ; it might be translated "sea-spray," Rosemary ; a genus of Labiatæ.
- Ros'marus (Zool.) the Norwegian word *Rofmar* latinized.
- Ros'sia (Zool.) P. N. in honour of *Sir John Ross* ; a sub-genus of Cephalopoda.

- Rostella'ria (Zool.) *rostellum*, a little beak ; a genus of Strombidæ or Wing-shells.
- Rostella'tus-a-um (Bot.) *rostellum*, a little beak ; from fancied resemblance.
- Roste'lum (Bot.) *Lat.* a little beak.
- Rostra'lis (Ent.) *rostrum*, a beak.
- Rostra'ria (Bot.) *rostrum*, a beak ; a genus of Gramina.
- Rostra'tus-a-um (Bot.) *rostrum*, a beak ; beaked, e. g., *Mnium rostratum*.
- Rosula'tus-a-um (Bot.) *rosa*, a rose ; having the leaves arranged in little rose-like clusters.
- Rote'lla (Zool.) dim. of *rota*, a wheel ; a genus of Mollusca.
- Rot'hia (Bot.) P. N. in honour of *A. W. Roth*, of Bremen, a German botanist ; a genus of Compositæ ; also a genus of Leguminosæ.
- Rottböl'lia (Bot.) P. N. in honour of *C. F. Rottböll*, a Danish botanist, who died in 1797 ; a genus of Gramina.
- Rottle'ra (Bot.) P. N. in honour of *Rev. Dr. Rottler*, a Danish missionary ; a genus of Euphorbiaceæ.
- Rotunda'ria (Ent.) *rotundus*, round ; from the rounded form of the wings.
- Roxa'na (Ent.) P. N. in honour of *Roxana*, wife of Alexander the Great ; a genus of Lepidoptera.
- Roxburg'hia (Bot.) P. N. in honour of *W. Roxburgh*, *M.D.*, director of the Botanical gardens at Calcutta, who died in 1815 ; typical genus of Roxburghiacæ.
- Royd'sia (Bot.) P. N. in honour of *Sir J. Royds* ; a genus of Capparidaceæ.
- Roye'na (Bot.) P. N. in honour of *Adrian von Royen*, Professor of Botany at Leyden, who died in 1779 ; a genus of Ebenaceæ.
- Roy'lea (Bot.) P. N. in honour of *Dr. John Forbes Royle*, *F.R.S.* formerly superintendent of the Botanical gardens at Saharunpoor, who died in 1858 ; a genus of Labiatæ.
- Royston Crow (Ornith.) common English name of the Hooded-crow ; *Corvus Cornix*.
- Rube'cula (Ornith.) *rubeo*, to become red ; specific name of the Red-breast.
- Rubel'lus-a-um (Ent., Bot.) *Lat.* reddish ; e. g. *Arenaria rubella*.
- Ru'bens (Zool., Ent., Bot.) *Lat.* red, reddish ; e. g. *Trifolium rubens*.
- Ru'ber, ru'bria, ru'brum, (Ornith., Bot.) *Lat.* red.
- Ru'bra (Ornith.) *ruber*, red, reddish ; specific name of the Whinchat, *Saxicola rubetra*.
- Ru'bria (Bot.) *ruber*, red ; the roots are used as a dye ; Madder ; a genus of Nat. Ord. Galiaceæ.

- Rubi'cola (Ornith.) *rubus*, the bramble, *colo*, to frequent; specific name of the Stonechat, *Saxicola rubicola*.
- Rubicun'dus-a-um (Zool., Ent.) *Lat.* red, ruddy.
- Rubida'lis (Ent.) *ruber*, red.
- Ru'bidus-a-um (Zool.) *Lat.* red, reddish.
- Rubiga'lis, Rubigina'lis (Ent.) *rubigo*, rust; rust-coloured.
- Rubigino'sus-a-um (Bot.) *Lat.* rust-coloured; also glandular; *e. g.* *Rosa rubiginosa*, sweet-brier.
- Rubrica'lis (Ent.) having the colour of *rubrica*, red earth, red ochre.
- Rubricol'lis (Ent.) *ruber*, red, *collum*, the neck; from the red collar.
- Rubricol'lus-a-um (Ornith.) same derivation.
- Ru'bipes (Ent.) *ruber*, red, *pes*, the foot.
- Rubrocino'tus (Ichth.) *ruber*, red, *cinctus*, banded; red-banded.
- Rubrotibie'l'a (Ent.) *ruber*, red, *tibia*, the shank.
- Ru'bus (Bot.) *Lat.* a bramble; a genus of Nat. Ord. Rosaceæ.
- Rudbe'ckia (Bot.) P. N. in honour of *Olof Rudbeck*, Professor of Botany at Upsal, who died in 1702; and of his son, who died in 1740; a genus of Compositæ.
- Rudd (Ichth.) the *Leuciscus erythrophthalmus* or Red-eye.
- Ru'dis-e (Bot.) *Lat.* rough; *e. g.* *Rubus rufis*.
- Rudol'phia (Bot.) P. N. in honour of *W. J. H. Rudolph*, a botanist of Jena; a genus of Leguminosæ.
- Rue (Bot.) *Lat.* *ruta*.
- Ruel'lia (Bot.) P. N. in honour of *John Ruelle*, of Soissons, a botanist and physician to Francis I.; a genus of Scrophulariaceæ.
- Ruficilia'na (Ent.) *rufus*, red, *cilium*, a fringe.
- Ruficincta'tus-a-um (Ent.) *rufus*, red, *cinctus*, girt about.
- Rufi'na (Ornith.) *rufus*, red.
- Ru'fipes (Ornith., Ent.) *rufus*, red, *pes*, a foot.
- Rufoguala'ris (Ornith.) *rufus*, red, *gula*, the throat.
- Rufo-vire'scens (Bot.) *rufus*, red, *virescens*, greenish.
- Ru'fulus-a-um (Ornith.) *Lat. dim.* rather red, russet.
- Ru'fus-a-um (Zool., Ornith., Bot.) *Lat.* red.
- Rug'i'lus (Ent.) *rugo*, to be wrinkled or crumpled.
- Rugo'sus-a-um (Bot.) wrinkled, corrugated.
- Ruiz'ia (Bot.) P. N. in honour of *Don Hippolito Ruiz*, one of the authors of "Flora Peruviana"; a genus of Byttneriaceæ.
- Rulin'gia (Bot.) P. N. in honour of *J. P. Ruling*, author of "Essay on Natural Orders;" a genus of Byttneriaceæ.

**Ru'mex** (Bot.) *Lat.* a spear, referring to the shape of the leaves; the Dock; a genus of Nat. Ord. Polygonaceæ.

**Ru'mia** (Ent.) P. N., the goddess who presided over suckling; a genus of Lepidoptera.

**Ruminan'tia** (Zool.) *ruminare*, to chew the cud; the Ruminants.

**Runci'na** (Zool.) *Lat.* a plane; a genus of Mollusca.

**Rupes'tris-e** (Bot.) *Lat.* growing upon rocks, e. g. *Draba rupicris*.

**Rupicapra'ria** (Ent.) *rupicapra*, a mountain goat, a chamois; from the colour.

**Rupi'cola** (Ornith.) *rupeſ*, rocks, *colere*, to frequent; equiv. to the popular name, Cock of the Rock.

**Rupicola'lis** (Ent.) *rupeſ*, rocks, *colere*, to frequent.

**Rup'pia** (Bot.) P. N. in honour of *H. B. Rupp*, a German botanist; a genus of Juncaginaceæ.

**Rus'cus** (Bot.) *rufcum* was applied by Pliny to the Butchers' broom; a suffruticose genus of Liliaceæ.

**Rush** (Bot.) *Anglo-Saxon*, *rics*, *rife*, a rush; *Latin*, *rufcum*, butchers'-broom; applied to the genus *Juncus*.

**Rusi'na** (Ent.) the same as *Rurina*, the goddess of the Country (*Rus*).

**Russa'tus-a-um** (Ornith.) *Lat.* clothed in red.

**Russe'lia** (Bot.) P. N. in honour of *A. Russell*, *M.D.*, *F.R.S.*, author of "Natural History of Aleppo"; a genus of Scrophulariaceæ.

**Rus'sula** (Bot.) *ruffulus*, reddish; a genus of Fungi.

**Rus'sulus-a-um** (Ent.) *Lat.* reddish.

**Rusti'colus-a-um** (Ornith.) *rus*, the country, *colo*, to frequent; living in fields or meadows; e. g. *Scolopax rusticola*, the Woodcock.

**Rus'ticus-a-um** (Ornith.) *Lat.* rural, rustic; e. g. *Hirundo rustica*, the Swallow.

**Ru'ta** (Bot.) *þvrtá*, rue; it is nearly the same in most languages; Rue; typical genus of Nat. Ord. Rutaceæ.

**Rute'la** } (Ent.) etymol. uncertain; a genus and family of Coleoptera.  
**Rute'lideæ** } (Ent.) etymol. uncertain; a genus and family of Coleoptera.

**Ruticil'la** (Ornith.) *rutilus*, red, *cillo*, to stir or agitate; the Redstart.

**Rutidoso'ma** (Ent.) *þvrtíss-ððs*, a wrinkle, *σῶμα*, body.

**Rutilans** (Bot.) *Lat.* red, glowing; e. g. *Thyrifacanthus rutilans*.

**Rutilus-a-um** (Ornith.) *Lat.* red, inclining to golden yellow.

**Ru'y'schia** (Bot.) P. N. in honour of *F. Ruy'sch*, *M.D.*, a celebrated Dutch anatomist, born 1638, died 1731; a genus of Marcgraviaceæ.

**Rya'nea** (Bot.) P. N. in honour of *John Ryan*, *M.D.*, *F.R.S.*, a correspondent of Vahl's; a genus of Passifloraceæ.

Rypophaga (Ent.) *ρυτός*, dirt, filth, *φάγειν*, to eat; a genus of Coleoptera.

Rytidocar'pus-a-um (Bot.) *ρυτίς*, a wrinkle, *μαρπός*, fruit; e. g. *Hedysarum rytidocarpum*.

Rytiphlœ'a (Bot.) *ρυτίς*, a wrinkle, *φλοιός*, bark; a genus of Algae.

Rytirhynchus-a-um (Ornith.) *ρυτίς*, a wrinkle, *βύχος*, a beak; e. g. *Rallus rythynchus*.

Sa'bal (Bot.) a name given by Adanson, meaning unknown; a genus of Palmae.

Sabba'tia (Bot.) P. N. in honour of *L. Sabbati*, a celebrated Italian botanist; a genus of Gentianaceæ.

Sabell'a } (Zool.) *{ sabellum*, fine sand or gravel; a genus and family Sabelladæ } of Annelids, inhabiting tubes formed of agglutinated grains of sand.

Sabulo'sus-a-um (Ent.) *Lat.* sandy, gravelly.

Saburra'lis (Ent.) *Lat.* sandy; sand-coloured.

Sacca'tus-a-um (Ent., Bot.) *saccus*, a sack or bag; in Ent. applied to a spider, from the bag of eggs it carries fixed to its spinnerets.

Sacchari'na (Bot.) *saccharum*, sugar; from its sweet taste; a genus of Marine Algae.

Saccharoph'orum (Bot.) *saccharum*, sugar, *fero*, to bear; a genus of Graminae.

Sac'charum (Bot.) *Lat.* sugar, from the Sanscrit *sarkara*, Greek *σάκχαρον*; the Sugar-cane; a genus of Graminae.

Sacci'dium (Bot.) dim. of *σάκκος*, a bag, *εἶδος*, likeness; from the form of labellum; a genus of Orchidaceæ.

Saccoch'i'lus (Bot.) *σάκκος*, a bag, *χιτῖος*, a lip; from the form of the labellum; a genus of Orchidaceæ.

Saccoglo'ttis (Bot.) *σάκκος*, a bag, *γλωττίς*, a lip; referring to labellum; a genus of Humiriaceæ.

Sacco'gyna (Bot.) *σάκκος*, a bag, *γυνή*, pistil; a genus of Jungermanniaceæ.

Sacco'lo'bium (Bot.) *σάκκος*, a bag, *λόβος*, pod; a genus of Orchidaceæ.

Sacco'lo'ma (Bot.) *σάκκος*, a bag, *λαμπάς*, fringe; a genus of Polypodioid Filices.

Saccoomys (Zool.) *σάκκος*, a bag, *μῦς*, a mouse, from the great size of the cheek-pouches; the Pouched-rat; a genus of Mammalia.

Saccopet'alum (Bot.) *σάκκος*, a bag, *πέταλον*, leaf (petal); a genus of Anonaceæ.

**Saccoph'orus-a-um** (Zool.) σάκκος, a small bag or pouch, φέρειν, to bear.  
**Sacra'tia** (Ent.) /acrarius, a sacrifican.

**Sagar'tia** } (Zool.) { name given by Mr. Gosse to a genus and family  
**Sagart'iadæ** } of Actiniæ, from the ancient *Sagartians*, who  
captured their enemies by means of a noose, in  
allusion to the missile cords of the animal.

**Sag'da** (Zool.) a precious stone mentioned by Pliny of a leek-green colour;  
a genus of Mollusca.

**Sagenocri'nites** (Fos. Zool.) σαγήνη, a fishing-net, κρίνω, a lily; a genus  
of Crinoidea, or Stone-lilies.

**Sagi'na** (Bot.) Lat. something nourishing; sheep-food; now applied to  
an insignificant genus of Caryophyllaceæ.

**Sagitta'ria** (Bot.) *sagitta*, an arrow, alluding to the form of the leaves of  
some species; a beautiful aquatic genus of Alismaceæ.

**Sagitta'tus-a-um** (Ent.) *sagitta*, an arrow; having arrow-head marks on  
the wings.

**Sagittilin'gues** (Ornith.) *sagitta*, an arrow, *lingua*, a tongue.

**Sa'go** } (Bot.) { *sagu*, Malay name of various plants; the Sago-palm;  
**Sa'gus** } (Bot.) { Nat. Ord. Palmæ: Sago is prepared from the pith  
of these palms.

**Salaccen'sis-e** (Bot.) P. N. relating to Mount *Salak*, in Java.

**Salaman'droid** (Zool.) σαλαμανδρά, a venomous lizard, salamander, εἶδος,  
resemblance; Salamander-like.

**Salar** (Ichth.) Lat. a salmon.

**Salep** (Bot.) Arabic, *Sahlab*; this name is applied to a farina procured  
from the dried roots of a species of Orchis.

**Salica'lis** (Ent.) feeds on Sallows and Osiers (*Salix Caprea* and *viminalis*.)

**Salica'rius-a-um** (Ornith., Bot.) *salix*, a willow; willow-like; in Bot.  
from resemblance of leaves; e.g., *Lythrum Salicaria*.

**Salice'tum** (Bot.) Lat. a collection or plantation of species of willow.

**Sal'icis** (Ent.) feeds on the willow (*Salix*.)

**Salicor'nia** (Bot.) *sal*, salt, *cornu*, a horn; Glasswort or Saltwort; a genus  
of Chenopodiaceæ.

**Salisbu'ria** (Bot.) P. N. in honour of R. A. *Salisbury*, F.R.S., a dis-  
tinguished botanist; a remarkable Japanese genus of Taxaceæ.

**Sa'lius** (Ent.) Lat. a leaper or jumper; a genus of Hymenoptera.

**Sal'ix** (Bot.) Lat. a willow-tree; the Willow; typical genus of Salicaceæ.

**Sal'mea** (Bot.) P. N. in honour of Prince Charles of Salm Dyke, in Hol-  
land; a genus of Composite.

- Sal'mo (Ichth.) *Lat.* a salmon.
- Salmon (Ichth.) *French*, *saumon*; *Lat.* *salmo*.
- Salmo'nidae (Ichth.) *salmo*, the salmon; the family of the Salmon and Trout.
- Sa'mulus (Ichth.) dim. of *salmo*, the salmon; the Samlet.
- Salopiel'la (Ent.) was first captured in the county of *Salop*; specific name of a moth.
- Salpiglo'ssis (Bot.)  $\sigma\acute{\alpha}\lambda\pi\gamma\xi$ , a tube,  $\gamma\lambda\ddot{\alpha}\sigma\sigma\alpha$ , a tongue, in reference to the tongue-shaped style in the tube of the corolla; a genus of Scrophulariaceæ.
- Salpin'gidæ } (Ent.) {  $\sigma\acute{\alpha}\lambda\pi\gamma\xi\text{-}i\gamma\gammaos$ , a trumpet; a family and genus of Coleoptera.
- Salpin'gus } (Ent.) { Coleoptera.
- Sa'lasy (Bot.) name given to the esculent roots of *Tragopogon porrifolius*; corrupted from *sol-sequens*, following the sun, which the flowers do.
- Salso'la (Bot.) *salsus*, salt, from its saline properties; Saltwort; a genus of Chenopodiaceæ.
- Saltici'dæ (Ent.) fam. of Spiders, of which the genus *Salticus* is the type.
- Sal'ticus (Ent.) *Lat.* dancing, jumping; a genus of Arachnidæ.
- Salvia (Bot.) *salveo*, to be in good health, in reference to its healing qualities; how highly these were esteemed by the ancients may be gathered from the verse:—"Cur moriatur homo cui *Salvia* crescit in horto?"—a genus of Labiatæ.
- Salvin'ia (Bot.) P. N. in honour of *Antonio Maria Salvini*, Greek Professor at Florence, who died in 1729; a genus of Marsileaceæ.
- Sambuca'Tis (Ent.) feeds on the Elder, (*Sambucus nigra* and *Ebulus*.)
- Sambu'cus (Bot.) said to have been so called from  $\sigma\alpha\mu\beta\acute{\iota}\pi\eta$ , an ancient musical instrument, perhaps the dulcimer, which was made of its wood; the Elder; a genus of Caprifoliaceæ.
- Samo'lus (Bot.) *Celtic*, *fan*, salutary, *mor*, a pig; the plant originally so-called was pigs' food; Brook-weed; a genus of Primulaceæ.
- Sam'phire (Bot.) from the French *St. Pierre*—"Galli enim et Itali Herbam Sancti Petri vocant."—Ray., Syn. Stirp. Brit. p. 111. The true Samphire is *Crithmum maritimum*.
- Samy'da (Bot.) Greek name of the birch; a genus of tropical plants.
- Sa'ntuary (Bot.) corruption of *centaury*, (*Erythraea Centaurium*.)
- Sando'ricum (Bot.) *fanctor*, the aboriginal name; a genus of Meliaceæ.
- Sanguina'lis (Bot.) *sanguis*, blood; spec. name of a *Digitaria*: this is not taken from its colour, but from an idle trick which the boys in Germany have of pricking their nostrils with the spiculae till they draw blood.—CURTIS.

- Sanguinaria** (Bot.) *sanguis*, blood, from the blood-coloured juice of the root ; Blood-root ; a genus of Papaveraceæ.
- Sanguisor'ba** (Bot.) *sanguis*, blood, *sorbeo*, to absorb ; Burnet ; typical genus of Sanguisorbaceæ.
- Sani'cula** (Bot.) *sano*, to heal, from its supposed healing qualities ; a genus of Umbelliferæ.
- Sansevier'a** (Bot.) P. N. in honour of *Sansevier*, a Swedish botanist ; a genus of Liliaceæ.
- San'talum** (Bot.) *sundul-sufed*, its Persian name ; Sandal-wood ; typical genus of Santalaceæ.
- Santoli'na** (Bot.) *sanctus*, holy, *linum*, flax, from its reputed medicinal qualities ; a genus of Compositæ.
- Sanvita'lia** (Bot.) P. N., a genus of Compositæ.
- Saphe'nia** (Zool.)  $\sigma\alpha\phi\nu\nu\eta\varsigma$ , clear, distinct.
- Sapin'dus** (Bot.) *sapo Indus*, Indian soap ; the fruit gives a lather to water which cleanses linen ; typical genus of the splendid arborecent order Sapindaceæ.
- Sapium** (Bot.) *sapo*, soap, which is perhaps from *Celt. sap*, fat ; from the fatty exudation from the wounded trunk ; a genus of Euphorbiaceæ.
- Sapona'ria** (Bot.) *sapo*, soap ; from its sap giving a lather like that of soap ; a genus of Caryophyllaceæ.
- Sapri'nus** (Ent.)  $\sigma\alpha\pi\acute{\iota}\varsigma$ , to putrefy ; a genus of Coleoptera.
- Saracha** (Bot.) P. N. in honour of *J. Saracha*, a Spanish botanist ; a genus of Solanaceæ.
- Sarcocau'thus** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ , flesh,  $\xi\iota\theta\sigma\varsigma$ , a flower, a genus of Orchidaceæ.
- Sarcio'phorus-a-um** (Ornith.)  $\sigma\alpha\rho\kappa\iota\sigma\varsigma$ , a caruncle,  $\varphi\omega\pi\omega$ , to bear ; having wattles.
- Sarcocoap'nos** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\kappa\alpha\pi\nu\varsigma$ , fumitory ; a genus of Fumariaceæ.
- Sarcocau'lon** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\kappa\alpha\lambda\sigma\varsigma$ , a stem ; a genus of Geraniaceæ.
- Sarcocoeph'alus** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\kappa\alpha\rho\alpha\lambda\varsigma$ , the head ; a genus of Cinchonaceæ.
- Sarcochi'lus** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\chi\varepsilon\iota\lambda\sigma\varsigma$ , a lip ; a genus of Orchidaceæ.
- Sarcochi'tum** (Zool.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\chi\varepsilon\tau\omega\varsigma$ , a coat or crest ; a genus of Polyzoa.
- Sarcococ'o'a** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\kappa\acute{\epsilon}\kappa\kappa\sigma\varsigma$ , a berry ; a genus of Euphorbiaceæ.
- Sarcoco'lla** (Bot.)  $\sigma\acute{\alpha}\rho\xi$ ,  $\tau\alpha\rho\kappa\sigma\varsigma$ , flesh,  $\kappa\acute{\lambda}\lambda\alpha$ , glue ; a genus of Penaeaceæ.

Sarcodactylis (Bot.) σάρξ, σαρκός, flesh, and δάκτυλος, a finger; a genus of Aurantiaceæ.

Sarco'de (Zool.) σαρκαδόνη, fleshy; applied to the gelatinous and semi-transparent substance found in the simplest forms of living creatures.

Sarcode'rma (Bot.) σάρξ, σαρκός, flesh, δέρμα, skin; a genus of Algae.

Sarcodicty'on (Zool.) σάρξ, σαρκός, flesh, δίκτυον, network; a genus of Zoophytes.

Sarcoglot'tis (Bot.) σάρξ, σαρκός, flesh, and γλωττίς, a lip; substance of labellum; a genus of Orchidaceæ.

Sarcographa (Bot.) σάρξ, σαρκός, flesh, γράφω, to write; a genus of Lichenes.

Sarcola'na (Bot.) σάρξ, σαρκός, flesh, and λαῖνα, a mantle; a genus of Chlaenaceæ.

Sarcolo'bus (Bot.) σάρξ, σαρκός, flesh, λοβός, a pod; a genus of Asclepiadaceæ.

Sarcophy'cus (Bot.) σάρξ, σαρκός, flesh, φῦκος, sea-weed; a genus of Algeæ.

Sarcophyllis (Bot.) σάρξ, σαρκός, flesh, and φύλλις, leaves; a genus of Algeæ.

Sarcophyll'um (Bot.) σάρξ, σαρκός, flesh, φύλλον, a leaf; a genus of Leguminosæ.

Sarcophy'te (Bot.) σάρξ, σαρκός, flesh, φυτόν, a plant; a genus of Balanophoraceæ.

Sarcopyr'amis (Bot.) σάρξ, σαρκός, flesh, and πυραμίς, a cluster; a genus of Melastomaceæ.

Sarcorham'phus (Ornith.) σάρξ, σαρκός, flesh, ῥάμφος, the crooked beak of birds of prey; the Condors.

Sarcoscy'phus (Bot.) σάρξ, σαρκός, flesh, and σκύφος, a cup; a genus of Jungermanniaceæ.

Sarcostem'ma (Bot.) σάρξ, σαρκός, flesh, στίγμα, stigma; a genus of Asclepiadaceæ.

Sarcostig'ma (Bot.) σάρξ, σαρκός, flesh, and στίγμα, stigma; a genus of Thymelaceæ.

Sarco'stoma (Bot.) σάρξ, σαρκός, flesh, and στόμα, mouth; a genus of Orchidaceæ.

Sarcosty'les (Bot.) σάρξ, σαρκός, flesh, and στῦλον, a pillar (style); a genus of Hydrangeaceæ.

Sarcozy'gium (Bot.) σάρξ, σαρκός, flesh, ζεύγον, a pair, referring to the opposite leaves; a genus of Zygophyllaceæ.

Sargas'sum (Bot.) Spanijs, sargazo, sea-weed; Gulf-weed; a genus of Marine Algeæ.

Sarma'ticus-a-um (Zool., Bot.) Lat. belonging to Poland.

- Sarmenta'cea** (Bot.) *fārmentum*, a long shoot or twig ; Ventenat's excellent name for the *Vitaceæ*.
- Saro'poda** (Ent.) *σάρος*, a besom, *ποδός*, a foot ; a genus of *Hymenoptera*.
- Sarosan'thera** (Bot.) *σάρος*, a besom, *ἀνθητα*, anther ; a genus of *Ternströmiaceæ*.
- Saro'tes** (Bot.) *σαρότης*, a sweeper ; a genus of *Byttneriacæ*.
- Sarotham'nus** (Bot.) *σάρος*, a broom, *θέμυρος*, a shrub ; a genus of *Leguminosæ*.
- Saro'thra** (Bot.) *σάρωθρος*, a sweeping-broom ; a genus of *Hypericacæ*.
- Saro'thripus** (Ent.) *σάρωθρος*, a sweeping-broom, *ποδός*, the foot ; from “the brushes of hair which are attached to the fore-legs.”—CURTIS.
- Sarothrosta'chys** (Bot.) the genus *Sarothra*, and *στάχυς*, a spike ; a genus of *Euphorbiacæ*.
- Sarpedo'nia** (Bot.) P. N. in mythology ; a genus of *Ranunculacæ*.
- Sarrace'nia** (Bot.) P. N. in honour of *Dr Sarrazin*, a French physician ; typical genus of North American Order *Sarraciaceæ* ; the Water-pitcher or Side-faddle-flower family.
- Sarsapari'lla** (Bot.) literally “thorny vine,” from *Span. b. zarza*, a bramble, *parilla*, a vine ; a genus of *Smilacæ*.
- Sa'rsia** (Zool.) P. N. in honour of *M. Sars*, a learned zoologist ; a genus of Medusæ.
- Sasan'qua** (Bot.) the Japanese name ; a beautiful species of *Camellia*.
- Sas'safras** (Bot.) formed, through the Italian, from *Lat. saxum*, a rock, *frango*, to break ; *Span. salafras*; *Fr. saffras* ; a genus of *Lauracæ*.
- Saturat'e-lus-a-um** (Ent.) *saturatus*, full, rich (of colour).
- Sature'ja** (Bot.) *ʃātter*, the Arabic name for all labiate plants ; Savory ; a genus of *Labiateæ*.
- Satur'nia** (Bot.) P. N. of Mythology ; a genus of *Liliacæ* ; also the “Hen and Chickens” Daify.
- Satyri'dium** (Bot.) the genus *Satyrion*, *σίδος*, likeness ; a genus of *Orchidacæ*.
- Saty'rium** (Bot.) *satyrus*, a satyr, from its strange figure ; a genus of terrestrial *Orchidacæ*.
- Sat'yrus** (Zool., Ent.) *satyros*, a satyr, a fabled animal and companion of Bacchus, represented with pointed ears and a goat's tail and legs ; applied both to a Monkey and a Butterfly.
- Sauoia'nus-a-um** (Ent.) *saucius*, wounded, injured.
- Saurau'ja** (Bot.) P. N. in honour of *Sauraujo*, a Spanish botanist (?) ; a genus of *Dilleniacæ*.

- Sauroceph'alus** (Fos. Zool.) *σαῦπος*, a lizard, *κεφαλή*, a head.
- Sauroglos'sum** (Bot.) *σαῦπος*, a lizard, and *γλῶσσα*, a tongue ; a genus of Orchidaceæ.
- Sau'roids** (Ichth.) *σαῦπος*, a lizard, *ἴδος*, likeness ; Lizard-fishes.
- Saurop'sis** (Ent.) *σαῦπος*, a lizard, *ὅμις*, resemblance ; also a genus of Fossil Fishes.
- Sauroptery'gia** (Fos. Zool.) *σαῦπος*, a lizard, *πτερυξ*, *πτερυγος*, a fin.
- Sau'ropus** (Bot.) *σαῦπος*, a lizard, *πούς*, a foot ; a genus of Euphorbiaceæ.
- Saurothe'rea** (Ornith.) *σαυρωτηρία*, a spike, from its long straight bill.
- Saur'u'rus** (Bot.) *σαῦπος*, a lizard, *όυρά*, a tail ; typical genus of Saururaceæ.
- Saussu'rea** (Bot.) P. N. in honour of *Horace Benedict de Saussure*, a Swiss philosopher and botanist, who died in 1799 ; a genus of Compositeæ.
- Sautie'ria** (Bot.) P. N., a genus of Marchantiaceæ.
- Sautie'ra** (Bot.) P. N., a genus of Acanthaceæ.
- Sauvage'sia** (Bot.) P. N. in honour of *F. B. de Sauvages*, a French physician, who died in 1767 ; typical genus of Sauvagesiaceæ.
- Savasta'nia** (Bot.) P. N., a genus of Melastomaceæ.
- Savia** (Bot.) P. N., a genus of Leguminosæ.
- Savig'nia** (Ent.) P. N. in honour of *Savigny*, a French naturalist.
- Savigny'a** (Bot.) P. N., a genus of Cruciferæ.
- Savinio'nia** (Bot.) P. N., a genus of Malvaceæ.
- Saxa'tilis-e** (Ornith., Ent., Bot.) *Lat.* that dwells among stones, e. g. *Veronica faxatilis*.
- Saxe-Go'thæa** (Bot.) P. N., named in compliment to his late Royal Highness Prince Albert.
- Saxi'cola** } (Ornith.) { *saxum*, a rock, *colo*, to inhabit ; the Wheatear  
**Saxicoli'næ** } (Ornith.) { genus and family.
- Saxi'fraga** (Bot.) *saxum*, a stone, *frango*, to break ; from its reputed medical qualities in calculus ; typical genus of Saxifragaceæ.
- Scab'er-bra-brum** (Zool., Bot.) *Lat.* rough, scurfy.
- Scabe'ria** (Bot.) P. N., a genus of Algae.
- Scabio'ssa** (Bot.) *scabies*, leprosy ; from its medicinal qualities ; the Scabious ; a genus of Dipsacaceæ.
- Scabio'ssus-a-um** (Bot.) *Lat.* rough, scurfy, e. g. *Centaurea scabiosa*.
- Scabra'lis** (Ent.) *scaber*, rough ; alluding to the raised scales on the fore-wings.
- Scabri'ta** (Bot.) *scaber*, rough, scurfy ; a genus of Jasminaceæ.
- Scæ'vola** (Bot.) *scæva*, that uses the left hand ; a genus of Goodeniaceæ.

- Scal'a'ria** } (Zool.) *{ scalaria*, a staircase, from the spiral turreted and  
**Scalari'idae** } ribbed form of the shell ; the Wentle-traps ; a  
 genus and family of Mollusca.
- Scala'ris** (Ent.) *Lat.* of or belonging to a ladder.
- Scale-mosses** (Bot.) popular name of Jungermanniaceæ.
- Sca'lia** (Bot.) P. N., a genus of Compositeæ.
- Scali'gera** (Bot.) P. N., a genus of Leguminosæ.
- Scalige'ria** (Bot.) P. N., a genus of Umbelliferae.
- Scalio'ps** (Bot.) the genus *Scalia*, and *ψειρ*, resemblance ; a genus of Compositeæ.
- Sca'lops** (Zool.) *σκάλοψ*, a mole ; the Shrew mole.
- Scalpel'lum** (Zool.) *Lat.* a lancet ; a genus of Cirripedes.
- Scam'mony** (Bot.) it is uncertain from what plant the *σκαμμώνια* of the Greeks was derived ; the name is now given to purgative resins derived from Convolvulaceæ and Asclepiadaceæ.
- Scan'dix** (Bot.) *σκάνδιξ*, a kind of wild pot-herb ; a genus of Umbelliferae.
- Scapa'nia** (Bot.) *σκαπάνη*, a hoe ; a genus of Jungermanniaceæ.
- Scaphidi'idae** } (Ent.) dim. of *σκαφής*, a bowl ; a family and genus of  
**Scaphi'dium** } Coleoptera.
- Sca'phis** (Bot.) *σκάφη*, a boat ; a genus of Lichenes.
- Scaphiso'ma** (Ent.) *σκαφής*, a bowl, *σῶμα*, a body, a genus of Coleoptera.
- Sca'phium** (Bot.) *σκάφη*, a boat or skiff ; a genus of Sterculiaceæ.
- Scaphyglo'ttis** (Bot.) *σκάφη*, a boat, *γλώττα*, tongue ; a genus of Orchidaceæ.
- Scarabæ'idae** } (Ent.) *{ σκαραβαῖς*, *Lat.* *scarabaeus*, a beetle ; a family and  
**Scarabæ'us** } genus of Coleoptera.
- Sca'rabus** (Zool.) applied to a genus of land-shells, probably from a resemblance to the beetle, *scarabaeus*.
- Scarede'deris** (Bot.) etymology uncertain ; a genus of Orchidaceæ.
- Scari'ola** (Bot.) doubtful ; specific name of a species of wild Lettuce.
- Scari'tes** } (Ent.) *{ Lat.* a kind of precious stone of the colour of the  
**Scari'tidae** } fish *Scarus* ; a genus and family of Coleoptera.
- Sea'rurus** (Ichth.) *Lat.* a very delicate kind of fish mentioned by Pliny, of which strange tales were told ; a genus of Labridæ.
- Sceli'dosau'rus** (Fos. Zool.) *σκελίς-δός*, leg, *σαῦρος*, a lizard.
- Sceli'dothe'rium** (Fos. Zool.) *σκελίς-θήρ*, leg, *θηρίος*, a wild animal.
- Scelochi'lus** (Bot.) *σκέλος*, the leg, and *χείλος*, lip ; from the form of labellum in this Epiphyte ; a genus of Orchidaceæ.

- Soenede'smus (Bot.) σκηνή, a tent, δεσμός, a chain; arranged in single linear series, side by side; a genus of Desmidieæ.
- Soo'pa (Bot.) σκίπη, a covering; from its economical uses; typical genus of Nat. Ord. Scopaceæ.
- Scopas'ma (Bot.) σκίπασμα, covering, shelter; a genus of Euphorbiaceæ.
- Scop'eotham'nus (Bot.) σκεπάζω, to shelter, θάμνος, a shrub; a genus of Cinchonaceæ.
- Scop'sis (Ent.) σκεπάζω, to shelter; a genus of Diptera.
- Scopran'thus (Bot.) σκεπτρόν, a staff or baton, μύκης, flower; a genus of Amaryllidaceæ.
- Scoptromy'ces (Bot.) σκηπτρός, a staff, μύκης, a fungus; a section of Fungi.
- Schaeffe'ria (Bot.) P. N. in honour of *James Christian Schaffer*, a German naturalist and writer upon Fungi; a genus of Rhamnaceæ.
- Schænlei'nia (Bot.) P. N.; a genus of Cinchonaceæ.
- Schalleria'na (Ent.) P. N. in honour of *Schaller*, a member of the scientific societies of Berlin, Halle, and Jena, who published several works between 1785 and 1805.
- Schangi'nia (Bot.) P. N., a genus of Chenopodiaceæ.
- Schasma'ria (Bot.) P. N., a genus of Lichenes.
- Schau'era (Bot.) P. N., a genus of Lauraceæ.
- Schau'e'ria (Bot.) P. N., a genus of Labiatæ.
- Schedono'rūs (Bot.) σχεδόν, near, ὡρος, a mountain; a genus of Gramina.
- Schefflera (Bot.) P. N., a genus of Araliaceæ.
- Schelham'mera (Bot.) P. N. in honour of *C. G. Schelhammer*, Professor at Jena; a genus of Melanthiaceæ.
- Schello'lepis (Bot.) σκίλλω, to dry or parch, λίπις, a scale; a genus of Polypodiaceæ.
- Schelv'e'ria (Bot.) P. N., a genus of Scrophulariaceæ.
- Scheppe'ria (Bot.) P. N., a genus of Capparidaceæ.
- Scheuchze'ria (Bot.) P. N. in honour of *John and James Scheuchzer*, German botanists; a genus of Juncaginaceæ.
- Schie'kia (Bot.) P. N., a genus of Liliaceæ.
- Schl'lera (Bot.) P. N. in honour of the illustrious German poet and dramatist; a genus of Byttneriaceæ.
- Schille'ria (Bot.) P. N. in honour of the same; a genus of Piperaceæ.
- Schi'ma (Bot.) σχίζω, to split or cleave; a genus of Ternstroemiaceæ.
- Schim'pera (Bot.) P. N. in honour of the distinguished bryologist; a genus of Cruciferæ.

- Schi'nus** (Bot.)  $\sigma\chiī̄νος$ , the Greek name for *Pistacia Lentiscus*, the **Mastic-tree**; a genus of Terebinthaceæ.
- Schin'za** (Bot.) P. N., a genus of Euphorbiaceæ.
- Schis'ma** (Bot.)  $\sigma\chiī̄ζω$ , to split; a genus of Jungmanniaceæ.
- Schismato'pera** (Bot.)  $\sigma\chiī̄σμα-άτος$ , a cleft,  $\pi\acute{\nu}\rho\alpha$ , a pouch; a genus of Euphorbiaceæ.
- Schismatopte'rides** (Bot.)  $\sigma\chiī̄σμα-άτος$ , a cleft,  $\pi\acute{\nu}\rho\mu\zeta$ ,  $\pi\pi\pi\acute{\nu}\deltaος$ , a fern; a section of Polypodioid Filices.
- Schismo'ceras** (Bot.)  $\sigma\chiī̄σμα$ , a cleft,  $\zeta\pi\pi\zeta$ , a horn; a genus of Orchidaceæ.
- Schis'mus** (Bot.)  $\sigma\chiī̄σμα$ , a cleft; a genus of Gramina.
- Schistan'the** (Bot.)  $\sigma\chiī̄στής$ , cloven, divided,  $\acute{\alpha}\nu\theta\zeta$ , a flower; a genus of Scrophulariaceæ.
- Schi'stēs** (Ornith.)  $\sigma\chiī̄ζω$ , to divide; in allusion to the forked tail; a genus of Humming-birds.
- Schisti'dium** (Bot.)  $\sigma\chiī̄στής$ , divided; a genus of Bryoid Musci.
- Schistocar'pha** (Bot.)  $\sigma\chiī̄στής$ , divided,  $\kappa\acute{\alpha}\rho\phi\zeta$ , a carpel (literally, husk); a genus of Compositæ.
- Schisto'phalus** (Zool.)  $\sigma\chiī̄στής$ , cleft, divided,  $\kappa\acute{\alpha}\phi\acute{\lambda}\zeta$ , head; a genus of Entozoa, or intestinal worms.
- Schisto'gyne** (Bot.)  $\sigma\chiī̄στής$ , divided,  $\gamma\upsilon\acute{\eta}$ , a pistil; a genus of Asclepiadaceæ.
- Schistomi'trium** (Bot.)  $\sigma\chiī̄στής$ , divided,  $\mu\acute{\iota}\tau\mu\zeta$ , a little veil; a genus of Mollæs.
- Schistophrag'ma** (Bot.)  $\sigma\chiī̄στής$ , cleft,  $\phi\acute{\rho}\acute{\alpha}\gamma\mu\alpha$ , a partition; a genus of Scrophulariaceæ.
- Schistophyl'lum** (Bot.)  $\sigma\chiī̄στής$ , divided,  $\phi\acute{\iota}\lambda\lambda\zeta$ , a leaf; a genus of Bryoid Musci.
- Schisto'stega** (Bot.)  $\sigma\chiī̄στής$ , split,  $\sigma\pi\iota\gamma\zeta$ , a covering; a genus and family of Musci.
- Schistoste'phium** (Bot.)  $\sigma\chiī̄στής$ , divided,  $\sigma\pi\iota\phi\zeta$ , a wreath; a genus of Compositæ.
- Schiwere'ckia** (Bot.) P. N. in honour of Andrew Schivereck, a Russian botanist; a genus of Cruciferæ.
- Schizacœ'na** (Bot.)  $\sigma\chiī̄ζω$ , to split,  $\acute{\alpha}\kappa\acute{\alpha}\iota\alpha\zeta$ , a thorn; a genus of Polypodiaceæ.
- Schizachy'rium** (Bot.)  $\sigma\chiī̄ζω$ , to divide,  $\acute{\alpha}\chi\upsilon\phi\zeta$ , husk; a genus of Gramina.
- Schiza'a** (Bot.)  $\sigma\chiī̄ζω$ , to cleave; from the appearance of aggregate fan-like spikes; a genus of Polypodiaceæ.
- Schizan'dra** (Bot.)  $\sigma\chiī̄ζω$ , to divide,  $\acute{\alpha}\nu\acute{\iota}\rho$ ,  $\acute{\alpha}\nu\dot{\iota}\dot{\delta}\zeta\zeta$ , a stamen; typical genus of Schizandraceæ.

- Schizan'gium (Bot.) σχίζω, to divide, δύναον, a vessel (seed-vessel or capsule); a genus of Cinchonaceæ.
- Schizan'thes (Bot.) σχίζω, to divide, ἀνθος, a flower; a genus of Amaryllidaceæ.
- Schizan'thus (Bot.) σχίζω, to cut, ἀνθος, a flower; a genus of Scrophulariaceæ.
- Schizaspi'dia (Ent.) σχίζω, to cut, ἀσπίδιον, a shield.
- Schizocar'pis (Bot.) σχίζω, to split, καρπός, fruit; a division of Musci.
- Schizocar'pum (Bot.) σχίζω, to divide, καρπός, fruit; a genus of Cucurbitaceæ.
- Schizoca'rya (Bot.) σχίζω, to divide, κάρυον, a nut; a genus of Onagraceæ.
- Schizo'chiton (Bot.) σχίζω, to divide, χίτων, a tunic; a genus of Lichenes.
- Schizochla'na (Bot.) σχίζω, to divide, χλανίς, a mantle; a genus of Polypodioid Filices.
- Schizochla'mys (Bot.) σχίζω, to split, χλαμύς, a mantle; a genus of Algae.
- Schizoco'don (Bot.) σχίζω, to divide, καδὼν, a bell, from the deeply cleft corolla; a genus of Polemoniaceæ.
- Schizo'der'ma (Bot.) σχίζω, to divide, δέρμα, skin; a genus of Fungi.
- Schizodio'tyon (Bot.) σχίζω, to divide, δίκτυον, a net; a genus of Algae.
- Schizo'dium (Bot.) σχίζω, to divide; a genus of Orchidaceæ.
- Schi'zodon (Bot.) σχίζω, to divide, οδούς, οδοντός, a tooth; a genus of Bryoid Musci.
- Schi'zodon (Zool.) σχίζω, to divide, οδούς-οδοντός, a tooth.
- Schizoglos'sum (Bot.) σχίζω, to cleave, γλῶσσα, a tongue; a genus of Algae.
- Schizogo'nium (Bot.) σχίζω, to split, γωνία, an angle or joint; a genus of Algae.
- Schizo'gyne (Bot.) σχίζω, to divide, γυνή, a pistil; from the deeply cleft stigma; a genus of Compositæ.
- Schizolæ'na (Bot.) σχίζω, to cleave, λαῖνα, a mantle; a genus of Chlaenaceæ.
- Schizo'lepis (Bot.) σχίζω, to divide, λεπίς, a scale; a genus of Graminae.
- Schizolo'bium (Bot.) σχίζω, to divide, λοβός, a pod; a genus of Leguminosæ.
- Schizolo'ma (Bot.) σχίζω, to divide, λώμα, fringe or edge, alluding to the fronds; a genus of Polypodioid Filices.
- Schizome'ria (Bot.) σχίζω, to divide, μέρη, a part; a genus of Cuno-niaceæ.

- Schizo'meris** (Bot.) same derivation; a genus of *Algæ*.
- Schizone'ma** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\pi\mu\alpha$ , a filament; a genus of *Algæ*.
- Schizono'tus** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\pi\tau\sigma$ , a ridge or back; a genus of *Rosaceæ*.
- Schizope'talon** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\pi\tau\alpha\lambda\sigma$ , a leaf; from the lacinated petals; a genus of *Cruciferae*.
- Schizophrag'ma** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\phi\mu\gamma\mu\alpha$ , a partition; a genus of *Hydrangeaceæ*.
- Schizophyl'lum** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\phi\mu\lambda\lambda\sigma$ , a leaf; a genus of *Fungi*.
- Schizopleu'ra** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\pi\lambda\iota\mu\sigma\pi$ , the side; a genus of *Myrtaceæ*.
- Schizop'teris** (Fos. Bot.)  $\sigma\chi\iota\zeta\omega$ , a cleft,  $\pi\tau\iota\mu\pi$ , a fern; fossil ferns so called from their deeply cleft leaflets.
- Schizosi'phon** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to split,  $\sigma\iota\phi\sigma\pi$ , a tube; a genus of *Algæ*.
- Schizosta'chyum** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\sigma\tau\acute{\epsilon}\chi\upsilon$ , a cluster; a genus of *Graminae*.
- Schizostepha'nium** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\sigma\tau\phi\acute{\epsilon}\sigma\pi$ , a wreath; a genus of *Amaryllidaceæ*.
- Schizostig'ma** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\sigma\tau\acute{\epsilon}\mu\alpha$ , a mark; a genus of *Cucurbitaceæ*.
- Schizothе'ca** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\theta\acute{\epsilon}\kappa\pi$ , a sheath; a genus of *Chenopodiaceæ*.
- Schizothе'cium** (Bot.) same derivation; a genus of *Fungi*.
- Schi'zothrix** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\theta\acute{\epsilon}\xi$ , hair or tuft; a genus of *Algæ*.
- Schizy'lon** (Bot.)  $\sigma\chi\iota\zeta\omega$ , to divide,  $\xi\acute{\epsilon}\lambda\sigma$ , wood; a genus of *Fungi*.
- Schku'hria** (Bot.) P. N. in honour of *Christian Schkuhr*, a German botanist; a genus of *Compositæ*.
- Schlege'lia** (Bot.) P. N. in honour of the eminent German metaphysician; a genus of *Crescentiaceæ*.
- Schleiche'ra** (Bot.) P. N. in honour of a Swiss botanist; a genus of *Sapindaceæ*.
- Schleide'nia** (Bot.) P. N. in honour of the eminent German author of "The Plant;" a genus of *Ehretiaceæ*.
- Schler'odus** (Fos. Zool.)  $\sigma\pi\lambda\eta\acute{\epsilon}\sigma$ , rough,  $\delta\acute{\epsilon}\omega\sigma$ , a tooth; fossil fishes so called from the minute pustules on the surface of their teeth. The jaws and teeth are the only portions yet found.
- Schlothei'mia** (Bot.) P. N., a genus of *Musci*.
- Schmide'lia** (Bot.) P. N. in honour of *G. C. Schmidel*, formerly Professor of Botany, Academy of Erlangen; a genus of *Sapindaceæ*.

- Schmid'tia (Bot.) P. N. in honour of *Schmidt*, a German botanist; a genus of Compositæ.
- Schobe'ria (Bot.) P. N., a genus of Chenopodiaceæ.
- Schœnefel'dia (Bot.) P. N., a genus of Graminae.
- Schœni'culus (Ornith.) dim. of σχοῖνος, a reed; specific name of the Reed Bunting; *Emberiza Schœniculus*.
- Schœni'dium (Bot.) σχοῖνος, *Lat. schanus*, a rush, οὐλος, resemblance; a genus of Graminae.
- Schœno'bates (Ent.) σχοῖνος, a rope of rushes, βατίω, to tread.
- Schœnobib'los (Bot.) σχοῖνος, a rush, βιβλος, bark; a genus of Thymelacæ.
- Schœno'bius (Ent.) σχοῖνος, a rush, βιώω, to live; it is found among rushes.
- Schœnobry'u'm (Bot.) σχοῖνος, a rush, βρυον, *bryum*, a moss; a genus of Musci.
- Schœnocau'lon (Bot.) σχοῖνος, a rush, καυλός, *Lat. caulis*, a stem; a genus of Melanthiacæ.
- Schœnopra'sum (Bot.) σχοῖνος, a rush, πράσον, a leek; specific name of a species of garlic.
- Schœnolæ'na (Bot.) σχοῖνος, a rush, λανα, a mantle; a genus of Umbelliferae.
- Schœno'psis (Bot.) the genus *Schanus*, ὅμις, resemblance; a genus of Cyperaceæ.
- Schœnor'chis (Bot.) σχοῖνος, a rush, ὄφης, an orchid; a genus of Orchidaceæ.
- Schœnoxy'phium (Bot.) σχοῖνος, *Lat. schanus*, a rush, κυφός, bent; a genus of Graminae.
- Schœ'nus (Bot.) σχοῖνος, a cord; it is made into cordage; a genus of Cyperaceæ.
- Schœpfia (Bot.) P. N. in honour of John *Schöpf*, a German botanist; a genus of Olacaceæ.
- Scho'llera (Bot.) P. N., a genus of Vacciniacæ.
- Schombur'ghia (Bot.) P. N., in honour of *Sir Robert Schomburgh*, a celebrated traveller in Demerara, and discoverer of the *Victoria Regia*; a genus of Orchidaceæ.
- Scho'nia (Bot.) P. N., a genus of Compositæ.
- Schori'geram (Bot.) one of Adanson's unmeaning names; a genus of Euphorbiaceæ.
- Scho'tia (Bot.) P. N. in honour of *R. van der Schot*, Jacquin's fellow-traveller in America; a genus of Leguminosæ.
- Schousbæ'a (Bot.) P. N., a genus of Compositæ.

- 
- Schouten'sia** (Bot.) P. N., a genus of Meliaceæ.
- Schou'wia** (Bot.) P. N. in honour of *J. F. Schouw*, a celebrated Danish botanist; a genus of Cruciferæ.
- Schrädera** (Bot.) P. N. in honour of *Hen. A. D. Schräder*, a German botanist and Professor at Göttingen; a genus of Cinchonaceæ.
- Schran'kia** (Bot., Ent.) P. N. in honour of *Francis Paulo de Schrank*, a German naturalist; a genus of Leguminosæ.
- Schre'bera** (Bot.) P. N. in honour of an eminent German botanist and Professor at Erlangen; a genus of Celastraceæ.
- Schreberia'na** (Ent.) P. N. in honour of *Johann Christian Daniel von Schreber*, author of "Novæ Insectorum Species," &c.
- Schreib'er'sia** (Bot.) P. N., a genus of Cinchonaceæ.
- Schrenk'ia** (Bot.) P. N., a genus of Umbelliferæ.
- Schuber'tia** (Bot.) P. N. in honour of *M. Schubert*, a Polish botanist; a genus of Coniferæ.
- Schüchia** (Bot.) P. N., a genus of Vochysiaceæ.
- Schu'fia** (Bot.) P. N., a genus of Onagraceæ.
- Schultes'ia** (Bot.) P. N. in honour of an eminent German botanist; a genus of Graminae.
- Schult'zia** (Bot.) P. N. in honour of *Carl Heinrich Schultz*, a celebrated German botanist; a genus of Umbelliferæ.
- Schumache'ria** (Bot.) P. N., a genus of Dilleniaceæ.
- Schwa'bea** (Bot.) P. N., a genus of Acanthaceæ.
- Schwägriche'nia** (Bot.) P. N. in honour of *Frederick Schwägrichen*, a Professor at Leipzig; a genus of Amyridaceæ.
- Schwal'bea** (Bot.) P. N., a genus of Scrophulariaceæ.
- Schwan'nia** (Bot.) P. N., a genus of Malpighiaceæ.
- Schwarz'ia** (Bot.) P. N. in honour of *C. Schwarz*, a writer on Entomology; a genus of Marcgraaviaceæ.
- Schwarziel'la** (Ent.) P. N., same derivation.
- Schweig'era** (Bot.) P. N. in honour of Professor *Schweigger*, one of the authors of a Flora of Erlangen; a genus of Chusiaceæ.
- Schweigge'ria** (Bot.) P. N. same derivation; a genus of Violaceæ.
- Schweinit'zia** (Bot.) P. N. in honour of *M. Schweinitz*; a genus of Monotropaceæ.
- Schenkfeld'ia** (Bot.) P. N., a genus of Cinchonaceæ.
- Schwen'kia** (Bot.) P. N. in honour of *J. T. Schwenk*, Professor of Medicine at Jena; a genus of Scrophulariaceæ.
- Schweyckher'ta** (Bot.) P. N., a genus of Gentianaceæ.

- Schychows'kya** (Bot.) P. N., a genus of Urticaceæ.
- Scia'dium** (Bot.) σκιάδιον, a parafol; a genus of Algæ.
- Sciadophyl'lum** (Bot.) σκιάδιον, an umbrella, φύλλον, a leaf; a genus of Araliaceæ.
- Sciadophy'sium** (Bot.) σκιάδιον, an umbrella, φυσάω, to inflate; a genus of Bryoid Musci.
- Sciadopi'tys** (Bot.) σκιάδιον, an umbrella or parafol, πίτυς, pine; the Umbrella pine; a Japanese genus of Coniferæ.
- Sciæ'na** (Ichth.) σκιανα, a sea-fish; the Maigre.
- Sciæ'nidæ** (Ichth.) the family of the Maigre fishes, of which *Sciæna* is the type.
- Sciæ'noids** (Ichth.) resembling (εἶδος) the genus *Sciæna*.
- Sciæ'phila** (Bot.) σκιά, shade, φιλέω, to love; a genus of Artocarpaceæ.
- Sciaph'ilus** (Ent.) σκιά, shade, φιλεῖ, to love; a genus of Coleoptera.
- Sciil'la** (Bot.) σκύλλα, to injure; the roots are poisonous; Squill; a genus of Liliaceæ.
- Scinco'dians** (Zool.) the genus *Scincus*, εἶδος, likeness.
- Scin'cidæ** } (Zool.) { σκίγγεις, or σκίχνος, the land crocodile or newt about the Nile, mentioned by Pliny; a genus and family of Reptilia; the Skinks.
- Scindap'sus** (Bot.) σκινδαφός of the Greeks was an ivy-like tree; a genus of Orontiaceæ.
- Scio'bria** (Bot.) σκία, shade, βιώω, to live; a genus of Urticaceæ.
- Sciophila** (Bot.) σκία, shade, φιλέω, to love; a genus of Urticaceæ.
- Sciotham'nus** (Bot.) σκία, shade, θάμνος, a shrub; a genus of Umbelliferæ.
- Scipo'num** (Bot.) the *Calamus Scipionum* yields the walking-canæ, and bears this name in common with the noble Roman, *P. Cornelius*, upon whom his father when blind leaned as on a staff, and who was called Scipio by his fellow-citizens.
- Scirpid'lum** (Bot.) dim. of *Scirpus*, an allied genus; a genus of Cyperaceæ.
- Scir'pus** (Bot.) Lat. a rush; a genus of Cyperaceæ.
- Scir'tes** (Ent.) σκιρτάω, to skip, leap.
- Scissurel'la** } (Zool.) { dim. of *scifura*, a rent or cleft; the Little slip-shells; a genus and family of Mollusca.
- Scitami'nes** (Bot.) *scitamenta*, dainties; the splendid Nat. Ord. of plants represented by the Ginger-plant, &c.
- Sciuri'na** (Zool.) *sciurus*; a sub-family of Mammalia.
- Sciuro'pterus** (Zool.) *sciurus*, a squirrel, πτερόν, a wing.
- Sci'u'rus** (Zool.) Lat. a squirrel.

**Sclare'a** (Bot.) Latinized from the word *Clary*, a well-known species of Sage.

**Sclerach'ne** (Bot.) σκληρός, hard, ἄχυν, an awn; a genus of Graminae.

**Scleran'thus** (Bot.) σκληρός, hard, ἄνθος, a flower; from the dry, juiceless calyx; typical genus of Scleranthaceæ.

**Scle'ria** (Bot.) σκληρός, hard; a genus of Graminae.

**Sclero'basis** (Bot.) σκληρός, hard, βάσις, foot or pedestal; a genus of Compositæ.

**Sclero'carpus** (Bot.) σκληρός, hard, καρπός, fruit; a genus of Compositæ.

**Sclerochæ'tium** (Bot.) σκληρός, hard, χαίτη, a tuft; a genus of Graminae.

**Sclero'chloa** (Bot.) σκληρός, hard, χλοά, grass; a genus of Graminae.

**Sclero coc'cus** (Bot.) σκληρός, hard, κόκκος, berry; a genus of Cinchonaceæ.

**Sclero der'ma** (Bot.) σκληρός, hard, δέρμα, skin; a genus of Fungi.

**Sclero der'ma** (Ent.) σκληρός, hard, δέρμα, a skin; a genus of Hymenoptera.

**Sclerodon'tium** (Bot.) σκληρός, hard, ὀδούς, ὀδοντος, a tooth; a genus of Bryoid Mosses.

**Sclerolæ'na** (Bot.) σκληρός, hard, λαῖνα, an envelope; a genus of Chenopodiaceæ.

**Sclero'lepis** (Bot.) σκληρός, hard, λεπίς, a scale; a genus of Compositæ.

**Sclerolo'bium** (Bot.) σκληρός, hard, λαβός, a pod; a genus of Leguminosæ.

**Scleromitri'on** (Bot.) σκληρός, hard, μίτρα, a chaplet; a genus of Cinchonaceæ.

**Sclerōon** (Bot.) σκληρός, hard, ὥον, an egg; alluding to the fruit; a genus of Verbenaceæ.

**Sclero'phora** (Bot.) σκληρός, hard, φορία, to bear; a genus of Lichenes.

**Sclerophy'ton** (Bot.) σκληρός, hard, φυρόν, plant; a genus of Lichenes.

**Scle'rops** (Zool.) σκληρός, hard, ἄψ, the eye; e.g., Jacare *sclerops*, the spectacled Yacure.

**Sclerop'teris** (Bot.) σκληρός, hard, πτερίς, a fern; a genus of Orchidaceæ.

**Scleroscī'dium** (Bot.) σκληρός, hard, σκιάδιον, an umbel (literally, parafol); a genus of Umbelliferae.

**Sclerostem'ma** (Bot.) σκληρός, hard, στίμμα, a wreath or chaplet; a genus of Dipsacaceæ.

**Sclerosty'lis** (Bot.) σκληρός, hard, στῦλον, a pillar (style); a genus of Aurantiaceæ.

**Sclerotham'nus** (Bot.) σκληρός, hard, θάμνος, a shrub; a genus of minosæ.

**ȝ** (Bot.) σκληρός, hard, θήκη, sheath; a genus of Lobeliaceæ.

- Scle'rothrix** (Bot.) σκληρός, hard, θρίξ, hair; a genus of Loasaceæ.
- Sclero'tium** (Bot.) σκληρωτής, hardness; a genus of Fungi.
- Sclero'xylon** (Bot.) σκληρός, hard, ξύλον, wood; a genus of Myrsinaceæ.
- Sco'biform** (Bot.) *scobis*, powder or dust produced by sawing; like fine saw-dust.
- Scoleco'mpa** (Ent.) σκάληπτος, an earth-worm, κάμπη, a caterpillar.
- Scoleco'phagus** (Ornith.) σκάληπτος, an earth-worm, φάγω, to eat.
- Scoleco'trichum** (Bot.) "hairy-worm," from σκάληπτος, worm, θρίξ, τρίχος, hair; a genus of Fungi.
- Sec'lia** (Ent.) σκολιός, crooked, curved; a genus of Hymenoptera.
- Scoli'adæ** (Ent.) a family of Hymenoptera of which *Scolia* is the typical genus.
- Scol'oibus** (Bot.) a genus of Leguminosæ.
- Sceloch'loa** (Bot.) σκῶλος, a prickle, χόδα, grafts; a genus of Gramina.
- Scolopaci'na** (Ent.) *scolopax*, a woodcock; from a resemblance to the plumage of this bird.
- Se'lopax** (Ornith.) *Lat.* a woodcock.
- Scolope'ndra** (Zool.) *Lat.* a centipede.
- Scolope'ndrium** (Bot.) σκολοπίνδρα, a centipede; Hart's tongue; a genus of Polypodioid Filices.
- Scolosan'thus** (Bot.) σκῶλος, a thorn, ἄνθος, a flower; a genus of Cinchonaceæ.
- Scolosper'mum** (Bot.) σκῶλος, a prickle, σπίρμα, seed; a genus of Compositeæ.
- Scolyman'thus** (Bot.) σκόλυμος, a thistle, ἄνθος, a flower; a genus of Compositeæ.
- Scol'ymoceph'alus** (Bot.) σκόλυμος, a thistle, κεφαλη, head; a genus of Proteaceæ.
- Scor'lymus** (Bot.) σκόλος, a thorn; the plants are spiny; a genus of Compositeæ.
- Scoly'tidae}** (Ent.) { σκάλυπτόμει, to wind about, *i. e.* beneath the bark  
**Scolytus** } { of trees; a family and genus of Coleoptera.
- Sco'mber** (Ichth.) *Lat.* a mackerel; typical genus of the family Scomberidae.
- Scomber'esox** (Ichth.) *scomber*, a mackerel, *efox*, an old name of a fish; the Gar-pike or Skipper.
- Scom'beroid** (Ichth.) *scomber*, a mackerel, εἴδος, resemblance.
- Scopa'ria** (Bot.) *scoparius*, a weeper; a genus of Scrophulariacæ.
- Scopa'ria** (Ent.) *scopæ*, a broom or besom; alluding to its appearance.

**Scopárium** (Bot.) *scopæ*, a broom ; specific name of *Spartium*, the Broom ; from the use made of the twigs.

**Scopeloso'ma** (Ent.) *σκόπελος*, rock, *σῶμα*, body.

**Scopel'idae}** } (Ichth.) { *σκόπελος*, a crag; a family and genus of elongated Fishes.

**Scopo'lia** (Bot., Ent.) P. N. in honour of *G. A. Scopoli*, a celebrated Professor of Botany, who died in 1789 ; in Bot. a genus of Solanaceæ.

**Scopoli'na** (Bot.) P. N. in honour of *J. A. Scopoli*, a celebrated Professor at Pavia, who died in 1787 ; a genus of Solanaceæ.

**Scoo'ps** (Ornith.) *σκάψ*, an owl ; a genus of the Crane family.

**Scoo'pula** (Ent.) *Lat.* a little broom, a brush.

**Scopula'ria** (Bot.) *scopula*, a little broom ; a genus of Orchidaceæ.

**Scopuli'na** (Bot.) *scopulus*, a rock ; a genus of Jungermanniacæ.

**Scopulip'edes** (Ent.) *scopula*, a brush, *pēs*, *pedis*, a foot ; a genus of Hymenoptera.

**Scoo'pus** (Ornith.) *σκόπης*, a sentinel, an observer ; a genus of Birds.

**Scor'dium** (Bot.) *σκόρδιον*, a plant smelling like garlic ; now the specific name of the Marsh Germander, a species of *Teucrium* ; a genus of Labiatæ.

**Scoria'lis** (Ent.) *σκωρία*, the dross of metal.

**Scor'rias** (Bot.) *σκωρία*, *Lat.* scoria, scum, dross ; a genus of Fungi.

**Scorodo'nia** (Bot.) *σκόρδον*, garlic ; specific name of the Wood-sage, or Hedgerow Germander ; a species of Labiatæ.

**Scorodopra'sum** (Bot.) *σκόρδον*, garlic, *πράσον*, a leek ; specific name of a species of Garlic.

**Scorpæ'na** } (Ichth.) { *σκόρπειος*, scorpion-like ; from its supposed power of inflicting incurable wounds ; a genus and family of Bull-headed Fishes.

**Scor'pio** } (Zool.) { *σκορπίον*, *Lat.* *scorpio*, a scorpion ; a genus and family of Annulose animals ; class Arachnida.

**Scorpiu'rus** (Bot.) *σκορπίος*, a scorpion, *δύπη*, a tail ; the Caterpillar-plant ; a genus of Leguminosæ.

**Scorzonel'la** (Bot.) dim. of *Scorzonera* ; a genus of Compositæ.

**Scorzone'ra** (Bot.) the Spanish name for a well-known pot-herb ; a genus of Compositæ.

**Scoti'cicus-a-um** (Ornith., Bot.) *Lat.* Scottish, e. g. *Ligusticum Scoticum*.

**Scoti'phulos** (Zool.) *σκοτός*, darkness, φίλος, a lover ; a genus of Bats.

**Scoto'sia** (Ent.) *σκοτία*, darkness.

**Scot'tia** (Bot.) P. N. in honour of *Robert Scott, M.D.*, Professor of Botany at Dublin; a genus of Leguminosæ.

**Scriptura'lis** (Ent.) *scriptura*, a marking.

**Serofula'ria** or **Sorophula'ria** (Bot.) it has tubercles on the roots like *scrofulous* tumours; Figwort; typical genus of Scrophulariaceæ.

**Scru'pus-a-um** (Bot.) *Lat.* rough.

**Scuta'tus-a-um** (Zool., Bot.) *Lat.* shielded, shield-shaped; e. g. *Rumex scutatus*.

**Scutella'ria** (Bot.) *scutella*, a salver; skull-cap; alluding to the figure of the calyx; a genus of Labiateæ.

**Scu'tia** (Bot.) *scutum*, a shield, from the form of the disk; a genus of Rhamnaceæ.

**Scutica'ria** (Bot.) *scutica*, a whip; in allusion to the form of the leaves; a genus of Orchidaceæ.

**Scuto'sus-a-um** (Ent.) *scutum*, a shield.

**Scutula'tus-a-um** (Ent.) *scutula*, a lozenge-shaped figure; diamond-shaped.

**Scu'tum** (Zool.) *Lat.* a shield.

**Scydmæ'nidæ** (Ent.) the family of Coleoptera of which *Scydmanus* is the typical genus.

**Scydmæ'nus** (Ent.) σκύδμανος, to be angry; to be of a sorrowful countenance; a genus of Coleoptera.

**Scylla'ridæ** } (Zool.) { σκύλλαρος, the Hermit-crab; a family and genus  
Scylla'rarus } { of Crustacea.

**Soy'llidæ** } (Ichth.) { σκύλλω, to tear or rend; the Dog-fish family  
Scyllium } { and genus.

**Scym'nus** (Ichth., Ent.) σκύμνος, the lion's whelp; in Ichthyology, a kind of shark; in Entomology, a genus of Coleoptera.

**Scyph'an'thus** (Bot.) σκύφος, a cup, ἄθος, a flower; a genus of Loasaceæ.

**Scy'phia** (Zool.) σκύφος, a drinking-bowl.

**Scyphoph'orus** (Bot.) σκύφος, a drinking-bowl, φίρω, to bear; the Cup Lichens, a genus of Lichenes.

**Scy'tala** (Bot.) σκυτάλη, a stick or cudgel; a genus of Compositeæ.

**Scyt'a'le** } (Zool.) { σκυτάλη, a club; a genus and family of Colubrine  
Scyta'lidae } { ophidians.

**Scyta'lia** (Bot.) same derivation; a genus of Sapindaceæ.

**Scy'talis** (Bot.) same derivation; a genus of Leguminosæ.

**Scyta'lop'sis** (Ichth.) σκύταλος, a club, ὅμοιος, likeness.

**Scyta'lopus-a-um** (Ornith.) σκύταλος, a club, πόδης, foot; club-footed.

**Scyta'nthus** (Bot.) σκυτάλη, leathery, ἄθος, flower; a genus of Asclepiadaceæ.

- Scythro'pia** (Ent.) *σκυθρός*, fullen, *ἄντη*, the face.
- Sey'throps** (Ornith.) *σκυθρωπός*, gloomy or angry-looking ; the Australian Rain-fowl.
- Scythyme'nia** (Bot.) *σκύτηνα*, leather, *ιμάν*, a membrane ; a genus of Cryptogamia.
- Scyto'des** (Ent.) *σκυτώδης*, like leather.
- Scytol'eptus** (Ent.) *σκύτος*, skin or hide, *λεπτός*, peeled off, stripped.
- Scytone'ma** (Bot.) *σκύτος*, leather, *νήμα*, a filament ; a genus of Algae.
- Scytop'teris** (Bot.) *σκύτος*, leathery, *πτήσις*, a fern ; a genus of Polypodioid Filices.
- Scyto'siphon** (Bot.) *σκύτος*, leather, *σίφων*, a tube ; the fronds are coriaceous and tubular ; a genus of Alge.
- Scytotha'lia** (Bot.) *σκύτης*, leathery, *θελλάς*, a shoot ; a genus of Algae.
- Scytotham'nus** (Bot.) *σκύτος*, leathery, *θάμνος*, a shrub.
- Sea-bear** (Zool.) the *Arctocephalus ursinus*.
- Sea-calf** } (Zool.) applied to certain species of Phocidæ.
- Sea-cow** } (Zool.)
- Sea-devil** (Ichth.) applied to the genus *Lophias*.
- Sea-ear** (Zool.) the shell of *Haliotis*.
- Sea-eggs** (Zool.) the different kinds of *Echinus*.
- Sea-fan** (Zool.) certain species of Polypifera have this name.
- Seaforth'ia** (Bot.) P. N. in honour of *Francis, Lord Seaforth*—“ *Botanices periti cultoris et fautoris* ; ” a genus of Palmae.
- Sea-fox** (Ichth.) applied to a species of the genus *Squalus*.
- Sea-heath** (Bot.) the species of *Frankenia*.
- Sea-holly** (Bot.) the *Eryngium maritimum*.
- Sea-kale** (Bot.) the *Crambe maritima*.
- Seal** (Ichth.) *Anglo-Sax. sele* or *sol* ; the common Seal is *Calocephalus vitulinus*.
- Sea-lavander** (Bot.) the *Statice Limonium*.
- Sea-leopard** (Zool.) the *Stenorhynchus Wedellii*.
- Sea-lion** (Zool.) the *Otaria jubata*.
- Sea-mouse** (Zool.) common name of *Aphrodita aculeata*.
- Sea-needle** (Ichth.) a name for the Garfish, *Esox*.
- Sea-nettles** (Zool.) common name of the Acalephæ.
- Sea-pens** (Zool.) applied to the Anthozoa.
- Sea-pike** (Ichth.) a name of *Belone vulgaris*.
- Sea-pink** (Bot.) a synonym for Thrift, *Armeria maritima*.
- Sea-rocket** (Bot.) the *Cakile maritima*.

- Sea-snipe** (Ichth.) popular name of *Centriscus scolopax*, which has a long tubular snout.
- Seba'a** (Bot.) P. N. in honour of *A. Seba*, an apothecary of Amsterdam.
- Seba'stes** (Ichth.) σεβαστίς, imperial; a genus of Fishes, family Scorpænidæ.
- Sebastian'a** (Bot.) P. N. in honour of *Sebastien Vaillant*, a French botanist; a genus of Compositæ.
- Sebi'fera** (Bot.) *sebum*, tallow, *fero*, to bear; a genus of Lauraceæ; also used adjectively.
- Sebo'phora** (Bot.) "wax-bearer," from *sebum*, wax, *fero*, to bear; a genus of Myristicaceæ.
- Seca'le** (Bot.) an ancient name derived from *seco*, to cut; Ergot of Rye; a genus of Graminae.
- Secamo'ne** (Bot.) *Arab. quamouna*; a genus of Afclepiadaceæ.
- Sechella'rum** (Bot.) gen. pl.; of, or belonging to the Sechelles archipelago, e. g. *Lodoicea Sechellorum*.
- Se'chium** (Bot.) σηκιού, to fatten; it is given to hogs; a genus of Cucurbitaceæ.
- Seco'ndaries** (Ornith.) applied to those quills which arise from the *second* bone of the wings.
- Seconda'tia** (Bot.) P. N., a genus of Apocynaceæ.
- Seco'tium** (Bot.) σηκός, a hollow trunk of a tree; a genus of Fungi.
- Securida'ca** (Bot.) *securis*, a hatchet; alluding to the form of the end of pod; a genus of Polygalaceæ; also used as a specific name for the Hatchet-vetch, *Coronilla securidaca*.
- Securi'fera** (Zool.) *securis*, a hatchet, *fero*, to carry; a family of Hymenoptera.
- Securi'gera** (Bot.) *securis*, a hatchet, *gero*, to carry; a genus of Leguminosæ.
- Securi'nega** (Bot.) *securis*, a hatchet, *nego*, to refuse; it is extremely hard; a genus of Euphorbiaceæ.
- Sed'dera** (Bot.) P. N., a genus of Convolvulaceæ.
- Sedge** (Bot.) the genus *Carex*; Nat. Ord. Cyperaceæ.
- Se'dum** (Bot.) *sedere*, to sit; from the manner of its growth; Stonecrop; a genus of Crassulaceæ.
- Seetze'nia** (Bot.) P. N. in honour of *M. Seetzen*, a Dutch botanist; a genus of Zygophyllaceæ.
- Segestre'lla** (Bot.) *segfille*, a covering.
- Seg'e'stria** (Ent.) *segfírum*, a packing cloth or garment made of animals' skins.
- Segeta'lis** (Ent.) *segfæz*, corn land; the larva feeding on the roots of various grasses.

- Se'getum** (Ornith., Bot.) gen. pl. of *seges*, corn land, e. g., *Chrysanthemum segetum*.
- Segi'strium** (Ent.) *segstrum*, a packing cloth or garment made of animals' skins; a genus of Spiders.
- Segui'era** (Bot.) P. N., a genus of Petiveriaceæ.
- Sehi'ma** (Bot.) etymology unknown; a genus of Graminae.
- Seid'lia** (Bot.) P. N., a genus of Dipteraceæ.
- Seimatospo'rium** (Bot.) *σῆμα*, a mark, *σπορά*, seed (spore); a genus of Fungi.
- Seiri'dium** (Bot.) *σειρά*, a cord, *ἴδος*, resemblance; a genus of Fungi.
- Seisu'ra** (Ornith.) *σεισ*, to shake, *σύρα*, tail, from the tails being always in motion; it ought to be *Sifura*; a genus of Birds, of which *S. volitans* is the Dishwasher of the colonists of New South Wales.
- Sela'chians** (Ichth.) *σίλαχος*, was applied by Hippocrates and Aristotle to a tribe of Fishes with cartilages instead of bones; the term is equivalent to that of Plagiostomes.
- Se'lachus** (Ichth.) *σίλαχος* of the Greeks, from *σίλαχ*, brightness; the Basking Shark, or Sun-fish.
- Selade'rma** (Ent.) *σίλαχ*, brightness, *δέρμα*, skin.
- Sela'go** (Bot.) *Lat.* a plant resembling the Savin-tree; typical genus of Selaginaceæ.
- Selasel'lus** (Ent.) dim. from *σίλαχ*, brightness.
- Selas'o'ma** (Ent.) *σίλαχ*, brightness, *σῶμα*, a body; a genus of Diptera.
- Selas'phorus** (Ornith.) *σίλαχ*, brightness, *φορίω*, to carry; a genus of Humming-birds.
- Selatoso'mus** (Ent.) *σίλαχ*, *σίλαχος*, brightness, *σῶμα*, a body; a genus of Coleoptera.
- Sele'ne** (Ent.) the Greek name for Luna, the Moon; specific name of a butterfly, *Argynnis Selene*.
- Sele'nia** (Ent.) *σελήνη*, dimin. from *σελήνη*, any small moon-shaped object; alluding to the crescent-shaped mark upon the wings of several species; a genus of Lepidoptera.
- Sele'nis** (Ent.) *σεληνίς*, a crescent.
- Selidose'ma** (Ent.) *σελίσ-ίδος*, the page of a book, *σῆμα*, a mark, character, or boundary; a genus of Lepidoptera.
- Selige'ria** (Bot.) P. N. in honour of a celebrated German cryptogamist; a genus of Musci.
- Sell'num** (Bot.) *σελήνη*, the moon; from the shape of the fruit; a genus of Umbelliferæ.

- Sella'lis** (Ent.) *filla*, a feat.
- Sel'loa** (Bot.) P. N. in honour of *Frederick Sello*, a German botanist in Brazil; a genus of Compositeæ.
- Sema'sia** (Ent.) *σημασία*, a sign; a genus of Lepidoptera.
- Semecar'pus** (Bot.) *σημάσιος*, a mark, *καρπός*, fruit; alluding to the use of the juice in marking cotton-cloths; a genus of Anacardiaceæ.
- Sem'ele** (Ent.) P. N., the mother of Bacchus—PIND. Ol. ii. 48; specific name of a butterfly, *Satyrus Semele*.
- Semiarma'tus** (Ichth.) *semis*, half, *armatus*, armed.
- Semicinc'tus-a-um** (Zool.) *semis*, half, *cinctus*, bound; having bands extending half way round.
- Semiloric'a'tus** (Ichth.) *semis*, half, *loricatus*, harnessed, having a *lorica*.
- Semiono'tus** (Ichth.) *σημίων*, a mark, *νῶτος*, the back.
- Semipalma'tus** (Ornith.) *semis*, half, *palmatus*, palmed, webbed.
- Semirufel'a** (Ent.) *semis*, half, *rufus*, red.
- Semnopithe'cus** (Zool.) *σημύνος*, solemn, *πίθηκος*, an ape; a genus of Monkeys.
- Sempervi'vum** (Bot.) *sempervivo*, to live for ever; alluding to its tenacity of life; a genus of Crassulaceæ.
- Sendtnera** (Bot.) P. N. in honour of *O. Sendtner*, a Professor at Munich; a genus of Hepaticæ.
- Senebie'ra** (Bot.) P. N. in honour of *J. d. Senebier*, of Geneva; a genus of Cruciferæ.
- Senecil'lis** (Bot.) perhaps dimin. of *senecio*; a genus of Compositeæ.
- Sene'cio** (Bot.) *sene*x, an old man; naked receptacle like a bald head; Groundsel; a genus of Compositeæ.
- Seneri'nia** (Bot.) P. N., a genus of Aurantiaceæ.
- Se'nex** (Ent.) *Lat.* old, from the wrinkled appearance of the wings.
- Sen'na** (Bot.) *Arabic*, *jenna*, acute, from its sharp-pointed leaves: the senna of commerce is derived from various species of *Cassia*.
- Senocula'ta** } (Ent.) { *seni*, six, *oculus*, an eye; having six eyes or eye-  
**Senoculi'na** } (Ent.) { like spots.
- Sen'sitive-plant** (Bot.) applied to some species of *Mimosa*, particularly *M. sensitiva*.
- Sen'ta** (Ent.) P. N., a place on the coast of Dalmatia, mentioned by Pliny; a genus of Lepidoptera.
- Se'pedon** (Zool.) *σηπεδών*, putrifaction; a genus of Ophidians.
- Sepedo'nium** (Bot.) *σηπεδών*, putrescence; it grows on putrid substances; a genus of Fungi.

- Sep'ia** } (Zool.) { *Lat.* a cuttle-fish ; a genus and family of Cephalopods ;  
**Sep'i'dæ** } { pod Mollusca ; the Cuttle-fishes.
- Sepi'ola** (Zool.) dim. of *sepia*, a cuttle-fish ; a genus of Cephalopods, family Teuthidæ.
- Sepioteu'this** (Zool.) from the genera Sepia, and Teuthis ; a genus of Cephalopods.
- Seppel'la** (Ent.) P. N. in honour of *Jan Christian Sepp*, a Dutch entomologist.
- Seps** } (Zool.) { this name was applied to a species of lizard by *Aelian* and Pliny, from *εἴνω*, to creep ; a genus of Reptiles, family Scincidae.
- Sep'sidæ**
- Septa'ria** (Zool.) *septum*, a division, the cavity of the shell being divided by a septum into two equal tubes ; a genus of Mollusca.
- Sep'tas** (Bot.) *septem*, seven ; all parts of flower divided into seven ; a genus of Crassulaceæ.
- Septemcinc'u's** (Zool.) *septem*, seven times, *cinctus*, girded.
- Septentriona'lis-e** (Ornith.) *Lat.* northern.
- Septifo'rmis-e** (Bot.) *septum*, a partition, *forma*, shape ; partition-like.
- Septo'ria** (Bot.) *septum*, a division ; a genus of Fungi.
- Sep'tum** (Zool., Bot.) *Lat.*, a partition.
- Sera'pias** (Bot.) P. N. from *Serapis*, an Egyptian divinity ; a genus of Orchidaceæ.
- Ser'apis** (Ent.) P. N., an Egyptian divinity ; a genus of Hymenoptera.
- Seriala'ria** (Zool.) *seriala*, dim. from *series*, a row ; a genus of Polyzoa.
- Seri'ica** (Ent.) *sericus*, silken ; a genus of Coleoptera.
- Sericea'lis** } (Ent.) *sericeus*, silky.
- Seri'cia**
- Seri'ceus-a-um** (Ornith., Bot.) *Lat.* silken, silky ; e. g. *Hypnum sericeum*.
- Sericocar'pus** (Bot.) *σηρικός*, silken, *καρπός*, fruit ; a genus of Compositæ.
- Serico'derus** (Ent.) *σηρικός*, silky, *δέρος*, the skin ; a genus of Coleoptera.
- Serico'pe'za** (Ent.) *σηρικόπεζα*, silken-footed.
- Serico'phorus** (Ent.) *σηρικός*, silk, *φέρω*, to bear ; a genus of Hymenoptera.
- Seri'coris** (Ent.) *σηρικός*, silky ; a genus of Lepidoptera.
- Sericoso'mus** (Ent.) *σηρικός*, silky, *σῶμα*, the body ; a genus of Coleoptera.
- Serico'stoma** } (Ent.) { *σηρικός*, silken, *στόμα*, a mouth ; a genus and Sericostomides } { sub-family of Phryganidæ.
- Serin'gia** (Bot.) P. N. in honour of *Nicholas Charles Seringe*, a Swiss botanist ; a genus of Pyttneriaceæ.

- Seri'ola** (Bot.) *feris*, succory or endive, from some supposed resemblance; a genus of Compositeæ.
- Seriph'i'dium** (Bot.) the genus *Seriphium*, *σεριφίον*, resemblance; a genus of Compositeæ.
- Seri'phium** (Bot.) *σεριφίον*, a kind of wormwood; a genus of Compositeæ.
- Se'ris** (Bot.) *σερις*, a kind of endive; a genus of Compositeæ.
- Seris'sa** (Bot.) a name given by Commerson, meaning unknown; a genus of Cinchonaceæ.
- Serja'nia** (Bot.) P. N. in honour of Philip Serjeant, a French friar and botanist; a genus of Sapindaceæ.
- Sero'tinus-a-um** (Zool., Bot.) *Lat.* that brings forth or happens late; e.g., *Crocus serotinus*.
- Serpent** (Zool.) *Latin, serpens*, creeping, *Sanskrit, sarpas*.
- Serpenta'ria** (Bot.) *serpens*, a serpent; being thought a cure for serpent-bites; Snake-root; a genus of Aristolochiaceæ.
- Serpenta'rius** (Ornith.) the generic name of the *Serpent*-eaters, but particularly applied to the Secretary-bird.
- Serpentina'ria** (Bot.) *serpentinus*, serpent-like; a genus of Algae.
- Serp'i'cula** (Bot.) dim. from *serpo*, to creep; from its habit and size; a genus of Haloragaceæ.
- Ser'pula** (Zool.) *Lat.* a little snake; from the form; a genus of Annelids.
- Serræ'a** (Bot.) P. N. in honour of a Spanish botanist, *Correa de Serra*; a genus of Malvaceæ.
- Serra'nus** (Ichth.) *ferra*, a saw; a genus of Percoid Fishes.
- Serrasa'lmo** (Ichth.) *ferra*, a saw, *salmo*, salmon; a genus of Fishes of the family Characiniæ.
- Serra'ria** (Bot.) *ferra*, a saw; from the edges of the leaves; a genus of Proteaceæ.
- Serra'tor** (Ornith.) *Lat.* a sawyer.
- Serra'tula** (Bot.) diminutive of *ferra*, a saw; the leaves are edged with cutting teeth; a genus of Compositeæ.
- Serricor'nes** (Ent.) *ferra*, a saw, *cornu*, a horn; the antennæ being much *ferrated* towards the apex; a group of Coleoptera.
- Serro'des** (Ent.) *ferra*, a saw, *σερρα*, likeness.
- Serro'nia** (Bot.) P. N., a genus of Piperaceæ.
- Serru'ria** (Bot.) P. N. in honour of Dr. J. Serrurier, Professor of Botany at Utrecht; a genus of Proteaceæ.
- Sersali'sia** (Bot.) P. N. in honour of J. B. Sersalis, a Neapolitan ecclesiastic; a genus of Sapotaceæ.

- Sertula'ria** } (Zool.) { *sertula*, dim. of *sertu*, a garland; a genus and  
**Sertulari'idæ** } family of Zoophytes.
- Sertur'nera** (Bot.) P. N., a genus of Amarantaceæ.
- Servilla'na** (Ent.) P. N. in honour of *Audinet Serville*, author of "Insectes Coleoptères," (1831) &c.; specific name of a Lepidopterous insect.
- Sesamo'pteris** (Bot.) *Sesame*, the principal genus, *sespis*, a fern; a genus of Pedaliaceæ.
- Se'samum** (Bot.) *semsem*, its Arabic name; *sesame* of Arabian Nights; the seeds of *S. Orientale* have been used as food in Egypt and the East from the most remote antiquity, and the oil expressed from them is substituted for olive oil; a genus of Pedaliaceæ.
- Sesba'nia** (Bot.) *syban*, Arabic name of one of the species; a genus of Leguminosæ.
- Se'seli** (Bot.) *seyclyous*, the Arabic name of a related plant; *σίεσλι* of the Greeks; a genus of Umbelliferæ.
- Se'sia** } (Ent.) *σίς*, a moth; a genus and family of Lepidoptera.
- Sesi'idæ**
- Sesle'rìa** (Bot.) P. N. in honour of *Sesler*, a physician and botanist of the eighteenth century; a genus of Graminae.
- Ses'silis-e** (Bot.) *sedeo*, to sit; sessile, having no stem or stalk.
- Sesti'nia** (Bot.) P. N., a genus of Labiatæ.
- Sestochi'lus** (Bot.) *στριός*, sifted, *χειλος*, lip (corolla); a genus of Orchidaceæ.
- Sesu'vium** (Bot.) not explained; a genus of Tetragoniaceæ.
- Se'ta**, pl. **Se'tæ** (Ent., Bot.) *Lat.* a bristle; in cryptogamic plants the stalk which carries the sporangium.
- Seta'ria** (Bot.) *seta*, a bristle, the involucrum being bristly; a genus of Graminae.
- Seta'rius-a-um** (Ornith.) *seta*, a bristle; bristle-bearing.
- Se'thia** (Bot.) P. N. in honour of *S. Sethi*, author of a work on culinary vegetables; a genus of Erythroxylaceæ.
- Se'tifer** (Zool.) *seta*, a bristle, *fero*, to bear; same as Setiger.
- Setiformis-e** (Zool., Bot.) *seta*, a bristle, *forma*, shape; *setiform*; bristle-like.
- Seti'na** (Ent.) P. N. from *Setia*, a town of Latium; a genus of Lepidoptera.
- Seuber'tia** (Bot.) P. N., a genus of Compositæ.
- Seute'ra** (Bot.) P. N., a genus of Asclepiadaceæ.
- Sexcinc'tus-a-um** (Zool.) *sex*, six times, *cinctus*, girded; c. g. *Dasyurus sexcinctus*.

- Sex'ual Sys'tem** (Bot.) *sexus, sex*; Linnaeus' classification of plants, based upon the number and arrangement of the stamens and pistils.
- Seyme'ria** (Bot.) P. N. in honour of *Henry Seymour*, an English naturalist; a genus of Scrophulariaceæ.
- Shad** (Ichth.) popular name of the *Alaufa vulgaris* and *communis*; a species of Clupeoid fishes.
- Shad'dock** (Bot.) said to be a Malay word; fruit of the *Citrus decumana*.
- Shal'lot** (Bot.) *Fr. echallotte*; *Germ. schalotte*; *Dutch, sjulot*; the *Allium ascalonicum*.
- Sham'rock** (Bot.) *Irisb, shamrog or þamrog*; the true shamrock of the Irish is supposed to be *Oxalis Acetosella*, though some say *Trifolium repens*.
- Shark** (Ichth.) corruption of Latin *carcharias*, which from Greek *καρχαρος*, sharp.
- Sheffieldia** (Bot.) P. N., a genus of Primulaceæ.
- Shepherda'na** (Ent.) P. N. in honour of *Mr. Edwin Shepherd*, Secretary of the Entomological Society of London, who first met with the species; specific name of a moth.
- Shepher'dia** (Bot.) P. N. in honour of *W. Shepherd*, curator of the botanical gardens, Liverpool; a genus of Elaeagnaceæ.
- Sherar'dia** (Bot.) P. N. in honour of *W. Sherard*, a celebrated British botanist; a genus of Rubiaceæ.
- Sho'rea** (Bot.) P. N. in honour of *Sir J. Shore*, afterwards Lord Teignmouth, Governor-general of Bengal; a genus of Dipteraceæ.
- Shor'tia** (Bot.) P. N., a genus of Pyrolaceæ.
- Shrimp** (Zool.) of Anglo-Saxon origin; the *Crangon vulgaris*.
- Shrike** (Ornith.) applied to members of the family Laniidæ.
- Shute'ria** (Bot.) P. N., a genus of Convolvulaceæ.
- Shuttlewor'thia** (Bot.) P. N., a genus of Myoporaceæ.
- Siagonan'thus** (Bot.) *σιαγάν*, the jaw-bone, *ἄθος*, flower, from a fancied resemblance; a genus of Orchidaceæ.
- Siagonar'rhen** (Bot.) *σιαγάν*, the jaw-bone, *ἄρην*, a male (stamen); a genus of Labiateæ.
- Siago'nium** (Ent.) *σιαγάν*, the jaw-bone; a genus of Coleoptera.
- Sialo'des** (Bot.) *σιαλώδης*, fatty; a genus of Tetragoniaceæ.
- Sibbal'dia** (Bot.) P. N. in honour of *Sir Robert Sibbald*, Professor of Physic, Edinburgh; a genus of Rosaceæ.
- Sibila'trix** (Ornith.) *Lat.* hissing, whistling.
- Sibir'icus-a-um** (Ornith., Bot.) *Lat.* Siberian, e. g. *Delphinium Sibiricum*.
- Sibour'a'tia** (Bot.) P. N., a genus of Myrsinaceæ.

**Sibthor'pia** (Bot.) P. N. in honour of *H. Sibthorp*, *M. D.*, Professor of Botany at Oxford ; a genus of Scrophulariaceæ.

**Sibyl'a** (Ent.) *Lat.* a Sibyl.

**Sicco'lis** (Ent.) *siccus*, dry.

**Siccifo'lia** (Ent.) *siccus*, dry, *folium*, a leaf ; from the peculiar larva case.

**Sice'æ** (Bot.) a section of Cucurbitaceæ, named from *Sicyos*, the principal genus.

**Sicula'lis** (Ent.) *scula*, diminutive of *sica*, a dagger.

**Sickin'gia** (Bot.) P. N., a genus of Cinchonaceæ.

**Sicy'dium** (Ichth.) *σικίδιον*, a cylindrical gourd ; a genus of Fishes, family Gobiidae ; in Botany, resembling the genus *Sicyos*.

**Sicy'cos** (Bot.) *σικίδια*, the Greek name for a fruit like the cucumber ; a genus of Cucurbitaceæ.

**Sicyocar'pus** (Bot.) *σικίδια*, a gourd, *καρπός*, fruit ; a genus of Asclepiadaceæ.

**Si'da** (Bot.) a name used by Theophrastus ; a genus of Malvaceæ ; also in Zoology a genus of Entomostraca.

**Si'dera** (Ichth.) *σιδηρός*, iron ; a genus of Fishes.

**Sideran'thus** (Bot.) *σιδηρός*, iron, *ἄνθος*, flower ; a genus of Compositeæ.

**Side'ria** (Ent.) *σιδηρός*, iron ; a genus of Lepidoptera.

**Sideri'tis** (Bot.) *σιδηρός*, iron ; supposed to cure wounds by iron weapons ; a genus of Labiateæ.

**Sideroden'dron** (Bot.) *σιδηρός*, iron, *δινδύον*, a tree ; referring to its hardness ; a genus of Cinchonaceæ.

**Sidero'xylon** (Bot.) *σιδηρός*, iron, *ξύλον*, wood ; Iron-wood tree ; a genus of Sapotaceæ.

**Siebe'ra** (Bot.) P. N., a genus of Compositeæ.

**Siegesbe'ckia** (Bot.) P. N. in honour of *J. George Siegesbeck*, *M.D.*, a German botanist ; a genus of Compositeæ.

**Sieglin'gia** (Bot.) P. N., a genus of Graminae.

**Siemasse'nia** (Bot.) P. N., a genus of Compositeæ.

**Sieve'rsia** (Bot.) P. N. in honour of *M. Sievers*, a Russian botanist and traveller ; a genus of Rosaceæ.

**Sigal'ion** (Zool.) perhaps from *σιγάλος*, smooth, shining. But Sigalion is a name of Harpocrates, the companion of Esculapius and Hygeia, by whom physicians were obliged to swear that they would observe a religious silence in their profession ; applied to a genus of Annelids.

**Sigilla'ria** (Fos. Bot.) *Lat.* *sigillum*, a seal ; applied to a genus of Fossil tree-stems with seal-like depressions.

- Sig'modon** (Zool.) having crescent-shaped or sigma-shaped ( $\sigma$ ) teeth.
- Signa'tus-a-um** (Ent.) *Lat.* marked.
- Sila'us** (Bot.) a name used by Pliny; a genus of Umbelliferæ.
- Silenan'the** (Bot.) the genus *Silene*;  $\alpha\theta\sigma$ , flower; a genus of Caryophyl-laceæ.
- Sile'ne** (Bot.)  $\sigma\alpha\lambda\sigma\sigma$ , saliva; from the viscid secretion with which some of the species are frequently covered; a genus of Caryophyllaceæ.
- Sile'nus** (Zool.) P. N., applied to a monkey; from a resemblance to the white beard and whiskers of the tutor of Bacchus.
- Sil'er** (Bot.) *silio*, to shoot up, referring to its quick growth; a genus of Umbelliferæ.
- Siliculu'sa** (Bot.) a division of the Cruciferæ.
- Siliculu'sus-a-um** (Bot.) *filiqua*, a pod; bearing filicles.
- Siliqua** (Bot.) *Lat.* a pod.
- Siliqua'ria** (Bot.) *filiqua*, a pod; a genus of Capparidacæ.
- Siliquo'sa** (Bot.) *filiqua*, a pod; one of the Orders in the Linnean system.
- Siliquo'sus-a-um** (Bot.) *filiqua*, a pod; bearing pods.
- Silk-worm** (Ent.) the Bombyx mori is the insect so called, though silk is procured from some other species.
- Sil'pha** } (Ent.) }  $\sigma\lambda\phi\eta$ , a kind of beetle; a genus and family of  
Sil phidæ } Coleoptera.
- Silphiaspe'rma** (Bot.) having *silphium*-like seed; a genus of Compositæ.
- Sil'phium** (Bot.) *Arab. Zalaph, Gr. σιλφίον*; a name given to the Asafoetida plant; a genus of Compositæ.
- Silu'ridæ** } (Ichth.) }  $\sigma\lambda\omega\phi\sigma$ , probably the Shad; now applied to a  
Silu'rūs } family and genus of soft-finned Fishes.
- Silva'nus** (Ent.) *silva*, a wood, forest; a genus of Coleoptera.
- Silvi'cola** (Ent.) *silva*, a wood, *colo*, to inhabit.
- Sil'vius** (Ent.) *silva*, a wood; a genus of Diptera.
- Silybum** (Bot.) used by the Greek writers for a plant not now known; a genus of Compositæ.
- Silybu'ra** (Zool.)  $\sigma\lambda\omega$ , to shake,  $\sigma\lambda\phi\sigma$ , a tail; a genus of Snakes.
- Sima'ba** (Bot.) its name in Guiana; a genus of Simarubaceæ.
- Simaru'ba** (Bot.) *Simareuba*, its name in Guiana; the Quassia-tree.
- Simblo'chne** (Bot.)  $\sigma\mu\beta\lambda\sigma\sigma$ , a beehive,  $\kappa\lambda\bar{\imath}\bar{\imath}\bar{\imath}\bar{\imath}$ , a couch; a genus of Compositæ.
- Sim'blum** (Bot.) *sigmæbæs*, a bee-hive; a genus of Fungi.
- Simbule'ta** (Bot.) doubtful; a genus of Scrophulariacæ.

- Sime'this (Bot.) unknown ; a genus of Liliaceæ.
- Si'mia (Zool.) σιμίας, flat-nosed ; a genus of Apes.
- Si'milis-e (Ent.) Lat. like.
- Simi'ra (Bot.) unknown ; a genus of Cinchonaceæ.
- Simmond'sia (Bot.) P. N. in honour of an American botanist ; a genus of Euphorbiacæ.
- Simoceph'alus (Zool.) σιμέας, bent upwards, κεφάλη, head ; a genus of Colubrine ophidians.
- Simochi'lus (Bot.) σιμέας, bent upwards, χειλος, lip ; a genus of Ericaceæ.
- Simosau'rūs (Fos. Zool.) σιμέας, snub-nosed, flat-nosed, σαύρας, a lizard.
- Si'motes (Zool.) σιμότης, flatness of nose ; a genus of Colubrine ophidians.
- Sim'plex (Bot.) Lat. simple, unbranched ; e. g. Sparganium *simplex*.
- Simpliteg'mia (Bot.) *simplex*, single, *tegmen*, a covering ; one of the divisions in Dumortier's Nat. arrangement.
- Sim'sia (Bot.) P. N. in honour of John Sims, M.D., F.R.S., F.L.S., one of the early Editors of the "Botanical Magazine;" a genus of Compositæ, also of Proteaceæ.
- Si'myra (Ent.) P. N., a town near Tripolis ; a genus of Lepidoptera.
- Sinapiden'dron (Bot.) σινάρι, mustard, δένδρον, tree ; the Mustard-tree ; a genus of Cruciferae.
- Sina'pis (Bot.) the Gr. σινάρι, and Lat. *sinapi*, are supposed to be derived from σινε, to hurt, οψ, the eye, from its effects ; the Mustard-plant ; a genus of Cruciferae.
- Sinclai'ria (Bot.) P. N., a genus of Compositæ.
- Singa'na (Bot.) from its name in Guiana, *singasinga* ; a genus of Caprifidaceæ.
- Sinnin'gia (Bot.) P. N. in honour of W. Sinnig, Gardener to the University of Bonn ; a genus of Gesneraceæ.
- Sinoden'dron (Ent.) σινε, to injure, δένδρον, a tree ; a genus of Coleoptera.
- Sino'xylon (Ent.) σινε, to injure, ξύλον, wood ; a genus of Coleoptera.
- Sinuel'la (Ent.) *sinus*, a curve.
- Sio'na } (Ent.) { P. N. from Mount Sion ; on account of "its barrenness of markings."—STEPHENS. A genus and Sio'nidae } family of Lepidoptera.
- Sio'pelus (Ent.) σιωπηλός, taciturn, in allusion to the smallness of the ligula.
- Siphanthe'ra (Bot.) σιφων, a tube, ἀθηρά, an anther ; a genus of Melastomaceæ.

**Siphi'sia** (Bot.) *σίφων*, a tube; from the long tube of the corolla; a genus of Aristolochiaceæ.

**Siph'o** (Bot.) *σίφων*, a reed or tube; a genus of Aristolochiaceæ.

**Siphoca'lyx** (Bot.) *σίφων*, a tube, *calyx*; a genus of Grossulariaceæ.

**Siphocampy'los** (Bot.) *σίφων*, a tube, *καμπύλος*, curved; in allusion to the curved tube of the corolla; a genus of Lobeliaceæ.

**Siphoder'ma** (Bot.) *σίφων*, a tube, *δέρμα*, skin; a genus of Algæ.

**Siphomeris** (Bot.) *σίφων*, a tube, *μερίς*, part; a genus of Tiliaceæ.

**Siphonan'thus** (Bot.) *σίφων*, a tube, *ἄνθος*, flower; a genus of Verbenaceæ.

**Siph'o'nia** (Bot.) *σίφων*, a pipe; one of the India-rubber trees.

**Siph'o'nodon** (Bot.) *σίφων*, a tube, *ἰδεύς*, *ἰδωτος*, a tooth; a genus of Aquifoliaceæ.

**Siphonomor'pha** (Bot.) *σίφων*, a tube, *μορφη*, shape; a genus of Caryophyllaceæ.

**Siphonoste'gia** (Bot.) *σίφων*, a tube, *στήγη*, a chamber; a genus of Scrophulariaceæ.

**Siphono'stoma** (Zool.) *σίφων*, a tube, *στόμα*, a mouth; an order of Entomostraæ.

**Siphoto'xys** (Bot.) *σίφων*, a tube, *ξυς*, sharp; a genus of Labiatæ.

**Siphun'cula** (Zool.) dim. of *σίφων*, a tube or siphon; siphuncle.

**Siphuncul'idea** } (Zool.) { *siphunculus*, a little watering-pot; a family and **Siphun'culus** } (Zool.) { genus of Echinodermata.

**Sircome'lia** (Ent.) P. N. in honour of *Mr. Sircom*, late of Bristol, who first took this species; specific name of a moth.

**Sirocoo'cus** (Bot.) *σιρός*, a pit, *κοκκος*, berry; a genus of Algæ.

**Sirogo'num** (Bot.) *σιρός*, a pit, *γονί*, seed; a genus of Algæ.

**Sirophy'salis** (Bot.) *σιρός*, a pit, *φυσαλίς*, a bladder; a genus of Algæ.

**Sirosi'phon** (Bot.) *σιρός*, a pit, *σίφων*, a reed or tube; a genus of Algæ.

**Sis'arum** (Bot.) *σισαρον*, an edible plant; Skirrets; a culinary genus of Umbelliferæ.

**Sis'kin** (Ornith.) popular name of Chryfomitis spinus.

**Sis'on** (Bot.) *Celt. sizun*, a running stream; a genus of Umbelliferæ.

**Sistotre'ma** (Bot.) *σύλλο*, to place, *τρύμα*, an orifice; a genus of Fungi.

**Sisym'brium** (Bot.) *σισύμβριον*, was the name of a sweet-smelling plant; a genus of Cruciferæ.

**Sis'yphum** (Ent.) P. N. from *Sisyphus*, "Homer's Iliad, vi. 154," perhaps in allusion to the disproportionate size of the abdomen, which would infallibly roll the spider down again directly it got to the top.

- Sisyran'thus** (Bot.) σιρυζα, a rough hide, ἄθος, flower; a genus of *Asclepiadaceæ*.
- Sisyrin'chium** (Bot.) σῖνη, a pig, πυγχος, a snout; a genus of *Iridaceæ*.
- Sita'nion** (Bot.) σιτανίας; of *Theophrastus* was a shrub-like kind of wheat; a genus of *Graminae*.
- Si'taris** (Ent.) σῖτρος, corn (?) a genus of *Coleoptera*.
- Sito'dium** (Bot.) σῖτρος, bread, εἶδος, likeness; a genus of *Artocarpaceæ*.
- Sitolo'bium** (Bot.) σῖτρος, corn, λαθος, a pod; a genus of *Polypodioid Filices*.
- Si'tona** (Ent.) σιτώνη, a corn-field; a genus of *Coleoptera*.
- Sito'philus** (Ent.) σῖτρος, corn, φιλία, to love; the Corn-weevil; a genus of *Coleoptera*.
- Sito'phora** (Ent.) σῖτρος, corn, φορίω, to carry.
- Si'tta** (Ornith.) *Lat.* from σιττη, a wood-pecker; the Nut-hatch; a genus of Birds.
- Si'um** (Bot.) σῖου was a marsh or meadow-plant; Water-parsnip; a genus of *Umbelliferæ*.
- Skate** (Ichth.) applied to the different species of Raise.
- Skim'mia** (Bot.) from the native Japanese name; a genus of *Aurantiaceæ*.
- Skin'nera** (Bot.) P. N. an honour of *Captain Thomas Skinner*, a distinguished botanist; a genus of *Convolvulaceæ*.
- Skip'per** (Ichth.) the *Scomberesox camperi*.
- Skirroph'orus** (Bot.) σκιρόπος, a tumour or swelling, φερίω, to bear; a genus of *Compositæ*.
- Skull-cap** (Bot.) common name of the *Scutellaria*.
- Skytan'thus** (Bot.) σκύντρος, leather, ἄθος, flower; a genus of *Apocynaceæ*.
- Skytophyl'lum** (Bot.) σκύντρος, leather, φύλλον, leaf; a genus of *Celastraceæ*.
- Slate'ria** (Bot.) P. N., a genus of *Liliaceæ*.
- Slevog'tia** (Bot.) P. N., a genus of *Gentianaceæ*.
- Sloa'nea** (Bot.) P. N. in honour of *Sir Hans Sloane*, principal founder of the British Museum.
- Sloe** (Bot.) the fruit of the *Prunus Spinosa*, the Wild plum.
- Slow-worm** (Zool.) *Anglo-Sax. Slaw-wyrm*; another name for the Blind-worm, *Anguis fragilis*.
- Slug** (Zool.) *Daniß, slok*; whence are derived the words slack and sluggard; the genus *Limax*.
- Smaragdi'na** (Ent.) σμάραγδος, *Lat. smaragdus*, the emerald.
- Smaragdoch'rysis** (Ornith.) σμάραγδος, an emerald, χρυσος, gold; a genus of Humming-birds.

- Smarag'dulus-a-um (Bot.) σμάραγδος, an emerald ; emerald-coloured.
- Smarag'dulus (Ent.) σμάραγδος, an emerald ; referring to colour.
- Smeathman'nia (Bot. and Ent.) P. N. in honour of *H. Smeathmann*, an African traveller, who investigated the insects of Sierra Leone ; in Botany a genus of Passifloraceæ.
- Smegatham'nius (Bot.) σμένχω, to wash off, θάμνος, a shrub, having saponaceous properties ; a genus of Caryophyllaceæ.
- Smegmader'mos (Bot.) σμεγμα, ointment, soap, δέρμα, skin ; a genus of Rosaceæ.
- Smegman'the (Bot.) σμεγμα, soap, ἄρθρος, flower ; a genus of Caryophyllaceæ.
- Smelows'kia (Bot.) P. N., a genus of Cruciferæ.
- Smelt (Ichth.) the *Osmerus eperlanus*, of the family Salmonidæ.
- Smerin'thus (Ent.) σμέρινθος, a thread or fishing-line ; perhaps from the lateral stripes on the larvæ ; a genus of Lepidoptera.
- Smilaci'na (Bot.) dim. of *smilax*, from similar roughness.
- Smi'lax (Bot.) an ancient name of a plant, perhaps from σμίλη, a scraper, the stems being rough with prickles ; the Sarsaparilla plant ; typical genus of Smilaceæ.
- Smithla (Ent.) P. N. in honour of *Frederick Smith*, Esq., of the British Museum ; a genus of Hymenoptera.
- Smi'this (Bot.) P. N. in honour of *Sir James E. Smith*, F.R.S., founder of the Linnæan Society, who died in 1828 ; a genus of Leguminosæ.
- Smut (Bot.) this disease in wheat is produced by a minute parasite, *Uredo segetum*.
- Smyrniop'sis (Bot.) the genus *Smyrnium*, οψις, likeness ; a genus of Umbelliferæ.
- Smyr'nium (Bot.) σμύρνος, Lat. *smyrnion*, from σμύρνα, myrrh ; from its similar qualities ; Alexanders ; a genus of Umbelliferæ.
- Snail (Zool.) *Anglo-Sax. snægl* ; the genus *Helix*.
- Sneeze-wort (Bot.) the *Achillea ptarmica*.
- Snipe (Ornith.) *Dan. snip*, allied to *nib*, from its bill ; the *Scolopax galinago*.
- Snow-berry (Bot.) the *Symporicaria racemosa*.
- Snow-bunting (Ornith.) the *Plectrophanes nivalis*.
- Snow-drop (Bot.) the *Galanthus nivalis*.
- Snowdrop-tree (Bot.) the *Halesia tetraptera*.
- Soap-berry (Bot.) the *Sapindus saponaria*.
- Soap-wort (Bot.) the *Saponaria officinalis*.
- Sobolew'skia (Bot.) P. N. in honour of *G. Sobolewski*, a Russian botanist ; a genus of Cruciferæ.

- Sobra'lia** (Bot.) P. N. in honour of *Don Francisco Martin Sobral*, a Spanish botanist; a genus of Orchidaceæ.
- Sobry'a** (Bot.) P. N., a genus of Compositæ.
- Soccus** (Bot.) etymology uncertain; a genus of Artocarpaceæ.
- Sodada** (Bot.) etymology uncertain; a genus of Capparidaceæ.
- Soft-grass** (Bot.) applied to the species of the genus *Holcus*.
- Sogalgi'na** (Bot.) P. N., a genus of Compositæ.
- Sogalig'na** (Bot.) P. N., a genus of Compositæ.
- So'ja** (Bot.) *soja*, its name in Japan; a genus of Leguminosæ.
- Sola'ndra** (Bot.) P. N. in honour of *Dr. Solander*, a celebrated botanist; a genus of Solanaceæ, also a genus of Compositæ.
- Sola'num** (Bot.) *Lat.* nightshade; probably from *solar*, to comfort, as it soothes by stupefying; typical genus of Solanaceæ.
- Sola'ster** (Zool.) *sol*, the sun, *afer*, a star; *i. e.* suns in the system of sea-stars.
- Soldane'il'a** (Bot.) dim. of *solidus*, a shilling, *Loudon*; others say from *solido*, to make firm; a genus of Primulaceæ.
- Soldevil'l'a** (Bot.) P. N. in honour of *Soldevilla*, a friend of *Lagasca*; a genus of Compositæ.
- Sole** (Ichth.) *Anglo-Sax. fol.*
- Solea** (Ichth.) *Lat.* the sole of a shoe, in reference to its flatness; the common Sole-fish.
- Solea** (Bot.) P. N. in honour of *W. Sole*, author of an essay on the genus "Mentha;" a genus of Violaceæ.
- Solecu'rtus** (Zool.) the genus *Solen*, and *curtus*, short; a genus of Mollusca.
- Soleiro'lia** (Bot.) P. N.; a genus of Urticaceæ.
- Solenan'dria** (Bot.) *σωλήν*, a channel, *ἄνηρ*, *ἀνδρος*, a stamen; a genus of Pyrolaceæ.
- Sole'n'len** (Zool.) *σωλήν*, a tube; resemblance when the shells are closed.
- Solenan'tha** (Bot.) *σωλήν*, a channel, *ἄνθος*, flower; a genus of Rhamnaceæ.
- Solenan'this** (Bot.) same derivation; a genus of Lobeliaceæ.
- Solenan'thus** (Bot.) same derivation; a genus of Boraginaceæ.
- Sole'n'ia** (Bot.) *σωλήν*, a tube; from the tubular nature of the fronds; a genus of Algae.
- Soleniscia** (Bot.) *σωλήν*, a tube, *ἴκεω*, to make like; a genus of Epaciridaceæ.
- Soleno'b'ia** (Ent.) *σωλήν*, a pipe, a groove, *βίός*, life; the **Cafe-bearer**; a genus of Lepidoptera.

**Solenocarpus** (Bot.) σωλήν, a reed or tube, καρπός, fruit ; a genus of Anacardiaceæ.

**Sole'nodon** (Zool.) σωλήν, a pipe, ὀδόν, a tooth ; a genus of Mammalia.

**Soleno'gyne** (Bot.) σωλήν, a tube, γυνί, a pistil ; a genus of Compositæ.

**Soleno'melus** (Bot.) σωλήν, a tube, μέλος, a limb ; a genus of Iridaceæ.

**Soleno'phora** (Bot.) σωλήν, a tube, φορία, to bear ; a genus of Gesneraceæ.

**Soleno'psis** (Bot.) σωλήν, a tube, ὁψίς, resemblance ; a genus of Lobeliaceæ ; also used in Entomology.

**Solenostem'ma** (Bot.) σωλήν, a tube, στίμφα, a wreath ; a genus of Asclepiadaceæ.

**Solenoste'mon** (Bot.) σωλήν, a tube, στίμφα, stamen ; a genus of Labiatæ.

**Solenostig'ma** (Bot.) σωλήν, a tube, στίγμα, stigma ; a genus of Ulmaceæ.

**Solenothe'ca** (Bot.) σωλήν, a tube, θήκη, a sheath ; a genus of Compositæ.

**So'lers** (Ent.) Lat. adroit, skilful.

**Solidago** (Bot.) *solido*, to unite ; from being supposed to heal wounds ; a genus of Compositæ.

**Soli'rella** (Ent.) etymology doubtful ; a genus of Hymenoptera.

**Solie'ria** (Bot.) P. N., a genus of Algæ.

**Soligra'nia** (Bot.) *solus*, single, *granum*, a seed ; one of the sub-clasies of Dumortier's Nat. arrangement.

**Solitariel'la** (Ent.) *solitarius*, solitary ; originally described by Teller from a *single specimen* ; specific name of a moth.

**Soliteg'mia** (Bot.) *solus*, single, *tegmen*, a covering ; one of the clasies in Dumortier's Nat. Syst.

**Soli'vea** (Bot.) P. N. in honour of *Salvator Soliva*, a Spanish physician and botanist ; a genus of Compositæ.

**Solivæ'a** (Bot.) P. N., a genus of Compositæ.

**Solly'a** (Bot.) P. N., a genus of Pittosporaceæ.

**Solomon's-seal** (Bot.) common name of different species of Polygonatum.

**Solori'na** (Bot.) σόλος, a solid mass, πίσι, skin ; from the texture of the fronds ; a genus of Cryptogamia.

**Somat'ria** (Ornith.) σῶμα, a body, τεφνη, soft ; applied to the Eider Duck.

**Somme'a** (Bot.) P. N., a genus of Calyceraceæ.

**Somme'ra** (Bot.) P. N., a genus of Cinchonaceæ.

**Sommerau'era** (Bot.) P. N., a genus of Caryophyllaceæ.

**Sommerfel'tia** (Bot.) P. N., a genus of Compositæ.

**Sommerin'gia** (Bot.) P. N., a genus of Leguminosæ.

**Son'chus** (Bot.) σόγχος, Lat. *sonchus*, the herb sow-thistle ; the Sow-thistle ; a genus of Compositæ.

- Son'corus** (Bot.) etymol. uncertain ; a genus of Zingiberaceæ.
- Son'dera** (Bot.) P. N., a genus of Droséraceæ.
- Sonnera'tia** (Bot.) P. N., a genus of Myrtaceæ.
- Sonni'nia** (Bot.) P. N. in honour of C. N. S. *Sonnini*, a celebrated naturalist and traveller, who died in 1811 ; a genus of Asclepiadaceæ.
- Sophi'a** (Bot.) Σοφία chirurgorum, “the wisdom of surgeons,” being used by them in haemorrhage; the Sifymbrium *Sophia*.
- Sopho'ra** (Bot.) from the Arabic name (*sophora*) of one of the species ; a genus of Leguminosæ.
- Sophro'nia** (Ent.) P. N., the goddess of sober-mindedness ; a genus of Lepidoptera.
- Sophroni'tis** (Bot.) σοφεύς, modest ; referring to its appearance ; a genus of Orchidaceæ.
- Soran'the** (Bot.) σορός, an urn, ἄνθος, flower ; a genus of Proteaceæ.
- Soran'thera** (Bot.) σορός, an urn, ἀνθηρά, anther ; a genus of Algæ.
- Soran'thus** (Bot.) σορός, an urn, ἄνθος, flower ; a genus of Umbellifereæ.
- Soras'trum** (Bot.) σορός, an urn, ἀστρίφ, a star ; having a globular frond ; a genus of Desmidieæ.
- Sorba'ria** (Bot.) *sorbus*, the Mountain-ash ; a genus of Rosaceæ.
- Sorbia'na** (Ent.) named from the Service-tree (*Sorbus*) ; but the larva feeds, according to Röfel, upon cherry leaves.—Acc. List. Brit. Lepid.
- Sor'bus** (Bot.) Pliny's name for the Mountain-ash, from *sorbeo*, to suck ; the genus of Rosaceæ which contains the mountain-ash or rowan-tree.
- Soredospo'rium** (Bot.) σωρηδόν, by heaps, σωρός, seed ; a genus of Fungi.
- So'rex** (Zool.) *Lat.* a mouse.
- Sorghum** (Bot.) *forghi*, its Indian name according to Bauhin ; Millet ; a genus of Graminae.
- Sorindei'a** (Bot.) meaning unknown ; a genus of Anacardiaceæ.
- Soroceph'alus** (Bot.) σωρός, a heap, κιφαλή, a head ; a genus of Proteaceæ.
- Soroid'ea** (Zool.) σωρός, an irregular-shaped vessel, λίτις, form.
- Sorrel** (Bot.) Meadow-sorrel or Green-sauce is *Rumex Acetosa* ; Sheep-sorrel is *Rumex Acetosella*.
- Sorrel-tree** (Bot.) the *Andromeda arborea*.
- So'rus** (Bot.) σωρός, a heap ; applied to the mass of sporangia in the Filices, which are called *sori*.
- Soulen'gia** (Bot.) P. N. in honour of *Soulenge Bodin*, a nurseryman near Paris ; a genus of Rhamnacæ.

**Southby'a** (Bot.) P. N. in honour of Dr. Southby; a genus of Hepaticæ.

**Southernwood** (Bot.) is corrupted from *udden-wood*, and that name arose from the rapidity with which slips of this plant became suffruticose; the Artemisia Abrotanum.

**Sowerbæ'a** (Bot.) P. N. in honour of James Sowerby, F.L.S. &c H.S., an eminent botanical artist; a genus of Liliaceæ.

**Sow'-thistle** (Bot.) applied to the varieties of Sonchus.

**Spadi'ceus-a-um** (Ornith.) *Lat.* nut-brown, chestnut-coloured.

**Spa'dix** (Bot.) a form of inflorescence, as in arum, enveloped by the spathe; taken from  $\sigmaπάδιξ$ , a palm-tree, because found there.

**Spado'nia** (Bot.)  $\sigmaπαδίνη$ , a tear or rent; a genus of Compositæ.

**Spadostyles** (Bot.)  $\sigmaπαδών$ , a rent,  $\sigmaτύλος$ , pillar (style); a genus of Leguminosæ.

**Spætalu'meæ** (Bot.) formed from *spætum*, a North American Indian name; a synonym of Mefembryaceæ with the American botanists.

**Spalacothere'rium** (Fos. Zool.)  $\sigmaπάλακτος-ανθος$ , a mole,  $\thetaηρίον$ , an animal.

**Spala'cupus** (Zool.) literally "mole-footed," from  $\sigmaπάλακτος$ , and  $\piούς$ ; a genus of Mammalia.

**Spalan'gia** } etymol. uncertain; a genus and family of Hymenoptera.  
**Spalang'i'dæ** }

**Spalan'thus** (Bot.)  $\sigmaπαλίς$ , an arch,  $\alphaνθος$ , flower; a genus of Compositæ.

**Spalax** (Zool.)  $\sigmaπάλακτος$ , a mole; a genus of rodent Mammals.

**Spallanza'nia** (Zool.) P. N., a genus of Barringtoniaceæ.

**Spanan'the** (Bot.)  $\sigmaπανέσ$ , rare,  $\alphaνθος$ , a flower; a genus of Umbelliferæ.

**Span'iel** (Zool.) Old French, *spanuel*.

**Spanio'ptilon** (Bot.)  $\sigmaπάνεος$ , scanty,  $\piτίλιον$ , foliage; a genus of Compositæ.

**Spanish-Ches'nut** (Bot.) the Castanea vesca belonging to the Corylaceæ.

**Spano'trichum** (Bot.)  $\sigmaπανίτης$ , scarce, rare,  $\thetaρίξ$ ,  $\tauρίχη$ , hair or bristle; a genus of Compositæ.

**Sparac'tes** (Ornith.)  $\sigmaπαράκτης$ , one who tears, from  $\sigmaπαράσσω$ , to rend; a genus of Birds.

**Sparag'mia** (Ent.)  $\sigmaπαραγμή$ , a tearing or mangling.

**Sparas'sis** (Bot.) (*sparaffis*)  $\sigmaπαράσσω$ , to tear or mangle; a genus of Fungi.

**Sparas'sus** (Ent.)  $\sigmaπαράσσω$ , to tear or lacerate.

**Sparattospe'rma** (Bot.)  $\sigmaπαράσσω$ , to tear,  $\sigmaπίρυνται$ , feed; a genus of Bignoniacæ.

**Sparax'is** (Bot.)  $\sigmaπαράστω$ , to tear or lacerate; from the lacerated spathes; a genus of Iridaceæ.

- Spargan'ium** (Bot.) σπάργανος, a band ; it has riband-like leaves ; a genus of Typhaceæ.
- Sparganoph'orus** (Bot.) σπάργανος, a fillet, φερίω, to bear ; a genus of Compositæ.
- Spar'idae** (Ichth.) the family of marine Bream of which *Sparus* is the type.
- Sparman'nia** (Bot., Ent.) P. N. in honour of A. Sparmann, a traveller in China, who died in 1820 ; a genus of Tiliaceæ.
- Spar'ooids** (Ichth.) the genus *Sparus*, σπάρος, likeness.
- Spar'row** (Ornith.) Anglo-Sax. *ſƿearra* ; the Passer *domestica*.
- Spartian'thus** (Bot.) the genus *Spartium*, σπάρτος, flower ; having broom-like flowers ; a genus of Leguminosæ.
- Sparti'na** (Bot.) σπάρτον, a rope made from broom ; a genus of Graminae.
- Spartium** (Bot.) σπάρτιον, Lat. *spartium* : the ancient name of the shrub was probably derived from σπάρτον, a rope made of broom ; alluding to its use in early times ; Broom ; a genus of Leguminosæ.
- Sparto'phila** (Ent.) the plant *spartium*, φιλίω, to love ; a genus of Coleoptera.
- Spartotham'nus** (Bot.) σπαρτόν, Lat. *spartium*, cordage, θέμιος, shrub, from its uses ; a genus of Myoporaceæ.
- Spar'u'sus** (Ichth.) Lat. ancient name of a fish.
- Spatialan'thus** (Bot.) σπαταλός, delicate, ἄνθος, a flower ; a genus of Iridaceæ.
- Spatal'la** (Bot.) σπαταλάω, to run riot ; from form of pistil ; a genus of Proteaceæ.
- Spatan'gus** (Zool.) σπατάγγης, a sea-urchin ; a genus of Echinodermata.
- Spa'tha** (Bot.) σπάθη, a broad blade or spatula ; the term *spathe* is applied to the sheathing involucrum of certain plants, particularly the Palms.
- Spatha'cea** (Bot.) σπάθη, a spatula, botanically a spathe ; a section of liliaceous endogens.
- Spathan'dra** (Bot.) σπάθη, a spatula, ἀνηρ, ἀνδρος, a stamen ; a genus of Melastomaceæ.
- Spathan'thus** (Bot.) σπάθη, a spatula, ἄνθος, a flower ; a genus of Xyridaceæ.
- Spathica'rpa** (Bot.) σπάθη, a spindle, καρπός, fruit ; a genus of Araceæ.
- Spathido'pteryx** (Ent.) σπαθίον, a little spoon, πτήμαξ, a wing.
- Spathio'stemon** (Bot.) σπάθη, a paddle (shape), στημών, stamen ; a genus of Euphorbiaceæ.
- Spathiphyllum** (Bot.) σπάθη, a paddle (shape), φύλλον, leaf ; a genus of Orontiaceæ.

- Spathium** (Bot.) σπάθη, a spathe; a genus of Orchidaceæ.
- Spatho'dea** (Bot.) σπάθη, a paddle or spindle; a genus of Bignoniaceæ.
- Spathoglot'tis** (Bot.) σπάθη, a spathe, γλῶττα, tongue; a genus of Orchidaceæ.
- Spatholo'bus** (Bot.) σπάθη, a paddle (shape), λόβος, a pod; a genus of Leguminosæ.
- Spathula'ria** (Bot.) σπάθη, a spindle; a genus of Celastraceæ.
- Spathula'tus-a-um** (Bot.) Lat. spindle-shaped, e. g., *Statice spathulata*.
- Spathule'a** (Bot.) *spatula*, a broad knife, or spatula, from the form of the plant; a genus of Fungi.
- Spathu'ra** (Ornith.) σπάθη, a paddle, ὕψη, a tail; a genus of Humming-birds.
- Spear-mint** (Bot.) *Mentha viridis*.
- Specta/bilis-e** (Ornith., Bot.) Lat. remarkable, admirable; e. g., *Dielytra spectabilis*.
- Spelæ/us-a-um** (Zool.) σπέλαιον, a cavern; frequenting caves, e. g. *Ursus spelæus*.
- Sper'cheus** (Ent.) σπερχειός, rapid; a genus of Coleoptera.
- Sper'gula** (Bot.) *spargo*, to scatter, it is very prolific of seeds; Spurrey; a genus of Caryophyllaceæ.
- Spergula/strum** (Bot.) the genus *Spergula*, and ἀστρον, a star; from its similarity.
- Spermaco'ce** (Bot.) σπέρμα, a seed, ἄκανθη, a point; a genus of Cinchonaceæ.
- Spermadic'tyon** (Bot.) σπέρμα, a seed, δίκτυον, a net; a genus of Cinchonaceæ.
- Spermago'nium**, pl. **Spermago'nia** (Bot.) σπέρμα, feed, γονή, fruit; *spermagonia*, *spermogonia*, or *spermatogonia* are organs containing the male elements in Lichens.
- Sperma'tium**, pl. **Sperma'tia**, (Bot.) dim. of σπέρμα, feed; spermatia are small feed-like bodies contained in the spermagonia of cryptogamic plants.
- Sper'matocysti'dium** (Bot.) a name applied by Hedwig to the male organ of mosses, from σπέρμα, seed, κύστις, bladder.
- Spe'rmatopho'res** (Bot.) σπέρμα, feed, φέρω, to bear; short slender stalks which carry the spermatia in the Lichens; equivalent to slylospores.
- Spe'rmatospo'res** (Bot.) σπέρμα, σπερμάτος, seed, and σπόρα, seed; applied to certain Cryptogamic feed-cases.
- Sperma'xyrum** (Bot.) σπέρμα, a seed, ξυφός, sharp; a genus of Olacaceæ.

- Sperme'dia** (Bot.) σπέρμα, a seed, οἰδίω, to fwell; applied to diseased feeds, the same as Ergot.
- Spermo'philus** (Zool.) σπέρμα, seed, φιλος, a lover; the Prairie-dog.
- Sphacel'ria** (Bot.) σφάκελος, gangrene; from the appearance of the truncate extremity of the frond; a genus of marine Algae.
- Spha'cele** (Bot.) σφάκελος, Greek name for Sage; a genus of Labiatæ.
- Sphæran'thus** (Bot.) σφαιρα, a globe, ἄνθη, a flower; a genus of Compositæ.
- Sphæra'tele** (Bot.) σφαιρα, a globe, τελίω, to terminate; a genus of Amaryllidaceæ.
- Sphære'lla** (Bot.) dim. of σφαιρα, a ball; a genus of Algæ.
- Sphæria** } (Bot.) { σφαιρα, a globe, the prevailing shape of these  
**Sphaeri'acei** } minute plants; a genus and section of Fungi.
- Sphaeridi'dæ** } (Ent.) { σφαιρίδιον, a little ball; a family and genus of  
**Sphaeri'dium** } Coleoptera.
- Sphæridio'phorum** (Bot.) σφαιρίδιον, a little ball, φορεω, to carry; a genus of Leguminosæ.
- Sphæri'ne** (Bot.) σφαιρα, a ball; a genus of Amaryllidaceæ.
- Sphæri'tes** (Ent.) σφαιρίτης, globular; a genus of Coleoptera.
- Sphæro'bolum** (Bot.) σφαιρα, a sphere, βολίω, to eject; a genus of Fungi.
- Sphærocap'nos** (Bot.) σφαιρα, a ball, κάπνος, fumitory; a genus of Fumariaceæ.
- Sphærocarpæ'a** (Bot.) σφαιρα, a globe, καρπός, fruit; a genus of Gentianaceæ.
- Sphærocarpus** (Bot.) σφαιρα, a sphere, καρπός, fruit; a genus of Ricciaceæ.
- Sphæroca'rya** (Bot.) σφαιρα, a ball, κάρυον, a nut; a genus of Santalaceæ.
- Sphæroceph'alus** (Bot.) σφαιρα, a globe, κεφαλή, head; Globe-thistle; a genus of Compositeæ.
- Sphæro'chloa** (Bot.) σφαιρα, a globe, χλόα, grass; a genus of Graminae.
- Sphæroco'ccus** (Bot.) σφαιρα, a sphere, κόκκος, a berry; a genus of Cryptogamia.
- Sphærocyo'nium** (Bot.) σφαιρα, a globe, κύω, to contain; a genus of Polypodioid Filices.
- Sphærode'rma** (Ent.) σφαιρα, a sphere, δέρμα, a skin; a genus of Coleoptera.
- Sphæro'gona** (Bot.) σφαιρα, a globe, γονί, seed; a genus of Algæ.
- Sphærolo'bium** (Bot.) σφαιρα, a globe, λοβής, a pod; alluding to the shape; a genus of Leguminosæ.

- Sphæro'ma (Bot.) σφαῖρα, any thing globular ; a genus of Malvaceæ.
- Sphæro'ma } (Zool.) { same etymology ; a genus and family of
- Sphæro'madæ } Crustacea.
- Sphærone'ma (Bot.) σφαῖρα, a globe, νάιμα, gelatine ; a genus of Fungi.
- Sphæroph'oron (Bot.) σφαῖρα, a globe, φέρω, to bear ; from form of fructification ; a genus of Lichenes.
- Sphæropophy'sa (Bot.) σφαῖρα, a globe, φύσα, a bladder ; referring to the pods ; a genus of Leguminosæ.
- Sphæro'pteris (Bot.) σφαῖρα, a globe, πτερίς, a fern ; a genus of Polypodioid Filices.
- Sphærosac'me (Bot.) σφαῖρα, a globe, ἀκμή, an edge ; a genus of Meliaceæ.
- Sphæroso'ma (Ent., Bot.) σφαῖρα, a sphere or globe, σῶμα, a body ; a genus of Fungi ; in entomology, a genus of Coleoptera.
- Sphærospo'rium (Bot.) σφαῖρα, a globe, πτόρος, seed ; a genus of Fungi.
- Sphærostachys (Bot.) σφαῖρα, a globe, στάχυς, a spike ; a genus of Piperaceæ.
- Sphæro'stema (Bot.) σφαῖρα, a globe, στῆμα, stamen ; a genus of Schizandraceæ.
- Sphærostel'phanus (Bot.) σφαῖρα, a ball, στιφάνος, a garland ; a genus of Polypodioid Filices.
- Sphærostig'ma (Bot.) σφαῖρα, a globe, στίγμα, stigma ; a genus of Onagraceæ.
- Sphærothal'lia (Bot.) σφαῖρα, a globe, θελλάς, a shoot or sprout ; a genus of Lichenes.
- Sphærothe'ca (Bot.) σφαῖρα, a globe, θήκη, a sheath ; a genus of Scrophulariaceæ.
- Sphæro'tilus (Bot.) σφαῖρα, a globe, τίλος, flock or down ; a genus of Alge.
- Sphæ'rula (Ent.) dim. of σφαῖρα, a globe ; a genus of Coleoptera.
- Sphagebranchi'næ } (Ichth.) { σφαγή, the throat, βαγγή, gills ; a
- Sphagebra'nchus } family and genus of Fishes.
- Sphagno'cetis (Bot.) σφάγνος, Lat. *sphagnum*, moss, σκίτις, companion ; being found among *sphagnum* ; a genus of Jungermanniaceæ.
- Sphag'num (Bot.) a name used by Pliny to designate some kind of moss, adapted from the Greek σφάγνος ; Bog moss ; a genus of Musci.
- Sphalero'ptera (Ent.) σφαλερές, delusive, deceptive, πτερόν, a wing ; a genus of Lepidoptera.

- Sphallerocarpus** (Bot.) σφάλλω, to totter or stagger, καρπός, fruit; a genus of Umbelliferae.
- Sphe'cidæ** (Ent.) the family of Hymenoptera of which *Sphecodes* is the type; the Wasp family.
- Spheco'philus-a-um** (Bot.) σφίξ, a wasp, φιλος, a lover; applied to a fungus found upon a dead hornet, *Isaria sphacelia*.
- Sphecothe'res** (Ornith.) σφίξ, a wasp, θηρίον, to hunt; Wasp-eaters.
- Sphe'gidae** (Ent.) equiv. to *Sphecidae*.
- Sphegiga'ster** (Ent.) *sphex*, a wasp, gaster, belly; wasp-shaped.
- Phenan'dra** (Bot.) σφίν, a wedge, ἀντρ, ἀνδρός, a stamen; a genus of Scrophulariaceæ.
- Phenan'tha** (Bot.) σφίν, a wedge, ἀνθος, flower; a genus of Loasaceæ.
- Phenis'cus** (Ornith.) dim. of σφίν, a wedge; a genus of Penguins.
- Phenocar'pus** (Bot.) σφίν, a wedge, καρπός, fruit; a genus of Combretaceæ.
- Phen'e'acus** (Ornith.) σφίν, a wedge, σινξ, a rudder.
- Pheno'gyne** (Bot.) σφίν, a wedge, γυνή, a pistil, referring to the wedge-shaped apex of the styles; a genus of Compositeæ.
- Phenopro'ctus** (Ornith.) σφίν, a wedge, τρωκτός, the hinder part (anus); a genus of Humming-birds.
- Phen'opus** (Bot.) σφίν, a wedge, πούς, a foot, (stem); a genus of Graminae.
- Pheno'style** (Bot.) σφίν, a wedge, στῦλος, a pillar (style); a genus of Leguminosæ.
- Pheno'toma** (Bot.) σφίν, a wedge, τίμος, a slice or section; a genus of Epacridaceæ.
- Pheno'trochus** (Zool.) σφίν, a wedge, τροχός, a spinning-top, in allusion to the form of the corallum.
- Phenu'russ-a-um** (Ornith.) σφίν, a wedge, οὐρα, a tail; wedge-tailed, e. g. *Heliastur sphenurus*.
- Sphex** (Ent.) *Lat.* from σφίξ, a wasp; the Wasp; a genus of Hymenoptera.
- Sphiggurus** (Zool.) σφίγγω, to compress, οὐρα, a tail; flat-tailed.
- Sphinctan'thus** (Bot.) σφιγκτός, tight-bound, ἀνθος, flower; a genus of Cinchonaceæ.
- Sphincterostig'ma** (Bot.) σφιγκτήρ, a band, στίγμα, stigma; a genus of Araceæ.
- Sphinctoys'tis** (Bot.) σφιγκτός, tight-bound, κύστις, a bladder.
- Sphinotolo'bium** (Bot.) σφιγκτός, tight bound, λοβός, pod; a genus of Leguminosæ.

- Sphinectri'na** (Bot.) σφιγκτός, bound together; a genus of Fungi.
- Sphin'gidæ** (Ent.) the family of night-flying Moths, of which *Sphinx* is the typical genus.
- Sphin'gium** (Bot.) σφιγγίσιν, a necklace; a genus of Leguminosæ.
- Sphinx** (Zool., Ent.) P. N. applied to the Thoth Baboon, *Cynocephalus Sphinx* from the circumstance of its being so often found sculptured on Egyptian hieroglyphics; also a genus of Moths.
- Spho'drus** (Ent.) σφοδρός, active, strong; a genus of Coleoptera.
- Sphondyla'strum** (Bot.) σφόνδυλος, a whorl, ἀστρον, a star; a genus of Haloragaceæ.
- Sphondylium** (Bot.) σφόνδυλος, a whorl; the Cow-parsnip; specific name of a species of *Heracleum*, Nat. Ord. Umbelliferae.
- Sphondylococ'eum** (Bot.) σφόνδυλος, a whorl, κόκκος, a berry; a genus of Verbenaceæ.
- Sphondylophy'lum** (Bot.) σφόνδυλος, a whorl, φύλλον, a leaf; a genus of Haloragaceæ.
- Sphrerozo'sma** (Bot.) σφαιρα ζεσταῖ, a sphere compressed as if by a girdle; a genus of Algae belonging to the Desmidaeæ.
- Sphyra'e'na** (Ichth.) σφύρωνα, a sea-fish, so-called from σφῦρα, a hammer; a genus of Fishes called Barracuda Sea-pikes.
- Sphyri'dium** (Bot.) σφῦρα, a hammer, εἴδος, likeness; a genus of Bryoid Musci.
- Sphyroceph'alus** (Ent.) σφαιρα, a globe, κεφαλή, head, from its large and oblong head.
- Sphyrode'ta** (Zool.) σφυροδίτης, an ankle-band; from the line round the tentacle-foot.
- Sphyrosper'mum** (Bot.) σφῦρα, a hammer, σπέρμα, seed; a genus of Vacciniaceæ.
- Spica'ria** (Bot.) *spica*, a tuft; a genus of Labiatæ.
- Spiculæ'a** (Bot.) *spicula*, a spikelet; a genus of Orchidaceæ.
- Spicu'liform** (Zool.) *spiculum*, a sharp point or sting, *forma*, shape, thorn-shaped.
- Spider** (Zool.) i. e. the *spinifer* or *spinner*; from Anglo-Sax. *spinan*, to weave.  
Dan. *spæder*: the spiders, which are not scientifically considered insects, belong to the Areneidæ, a family of the Arachnida.
- Spi'der-wort** (Bot.) from resemblance of the stamens to the hairy legs of a spider; the *Tradescantia Virginica*.
- Spielman'nia** (Bot.) P. N. in honour of *J. R. Spielmann*, Professor of Medicine and Botany at Straßburg; a genus of Verbenaceæ.

**Spie'sia** (Bot.) P. N. in honour of a well-known Botanist ; a genus of Leguminosæ.

**Spigel'ia** (Bot.) P. N. in honour of *A. Spigelius*, Professor at Padua, who died in 1625 ; a genus of Loganiaceæ.

**Spike'hard** (Bot.) *nardi spica*—"the head of Nardus spreadeth into certain spikes or eares."—HOLLAND'S *Plinie*; the Spikenard of the ancients was most probably *Nardostachys Jatamansi*, a plant of the Nat. Ord. Valerianaceæ.

**Spila'cron** (Bot.) σπιλές, a rock, ἄκρον, the top ; a genus of Compositæ.

**Spilan'thes** (Bot.) σπιλός, a spot, ἄθρος, a flower; alluding to the brown disk of flowers ; a genus of Compositæ.

**Spilocæ'a** (Bot.) σπιλάς, a rock ; a genus of Fungi.

**Spilodac'tylus** (Ent.) σπιλός, a spot, δακτυλός, a plume.

**Spilo'des** (Ent.) σπιλός, a spot ; from the spotted wings ; a genus of Lepidoptera.

**Spilo'ma** (Bot.) σπίλωμα. a spot ; from the appearance of the fructification ; a genus of Cryptogamia.

**Spillono'ta** (Ent.) σπιλός, a spot, νήρον, the back ; a genus of Lepidoptera.

**Spilo'pterus-a-um** (Ornith.) σπιλός, a spot, πτερόν, a wing.

**Spilo'tes** (Zool.) σπιλωτός, stained, soiled ; a genus of Colubrine Ophidians.

**Spinach or Spin'age** (Bot.) *Lat. spinacia. Ital. spinace, Span. espinaca, Fr. épinard* the Spinacia oléacea.

**Spinach'ia** (Ichth.) *spina*, a thorn, ἀχύτης, a point or edge ; the body being covered laterally with spiny plates.

**Spina'cia** (Bot.) *spina*, a thorn ; from the prickly integument of the fruit ; Spinach ; a genus of Chenopodiaceæ.

**Spinax** (Ichth.) *spina*, a thorn ; the Dog-fish.

**Spindle-tree** (Bot.) the hard white wood was formerly used for making spindles ; the Euonymus Europæus.

**Spini'fea** (Bot.) *spina*, a thorn ; a genus of Gramina.

**Spini'ferus-a-um** (Zool., Bot.) *spina*, a thorn, *fero*, to carry, e. g. Productus spiniferus.

**Spinima'na** (Ent.) *spina*, a prickle, *manus*, a hand ; in allusion to some characteristic rows of bristles on the upper side only of the fore-legs, quasi hands of the spider.

**Spinole'l'a** (Ent.) P. N. in honour of the *Marquis Maximilian Spinola*, a writer on Entomology.

- Spino'sus-a-um** (Ornith., Bot.) *Lat.* thorny; *e. g.* *Acanthus spinosus*.
- Spinulo'sus-a-um** (Ichth., Bot.) *spinofus*, prickly, thorny; *e. g.* *Lastræa spinulosa*.
- Spiracan'tha** (Bot.) *σπειρα*, a coil, *ἄκαρδα*, a thorn; from the arrangement of spines of involucrum; a genus of Compositæ.
- Spiracles** (Ent.) *spiraculum*, a breathing-hole, or air hole; applied to the external orifices of the tracheæ of insects and spiders; equivalent to Stigmata.
- Spiræ'a** (Bot.) *σπειρα*, a cord, from the flexile branches; a genus of Rosaceæ.
- Spiradic'lis** (Bot.) *σπειρα*, a whorl, *άκαλις*, folding two ways; a genus of Cinchonaceæ.
- Spira'lepis** (Bot.) *σπειρα*, a coil, *λεπίς*, a scale; a genus of Composite.
- Spiranthe're** (Bot.) *σπειρα*, a spiral, *άνθηρα*, an anther; a genus of Rutaceæ.
- Spiran'thes** (Bot.) *σπειρα*, a whorl, *άρθος*, a flower; from its spiral inflorescence; "Ladies' Tresses;" a genus of terrestrial Orchidaceæ.
- Spirasti'gma** (Bot.) *σπειρα*, a coil, *στύγμα*, stigma; a genus of Bromeliaceæ.
- Spirasty'lis** (Bot.) *σπειρα*, a spike, *στῦλος*, a pillar (style); a genus of Loranthaceæ.
- Spirhy'me'nia** (Bot.) *σπειρα*, a coil, *μυνή*, a membrane; a genus of Algæ.
- Spiridan'thus** (Bot.) *σπειρα*, a coil or twist, *άρθος*, flower; a genus of Composite.
- Spi'ridens** (Bot.) *spira*, a coil, *dens*, a tooth; *i. e.* of the peristome; a genus of Bryoid Musci.
- Spi'rifer** (Zool.) *spira*, a whorl, *fero*, to carry; a genus of Mollusca.
- Spirocar'paea** (Bot.) *σπειρα*, a twist, *καρπός*, fruit; a genus of Sterculiaceæ.
- Spirolo'bæs** (Bot.) *σπειρα*, a spire, *λεβός*, a pod; a section of the Cruciferæ, in which the cotyledons are spirally or rather circinnately twisted.
- Spirode'la** (Bot.) *σπειρα*, a whorl, *δηλός*, manifest; a genus of Pottiaceæ.
- Spirog'yra** (Bot.) *σπειρα*, a coil, *γύρος*, a ring; a genus of Algæ.
- Spiro'monas** (Zool.) *spira*, a coil or fold, *monas*; a genus of Infusoria, the body of which is rolled spirally on itself longitudinally.
- Spirone'ma** (Bot.) *σπειρα*, a spiral, *νήμα*, a thread; a genus of Verbenaceæ.
- Spirosper'mum** (Bot.) *σπειρα*, a coil, *σπειρα*, seed.
- Spirotænia** (Bot.) *σπειρα ταινία*, a spiral band, from its appearance; a genus of Desmidiacen.

- Spirotropis** (Bot.) *σπιρίς*, a spire, *τρόπη*, a keel; a genus of **Leguminosæ**.
- Spirula** { (Zool.) *Spirula*, a small whorl; a genus and family of **Spirulidae** } Cephalopod Mollusca.
- Spirulina** (Bot.) *spirula*, a small spire; a genus of **Algæ**.
- Spitzelia** (Bot.) P. N., a genus of **Compositæ**.
- Spix'ia** (Bot.) P. N. in honour of *M. Spix*, a celebrated Brazilian traveller and companion of Martius; a genus of **Compositæ**.
- Spi'za** (Ornith.) *σπίζα*, a finch, equivalent to the *Lat. fringilla*.
- Spizætus** (Ornith.) *σπίζω*, to pipe or cry loudly, *ἀετός*, an **eagle**; the Piping-eagles; a genus of **Eagles**.
- Splachnidium** (Bot.) the genus *Splanchnum*, *σίδος*, likeness; a genus of **Algæ**.
- Splanchnomyces** (Bot.) *σπλαγχνός*, a term used by Dioscorides to include Lichens and Mosses, and *μύκης*, a fungus; a section of **Fungi**.
- Splanchnone'ma** (Bot.) the genus *Splanchnum*, *νήσα*, filament; a genus of **Fungi**.
- Splanchnum** (Bot.) borrowed from the *σπλαγχνός* of Dioscorides, which was originally used for some lichen or cryptogamic plant; *Collarmoss*; a genus of **Musci**.
- Spleenwort** (Bot.) takes its origin in a curious story, that in Cerito there is a river, the Ceterach growing abundantly on one side of the stream and not on the other. On the side where this fern grows the pigs are said to have no spleen, but on the other side no such deficiency is recorded, hence the name, Spleenwort, or *Afplenon*.
- Splitger'bera** (Bot.) P. N., a genus of **Urticaceæ**.
- Split-mosses** (Bot.) applied to the **Andräaceæ**, because the sporangium splits vertically into four valves connected at the summit.
- Spodiopo'gon** (Bot.) *σποδίος*, ash-coloured, *πύρος*, a beard (tuft); a genus of **Gramineæ**.
- Spoggodes** (Zool.) *σπογγώδης*, sponge-like; a genus of **Corals**.
- Spon'dias** (Bot.) Greek name of a kind of wild plum (*σπονδιάς*); a genus of **Anacardiaceæ**.
- Spondy'lis** (Ent.) *σπονδύλη*, an insect that lives in the ground, and gnaws the roots of trees; a genus of **Coleoptera**.
- Spondylocla'dium** (Bot.) *σπόνδυλος*, a whorl, *χλωδός*, a branch or shoot; a genus of **Fungi**.
- Sponga'dium** (Bot.) *σπογγώδης*, sponge-like; a genus of **Algæ**.
- Sponge** (Zool.) *σπογγία*, *Lat. spongia*, *Fr. éponge*; the sponge of commerce belongs to the genus **Spongia**, of the class **Porifera**.

Spong'cola (Zool.) *Spangia*, sponge, *colo*, to inhabit.

Spo'ngidæ (Zool.) *Spangia*, (*πνογία*) sponge; the Sponges; a group of the Protozoa.

Spongii'la (Zool.) dim. of *Spangia*; a genus of flesh-water Sponges.

Spongiocar'pidæ } (Bot.) { *πνογιά*, sponge, *καρπός*, fruit; a section Spongiocar'pus } (Bot.) { and genus of Ceramian Algæ.

Spong'i'tes (Bot.) *πνογιά*, sponge; a genus of Algæ.

Spongocar'pus (Bot.) *σπόγγος*, sponge, *καρπός*, fruit; a genus of Algæ.

Spongomo'rpha (Bot.) *σπόγγος*, sponge, *μορφή*, shape; a genus of Algæ.

Spongop'sis (Bot.) *σπόγγος*, sponge, *εἶδος*, resemblance; a genus of Algæ.

Spongostem'ma (Bot.) *σπόγγος*, sponge, *στέμμα*, a wreath; a genus of Dipsacaceæ.

Spong'o'trichum (Bot.) *σπόγγος*, sponge, *θρίξ*, *τρίχως*, hair (filament); a genus of Compositæ.

Spo'nia (Bot.) uncertain; a genus of Ulmaceæ.

Sporan'gium, pl. Sporan'gia (Bot.) *σπορά*, seed, *αγγεῖον*, a vessel; cases containing spores in cryptogamic plants, commonly called the Urns; equivalent to *thecae*, *asci*, and *cystidia*.

Sporendone'ma (Bot.) *σπορά*, seed (spore), *ἐνδον*, within, *νήμα*, filament; a genus of Fungi.

Sporides'mium (Bot.) *σπορά*, a seed, *δισμένη*, a band; a genus of Fungi.

Spori'dium, pl. Spori'dia (Bot.) *σπορά*, seed, *εἰδος*, likeness; these bodies are equivalent to the seeds of flowering plants.

Sporiso'rium (Bot.) *σπέρμα*, seed (spores), *σωρός*, a heap; a genus of Fungi.

Sporle'dera (Bot., Zool.) P. N. in honour of —— *Sporleder*, of Vernigerode; a genus of Pedaliaceæ; also a genus of Mollusca.

Sporo'bolus (Bot.) *σπέρμα*, a seed, *βάλλω*, to cast forth; a genus of Graminae.

Sporochna'ceæ (Bot.) an order of Algæ, of which the following is the typical genus.

Sporoch'nus (Bot.) *σπέρμα*, a seed, *χυτός*, wool; referring to the tufted reproductive organs; a genus of Algæ.

Sporocy'be (Bot.) *σπέρμα*, seed, *κυψή*, head; a genus of Fungi.

Sporodi'nia (Bot.) *σπέρμα*, seed, *δινός*, a whorl; a genus of Fungi.

Spo'rodom (Bot.) *σπέρμα*, seed; a genus of Fungi.

Sporo'mega (Bot.) *σπέρμα*, seed, *μίγα*, large; a genus of Fungi.

Sporophle'um (Bot.) *σπέρμα*, seed, *φλοιός*, bark; a genus of Fungi.

Sporo'trichum (Bot.) *σπορά*, a seed, *θρίξ*, *τρίχως*, hair; a genus of Fungi.

- Sprat** (Ichth.) *Dutch*, *þprot*; *Germ.* *þprotte*; probably from *þproffen*, to sprout, as if the *þprot* of the herring; the *Herengula Sprattus*.
- Sprat'tus** (Ichth.) Latinized form of *þprot*.
- Sprenge'lia** (Bot.) P. N. in honour of C. G. *Sprengel*, of Spandau in Brandenburgh; a genus of Epacridaceæ.
- Spuma'ria** (Bot.) *þpuma*, froth; a genus of Fungi.
- Spurge** (Bot.) *Fr.* *çpurge*, probably from *þpargé*, to scatter, the reeds being abundantly dispersed; the genus Euphorbia.
- Spiri'dia** (Bot.) *swipðiø*, a little fish-basket; a genus of Algae.
- Squa'lidæ** } (Ichth.) { *squalus*, a kind of sea-fish; the family and **Squa'lus** } typical genus of the Sharks.
- Squama'ria** (Bot.) *squama*, a scale; a genus of Fungi: also the specific name of the Toothwort, *Lathraea squamaria*.
- Squama'ta** (Zool.) *squama*, a scale; the first order of reptiles in Dr. Gray's arrangement.
- Squama'tus-a-um** (Zool.) *squama*, a scale; scaly or scale-like.
- Squamopeda'lis** (Ent.) *squama*, a scale, *pes*, *pedis*, a foot.
- Squamo'sus-a-um** (Zool., Ent., Bot.) *Lat.* scaly; e. g. *Anona squamosa*.
- Squamulo'sus-a-um** (Bot.) *squamula*, a little scale; covered with small scales.
- Squareo'sus-a-um** (Bot.) s. g. *Melaleuca squarrosa*, *Aconitum squarrifolium*.
- Squa'tina** (Ichth.) *Lat.* a skate.
- Squill** (Bot.) *Lat.* *scilla*; *Arabic*, *afqyl*.
- Squinancy-wort** (Bot.) corrupted from *Asperula Cynanchia*, which is from *xuváχtiv*, to choke.
- Squirrel** (Zool.) from *sciuriolus*, dim. of *sciurus*; *Fr.* *écureuil*; the common squirrel is *Sciurus vulgaris*.
- Staa'via** (Bot.) P. N. in honour of *Martin Staaf*, a correspondent of Linnæus; a genus of Bruniaceæ.
- Stabero'ha**, (Bot.) P. N., a genus of Restiaceæ.
- Stachyan'thus** (Bot.) *stáχus*, a spike, *áθos*, a flower; a genus of Compositæ.
- Stachybo'trys** (Bot.) *stáχus*, a spike, and *bóτrus*, a cluster; a genus of Fungi.
- Stachyli'dium** (Bot.) *stáχus*, an ear of corn, *áθos*, similar.
- Stachymor'pha** (Bot.) *stáχus*, a spike, and *μορφή*, shape; a genus of Caryophyllaceæ.
- Stachyo'bium** (Bot.) *stáχus*, a cluster, *βίων*, to live; a genus of Orchidaceæ.

- Stachys (Bot.) στάχυς, a spike; flowers in spikes; a genus of Labiateæ.
- Stachystemon (Bot.) στάχυς, a spike, and στήμαν, a stamen.
- Stachyta'rpheta (Bot.) στάχυς, a spike, ταρφεῖς, dense; a genus of Verbenaceæ.
- Stachyu'rus (Bot.) στάχυς, a spike, and σύρις, a tail; a genus of Pittosporaceæ.
- Stackhou'sia (Bot.) P. N. in honour of *M. Stackhouse*, a British botanist; typical genus of Nat. Ord. Stackhouasiacæ.
- Stadman'nia (Bot.) P. N. in honour of *M. Stadmann*, a botanical traveller; a genus of Sapindaceæ.
- Stae'chas (Bot.) a geographical name; the name of a species of Lavandula and of a species of Gnaphalium.
- Stæchasper'mum (Bot.) the Lavandula *Stæchas*, and σπίρμα, seed; from resemblance of plant to the fruit of the former; a genus of Alge.
- Stæhel'i'na (Bot.) P. N. in honour of Benedict Stæhelin, a Swiss botanist; a genus of Compositæ.
- Stag (Zool.) of *Anglo-Sax.* origin; the Red Deer or stag is *Cervus Elephas*, the Fallow Deer is *Dama Vulgaris*.
- Staganole'pis (Fos. Zool.) σταγωί-όης, a drop, λεπίς, a scale; having pitted scales.
- Stag-beetle (Ent.) so called from their powerful mandibles resembling stag's horns; the *Lucanus cervus*.
- Sta'getus (Ent.) σταγετός, a drop; a genus of Coleoptera, family Anobiadæ.
- Stagna'lis-e (Ent., Bot.) *flagnum*, a pool or swamp; living among pools.
- Stagna'tilis-e (Ornith.) *Lat.* pertaining to ponds or pools.
- Stalagmi'tis (Bot.) σταλαγμής, a dropping; the Gamboge tree; a genus of Clusiaceæ.
- Stal'lion (Zool.) *Anglo-Sax. stall*.
- Sta'men, pl. Stam'ina (Bot.) στήμαν, a spindle, or the warp in the ancient upright loom; applied to the male organs of flowering plants, consisting of the filament and anther.
- Stanho'pea (Bot.) P. N. in honour of *Earl Stanhope*, a distinguished patron of Botany; a genus of Orchidaceæ.
- Stanley'a (Bot.) P. N. in honour of *Edward Lord Stanley*, *F.R.S.*, afterwards 13th Earl of Derby, Vice-president of the Linnean Society; a genus of Cruciferæ.
- Stanneel'tum (Ent.) *flanneus*, made of *flannum*, an alloy of silver and lead; from the colour of the wings which are "shining pale bronzy grey."

- Stapelia** (Bot.) P. N. in honour of *Dr. J. B. à Stapel*, Dutch editor of “Theophrastus;” a genus of South African Asclepiadaceæ.
- Staphyle'a** (Bot.) σταφυλή, a bunch of grapes; from the disposition of the fructification; Bladder-nut; typical genus of Staphylaceæ.
- Staphyli'nidae** } (Ent.) { σταφυλή, a bunch of grapes; a family and **Staphyli'nus** } (Ent.) { genus of Coleoptera.
- Staphylo'don** (Bot.) σταφυλή, a bunch of grapes, δίνδον, a tree; from the form of the inflorescence; a genus of Staphyleaceæ.
- Staphissa'gia** (Bot.) Latinized form of “Stavesacre;” a genus of Ranunculaceæ.
- Starke'a** (Bot.) P. N. in honour of *Rev. M. Starke*, of Gross Tschirna, Silesia; a genus of Compositæ.
- Starling** (Ornith.) *Anglo-Sax. flære*; *Germ. flahr*; the *Sturnus vulgaris*.
- Star'wort** (Bot.) from the form of flower; the genus *Aster*; a genus of Compositæ.
- Stathmo'poda** (Ent.) σταθμός, a balance, πούς, a foot; the insect in repose extends its hind legs in a horizontal position; a genus of Lepidoptera.
- Sta'tice** (Bot.) στατική, to stop; from its astringency; Sea-lavender; a genus of Plumbaginaceæ.
- Staunto'nia** (Bot.) P. N. in honour of *Sir George Staunton*; a genus of Lardizabalaceæ.
- Stauraca'nthus** (Bot.) σταυρός, a cross, ἄκανθα, a spine; a genus of Leguminosæ.
- Stauran'thera** (Bot.) σταυρός, a cross, and ἀνθή, an anther; a genus of Gesneraceæ.
- Stauras'trum** (Bot.) σταυρός, a cross, αστρος, a star; a genus of Algae.
- Stauro'ceras** (Bot.) σταυρός, a cross, κίρας, horn; a genus of Algae.
- Stauroglot'tis** (Bot.) σταυρός, a cross, and γλωττίς, a lip or labellum; a genus of Orchidaceæ.
- Stauro'gyne** (Bot.) σταυρός, a cross, and γυνή, a pistil; a genus of Acanthaceæ.
- Stauro'neis** (Bot.) σταυρός, a cross; a genus of Algae.
- Staurophyllus-a-um** (Bot.) σταυρός, a cross, φύλλον, a leaf; having leaves arranged cross-wise, e. g. *Podolobium staurophyllum*.
- Stauro'ptera** (Bot.) σταυρός, a cross, πτερόν, a feather; a genus of Algae.
- Stauropteru's-a-um** (Bot.) same etymol.; having crosses on the wings.

**Stauro'matum** (Bot.) σταυρωμα, a palisade; the stems being used for making them; a genus of Araceæ.

**Staurophal'lus** (Bot.) σταυρός a cross, and φαλλός, a fungus.

**Staurophra'gma** (Bot.) σταυρός, a cross, φράγμα, a division or palisade; a genus of Scrophulariaceæ.

**Stau'ropus** (Ent.) σταῦρος, a cross, πόδις, a foot; from the form of the forelegs of the larva; a genus of Lepidoptera.

**Staurospe'rnum** (Bot.) σταυρός, a cross, σπίρη, feed; a genus of Algæ.

**Sta'vesacre** (Bot.) *Anglo-Sax. staves-acre*; the Delphinium Staphisagria.

**Steato'rnis** (Ornith.) στεῖρα, fat or tallow, ὄρνις, a bird; this name, as well

as the popular one of Oil bird, is taken from the fact that the natives largely employ the oil contained in their bodies; the Guacharo bird.

**Stechman'nia** (Bot.) P. N., a genus of Compositæ.

**Steenhamma'ria** (Bot.) P. N. in honour of a celebrated German botanist; a genus of Boraginaceæ.

**Steenstru'pia** (Zool.) P. N. in honour of — Steenstrup, a Danish naturalist.

**Steer** (Zool.) *Anglo-Sax. steer*; a young bullock or young ox.

**Stee'tzia** (Bot.) P. N. in honour of a celebrated Cryptogamia botanist; a genus of Hepaticæ.

**Steffen'sia** (Bot.) P. N. in honour of Heinrich Steffens, a distinguished German naturalist, who died in 1848; a genus of Piperaceæ.

**Stega'nia** (Bot.) στεγάνη, a covering, i. e., used for thatch; a genus of Polypodioid Filices.

**Steganophtha'lmeta** (Zool.) στεγανός, covered, ὄφθαλμός, the eye.

**Stegano'podes** (Ornith.) στεγανός, covered, πόδις, ποδός, the foot; applied to swimming birds having all the toes enclosed in the same membrane.

**Stegano'tropis** (Bot.) στεγάνη, a covering, τρίπα, to turn; a genus of Leguminosæ.

**Stegano'tus** (Bot.) στεγανός, covered; a genus of Compositæ.

**Stegas'ma** (Bot.) στέγασμα, a roof; a genus of Fungi.

**Ste'gia** (Bot.) στέγη, a roof; a genus of Fungi.

**Stegnogram'ma** (Bot.) στεγάνη, covered, γραμμα, marking or writing; a genus of Polypodioid Filices.

**Stegnospe'rma** (Bot.) στεγάνη, covered, σπίρη, feed; a genus of Phytolaccaceæ.

**Stego'balus** (Bot.) στέγη, a covering, βάλλω, to throw off; a genus of Fungi.

**Stegoco'rpis** (Bot.) στέγης, a roof, καρπός, fruit; a division of Muscæ.

**Stegonosporium** (Bot.) στεγανός, covered, σπορά, spore; a genus of Fungi.

**Stego'sia** (Bot.) στίγμα, to cover (with thatch); a genus of Graminae.

**Steinhellia** (Bot.) P. N., a genus of Asclepiadaceæ.

**Steinkellneria** (Ent.) P. N. in honour of *Steinkellner*, one of the Theresian Professors at Vienna.

**Steirac'tis** (Bot.) στειρός, barren, ἀστής, a ray; a genus of Compositeæ.

**Steirodias'cus** (Bot.) στειρός, barren, δίσκος, disk; a genus of Compositeæ.

**Steiroglos'sa** (Bot.) στειρός, barren, γλαῦσσα, tongue; a genus of Compositeæ.

**Steirone'ma** (Bot.) στειρός, barren, νήμα, filament; a genus of Primulaceæ.

**Stelechaspermum** (Bot.) στειλεχός, a trunk, σπέρμα, seed; a genus of Clusiaceæ.

**Steleocorys** (Bot.) στελεώσι, a handle, κίρυξ, a helmet; a genus of Orchidaceæ.

**Stelephu'rus** (Bot.) στήλη, a pillar, εἴρα, tail; a genus of Graminae.

**Stel'lis** (Bot.) στέλλις, the Greek name of some parasitical plant, perhaps the mistletoe; a genus of Orchidaceæ.

**Stel'lis** (Ent.) στήλη, a post; a genus of Hymenoptera.

**Stellan'the** (Bot.) στέλλω, to arrange, ἄνθος, flower; a genus of Ericaceæ.

**Stella'ra** (Bot.) *stellaris*, starry; a genus of Orobanchaceæ.

**Stella'ria** (Bot.) *stella*, a star; from its star-like flowers; a genus of Caryophyllaceæ.

**Stella'ris** (Bot.) *Lat.* starry; in botany, a genus of Liliaceæ.

**Stella'ris-e** (Ornith., Bot.) *Lat.* starry, e. g., *Saxifraga stellata*.

**Stella'tæ** (Bot.) *stellatus*, star-shaped; the order, formed by Ray, which comprises the Galiums and other stellate-leaved plants.

**Stella'tus-a-um** (Zool., Bot.) *Lat.* e. g., *Testudo stellata*.

**Stelle'ra** (Bot.) P. N. in honour of G. W. Steller, a celebrated botanical collector, who died in 1746; a genus of Gentianaceæ.

**Ste'ilio** (Zool.) *Lat.* a lizard; the Gecko, which has star-like spots on its back; a genus of Reptilia.

**Stel'lula** (Ornith.) dim. of *stella*, a star; a genus of Humming-birds.

**Stellul'ina** (Bot.) *stellula*, a little star; a genus of Confervaceæ.

**Stematosper'mum** (Bot.) στεμματο-σπόρος, a wreath, σπέρμα, seed; a genus of Graminae.

**Stemmacantha** (Bot.) στεμματο-μάταια, a wreath, ἄκανθα, a prickle; a genus of Compositeæ.

**Stemmade'nia** (Bot.) στεμματο-μάταια, a wreath, ἀδήν, a gland; a genus of Apocynaceæ.

- Stemmatoph'ora (Ent.) στεμματοφόρα, a wreath, φέρειν, to carry.
- Stemmatosi'phon (Bot.) στεμματοφίφων, a wreath, σίφων, a tube; a genus of *Styracaceæ*.
- Stemmodon'tia (Bot.) στεμματία, a wreath, ὄδος, ὀδούτης, a tooth; a genus of *Compositæ*.
- Stemo'dia (Bot.) στεμματία, a stamen, δίς, double; having two-anthered filaments; a genus of *Scrophulariaceæ*.
- Stemoni'tis (Bot.) στεμματίτης, a spindle; alluding to the form of some species; a genus of *Fungi*.
- Stemphy'lium (Bot.) στεμφυλίον, oil-cake; which it resembles; a genus of *Fungi*.
- Stenac'tis (Bot.) στενάκις, narrow, ἀκτίς, ray, (florets); a genus of *Compositæ*.
- Stenan'drium (Bot.) στενάδριον, narrow, ἀνθη, ἀνθός, anther; a genus of *Acanthaceæ*.
- Stenan'thera (Bot.) στενάθηρα, narrow, ἀθηρα, an anther; a genus of *Epacridaceæ*.
- Stenan'thium (Bot.) στενάθιον, narrow, ἀθός, flower; a genus of *Melanthaceæ*.
- Ste'ne (Ent.) στενός, narrow; a genus of *Coleoptera*.
- Stenel'mis (Ent.) στενός, narrow, έλμης, a worm; a genus of *Coleoptera*.
- Ste'nia (Ent., Bot.) στενός, narrow; a genus of *Orchidaceæ*; also a genus of *Lepidoptera*.
- Ste'nidæ (Ent.) the family of *Coleoptera* of which *Stenus* is the typical genus.
- Stenocar'pus (Bot.) στενός, narrow, καρπός, fruit; a genus of *Proteaceæ*.
- Steno'cera (Ent.) στενός, narrow, κίρας, a horn (antennæ).
- Stenochil'lus (Bot.) στενός, narrow, χειλός, lip, (of the corolla); a genus of *Myoporaceæ*.
- Stenochil'e-na (Bot.) στενός, narrow, χειλίνη, robe; a genus of *Polypodioid Filices*.
- Stenocli'ne (Bot.) στενός, narrow, κλίνη, bed; a genus of *Compositæ*.
- Stenocœ'lium (Bot.) στενός, narrow, κοῖλος, hollow; a genus of *Umbelliferae*.
- Stenocory'ne (Bot.) στενός, narrow, κορύνη, a club or mace; a genus of *Orchidaceæ*.
- Ste'ndon (Bot.) στενός, narrow, ὄδος, ὀδούτης, tooth; a genus of *Melastomaceæ*.

- Stenoglos'sa** (Ent.) στενός, narrow, γλῶσσα, a tongue; a genus of Hymenoptera.
- Stenoglos'sum** (Bot.) same derivation; a genus of Orchidaceæ.
- Stenoglot'tis** (Bot.) στενός, narrow, γλωττίς, lip; a genus of Orchidaceæ.
- Stenogram'ma** (Bot.) στενός, narrow, γράμμα, inscription or marking; a genus of Algae.
- Steno'gyne** (Bot.) στενός, narrow, γυνή, pistil; a genus of Labiatæ.
- Stenolo'bium** (Bot.) στενός, narrow, λοβός, pod; a genus of Bignoniacæ; also a genus of Leguminosæ.
- Stenolo'bus** (Bot.) same derivation; a genus of Polypodioid Filices.
- Steno'lophus** (Bot.) στενός, narrow, λόφος, a crest; a genus of Composite.
- Stenomes'son** (Bot.) στενός, narrow, μέσος, middle; a genus of Amarylli-daceæ.
- Stenope'talum** (Bot.) στενός, narrow, πτελεός, leaf; a genus of Cruciferæ.
- Steno'phylax** (Ent.) στενός, narrow, φύλαξ, a guard, probably in allusion to the antennæ.
- Stenophyl'lum** (Bot.) στενός, narrow, φύλλον, leaf; a genus of Composite.
- Steno'ptera** (Bot.) στενός, narrow, πτερόν, wing; a genus of Orchidaceæ.
- Stenop'terus** (Ent.) same derivation; a genus of Coleoptera.
- Steno'pteryx** (Ent.) στενός, narrow, πτερυξ, a wing.
- Stenorhi'na** (Zool.) στενός, narrow, ρίνη, nose.
- Stenorhynchi'na** (Zool.) στενός, narrow, ρύγχος, a beak; a sub-family of Mammalia.
- Stenorhyn'chus** (Bot., Zool.) στενός, narrow, ρύγχος, a beak; a genus of Orchidaceæ; in zoology, a genus of Decapod Crustacea and of Phocidæ.
- Stenosoma** (Zool.) στενός, narrow, σῶμα, body; a genus of Isopod Crustacea.
- Stenos'tola** (Ent.) στενός, narrow, στολή, a robe; a genus of Coleoptera.
- Stenu'ra** (Ent.) στενός, narrow, οὐρά, tail; a genus of Coleoptera.
- Ste'nus** (Ent.) στενός, narrow, referring to its attenuated form; a genus of Coleoptera.
- Stephanan'dra** (Bot.) στιφάνος, a crown (shaped), ἄνη, ἀνδρός, stamen; a genus of Rosaceæ.
- Stephanan'thus** (Bot.) στιφάνος, a crown, ἀνθός, a flower; a genus of Compositæ.
- Stepha'nia** (Bot.) P. N. in honour of *F. Stephan*, a Professor at Moscow; a genus of Menispermaceæ.
- 'nium** (Bot.) στιφάνος, a crown; a genus of Cinchonaceæ.

- Stephanoca'rus** (Bot.) στρίφαρος, a crown, and καρπός, fruit ; a genus of Cistaceæ.
- Stephano'coma** (Bot.) στρίφαρος, a crown, κόμη, a tuft or head ; a genus of Compositeæ.
- Steph'anohy'dra** (Zool.) στρίφανος, a wreath or coronet, ὕδρα, a water-serpent ; a genus of Ophidians.
- Steph'anopap'pus** (Bot.) στρίφανος, a crown, and πάππας, the seed-down ; a genus of Compositæ.
- Steph'ano'phorus-a-um** (Ornith.) στρίφανος, a crown (tuft), φέρω, to bear ; tuft-bearing.
- Steph'anophyl'lum** (Bot.) στρίφανος, a crown, φύλλον, a leaf ; a genus of Eriocaulaceæ.
- Steph'anophy'sum** (Bot.) στρίφανος, a crown, φύσις, a bladder ; a genus of Acanthaceæ.
- Steph'anopo'dium** (Bot.) στρίφανος, a crown, πόδις, ποδός, a foot or stem ; a genus of Chailletiacæ.
- Steph'ano'stoma** (Bot.) στρίφανος, a crown, στόμα, opening.
- Stephano'tis** (Bot.) στρίφανος, a crown ; from its natural adaptedness for chaplets ; a magnificent genus of Asclepiadaceæ.
- Stephen'sia** (Ent.) P. N. in honour of *James Francis Stephens*, author of "Illustrations of British Entomology," &c., who died in 1851 ; a genus of Lepidoptera.
- Sterbeo'kia** (Bot.) P. N., a genus of Capparidaceæ.
- Stercora'lius** (Ornith.) *fleuccus*, ordure ; the Skua ; a genus of Sea-gulls.
- Stercu'lia** (Bot.) *fleuccus*, ordure ; some species are fetid ; typical genus of Sterculiaceæ.
- Ste'rus musca'rum** (Ichth.) *Lat.* the dung of flies ; from a longitudinal series of black dots on the pre-operculum and sides.
- Stereelin'ma** (Zool.) στρεπός, solid, ἔλαυνε, a worm ; applied by Professor Owen to intestinal worms having no discoverable viscera.
- Stereocau'lon** (Bot.) στρεπός, rigid, καυλός, a stem ; a genus of Lichenes.
- Stereocladon** (Bot.) στρεπός, unbending, κλαδός, a branch.
- Stereococ'cus** (Bot.) στρεπός, hard, κόκκος, berry or seed ; a genus of Algae.
- Stereoder'ma** (Bot.) στρεπός, hard, διρμάκι, rind ; a genus of Oleaceæ.
- Ste'reodon** (Bot.) στρεπός, stiff, δόνη, tooth (of the peristome) ; a genus of Musci.
- Stereone'ma** (Bot.) στρεπός, hard, νήμα, filament ; a genus of Algae.

- Stereophyllum** (Bot.) στερός, hard, φύλλων, leaf; a genus of Bryoid Musci.
- Stereosper'mum** (Bot.) στερός, hard, σπίρινα, seed; a genus of Bigonniaceæ.
- Stereoxylon** (Bot.) στερός, hard, ξύλον, wood; a genus of Escalloniaceæ.
- Ste'reum** (Bot.) στῆνη, fat; a genus of Fungi.
- Sterig'ma** (Bot.) στήριγμα, a prop; the stamens are joined at the base; a genus of Cruciferæ.
- Sterigmote'mon** (Bot.) στήριγμα, a prop, στῆμα, stamen; i. e., the stamen being bifurcated at the top; a genus of Cruciferæ.
- Sterilis-e** (Bot.) Lat. barren, useless; e. g. *Bromus sterilis*.
- Ste'ripha** (Bot.) στήριφος, tough; a genus of Convolvulaceæ.
- Steripho'ma** (Bot.) στήριφος, tough; a genus of Capparidaceæ.
- Ste'ris** (Bot.) στῆνη, grease; a genus of Hydrophyllaceæ.
- Ste'rna** (Ornith.) Lat. a tern; typical genus of *Sternidae*, the Terns or Sea-swallows.
- Sternar'chus** (Ichth.) στήριφος, the breast-bone, ἀπέχει, to prevail; a genus of Gymnotid Fishes.
- Sternber'gia** (Bot.) P. N. in honour of *Count Gasper Sternberg*, a celebrated botanist; a genus of Liliaceæ.
- Sternocly'ta** (Ornith.) στήριφος, the breast, αὐλτός, famous; a genus of Humming-birds.
- Stero'xi** (Ent.) στήριφος, the breast, ὁξύς, sharp; a division of Coleoptera.
- Ste'ropus** (Ent.) στερεός, hard, πούς, foot; a genus of Coleoptera.
- Ster'rha** (Ent.) στερρός, hard, strong; a genus of Lepidoptera.
- Stethoreo'tus** (Ent.) στῆθος, the breast, rectus, straight; a genus of Hymenoptera.
- Stettinen'sis-e** (Ent.) belonging to *Stettin*, Pomerania.
- Steude'lia** (Bot.) P. N. in honour of the celebrated author of the "Nomenclator;" a genus of Erythroxylaceæ.
- Stevar'tia** (Bot.) P. N., a genus of Malvaceæ.
- Steve'na** } (Bot.) } P. N., in honour of *C. Steven*, a Russian botanist;  
**Steve'nia** } (Bot.) } genera of Cruciferæ.
- Steven'sia** (Bot.) P. N., a genus of Cinchonaceæ.
- Sté'via** (Bot.) P. N. in honour of *Peter James Eustace, M.D.*, Professor of Botany at Valencia; a genus of Compositæ.
- Sti'bas** (Bot.) στιβάς, a mattress; a genus of Stylidiaceæ.
- Stibi'sta** (Zool.) from *stibium*, a preparation of antimony used for staining the eyelids; from having two narrow black bars across the foot.

- Sticherus (Bot.) στίχος, a row or line; a genus of Polypodioid Filices.
- Stichocarpus (Bot.) στίχος, a row or line, παρός, fruit; a genus of Algae.
- Stichococcus (Bot.) στίχος, a row or series, κόκκος, berry or feed; a genus of Algae.
- Sticho'stega (Zool.) στίχος, a row or line, στίγη, a chamber; an order of Foraminifera, having a linear series of chambers.
- Stick'leback (Ichth., Bot.) German, *flickling*; Dutch, *fleckelbaar*; French, *épinuche*; the Gasterosteus aculeatus; in Botany, the Galium Aparine.
- Stict'a (Bot.) στικτός, spotted, from the under surface of the fronds; a genus of Lichenes.
- Sticticalis (Ent.) στικτός, marked, spotted.
- Stict'is (Bot.) στικτός, spotted; from the dot-like appearance of many species; a genus of Fungi.
- Stictyosiphon (Bot.) στικτός, variegated, σφων, tube; a genus of Algae.
- Stiff'tia (Bot.) P. N., a genus of Compositæ.
- Stigeoclonium (Bot.) στίξη, to spot or mark, κλωνός, a young shoot; a genus of Algae.
- Stigone'ma (Bot.) στίξη, to mark or pit, νήμα, filament; a genus of Algae, section Oscillatoriaceæ.
- Stig'ma, plural Stig'mata (Ent., Bot.) Lat. a mark or spot; the *figmata* are the air-slits of insects, equivalent to spiracles; in Botany, that part of the pistil upon which the pollen rests.
- Stigmanthus (Bot.) στίγμα, stigma, ἄθος, flower; a genus of Cinchonaceæ.
- Stigmaphyl'on (Bot.) στίγμα, a style, φύλλων, a leaf, because the termination of the style becomes expanded into the form of a leaf; a genus of Malpighiaceæ.
- Stigmatothe'ca (Bot.) στίγμα, stigma, θήκη, a sheath; a genus of Compositæ.
- Stig'mea (Bot.) στίγμα, a point; a genus of Fungi.
- Stigmode'ra (Ent.) στίγμα, a spot, γένη, the neck.
- Stigmono'ta (Ent.) στίγμα, a mark, ρώτος, the back; a genus of Lepidoptera.
- Stig'mus (Ent.) στίγμα, a spot; a genus of Hymenoptera.
- Stigone'ma (Bot.) στίγμα, dotted, νήμα, a filament; from the regular annular dots of the filaments; a genus of Confervaceæ.
- Stila'go (Bot.) στύλος, a style; probably so called from its length; typical genus of Stilaginaceæ.

- Stil'be** (Bot.) στιλβε, to shine; typical genus of *Stilbaceæ*.
- Stil'bia** } (Ent.) { στιλβε, to glitter; a genus and family of *Lepido-Stilbi'idae* ptera.
- Stilbo'spora** (Bot.) στιλβός, shining, σπορά, a seed (sporule); a genus of Fungi.
- Stil'bum** (Bot.) στιλβίς, shining; the plants are at first watery and gelatinous; a genus of Fungi.
- Stillingfleet'ia** (Bot.) P. N. in honour of *Benjamin Stillingfleet*, grandson of the bishop, who died in 1771; a genus of *Euphorbiaceæ*.
- Stillin'gia** (Bot.) P. N. in honour of the same eminent English botanist; the *S. feibifera* is the Tallow-tree of China; a genus of *Euphorbiaceæ*.
- Stilpno'gyne** (Bot.) στιλπνής, glittering, γυνή, pistil; a genus of *Compositæ*.
- Stilpnopap'pus** (Bot.) στιλπνής, glittering, πάπυρος, the down of plants; a genus of *Compositæ*.
- Stilpnoph'y'tum** (Bot.) στιλπνής, glittering, φυτόν, a plant; a genus of *Compositæ*.
- Sting-fish** (Ichth.) the *Trachinus vipera*; called also the Little Weever.
- Stink-horn** (Bot.) the *Phallus impudicus*.
- Sti'pa** (Bot.) στίψη, hemp; Feather-grass; a genus of *Gramina*.
- Stipa'gros'tis** (Bot.) the genus *Stipa*, and *agrostis*, wild; a genus of *Gramina*.
- Stipitu'rūs** (Ornith.) *stipes*, a club, οὐπε, tail; a genus of Wren-like Birds.
- Stipocau'lōn** (Bot.) *stipe*, to compress, *caulis*, a stem; a genus of *Algæ*.
- Stipopo'dium** (Bot.) *stipe*, to compress, πούς, ποδός, stem; a genus of *Algæ*.
- Stipula'ria** (Bot.) *stipula*, a straw (stipule); a genus of *Illecebraceæ*.
- Stip'ulæ** (Bot.) *stipula*, a straw; *stipules*, the little leaf-like appendages adjoined to the base of the leaf; in hepaticæ and mosses they are called amphigastrid.
- Stit'chwort** (Bot.) the varieties of *Stellaria*.
- Sti'za** (Bot.) στιζός, spotted; a genus of *Leguminosæ*.
- Stizolo'bium** (Bot.) στιζός, party-coloured, λαθής, a pod; a genus of *Leguminosæ*.
- Stizo'lōphus** (Bot.) στιζός, spotted, λέρος, a tuft; a genus of *Compositæ*.
- Sti'zus** (Ent.) στιζός, party-coloured; a genus of *Hymenoptera*.
- Stoat** (Zool.) the *Mustela erminea*.
- Stobæ'a** (Bot.) P. N. in honour of *Dr. Stobæus*, of Lund, one of Linnaeus's first patrons; a genus of *Compositæ*.

**Stock** (Bot.) various species of the genus *Matthiola*.

**Stock-dove** (Ornith.) "because it builds in the stocks of trees, particularly such as have been headed down, and have become in consequence rugged and bushy at the top."—YARRELL. The *Columba Oenas*.

**Stoe'be** (Bot.)  $\sigma\tauοιβή$ , a cushion or pad, because the original plant was used for bedding; a genus of Compositæ.

**Stoke'sia** (Bot.) P. N. in honour of *Jonathan Stokes*, M.D., coadjutor of Withering; a genus of Compositæ.

**Stolidus-a-um** (Ornith.) *Lat.* dull, stupid; e. g., *Anōnus flolidus*, the Noddy.

**Stolon** (Bot.) *Lat.* *stolo*, *stoloni*, a sucker, which from  $\sigma\tauιλλω$ , to put forth; French, *stolon*; applied to a branch given off above the surface of the ground which descends thereto, and from which arise fresh shoots.

**Stoma'dra** (Bot.)  $\sigma\tauόμα$ , an opening,  $\deltaνίρ$ ,  $\deltaνόρ$ , stamen; a genus of Loganiaceæ.

**Stoma'poda** (Zool.)  $\sigma\tauόμα$ , mouth,  $\tauούς$ ,  $\tauοδός$ , foot; the mouth-footed Crustaceans; an order of Podophthalma.

**Stomar'rhena** (Bot.)  $\sigma\tauόμα$ , opening,  $\deltaφην$ , flamēn; a genus of Epacridaceæ.

**Sto'mata**, or **Sto'mates** (Bot.)  $\sigma\tauόμα$ , opening or mouth; the small longitudinal openings in the epidermis of plants.

**Stoma'tium**, pl. **Stoma'tia** (Bot.)  $\sigma\tauόμα$ , a mouth; applied by Bridel to the epiphragm of mosles.

**Sto'mias** (Ichth.)  $\sigma\tauόμα$ , the mouth; having the mouth deeply cleft; a genus of Pike-like Fishes.

**Sto'mis** (Ent.)  $\sigma\tauόμις$ , hard-mouthed; a genus of Coleoptera.

**Stomobra'chium** (Zool.)  $\sigma\tauόμα$ , a mouth,  $\betaραχίων$ , the arm; a genus of Medusæ.

**Stom'phia** (Zool.)  $\sigma\tauόμφιος$ , wide-mouthed.

**Stone-crop** (Bot.) the common stone-crop is *Sedum acre*.

**Sto'rax** (Bot.) a gum which is the produce of *Styrax officinale*.

**Stork** (Ornith.) *Anglo-Sax.* *store*, *Germ.* *storch*; the common stork is *Ciconia alba*.

**Stor'kia** (Bot.) P. N., a genus of Liliaceæ.

**Stot** (Zool.) *Anglo-Sax.* *stod-hors*; applied, like steer, to a young bullock or ox.

**Strabo'nia** (Bot.) P. N. in honour of the ancient celebrated geographer; a genus of Compositæ.

**Stramenta'lis** (Ent.) *framen*, straw; straw-coloured.

**Stramina'lis** (Ent.) *framineus*, straw-coloured; from the colour of the wings.

- Strami'neus-a-um** (Zool., Bot.) *Lat.* straw-coloured.
- Stramo'nium** (Bot.) said to be from *stramen*, a straw, from its fibrous roots; Thorn-apple; a genus of Solanaceæ.
- Stranga'lia** (Ent.) στραγγαλία, a knot; a genus of Coleoptera.
- Strangwe'la** (Bot.) P. N., a genus of Liliaceæ.
- Stratio'ma** } (Ent.) στρατίς, war-like; a genus and family of Diptera.
- Stratio'midae** } (Ent.) στρατίς, warlike, μύια, a fly; a genus of Diptera.
- Stratio'mys** (Ent.) στρατίς, warlike, μύια, a fly; a genus of Diptera.
- Stratiota'lis** (Ent.) feeds on *Stratiotes aloides*, the common Water Soldier.
- Stratio'tes** (Bot.) στρατίτης, a soldier, from its sword-like leaves; the Water Soldier; a genus of Hydrocharitidæ.
- Straus'sia** (Bot.) P. N., a genus of Cinchonaceæ.
- Stranva'ssia** (Bot.) P. N. in honour of the Hon. W. T. H. Fox *Strange*-ways; a genus of Rosaceæ.
- Strava'dia** (Bot.) P. N., a genus of Barringtoniacæ.
- Strava'dium** (Bot.) from *Tijeria Samfravadi*, its Malabar name; a genus of Myrtaceæ.
- Straw'berry** (Bot.) the berry that grows upon a plant prone to *stray*, by runners, from its centre of attachment; properly Strayberry; plant and fruit of the genus *Fragaria*, order Rosaceæ.
- Streblan'thera** (Bot.) στρεβλός, twisted, ἄνθη, anther; a genus of Boraginaceæ.
- Streblid'ia** (Bot.) στρεβλή, a screw, οὖς, likeness; a genus of Cyperaceæ.
- Streblocar'pus** (Bot.) στρεβλός, twisted, κάρπος, fruit; a genus of Caprifidæ.
- Streblorhi'za** (Bot.) στρεβλός, twisted, ριζα, root; a genus of Leguminosæ.
- Streblo'trichum** (Bot.) στρεβλός, twisted, θρίξ, τρίχος, hair; a genus of Bryoid Musci.
- Stre'blus** (Bot.) στρεβλός, twisted; a genus of Artocarpacæ.
- Streck'era** (Bot.) P. N., a genus of Compositæ.
- Strelitz'zia** (Bot.) P. N. in honour of the house of *Mecklenburg Strelitz*, of which Queen Charlotte was a member; a genus of Musaceæ.
- Strem'matogna'thus** (Zool.) στρίμματος-ερος, a twist, γάλθος, the jaw.
- Strempe'llia** (Bot.) στρίμματος, a twist, πελεύς, dark-coloured; a genus of Cinchonaceæ.
- Stre'nia** (Ent.) P. N. the goddess who presided over new year's gifts.
- Stre'pera** (Ornith.) *strepo*, to make a noise; from its loud and ringing note; the Shrike.
- Strephe'dium** (Bot.) στρίφως, a spiral; a genus of Bryoid Musci.

- Streph'ium (Bot.) στρεφίος, a spiral; a genus of Graminae.
- Streph'odon (Bot.) στρεφός, a spiral; a genus of Caryophyllaceæ.
- Strep'selas (Ornith.) στρέψειν, to turn, λαῖς, a stone; Illiger's name for the Turn-stones.
- Strep'sia (Bot.) στρέψις, a turning round; a genus of Bromeliaceæ.
- Strepsip'tera (Ent.) στρέψις, a twisting, πτήσις, wing, a sub-order of Insects.
- Streptach'ne (Bot.) στρεπτός, pliant, ἄχυν, an awn; a genus of Graminae.
- Streptan'thera (Bot.) στρεπτός, twisted, ἀνθη, anther; a genus of Iridaceæ.
- Streptan'thus (Bot.) στρεπτός, twisted, ἀνθος, flower; a genus of Cruciferae.
- Strepta'xidæ } (Zool.) { στρεπτός, twisted, axis; a family and genus of Strepta'xis } Pulmoniferous Mollusca.
- Strep'tium (Bot.) στρεπτός, twisted; a genus of Verbenaceæ.
- Streptocar'pus (Bot.) στρεπτός, twisted, καρπός, fruit; a genus of Gesneraceæ.
- Streptocau'lon (Bot.) στρεπτός, twisted, καυλός, a stem; a genus of Asclepiadaceæ.
- Streptochæ'sta (Bot.) στρεπτός, twisted, χαῖτη, bristle; a genus of Graminae.
- Streptopo'gon (Bot.) στρεπτός, twisted, ρύμη, beard; a genus of Graminae.
- Strepto'gyna (Bot.) στρεπτός, twisted, γυνή, pistil; a genus of Graminae.
- Streptopet'alum (Bot.) στρεπτός, twisted, πίταλος, leaf; a genus of Frankeniaceæ.
- Strepto'phorus (Zool.) στρεπτός, twisted, φερίω, to go along; a genus of Colubrine ophidians.
- Strep'topus (Bot.) στρεπτός, twisted, ποδός, a foot; referring to the flower stalks; a genus of Melanthiaceæ.
- Streptosta'chys (Bot.) στρεπτός, twisted, στάχυς, a spike; a genus of Graminae.
- Strep'tothrix (Bot.) στρεπτός, twisted, θρίξ, hair; a genus of Fungi.
- Stria'ria (Bot.) /fria, a groove; the fronds are marked with grooves; a genus of Fuci.
- Striatel'la (Bot.) dim. of /fria, a groove; the frustules are longitudinally striated; a genus of Diatoms.
- Stria'tula (Bot.) dim. of /fria, a groove; a small groove.
- Stria'tus-a-um (Zool., Bot.) Lat. furrowed, fluted, grooved.
- Stri'ga (Bot.) /riga, a furrow; a genus of Scrophulariaceæ.
- Stri'gia (Bot.) /riga, a furrow; a genus of Compositeæ.
- Strigidae (Ornith.) /rix, an owl; the Owls; a family of Birds of the order Raptoreæ.

- Strigidor'sus-a-um** (Zool.) *ſtriga*, a furrow, *dorsum*, the back; e.g. applied to a mustela (weasel) having a yellowish-white dorsal and ventral stripe; e.g. *Mustela ſtrigidera*.
- Strigila'ta** (Ent.) *ſtrigili*, a strigil or scraper used by bathers, the form of which is supposed to be represented by the marks on the wings.
- Strigil'la** (Bot.) *ſtrigili*, a scraper; a genus of *Styracaceæ*.
- Strig'nae** (Ornith.) a sub-family of birds, of the order *Accipitres*, of which *Strix* is the typical genus.
- Strigops** (Ornith.) *στρίξ*, owl, ἄγα, eye; the Owl-parrot; a genus of *Pittacidae*.
- Strigo'sus-a-um** (Bot.) *ſtriga*, a swathe; having bristle-like hairs.
- Strig'ulus-a-um** (Bot., Ent.) *ſtriga*, a swathe, a line or streak; implying markings like furrows in a field.
- Strix** (Ornith.) *στρίξ*, *Lat. ſtrix*, an owl.
- Stro'bila** (Bot.) *στριβίλας*, a pine-cone; from the cone-like inflorescence; a genus of *Boraginaceæ*.
- Strobilan'thes** (Bot.) *στριβίλης*, a cone, ἄνθος, flower; from the cone-like inflorescence; a genus of *Acanthaceæ*.
- Strobilocar'pus** (Bot.) *στριβίλης*, a cone, καρπός, fruit; a genus of *Bruniaceæ*.
- Strobilora'chis** (Bot.) *στριβίλης*, a cone, *ἰαχίς*, the back-bone (*axis* of inflorescence); a genus of *Acanthaceæ*.
- Strobilosau'ra** (Zool.) *στριβίλης*, a fir-cone, *σαῦρα*, lizards; the Cone-tailed Lizards.
- Stro'billus** (Bot.) *Lat.* a cone; an imbricated scaly inflorescence.
- Stroboca'lyx** (Bot.) *στριβός*, a top (shaped), *calyx*; a genus of *Compositæ*.
- Strogano'veia** (Bot.) P. N. in honour of *Stroganoff*, a Russian botanist; a genus of *Cruciferæ*.
- Strombo'sia** (Bot.) *στρέμβης*, a ball; a genus of *Rhamnaceæ*.
- Strömia** (Bot.) P. N., a genus of *Capparidaceæ*.
- Strongy'lodon** (Bot.) *στρογγύλως*, spherical; a genus of *Leguminosæ*.
- Strongy'lisper'ma** (Bot.) *στρογγύλως*, spherical, *στρίγμα*, seed; a genus of *Compositæ*.
- Stro'ngylus** (Zool., Ent.) *στρογγύλως*, round, spherical; in entomology, a genus of *Coleoptera*.
- Stro'pha** (Bot.) *στρίφης*, a twisted cord; a genus of *Chloranthaceæ*.
- Strophan'thus** (Bot.) *στριφής*, twisted, ἄθος, a flower; a genus of *Apocynaceæ*.

- Strophio'stoma (Bot.) *στρόφις*, a twisting, *στόμα*, an opening; a genus of Boraginaceæ.
- Strophopap'pus (Bot.) *στρόφος*, a twist, *πάπυρος*, the down of plants; a genus of Compositæ.
- Strophoso'mus (Ent.) *στρόφος*, a twist, *σῶμα*, body; a genus of Coleoptera.
- Strophostyles (Bot.) *στρόφος*, a twist, *στῦλος*, a style; a genus of Leguminosæ.
- Strucke'ria (Bot.) P. N., a genus of Vochysiaceæ.
- Struma'ria (Bot.) *struma*, a tubercle; from the base of the style; a genus of Amaryllidaceæ.
- Strump'fia (Bot.) P. N., a genus of Cinchonaceæ.
- Struthan'thus (Bot.) *στρυμός*, a sparrow, *θεός*, a flower; from the resemblance of its flowers to an unfledged bird; a genus of Loranthaceæ.
- Stru'thio (Ornith.) *στρουθίων*, an ostrich, i. e., the great *στρουθές*, which latter word was used for a small bird; the Ostrich.
- Struthi'ola (Bot.) *στρουθός*, a little bird; the seeds are beak-like; a genus of Thymelaeæ.
- Struthiola'ria (Zool.) *struthio*, an ostrich; the Ostrich's-foot shell; a genus of Mollusca.
- Struthio'pteris (Bot.) *στρουθίων*, an ostrich, *πτήσις*, fern; the fronds are like feathers; a genus of Filices.
- Stru'thium (Bot.) *στρουθίων*, ancient name of a plant; a genus of Caryophyllaceæ.
- Stru'vea (Bot.) P. N. in honour of *Struve*, the astronomer.
- Stry'chnos (Bot.) *στρύχνης*, the Greek name of the Solanum; a genus of Loganiaceæ.
- Strychnodaph'ne (Bot.) the genus *Strychnos, daphne*, laurel; a genus of Lauraceæ.
- Stryphnoden'dron (Bot.) *στρυφνόδρομος*, rough, astringent; a genus of Leguminosæ.
- Stuar'tia (Bot.) P. N. in honour of *John Stuart, Marquis of Bute*, a distinguished patron of botany; a genus of Ternstroemiaceæ.
- Stubendor'fia (Bot.) P. N., a genus of Cruciferae.
- Stul'tus (Zool.) *Lat.*, a fool.
- Stur'geon (Ichth.) *Gothic, stur*, latinized into *sturio*; *Ital. sturione*, *Fr. esturgeon*; from the last of these we derive the word.
- Stu'rio (Ichth.) *Low Lat.*, a sturgeon.
- Sturion'idæ (Ichth.) *sturio*, with family term.; the Sturgeon family.
- Stur'mia (Bot.) P. N. in honour of *Jacob Sturm*, a German botanist; a genus of Orchidaceæ.

- Sturnel'la** 'Ornith.' dim. of *sturnus*, a starling.
- Star'nidae** 'Ornith.' *sturnus*, fam. term. *ide*; the Starling family.
- Sturnus** (Ornith.) *Lat.* a starling.
- Stygeoclo'niūm** (Bot.) *στύγεος*, hateful, *κλωνία*, a young shoot; a genus of Algeæ.
- Stylan'dra** (Bot.) *στύλος*, a column, *άνθη*, a stamen, a genus of Aste-  
piadæceæ.
- Stylat'us-a-um** 'Ent. Bot.) *stylus*, a pointed shaft; having an elongated  
or pointed body, e. g. *Afilius stylatus*, *Erodium stylatum*.
- Styleph'orus** 'Ichth.' *στύλος*, a mast, *φέρει*, to carry.
- Style'sia** (Bot.) P. N., a genus of Composite.
- Styli'dia'ceæ** (Bot.) the Styleworts, of which the following is the typical  
genus.
- Styli'dium** (Bot.) *στύλος*, pillar, from the remarkable irritability of the  
column formed by the union of the filaments and style; Stylewort; a  
typical genus of Styliidiaceæ.
- Styli'sis** (Bot.) *στύλος*, a pillar; a genus of Alangiaceæ.
- Styli'sma** (Bot.) *στύλος*, a mast or spar; a genus of Convolvulaceæ.
- Styloba'ssis** (Bot.) *στύλος*, pillar, *βασις*; a genus of Algeæ.
- Styloba'stium** (Bot.) same derivation; a genus of Chrysobalanaceæ.
- Stylo'bates** (Bot.) *στύλος βαστης*, the foot or base of a pillar; a genus of  
Fungi.
- Stylo'ceras** (Bot.) *στύλος*, pillar, *κίρας*, horn; a genus of Euphorbiaceæ.
- Stylochæ'ton** (Bot.) *στύλος*, pillar (style), *χαίτη*, a tuft; a genus of Araceæ.
- Stylocli'ne** (Bot.) *στύλος*, pillar (style), *κλίνη*, a bed; a genus of Composite.
- Styloco'mium** (Bot.) *στύλος*, pillar (style), *κόμη*, tuft; a genus of Bryoid  
Musci.
- Styloco'ryne** (Bot.) *στύλος*, pillar (style), *κορύνη*, a club; a genus of  
Cinchonaceæ.
- Styloclis'cus** (Bot.) *στύλος*, pillar (style), *δίσκος*, disk; a genus of Euphorbi-  
aceæ.
- Styloglos'sum** (Bot.) *στύλος*, pillar, *γλῶσσα*, tongue; a genus of Orchid-  
aceæ.
- Stylo'gyne** (Bot.) *στύλος*, pillar (style), *γυνή*, pistil; a genus of Myrsinaceæ.
- Stylo'lepis** (Bot.) *στύλος*, a style, *λεπίς*, a scale; alluding to the form; a  
genus of Composite.
- Stylone'ma** (Bot.) *στύλος*, a style, *νῆμα*, filament; a genus of Cruciferæ.
- Stylopap'pus** (Bot.) *στύλος*, a style, *πάπυς*, the down of plants; a genus  
of Composite.

**Stylo'phorum** (Bot.) *στῦλος*, a style, *φέρω*, to bear; a genus of Papaveraceæ.

**Sty'lops** (Ent.) *στῦλος*, the writing-style of the ancients, *ὅμις*, likeness; a genus of Strepsiptera.

**Stylosan'thus** (Bot.) *στῦλος*, a style, *ἄνθος*, a flower, the style being very long; a genus of Leguminosæ.

**Sty'lospores** (Bot.) *στῦλος*, a pillar, (style), *σπορά*, seed, (spore); isolated spores of certain Fungi borne upon short simple stalks.

**Styloste'gium** (Bot.) *στῦλος*, stem (columella), *στίγη*, lid.

**Stylu'rus** (Bot.) *στῦλος*, a pillar, *όυρα*, a tail; from the long tails of the seeds.

**Stylu'sus** (Bot.) *Lat.* a shaft or column; the *style* is that portion of the pistil which separates the stigma from the germen; also, in entomology applied to the *βασίτη* of the poiser of the Diptera.

**Stypan'dra** (Bot.) *στύπην*, tow, *ἄνθη*, an anther; a genus of Liliaceæ.

**Styph'elia** (Bot.) *στυφελός*, rigid; a genus of Epacridaceæ.

**Sty'phion** (Bot.) *στυφός*, astringent, hard; a genus of Algae.

**Styphnolo'bium** (Bot.) *στυφός*, hard, *λαβός*, pod; a genus of Leguminosæ.

**Stypho'nia** (Bot.) *στυφός*, rugged; a genus of Anacardiaceæ.

**Sty'rax** (Bot.) altered from *affhirak*, the Arabic name; typical genus of Styracaceæ.

**Sty'sanus** (Bot.) etymology unknown; a genus of Fungi.

**Suz'e'da** (Bot.) *συσθῆναι*, swine-like, because they feed on it; Sea-blite; a genus of Chenopodiaceæ.

**Suar'dia** (Bot.) P. N., a genus of Graminae.

**Suavel'la** (Ent.) *suavis*, pleasant, agreeable.

**Sua'veolens** (Bot.) *Lat.* sweet-scented, e. g. *Tulipa suaveolens*.

**Subal'bicans** (Bot.) *Lat.* somewhat white.

**Subarqua'tus-a-um** (Ornith.) *Lat.* somewhat arched.

**Subbu'teo** (Ornith.) implying some resemblance to the buzzard, *Buteo*.

**Subcilia'ta** (Ent.) *sub*, slightly, *ciliatus*, fringed; the antennæ being ciliated in the male.

**Subcinc'tus** (Zool.) *Lat.* slightly girdled; having bands very faint or nearly obsolete.

**Su'ber** (Bot.) *Lat.* the cork-tree, scientifically *Quercus Suber*.

**Subflaviven'tris** (Zool.) *subflavus*, somewhat yellowish, *venter*, the belly.

**Subgutturo'sa** (Zool.) *Lat.* somewhat wide-throated.

**Subli'mia** (Bot.) *sublimis*, lofty; a genus of Palmæ.

**Submer'sus-a-um** (Bot.) *submerge*, to sink, to submerge, e. g. *Ceratophyllum submersum*; because it lives in water.

- Suboper'culum** (Ichth.) *sub*, under, *operculum*, a cover or lid.
- Subro'seus-a-um** (Ent.) *Lat.* slightly rosy.
- Subsericea'tus-a-um** (Ent.) *sub*, slightly, *sericeus*, silky.
- Sub'uла** (Ent.) *Lat.* an awl; a genus of Diptera.
- Subula'lis** (Ent.) "awl-like," from *subula*, an awl.
- Subula'ria** (Bot.) *subula*, an awl, from the form of the leaves; a genus of Cruciferae.
- Succenturia'tus-a-um** (Ent.) *Lat.* taken as a recruit, a substitute.
- Succi'sus-a-um** (Bot.) *Lat.* lopped, from the appearance of the roots; e. g. *Scabiosa Succisa*.
- Succo'wia** (Bot.) P. N. in honour of Prof. *Suckow*, a botanist of Heidelberg; a genus of Cruciferae.
- Suchtele'nia** (Bot.) P. N., a genus of Boraginaceæ.
- Sucker** (Bot.) applied to a branch arising from the stem below the surface of the earth, which ultimately rises and forms a separate plant.
- Sue'cicus-a-um** (Ornith., Bot.) *Lat.* Swif, e. g. *Cornus Suecica*.
- Suffre'nia** (Bot.) P. N., a genus of Lythraceæ.
- Suh'rria** (Bot.) P. N., a genus of Algae.
- Suill'ius** (Bot.) *Lat.* pertaining to swine; applied by Pliny to a black hog-mushroom; a genus of Fungi.
- Suill'ius-a-um** (Zool.) *Lat.* swine-like, pig-nosed.
- Sulca'tus-a-um** (Ent., Bot.) *Lat.* furrowed, e. g. *Scorpiurus Sulcatus*.
- Suli'pa** (Bot.) etymology doubtful; a genus of Cinchonaceæ.
- Sullivan'tia** (Bot.) P. N., a genus of Saxifragaceæ.
- Sulphura'lis-e** (Ent.) *Lat.* sulphur-coloured.
- Sulphu'reus-a-um** (Ornith., Bot.) *Lat.* sulphur-coloured, e. g. *Motacilla sulphurea*, the Yellow Wagtail.
- Sulze'ria** (Bot.) P. N., a genus of Loganiaceæ.
- Sulzeria'lia** (Ent.) P. N. in honour of J. H. *Sulzer*, a Swiss, and Professor at Berlin, who died in 1779.
- Su'mach** (Bot.) Arabic, *simaq*; the genus *Rhus*.
- Sumatra'nus-a-um** (Zool.) appertaining to the Island of Sumatra.
- Sun-dew** (Bot.) common name of the *Drosera*.
- Sun-fish** (Ichth.) popular name of one or two kinds of Orthagoriscus.
- Sunius** (Ent.) etymology doubtful; a genus of Coleoptera.
- Superbus-a-um** (Ornith., Bot.) *Lat.* splendid, magnificent, e. g. *Paradisea superba*.
- Supercilio'sus** (Ornith.) *superillum*, an eye-brow; e. g. *Pomatorhinus superciliosus*, the White Eye-browed Thrush.

- Su'roulus** (Bot.) *Lat.* a young shoot.
- Sur'nia** (Ornith.) etymology doubtful; a genus of Strigidae.
- Sus** (Zool.) *Lat.* a boar or sow.
- Sutherlan'dia** (Bot.) P. N. in honour of *J. Sutherland*, author of botanical catalogue; a genus of Leguminosæ.
- Su'tor** (Ichth.) *Lat.* a shoemaker; used as a specific name of the "shoemaker" of Martinique, *Blepharis sutor*.
- Swainso'nia** (Bot.) P. N. in honour of *Isaac Swainson*, *F.R.S.* & *L.S.*, a great cultivator of plants about the end of the last century; a genus of Leguminosæ.
- Swallow** (Ornith.) *Anglo-Sax.* *swalewe*; the common swallow is *Hirundo rustica*.
- Swammerdam'mel'la** (Ent.) P. N. in honour of *John Swammerdam*, the discoverer of the true metamorphoses of insects, who died in 1680.
- Swan** (Ornith.) unchanged from the Anglo-Saxon; common name for *Anas cygnus*.
- Swa'rtzia** (Bot.) P. N. in honour of *Olaf Swartz*, a celebrated Swedish botanist; a genus of Leguminosæ.
- Swederel'l'a** (Ent.) P. N. in honour of *N. S. Sweder*, author of various papers published in the "Stockholm Transactions" at the close of the last century. (Acc. List of Brit. Lepid.)
- Swee'tia** (Bot.) P. N. in honour of *Robert Sweet*, *F.L.S.*, promoter and editor of several botanical periodicals; a genus of Leguminosæ.
- Sweet-brier** (Bot.) popular name of the *Rosa rubiginosa*.
- Sweet-Cicely** (Bot.) the *Myrrhis odorata*.
- Swer'tia** (Bot.) P. N. in honour of *E. Swert*, a celebrated cultivator in Holland; a genus of Gentianaceæ.
- Swiete'nia** (Bot.) P. N. in honour of *Baron Gerard van Swieten*, a celebrated Dutch physician and botanist; the Mahogany-tree; a genus of Cedrelaceæ.
- Swift** (Ornith.) popular name of the Cypselus.
- Sword-fish** (Ichth.) the *Xiphias gladius*.
- Sy'agrus** (Bot.) P. N., the first who wrote the Trojan war in verse; a genus of Palmaceæ.
- Sy'baris** (Ent.) P. N. in mythology; a genus of Coleoptera.
- Sy'calis** (Ornith.) *συκαλίς*, the fig-pecker; a genus of Finches.
- Sychi'num** (Bot.) *συκίνη*, fig-like; a genus of Moraceæ.
- Sycko'rea** (Bot.) P. N., a genus of Jungermanniaceæ.
- Sycoori'nites** (Fos., Zool.) *σύκον*, a fig; *σπίριον*, a lily; a genus of Crinoidea.

**Sycomor'phe** (Bot.) σῦκον, a fig, and μορφή, shape; a genus of Moraceæ.  
**Sye'na** (Bot.) συνίσ, swinish, i. e. only fit for swine's food; a genus of Mayaceæ.

**Syke'sia** (Bot.) P. N., a genus of Loganiaceæ.

**Syllis** (Zool.) σύλλις, a necklace, the tentacles being arranged like the beads of a necklace; a genus of Annulata, family Nereides.

**Sylva'nus-a-um** (Ent.) *Lat.* found in woods.

**Sylva'ticus-a-um** (Bot.) *Lat.* belonging to woods; *e. g.*, *Carex sylvatica*.

**Sylvia** (Ornith.) *Lat.* a warbler.

**Sylvi'idae** (Ornith.) *sylvia*, with fam. term.; a family of Incessores.

**Sylvi'næ** (Ornith.) *sylvia*, a warbler; the Warblers; a sub-family of Passeres.

**Symæ>this** (Ent.) the name of a Nymph, mentioned by Ovid, *Met.* xiii. 150.

**Symblome'ria** (Bot.) σύμβλοτος, a beehive, μέλις, a part; a genus of Compositæ.

**Symbolan'thus** (Bot.) σύμβολος, a gathering, ἄνθος, a flower; a genus of Gentianaceæ.

**Symbran'chidæ** } (Ichth.) { σύν, together, βαγχία, gills; from the two outlets of the gills forming a single external orifice; a genus of Malacopterous Fishes.

**Symme'tria** (Bot.) συμμετρία, symmetry, proportion; a genus of Lythraceæ.

**Sympho'rema** (Bot.) συμφορία, to heap up; a genus of Verbenaceæ.

**Sypho'ria** (Bot.) συμφορία, to collect together; a genus of Caprifoliaceæ.

**Syphoricar'pus** (Bot.) συμφορία, to collect or heap up, καρπός, fruit; the Snow-berry bush; a genus of Caprifoliaceæ.

**Syphoricar'pus-a-um** (Bot.) σύν, together, φέρω, to bear, καρπός, fruit; bearing fruit clustered together.

**Syphyllan'thus** (Bot.) σύν, together, φύλλον, a leaf, ἄνθος, a flower; a genus of Chailletiacæ.

**Syph'yodon** (Bot.) συμφυής, grown together, joined, οδόν, tooth (of the peristome); a genus of Bryoid Musci.

**Syphyo'gyna** (Bot.) συμφυής, joined, γυνή, pistil; a genus of Juncaginaceæ.

**Syphyo'lepis** (Bot.) συμφυής, joined, λεπίς, a scale; a genus of Proteaceæ.

**Syphyo'lo'ma** (Bot.) συμφυής, joined, λάμα, fringe; a genus of Umbelliferæ.

**Syphyomy'rtus** (Bot.) συμφυής, united, myrtus; a genus of Myrtaceæ.

- Symphyone'ma* (Bot.) συμφυής, united, μέμα, filament; a genus of Proteaceæ.
- Symphyosi'phon* (Bot.) συμφυής, united, φωνή, a tube; a genus of Algae.
- Symphyoste'mon* (Bot.) συμφυής, united στάμαν, stamen; a genus of Iridaceæ.
- Sym'phyothrix* (Bot.) συμφυής, united, θύλη, hair; a genus of Algae.
- Sym'phyotrichum* (Bot.) same derivation; a genus of Composite.
- Symphy'sia* (Bot.) σύμφυσις, a natural joining; a genus of Vacciniaceæ.
- Symphy'sodon* (Bot.) συμφυσίς, a natural joining, οδον, tooth (of the peristome); a genus of Bryoid Musci.
- Sy'mphytum* (Bot.) συμφύω, to cause to unite; from its healing qualities; Comfrey; a genus of Boraginaceæ.
- Sympie'za* (Bot.) συμπίξω, to press together; because the stamens adhere to the tube of the corolla; a genus of Ericaceæ.
- Sy'mploca* (Bot.) σύμπλοκος, interwoven; a genus of Algae.
- Symploca'ria* (Ent.) συμπλοκή, connection; a genus of Coleoptera.
- Symplocar'pus* (Bot.) συμπλοκή, connection, καρπός, fruit; a genus of Orontiaceæ.
- Sy'mplocos* (Bot.) συμπλοκή, connection, referring to the stamens being united at the base; a genus of Styracaceæ.
- Sympo'dium* (Bot.) σύν, together, πόδις, ποδός, foot, i. e., foot-stalk; a genus of Umbelliferæ.
- Synæ'drys* (Bot.) σύν, implying relation to, δρῦς, the oak; a genus of Corylaceæ.
- Sy'nagris* (Ent.) συναγέσιν, to hunt together; a genus of Hymenoptera.
- Synallax'ina* (Ornith.) συνάλλαξιν, to associate together; applied to a group of birds, family Certhidae; typical genus, Synallaxis.
- Synalys'sis* (Bot.) συναλίνω, to wander about; a genus of Fungi.
- Synam'mia* (Bot.) σύναμμα, a band or knot; a genus of Polypodioid Filices.
- Synan'dra* (Bot.) σύν, together, ἀνθη, ἀνθρίς, anther; a genus of Acanthaceæ.
- Synanthe'rea* (Bot.) σύν, together, ἀνθη, ἀνθη, anther; Richard's excellent name for the Compositæ.
- Synan'therus-a-um* (Bot.) σύν, together, ἀνθη, anther; the anthers united into a tube; equivalent to syngenesious.
- Sy'naphe* (Ent.) συναψή, a junction.
- Syna'phea* (Bot.) συναψίς, united, from the singular union of the barren filament with the stigma; a genus of Proteaceæ.

- Synaphle'bium** (Bot.) σύν, together, φλέβη, a vein; a genus of Polypodioid Filices.
- Syna'ptes** (Zool.) συναγεῖσθαι, to lay hold of; a family of Echinodermata.
- Synarrhe'na** (Bot.) σύν, together, ἄρπη, a stamen; a genus of Sapotaceæ.
- Synar'thrum** (Bot.) σύν, together, ἄρθρον, a joint; a genus of Compositæ.
- Syncaly'pta** (Ent.) σύν, together, καλύπτειν, to cover; a genus of Coleoptera.
- Synocar'pha** (Bot.) σύν, together, κάρπης, a chip (stipule); a genus of Compositæ.
- Syncar'pia** (Bot.) σύν, together, καρπός, fruit; a genus of Myrtaceæ.
- Syncephala'ntha** (Bot.) σύν, together, κεφαλή, head, ἀνθετος, flower; a genus of Compositæ.
- Synceph'alum** (Bot.) σύν, together, κεφαλή, head; a genus of Compositæ.
- Synchi'ta** (Ent.) σύν, together, χιτών, a case or covering; a genus of Coleoptera.
- Syndao'tylus-a-um** (Zool.) σύν, together with, δάκτυλος, a finger or toe; having united toes.
- Synechococ'cus** (Bot.) συνίχειν, to hold together, κόκκος, seed; a genus of Algae.
- Syne'dra** (Bot.) συνεδρία, assembly; a genus of Algae.
- Syngene'sia** (Bot.) σύν, together, γένεσις, birth; the anthers united into a tube; a Linnæan class of plants.
- Syngene'sius-a-um** (Bot.) same derivation and meaning; having united anthers.
- Syn'gnathus** } (Ichth.) { σύν, together, γνάθος, a jaw; a family  
**Syngna'thidae** } (Ichth.) { and genus of Pipe-fishes, group Lophobranchia.
- Synno'tia** (Bot.) P. N. in honour of *W. Synnot*, who collected many plants at the Cape; a genus of Iridaceæ.
- Synor'gana** (Bot.) σύν, together, ὄργανον, organ; name proposed by Schultz for the Endogens.
- Synphyllum** (Bot.) σύν, together, φύλλον, leaf; a genus of Scrophulariaceæ.
- Synspo'reeæ** (Bot.) σύν, together, σπορά, seed (spore); a section of Algae.
- Syntherisma** (Bot.) συνθηρίσων, to find together; a genus of Graminae.
- Synthy'ris** (Bot.) σύν, together, θύρις, an opening (cell); a genus of Scrophulariaceæ.
- Synto'mium** (Ent.) συρίγμειν, to cut short; a genus of Coleoptera.
- Synto'mopus** (Ent.) συρίγμειν, to cut short, πόδης, a foot.
- Syntri'chia** (Bot.) σύν, together, θρίξ, τρίχη, filament; a genus of Bryoid Musci.

- Synu'chus** (Ent.) σύν, together, ὄνυξ, ὄνυχος, a claw; a genus of Coleoptera.
- Synzygan'thera** (Bot.) σύν, together, ζυγός, a pair, ἀνθίση, anther; a genus of Lacistemaee.
- Syorrhyn'chium** (Bot.) σῦν, swine, πρυγχος, beak; Pig's snout Iris; a genus of Iridaceæ.
- Syre'nia** (Bot.) a geographical name; a genus of Cruciferæ.
- Syr'nium** (Ornith.) etymology doubtful; a sub-genus of Strigidae.
- Syreno'psis** (Bot.) the genus *Syrenia*, σύνης, likeness; a genus of Cruciferæ.
- Syriacus-a-um** (Ornith., Bot.) *Lat.* Syrian, e. g. Hibiscus *Syriacus*.
- Syrichthus** (Ent.) perhaps from σύριγχος, a pipe; alluding to the markings, which, in some specimens, resemble a Pan's-pipe; or (as suggested by M. Guénéée), from συρικτής, a piper.
- Syrin'ga** (Bot.) from σύριγχος, a pipe or tube; because formerly used for making Turkish pipes; the Lilac; a genus of Oleaceæ.
- Syringo'dea** (Bot.) σύριγχος, a pipe, σύνης, likeness; in allusion to the tubular form of the flowers; a genus of Ericaceæ.
- Syringo'sma** (Bot.) the genus *Syringa*, (lilac), σύριγχος, smell; a genus of Apocynaceæ.
- Sy'rinx** (Zool.) σύριγχος, a tube or pipe; a genus of Echinodermata.
- Syrma'tium** (Bot.) σύρμα-ατος, that which is trailed along; a genus of Leguminosæ.
- Sy'rphidæ** { (Ent.) { σύρφος, a small-winged insect; a family and genus  
    **Sy'rphus** } of Diptera.
- Syrrho'a'ptes** (Ornith.) συρράπτης, to knit together; from a partial union of the toes; Pallas' Sand-grouse; a genus of Gallinæ.
- Syrrhopo'don** (Bot.) σύρρωνες, confluent (connivent), σύρν, a tooth; the teeth being nearly horizontal; a genus of Bryoid Musci.
- Sys'pone** (Bot.) συστάζει, to squeeze together; a genus of Leguminosæ.
- Systasis** (Ent.) σύνταξις, union.
- Syste'gium** (Bot.) σύν, with, στεγή, covering; a genus of Musci.
- Sy'stole** (Ent.) συστολή, contraction.
- Systylium** (Bot.) σύστυλος, arranged like columns; a genus of Bryoid Musci.
- Syu'rus** (Bot.) σῦν, swine, σύρα, tail; Pig's-tail grass; a genus of Graminae.
- Syzig'i'tes** (Bot.) συζυγία, union; a genus of Fungi.
- Syzygium** (Bot.) σύζυγος, coupled; the branches and leaves are united together in pairs; a genus of Myrtaceæ.
- Szovit'sia** (Bot.) P. N. in honour of *M. Szovitz*, a Hungarian botanist; a genus of Umbelliferae.

Ta'bacum (Bot.) this name has been variously accounted for ; some derive it from the island of *Tobago*, others from *Tabasco*, in New Spain ; the most probable explanation is that from *tobac*, an instrument used by the natives of America in smoking this herb ; specific name of the Tobacco-plant, *Nicotiana Tabacum*.

Taban'idæ} (Ent.) { *tabanus*, a gad-fly; *Ital. tafano*; *Span. tabano*; the Tabanus } Breeze-flies; a family and genus of Diptera.

Tabella'ria (Bot.) *tabella*, a tablet ; a genus of Diatomaceæ.

Taber'mononta'na (Bot.) P. N. in honour of *J. T. Tabernメントа*, a celebrated botanist ; a genus of Apocynaceæ.

Tac'ca (Bot.) the Malay name of one species ; typical genus of Taccaceæ.

Tach'in'a (Ent.) *ταχινίς*, agile, swift ; a genus of Diptera, family Muscidae.

Tach'inus (Ent.) *ταχινός*, speedy, swift ; a genus of Coleoptera.

Tachydro'mus (Zool.) *ταχυδρόμος*, fast-running ; a genus of Saurian reptiles.

Tachyer'ges (Ent.) *ταχυεργές*, working quickly ; a genus of Coleoptera.

Tachyg'a'lia (Bot.) *Tachygali*, its name in Guiana ; a genus of Leguminosæ.

Tachyme'nis (Zool.) *ταχύ μηνίς*, swift to anger ; a genus of Colubrine ophidians.

Tachynec'tes (Zool.) *ταχύς*, quick, *νίστη*, to swim ; a genus of Ophidians.

Tachype'tes (Ornith.) *ταχυπέτης*, flying fast ; a genus of the family Pelecanidæ, which contains the Frigate-bird.

Tachypho'nus (Ornith.) *ταχύς*, swift, *φόρος*, slaughter ; a genus of Tanagers.

Tachypo'ridæ (Ent.) a family of Coleoptera, of which *Tachyperus* is the type.

Tachypori'na} (Ent.) { *ταχύπορος*, quick of motion ; genera of Coleo-Tachyporus } ptera.

Tachyp'terus (Ent.) *ταχύπτερος*, swift-winged ; a genus of Hymenoptera.

Tach'ypus (Ent.) *ταχύπος*, swift-footed ; a genus of Coleoptera.

Tach'y's (Ent.) *ταχύς*, agile ; a genus of Coleoptera.

Tachysau'russ (Zool.) *ταχύς*, swift, *σαῦρος*, a lizard ; a genus of Saurian reptiles.

Tachy'tes (Ent.) *ταχυτής*, quickness, swiftness ; a genus of Hymenoptera.

Tachyu'sa (Ent.) *ταχύς*, swift ; a genus of Coleoptera.

Tacso'nia (Bot.) *tacso*, its name in Peru ; a genus of Passifloraceæ.

Tador'na (Ornith.) *Span. tadorno*, *Fr. tudorne* ; the Shield-drake ; a genus of Anatidæ.

- Tad'pole (Zool.) *Anglo-Sax.* *tade*, toad, *sole*, (*Lat. pullus*) a foal or colt; the young of the frog in their first state from the spawn.
- Taeda'na (Ent.) *taeda*, a pine, fir-tree, on which it feeds.
- Tæ'nia (Zool.) *ταίνια* of Aristotle (the *πλαστῖς ἐλμύρις* of Hippocrates); the Tape-worm; a genus of Entozoa.
- Tæniatus-a-um (Ent.) *tenia*, a band; having stripes of colour.
- Tænioca'mpa (Ent.) *ταίνια*, a little band, *κάμπη*, a caterpillar. "La netteté de leurs lignes c'est ce qui m'a décidé à en tirer le nom générique." (Guénée.) A genus of Lepidoptera.
- Tæniocar'pum (Bot.) *ταίνια*, a riband, *καρπός*, fruit; a genus of Leguminosæ.
- Tænioi'des (Ichth.) *ταίνια*, a band or riband, *εἴδος*, likeness; a family of Fishes nearly allied to the Mackerels.
- Tæniola'lis (Ent.) *tenia*, a band; alluding to the straight whitish band across the wings.
- Tæniophyl'lum (Bot.) *ταίνια*, a riband, *φύλλον*, a leaf; a genus of Orchidaceæ.
- Tæniop'sis (Bot.) *ταίνια*, a riband, *σῆψις*, likeness; a genus of Polypodioid Filices.
- Tænio'ptera } (Ornith.) { *ταίνια*, a riband, *πτήσις*, a wing; a genus Tæniopteri'næ } and tribe of Birds, family Muscicapidae.
- Tænio'pteris (Fos. Bot.) *ταίνια*, a riband, *πτήσις*, a fern: it has long riband-like leaves.
- Tæni'tis (Bot.) *ταίνια*, a fillet, from the long narrow frond; a genus of Polypodiaceæ.
- Tænos'o'ma (Ent.) *ταίνια*, a band, *σῶμα*, a body; a genus of Coleoptera.
- Tag'e'tes (Bot.) P. N. from *Tages*, a Tuscan divinity; a genus of Compositæ.
- Talepo'ria (Ent.) *ταλαιπωρος*, wretched; i. e. in appearance.
- Talau'ma (Bot.) vernacular name of the South American species; a genus of Magnoliaceæ.
- Talegal'la (Ornith.) *Fr. talève*, the name of an allied species, and *gallus*, the domestic fowl; a genus of Birds of the family Palamedeidae.
- Talgue'nea (Bot.) after its vernacular name, *talguén*; a genus of Rhamnaceæ.
- Talie'ra (Bot.) its aboriginal name; a genus of Palmæ.
- Tali'num (Bot.) probably from *θαλία*, bloom; a genus of Portulacaceæ.
- Ta'lipat-palm (Bot.) *Fr. tallipot*; the *Corypha umbraculifera* of Ceylon.
- Tali'sia (Bot.) from *toulich*, its name in Guiana; a genus of Sapindaceæ.

- Tal'litrus (Zool.) *talitrum*, a rap or fillip with a finger; the Sand-flea; a genus of Crustacea.
- Tal'pa (Zool.) *Lat.* a mole; *Fr.* la taupe; *Span.* topo; a genus of insectivorous Mammals.
- Tal'pidæ (Zool.) *talpa*, a mole; the Moles; a family of Insectivora.
- Taman'dua (Zool.) from the native name; a genus of Ant-eaters.
- Tamarin'dus (Bot.) the Latinized form of Arabic *Tamar Indi*, Indian date or palm; the Tamarind-tree; a genus of Leguminosæ.
- Tam'arix (Bot.) *Fr.* and *Span.* *tamaris*; *Ital.* *tamarisco*; by some said to be derived from *Heb.* *tamarik*, cleansing; but by others from the river *Tamaris*, now *Tambre*, near the Pyrenees, the people of which neighbourhood were called *Tamarisci*; the Tamarisk; typical genus of Tamaricaceæ.
- Tama'tias (Ornith.) etymology uncertain; the Puff-bird; a genus of Passeres.
- Ta'mias (Zool.) *taμίας*, a storekeeper; from possessing cheek-pouches; a genus of Mammalia, family Sciuridæ.
- Tamo'nea (Bot.) from *tamone*, its name in Guiana; a genus of Verbenaceæ.
- Tamus (Bot.) name of Columella for a plant resembling a vine: *Tamus communis* is the miscalled "Black bryony;" a genus of Dioscoreaceæ.
- Tanace'tum (Bot.) Latinized from *Tanfy*, *q. v.*; a genus of Composite.
- Tanæ'cium (Bot.) *τανακήν*, with a long point; referring to the elongated stem; a genus of Crescentiaceæ.
- Tan'agra (Ornith.) a genus of Birds of the family Fringillidæ.
- Tanagri'næ (Ornith.) a tribe of Birds belonging to the family Fringillidæ; the Tanagers.
- Tan'aïs (Zool.) *ταναΐς*, outstretched, long; a genus of Crustacea.
- Tanghi'nia (Bot.) the native Madagascar name of the ordeal-tree, *Tanghin*; a genus of Apocynaceæ.
- Tankervil'lia (Bot.) P. N. in honour of the *Earl of Tankerville*; a genus of Orchidaceæ.
- Tan'sy (Bot.) said to be a corruption of *ἀθανασία*, immortality; from its durable flowers; *Fr.* *tanaïsie*, *Ital.* *tanaceto*; the *Tanacetum vulgare*.
- Tan'talus (Ornith.) P. N., a genus of Birds of the family Scolopacidae.
- Tanyme'cus (Ent.) *τανυμέχην*, slim, long-stretched.
- Tanysi'ptera (Ornith.) *τανύω*, to extend, *πτερον*, a wing; a genus of tropical Kingfishers.

- Tanysphy'rus (Ent.) *τανύσφυρος*, having long taper feet.
- Tanytrophœ'us (Fos. Zool.) *τανύων*, to elongate, *στρίφω*, to turn; in allusion to the peculiar proportion of the Vertebre.
- Tapeinan'thus (Bot.) *ταπεινός*, modest, *ἀρθος*, a flower; a genus of Amaryllidaceæ.
- Tapetiel'la (Ent.) *tapetia*, carpets, tapestry.
- Ta'phozous (Zool.) *τάφος*, a tomb, *ζέω*, to live; applied by M. Geoffroy to a vampire which he found in the catacombs of Egypt.
- Taphrode'res (Ent.) *τάφρος*, a channel, *δίφη*, the neck; a genus of Coleoptera.
- Taphrosper'mum (Bot.) *τάφρος*, a trench, *στρίμων*, feed; a genus of Cruciferæ.
- Tapiro'ca (Bot.) no doubt from the native Brazilian name; the prepared meal of the Jatropha Manihot.
- Tapiri'na } (Zool.) adapted from the native word; the Tapir; a sub-Tapi'r'us } family and genus of Mammalia.
- Tarac'tes (Ichth.) *ταράκτης*, a disturber; a genus of tropical Fishes.
- Taran'dus (Zool.) *Lat.* a quadruped in Scythia, mentioned by Pliny, of the size of an ox, with pointed horns and a head like a stag, probably the reindeer; the Reindeer.
- Taran'tula (Zool.) from *Tarentum*, in Italy, where, as well as in the South of France, this species of spider is very common; it is thought to require music for the cure of its bite.
- Tarax'acum (Bot.) *ταράξων*, to change; from its supposed effects on the blood; formerly a generic name, now the specific name of the Dandelion, Leontodon *Taraxacum*.
- Tarchonan'thus (Bot.) Arabic *tarchon*, tarragon, *ἄρθος*, a flower; a genus of Compositeæ.
- Tardi'grada (Zool.) *tardus*, slow, *gradus*, a step; applied by Cuvier to a family of Mammals; also used for a family of Arachnidæ.
- Tardi'gradus-a-um (Ent.) same etymology; flow-paced.
- Tar'dus-a-um (Ornith.) *Lat.* slow.
- Targio'nia } P. N. in honour of John Antony Targioni, a  
Targonia'ceæ } (Bot.) } Florentine botanist; a genus and division  
of Hepaticæ.
- Tar'ragon (Bot.) corruption of Arabic *tarchon*, which is the Artemisia Dracunculus.
- Tarsicrina'lis (Ent.) *tarsus*, the extremity of the leg, *crinalis*, like hair.

- Tarsicrista'lis (Ent.) *tarfu*, the extremity of the leg, *crūdārīs*, like a plume.
- Tarsipenna'lis (Ent.) *tarfu*, the extremity of the leg, *pennīs*, a feather; also referring to the brush or *fan* upon the forefoot of the male.
- Tar'sipes (Zool.) *tarfu* and *pes*, the foot.
- Tarsipluma'lis (Ent.) *tarfu*, the extremity of the leg, *plumātīs*, like down.
- Tar'sius (Zool.) *tarfu*, the instep; from a peculiar elongation of the bones; a genus of Mammalia, order Quadruped.
- Tartar'icus-a-um (Ornith., Bot.) *Lat.* belonging to Tartary; Tartarian, e. g., *Lonicera Tartarica*.
- Tar'us (Ent.) *τάρος*, swift; a genus of Coleoptera.
- Tas'gius (Ent.) etymology unknown; a genus of Coleoptera.
- Tata'o (Ornith.) specific name of the seven-coloured Tanager; doubtless from the idea of its being *tattoo*-ed.
- Tatu'sia (Zool.) Latinized form of the native word *tatoo*; applied to an Armadillo.
- Tau'rec or Teu'rec (Zool.) the Centetes ecaudatus.
- Taurich'thyas (Ichth.) *ταῦρος*, *Lat. taurus*, a bull, *ἰχθύς*, a fish; the Buffalo-fish; a genus of Fishes, family Chætodontidae.
- Tauro'ma (Ent.) *ταῦρος*, *Lat. taurus*, a bull, *ἀγνός*, the shoulder.
- Tausche'ria (Bot.) P. N. in honour of *Ignatius F. Tausch*, Professor of botany at Prague; a genus of Cruciferæ.
- Tavernie'ra (Bot.) P. N. in honour of *Jean Baptiste Tavernier*, an Eastern traveller who died at Moscow in 1689; a genus of Leguminosæ.
- Taxi'tes (Fos. Bot.) *τάξης*, *Lat. taxu*, the yew-tree; a generic term for such coniferous remains as are evidently allied to the yew-tree.
- Taxocri'nus (Fos. Zool.) *τάξης*, a yew (form), *εγίση*, lily (encrinite); a genus of fossil Echinodermata.
- Taxo'dium (Bot.) *τάξης*, the yew-tree, *εἶδος*, like; from resemblance to the common yew; a genus of Coniferæ.
- Taxox'yton (Fos. Bot.) *τάξης*, a yew, *ξύλον*, wood.
- Tax'u's (Bot.) *Lat.* the Yew-tree (*τάξης*); either from *τάξις*, arrangement, from the leaves being placed on the branchlets like the teeth of a comb; or from *τάξης*, a bow, the wood being much used for that purpose. *T. baccata* is the *smilax* of Dioscorides, and the *μίλας* of Theophrastus.
- Taylor'ria (Bot.) P. N. in honour of *Dr Thomas Taylor*, one of the authors of the *Muscologia Britannica*; a genus of Mucri.
- Teal (Ornith.) *Dutch, teeligh*, from *teelen*, to procreate; the *Anas Crecca*.
- Tea'lia (Zool.) P. N. in honour of *Thomas Pridgen Teale*, the eminent surgeon of Leeds; a genus of Zoophytes.

Teasel or Teazle (Bot.) *Anglo-Sax.* *taſſl*; the Fullers' Teafel is the Dip-facus Fullonum.

Te'coma } from *tecomaxochitl*, the Mexican name, which means  
Tecoma'ria } (Bot.) a flower (*xochitl*) resembling a certain earthen-  
Tecomel'la } ware vessel (*tecomatl*); genera of Bignoniacæ.

Tec'tona (Bot.) *tekka*, its name in Malabar; the Teak-tree; a genus of Verbenaceæ.

Tec'trix, pl. Tec'trices, (Ornith.) *tego*, to cover; the "coverts" or clothing feathers of birds, divided into primæ, secundæ, and tertiaæ.

Tee'dia (Bot.) unexplained; a genus of Scrophulariacæ.

Teesda'lia (Bot.) P. N. in honour of Robert Tressdale, an English botanical author; a genus of Cruciferæ.

Tee-tee or Titi (Zool.) native name of a monkey, *Callithrix Sciureus*.

Tegena'ria (Ent.) *teges*, covering; a genus of Arachnida.

Tego'stoma (Ent.) *τιγός*, a roof, στήμα, a mouth.

Tei'dæ} etymology doubtful; a family and genus of Saurian  
Tei'us } (Zool.) Reptilia.

Tela'rius-a-um (Ent.) *tela*, a web; webbed.

Teledu (Zool.) its name in Java; the Stinkard; *Mydaus meliceps*.

Tele'kia (Bot.) unexplained; a genus of Compositæ.

Teleosau'russ (Fos. Zool.) *τιλασσός*, complete, σαῦρος, a lizard.

Tele'phium (Bot.) supposed to heal old ulcers like that of *Telephus*; specific name of a celebrated species of *Sedum*.

Telephor'idæ} (Ent.) a family and genus of Coleoptera.  
Teleph'orus } (Zool.)

Teler'peton (Fos. Zool.) *τιλασσός*, the end or issue of a thing, ἥπατος, a reptile; i. e., the last of reptiles.

Tell'ima (Bot.) anagram of *Mitella*; separated from that genus by R. Brown; a genus of Saxifragaceæ.

Telo'pea (Bot.) τηλωνία, seen at a distance; alluding to its brilliant blossoms; a genus of Proteaceæ.

Telopho'nus (Ornith.) *τῆλη*, far off, φωνη, a loud clear voice; a genus of Laniadæ.

Temnopleu'russ (Zool.) *τιμπάνη*, to cut off, στενή, the side; a genus of Echinodermata.

Temnu'russ (Ornith.) *τίμνειν*, to cut off, σύρα, a tail; a genus of Trogonidæ.

Temo'ra (Zool.) P. N., *Temora*, the palace of the ancient kings of Ireland.

Templeto'nia (Bot.) P. N. in honour of J. Templeton, an excellent Irish botanist; a genus of Leguminosæ.

- Tench (Ichth.) *Anglo-Sax.* *tince*; the *Tinca vulgaris*.
- Tene'brio } (Ent.) { *tenebrae*, darkness; because it frequents dark  
Tenebrion'idae } places; a genus and family of Coleoptera.
- Tene'l'lus-a-um (Bot.) *Lat.* delicate, tender, *e. g.*, *Anagallis tenella*.
- Teniasfor'mis-e (Bot.) *tenia*, a tape-worm, *forma*, shape, riband-like.
- Teno'ria (Bot.) P. N. in honour of *M. Tenore*, Professor of Botany at Naples, and author of the “*Flora Romana*”; a genus of Umbelliferae.
- Tenthre'do (Ent.) the *τενθρίδων*, mentioned by Aristotle in the ninth book of his History of Animals, is evidently some flying vespiform insect; the Saw-fly; a genus of Hymenoptera.
- Tenuicor'nis-e (Ent.) *tenuis*, slender, *cornu*, a horn; having slender antennæ.
- Tenuirostris (Ornith.) *tenuis*, slender, *rostrum*, a beak; the *Tenuirostres* form a family of Birds of the order Passeres.
- Ten'uis-e (Zool. Bot.) *Lat.* thin, slender; *e. g.*, *Lotus tenuis*.
- Tephradac'tylus (Ent.) *τίφα*, ashes (colour), *δάκτυλος*, a plume; specific name of a moth.
- Tephro'des (Bot.) *τεφρός*, ash-coloured; a genus of Compositeæ.
- Tephrodo'rnis (Ornith.) *τεφρός*, ash-coloured, *ὤψις*, a bird; the Grey Shrike of India; a genus of Laniadæ.
- Tephro'sia (Bot., Ent.) *τεφρός*, ash-coloured; a genus of Leguminosæ; in Entomology a genus of Lepidoptera.
- Tepidario'r'um (Ent.) gen. pl. of *tepidarius*, relating to warm baths; from the circumstance of the only known habitat of the spider, in England and on the continent, being in green and hot houses.
- Teram'nus (Bot.) *τηραμύνος*, soft; from the delicate pod; a genus of Leguminosæ.
- Te'ras (Ent.) *τίπας*, a wonder; a genus of Lepidoptera.
- Tera'stia (Ent.) *τηράσσως*, strange, wonderful; a genus of Lepidoptera.
- Terebrate'l'la (Zool.) dim. of *terebra*, a borer or gimlet; a genus of Brachiopod Mollusca.
- Terato'cera (Ent.) *τίπας-ατος*, a wonder, *τίπας*, a horn.
- Terato'logy (Zool., Bot.) *τίπας-ατος*, a monstrosity, *λόγος*, a treatise; the science of abnormal forms.
- Terebin'thus (Bot.) the *τερεβίνθος* of Theophrastus and Dioscorides.
- Te'rebra (Zool.) *Lat.* a borer or gimlet; the Auger-shell; a genus of Gasteropod Mollusca.
- Terebra'tula } dim. formed from *terebra*, a borer; the Lamp-shells; a genus and family of Brachiopod Terebratulidæ } Mollusca.

Terebra'tus-a-um (Zool.) *Lat.* bored, pierced.

Tere'do (Zool.) *Lat.* a wood-worm, from *τρίω*, to bore; well known to the ancients:—

“Estur ut occulta vitiata teredine navis;

*Aequorei scopulos ut cavit unda falias.*”

OVID, EPIST: Lib. i., Ep. 1.

Tere'dus (Ent.) *τερηδών*, a wood-worm; a genus of Coleoptera.

Terel'lus-a-um (Ent.) *terra*, the earth; earth-coloured.

Tere'rius (Ent.) *teres*, plump, well-shaped; a genus of Coleoptera.

Ter'gum (Zool.) *Lat.* the back; that which covers the back.

Terminal'ia (Bot.) *terminus*, end; the leaves are in bunches at the end of the branches; a genus of Combretaceæ.

Terminal'lis (Bot.) *Dracena terminalis* derives its specific name because it is planted as a landmark in India and China, to divide estates, and to denote the bounds of territorial property.

Termit'es } (Ent.) { etymol. doubtful; the White Ants; a family of Termit'idae } Neuroptera.

Ter'mo (Zool.) this specific name was given from having been supposed to be the limit of animal organization; one of the Monads.

Terrea'lis (Ent.) *terreus*, earthy.

Ternströ'mia (Bot.) P. N. in honour of *M. Ternström*, a Swedish naturalist; typical genus of Ternströmiaceæ.

Terres'tris-e (Bot.) *Lat.* that remains on the ground; e. g., *Nasturtium officinale*.

Terri'colæ (Ent.) *terra*, the earth, *colo*, to inhabit; the Crane-flies; a division of Diptera, family Tipulæ.

Terricula'lis (Ent.) *terrifica*, that which frightens, a bugbear.

Tersa'tus-a-um (Ent.) *terfus*, clean, neat.

Tessar'hra (Bot.) *τεσσαρες*, four, *ἄρθρον*, a joint; a genus of Diatoms.

Tessel'l'a (Bot.) *Lat.* a small square or quadrangular piece of stone for pavements &c.; a genus of Diatoms.

Tessella'tus-a-um (Zool., Bot.) *Lat.* tessellated, checkered; e. g., *Actinocrinus tesselatus*.

Tessera'nus-a-um (Ent.) *tessera*, a square tablet or chequer; referring to the wing-markings.

Testacea'lis (Ent.) *tessellatus*, having the colour of an earthen vessel.

Testacel'l'a } (Zool.) dim. of *tessela*, a shell; a genus and family of Pul-

Testacell'adæ } moniferous Mollusca.

Testa'lis (Ent.) *tessela*, a brick; from the colour.

- Testudina'ria** (Bot.) *tēfūdā*, a tortoise; from the resemblance of the outside of the rhizome; an extraordinary genus of *Dioscoreaceæ*.
- Testu'do** (Zool. Ent.) *Lat.* a tortoise; in entomology, from the larva having no perceptible legs.
- Tes'tula** (Bot.) *Lat.* a piece of broken pot; a term of Ehrenberg's, the equivalent of frustule; applied to the individual Diatom.
- Testula'lis** (Ent.) *tēfūdā*, a brick-bat, referring to colour.
- Te'hea** (Ent.) a kind of fungus mentioned by Pliny; a genus of Lepidoptera.
- Tetra-can'thus-a-um** (Ichth.) *tētērēs*, used in compound words for *tētērēs*, four, *zēxēs*, a spine; four-finned.
- Tetra-cau'lodon** (Fos. Zool.) *tētērēs*, four, *zēwēs*, a stem (task), *ōsēs*, *ōsētēs*, a tooth; applied to a Mastodon.
- Tetra'cerus-a-um** (Zool.) *tētērēs*, four, *zēpēs*, a horn; four-horned; applied to a genus of Antelopes.
- Tetracli'ta** (Zool.) *tētērēs*, four, *zēitōs*, a slope or declivity; a genus of Cirripedes.
- Tetradac'tylus-a-um** (Ent.) *tētēpēdēstēs*, four-fingered; four-plumed.
- Tetra'dium** (Bot.) *tētēpēdēs*, a quaternion; a fourfold arrangement, referring to the fructification; a genus of *Xanthoxylaceæ*.
- Tetra dy'namia** (Bot.) *tētērēs*, four, *δīnēs*, preponderance; the Linnaean class of plants having six stamens, two of which are shorter than the others.
- Tetraglo'chin** (Bot.) *tētērēs*, four, *γλωχēs*, a point; a genus of *Sanguisorbaceæ*.
- Tetragna'thus-a-um** (Ent.) *tētērēs*, contracted from *tētēpēdēs*, four times, *γνēθēs*, the jaw or cheek.
- Tetragonan'thus** (Bot.) *tētēpēdēyēs*, four-sided, square, *ἄρθēs*, a flower; a genus of *Gentianaceæ*.
- Tetragona'nus-a-um** (Ent.) *tētēpēdēyēs*, four-angled.
- Tetrago'nia** (Bot.) *tētērēs*, four, *γωνēs*, an angle; in allusion to the fruit; typical genus of *Tetragoniaceæ*; *T. expansa* is the celebrated New Zealand Spinach.
- Tetragono'lepis** (Fos. Zool.) *tētērēs*, four, *γωνēs*, corner, *λēmēs*, scale; i. e. having four-cornered scales.
- Tetragono'lbus** (Bot.) *tētērēs*, four, *γωνēs*, angle, *λēθēs*, a pod; a genus of *Leguminosæ*.
- Tetragonoso'ma** (Zool.) *tētērēs*, four, *γωνēs*, an angle, *σōμēs*, a body; the body being quadrangular; a genus of Colubrine ophidians.

Tetragonotheca (Bot.) τετράγωνος, quadrangular, θέση, a place; a genus of Composite.

Tetragonurus-a-um (Zool.) τετράγωνος, square, στερνη, tail; square-tailed.

Tetragynia (Bot.) τετρα, four, γυνή, pistil.

Tetrahit (Bot.) τετρα, four, from the four-angled stem; specific name of the common hemp-nettle, *Galeopsis Tetrahit*.

Tetralobus (Bot.) τετρα, four, λοβός, a pod; a genus of Lentibulariaceæ.

Tetralophodon (Fos. Zool.) τετρα, four, λοφός, a ridge, οδός, tooth; a sub-genus of Mastodons having four-ridged molar teeth.

Tetrameles (Bot.) τετρα, four, μῆλη, a probe; a genus of Daticaceæ.

Tetramerium (Bot.) τετραμερίς, quadripartite; a genus of Cinchonaceæ.

Tetramericinutes (Fos. Zool.) τετραμερίς, consisting of four parts, κύπελλον, a lily.

Tetramicra (Bot.) τετρα, four, μικρός, small; a genus of Orchidaceæ.

Tetramitus (Zool.) τετρα, four, μίτος, a filament; a genus of Infusoria.

Tetramolopium (Bot.) τετρα, four, μάλλωψ, a stripe or wheal; a genus of Composite.

Tetramorphæa (Bot.) τετρα, four, μορφή, shape; a genus of Composite.

Tetran'dria (Bot.) τετρα, four, ἀνθη, ἀνθός, a stamen; the Linnæan class which contains plants with four stamens.

Tetrane'ma (Bot.) τετρα, four, νήμα, filament; on account of there being but four filaments in this genus, whilst the neighbouring genus, Pentstemon, has five; a genus of Scrophulariaceæ.

Tetranthe'rus-a-um (Bot.) τετρα, four, ἀνθη, an anther.

Tetran'thus (Bot.) τετρα, four, ἀνθος, a flower; a genus of Composite.

Tetra'o } (Ornith) { Lat. a black-cock or grouse; a genus and family Tetra'onidae } of Gallinæ.

Tetra'odon (Ichth.) τετρα, four, οδός, tooth; a genus of Gymnodont Fishes.

Tetra'opes (Ent.) τετρα, four, ὄψ, the eye; eyes divided as if four; a genus of Coleoptera.

Tetraphes (Bot.) τετρα, four, the theca being four-toothed; a genus of Musci.

Tetraplodon (Bot.) τετραπλός, four-fold, οδός, tooth (of the peristome); a genus of Musci.

Tetrapoda (Zool.) τετραπόδη, four-footed; one of Aristotle's great divisions of the Animal kingdom.

Tetrapo'gon (Bot.) τετρα, four, πάγων, a beard; a genus of Graminae.

Tetra'pterus-a-um (Fos. Zool.) τετρα, four, πτερόν, a fin; four-finned.

- Tetraquetra'na (Ent.) *tetraqetruς*, equiv. to τετράγωνος, four-angled, square.
- Tetrarhy'nchus (Zool.) τέτρα, four, πυγχός, beak ; the head possessing four uncinate or hook-like proboscides ; a genus of parasitic Worms.
- Tetraspo'ra (Bot.) τέτρα, four, σπόρος, seed ; name applied to the small buds formed by the quaternary division of the protoplasms of certain cells in Cryptogamic plants.
- Tetrasti'chus (Ent.) τέτρα, four, στίχος, a row or line.
- Tetrathe'ca (Bot.) τέτρα, four, θήκη, a cell, or sack ; alluding to certain forms of anthers ; equiv. to quadrilocular.
- Tetra'toma (Ent.) τέτρα, four, τομή, a cutting ; i. e., the antennæ are divided into four points ; a genus of Coleoptera.
- Te'trax (Ornith.) τέτραξ, a bird of the grouse kind ; specific name of the Little Bustard, *Otis tetrix*.
- Te'trix (Ornith.) τέτραξ, a wild bird of the grouse kind ; now used as the specific name of the Black Cock, or Black Grouse ; *Tetrao tetrix*.
- Tetrodo'ntæ (Ichth.) τέτρα, four, ὀδόν, a tooth ; a family of Fishes, equiv. to the genus *Tetradon* of Linnaeus and Cuvier.
- Tetrops (Ent.) *vide Tetraopes* ; a genus of Coleoptera.
- Tettigo'niæ (Ent.) τεττιγώνια, a kind of small cricket ; the Tree-hoppers, a kind of locusts.
- Teu'crium (Bot.) τεύκριον, a kind of germander ; a genus of Labiateæ.
- Teudo'psis (Zool.) τεῦθις, a cuttle fish, δύψις, likeness ; a genus of Mollusca.
- Textila'ria (Zool.) *textili*, woven, plaited ; a genus of Foraminifera.
- Tex'trix (Zool., Ornith.) *Lat.* a female weaver ; a genus of Arachnidæ ; also specific name of one of the Tailor-birds, *Drymoica textrix*.
- Textura'tus-a-um (Zool.) *textura*, a web ; reticulate, web-like.
- Thalamiflo'ræ (Bot.) *thalamus*, a bed or receptacle, *flor*, a flower ; the stamens are inserted below the pistil.
- Thalar'ctos (Zool.) θάλασσα, the sea, ἄρκτος, bear ; the Polar Bear.
- Thalasse'ma (Zool.) θάλασσα, the sea, σῆμα, mark ; a genus of Echinodermata.
- Thalassico'llidæ (Zool.) θάλασσα, the sea, κολλάω, to join together ; a group of the Protozoa.
- Thalassidro'ma (Ornith.) θαλάσσιος, belonging to the sea, δρόμος, a flight ; the Stormy Petrel, a genus of Sea-birds.
- Thalassinu'sus-a-um (Ent.) θαλάσσιος, sea-coloured ; sea-green.
- Thalassiophy'tes (Fos. Bot.) θαλάσσιος, belonging to the sea, φυτόν, a plant.

- Tha'lia** (Bot.) P. N. in honour of *J. Thalius*, a German physician, who died in 1588 ; a genus of Marantaceæ.
- Thalic'trum** (Bot.) θάλαττος, to grow green ; alluding to the young shoots ; a genus of Ranunculacæ.
- Thal'lia** (Zool.) θαλλία, an olive shoot, from its elongated form and glaucous colour ; a genus of Acanthigæ.
- Thal'logens** (Bot.) θαλλός, a shoot, γεννάω, to bring forth ; applied to the lower Cryptogamia, in which the stems and leaves are indistinguishable.
- Thal'lus** (Bot.) θάλλος, a sprout or young shoot ; the name of Thalli is given to the broad foliaceous expansions of the cells of the lower Cryptogamic plants.
- Thalura'nia** (Ornith.) θάλλω, to be luxuriant, οὐρανός, heavenly ; a genus of Humming-birds.
- Thamni'dium** (Bot.) θάμνος, a twig ; from the appearance of the plants under the microscope.
- Thamnocho'rthus** (Bot.) θάμνος, a shrub, χόρτος, grafts ; a genus of Restionacæ.
- Thamnodyna'stes** (Zool.) θάμνος, a bush, δυνάστης, a lord or master ; a genus of Colubrine Ophidians.
- Thamnophili'næ** (Ornith.) θάμνος, a bush, φίλος, fond of ; a sub-family of the Incessores ; the Bush-Shrikes.
- Thamno'philus** (Ornith.) θάμνος, a copse or thicket, φιλέω, to love ; a genus of Birds, family Laniidæ.
- Than'aos** (Ent.) perhaps a typographical error for θάνατος, death, in allusion to the dark colour of the species (Acc. List Brit. Lepid.); a genus of Lepidoptera.
- Thana'simus** (Ent.) θανάτιμος, deadly ; a genus of Coleoptera.
- Thanato'philus** (Ent.) θάνατος, death, φίλος, fond of, i. e., given to simulating death ; a genus of Coleoptera.
- Thap'sia** (Bot.) first discovered in Thapsus ; a genus of Umbelliferæ.
- Thap'sus** (Bot.) the ancient name of some poisonous shrub ; now applied to a species of Verbascum.
- Thaumastu'ra** (Ornith.) θαυματία, wonderful, σύριγχος, tail ; a genus of Humming-birds.
- Thauma'tias** (Ornith.) θαυματία, wonderful ; a genus of Humming-birds.
- The'a** (Bot.) *tcha*, the Chinese name for tea ; *Fr. du thé* ; *Ital. del te* ; the Tea-plant ; a genus of Ternstroemiaceæ.
- The'ca** (Zool., Bot.) θήκη, Lat. *theca*, a sheath or receptacle ; in zoology a genus of Mollusca ; in botany, the receptacle or urn of Mosses.

- Theca'cera** (Zool.) θήκη, a sheath, κίρρης, horn ; the tentacles being retracted within the sheaths ; a genus of Mollusca.
- Thecadac'tylus** (Zool.) θήκη, a sheath, δάκτυλος, finger ; the Sheath-clawed Geckos.
- Theci'dium** (Zool.) dim. of θήκη, a sheath ; a division of Brachiopods.
- Thec'la** (Ent.) P. N. in honour of *Thecla*, virgin and martyr ; see Butler's "Lives of the Saints," ix. 286 ; a genus of Lepidoptera.
- The'codont** (Fos. Zool.) θήκη, a sheath, ὀδόντος, a tooth ; a term applied by Professor Owen to those inferior Saurians which have the teeth implanted in sockets.
- The'codontosau'rūs** (Fos. Zool.) θήκη, a sheath, ὀδόντος, ὀδοντος, a tooth, σαῦπος, a lizard.
- Thele'bōlus** (Bot.) θηλή, a nipple, θελίων, to eject ; a genus of Fungi.
- Thele'phora** (Bot.) θηλή, a nipple, φορίων, to bear ; a genus of Fungi.
- The'lodus** (Fos. Zool.) θηλή, a nipple, ὀδόντος, ὀδοντος, a tooth ; a fossil fish so called from its peculiar mammilated teeth.
- Thelo'stoma** (Bot.) θηλή, a nipple, στόμα, mouth ; a genus of Coleoptera.
- Thelo'stomas** (Bot.) same derivation ; a genus of Coleoptera.
- Thelotre'ma** (Bot.) θηλή, a nipple, τρῆμα, an orifice ; from the pierced protuberances of the crust ; a genus of Lichenes.
- Thelphu'sa** } (Zool.) { P. N., a genus and family of Crustacea.  
**Thelphu'sidae** }
- Thelygo'num** (Bot.) Paxton states that this genus is named from θῆλυς, a woman, γόνη, the knee, from a fancied resemblance of the joints ; but may it not more probably be from θηλυγόνος, begetting females, on account of the species being mostly unisexual ; a genus of Chenopodiaceæ.
- Thelymi'tra** (Bot.) θῆλυς, a woman, μιτρα, a cap ; referring to the hooded fructification ; a genus of Orchidaceæ.
- Thelypteris** (Bot.) θηλυπτερίς, of Dioscorides, a kind of fern, literally "female fern ;" now applied to a species of Aspidium, *Aspidium Thelypteris*.
- Thenar'dia** (Bot.) P. N. in honour of *M. Thenard*, a distinguished French chemist ; a genus of Apocynaceæ.
- Theobro'ma** (Bot.) θεῖος, a god, βρῶμα, food, from its delicious flavour ; the Cacao tree ; a genus of Byttneriaceæ.
- Theophras'ta** (Bot.) P. N. in honour of *Theophrastus*, the father of natural history ; a genus of Myrsinaceæ.
- The'ra** (Ent.) the name of an island near Crete ; a genus of Lepidoptera.

- Thera'tes** (Ent.) θηράω, to hunt, or pursue eagerly ; a genus of Coleoptera.
- Theridi'idae** } (Ent.) { θερίδης, summer, διός, divine, beautiful, i.e. a summer  
Theri'dion } beauty ; a genus and family of Arachnida.
- Therine'il'a** (Ent.) dim. from θερινός, belonging to summer.
- Theris'tis** (Ent.) θέριστος, harvest-time ; a genus of Lepidoptera.
- Thermop'sis** (Bot.) θέρμασσος, the lupine, οψις, resemblance ; a genus of Leguminosæ.
- The'sium** (Bot.) θέρις, a labouring servant ; from its mean habitat—PAXTON ; a genus of Santalaceæ.
- Thespe'sia** (Bot.) θεσπίσιος, divine ; because one of the species is planted about the churches in tropical countries ; a genus of Malvaceæ.
- Thino'corus** (Ornith.) θίνη, θίνειν, the shore, κέπω, to sweep ; from inhabiting littoral districts.
- Thlas'pi** (Bot.) θλάσση, a plant of the cress kind ; a genus of Cruciferæ.
- Thoma'sia** (Bot.) P. N. in honour of *M. Thomas*, a collector of Swiss plants ; a genus of Byttneriaceæ.
- Thomi'sideæ** } (Ent.) { θομίζειν, to bind with a cord ; a family and  
Tho'misus } genus of Arachnida.
- Thora'cicus-a-um** (Ent.) *Lat.* relating to the breast-bone or thorax.
- Thoric'tidae** } (Ent.) { θωρηκτής, armed with a breast-plate ; a family  
Thoric'tus } and genus of Coleoptera.
- Thoroughwax** (Bot.) popular name of the *Bupleurum rotundifolium* ; the old English word *waxa*, means to grow, and *thorough* is through, because the stem seems to grow through the leaf ; Gerarde calls it Thorowewaxe or Thorowe leaf.
- Thou'i'nia** (Bot.) P. N. in honour of *And. Thouin*, of the Jardin des Plantes, Paris ; a genus of Sapindaceæ.
- Thrassa'etus** (Ornith.) θράσος, courage, boldness, ἄετος, an eagle ; a genus of Falconidæ.
- Thrasone'l'a** (Ent.) P. N. from *Thraso*, a bragging soldier in Terence's "Eunuchus."
- Threlke'ldia** (Bot.) P. N. in honour of the *Rev. L. E. Threlkeld*, missionary in New South Wales ; a genus of Chenopodiaceæ.
- Threne'tes** (Ornith.) θρηνητής, a mourner, from the sombre plumage ; a genus of Humming-birds.
- Threno'des** (Ent.) θρηνώδης, mournful.
- Thresher** (Ichth.) applied to a fish (*Alopecias vulpes*), which uses its tail in combat as a thresher would use a flail ; it is also called the Fox-shark.

- Thri'nax (Bot.) θρίναξ, a fan, from the form of the leaves; a genus of Palmae.
- Thrin'cia (Bot.) θρινκία, a fence; a genus of Compositæ.
- Thrips (Ent.) θρίψ, a wood-worm; a genus of Thysanoptera.
- Thrissono'tus (Fos. Zool.) θρίξ, a bristle, νῶτος, the back.
- Thris'sops (Fos. Zool.) θρίξ, a bristle, δέρμα, appearance; one of Agassiz's genera of Fossil fishes, so named from the long bristle-like character of their fin rays.
- Throm'bium (Bot.) θρόμβιος, a lump; a genus of Lichenes.
- Thros'cus (Ent.) θρόσκω, to leap; a genus of Coleoptera.
- Throstle (Ornith.) Anglo-Saxon *thryfle*; Germ. and Dan. *drofsl*; a synonym for *thrush*.
- Thrush (Ornith.) Anglo-Saxon *thrix*; the *Turdus musicus*.
- Thryal'lis (Bot.) the ancient name of a plant, from θρυαλλίς, a wick, because used for making wicks; now applied to a genus of Malpighiaceæ.
- Thu'ia (Zool.) θυΐα, a cedar; a genus of Zoophytes.
- Thuia'ria (Zool.) resembling *Thuia*; a genus of Zoophytes.
- Thu'ja (Bot.) θύά, sacrifice; the wood when burnt giving out an agreeable perfume like incense, and was used in sacrifices. Plin. Hist., lib. xxij. in *proemio*; a genus of Cupressinæ.
- Thujop'sis (Bot.) the genus *Thuja*, θύά, like; a genus of Cupressinæ.
- Thunbergel'la (Ent.) P. N. in honour of K. P. Thunberg, who succeeded the younger Linnaeus as Professor of Botany at Upsala, author of "Insecta Suecica," &c., died in 1828.
- Thunber'gia (Bot.) P. N. in honour of the same celebrated botanist and traveller; a genus of Acanthaceæ.
- Thy'amis (Ent.) uncertain; a genus of Coleoptera.
- Thyati'ra (Ent.) P. N., a city in Asia Minor; a genus of Lepidoptera.
- Thyla'cinus (Zool.) θύλακος, a pouch, κινοῦ, dog; a genus of Marsupial animals.
- Thylaci'tes (Ent.) θύλακος, a sack; a genus of Coleoptera.
- Thylacole'o (Fos. Zool.) θύλακος, a pouch, λεο, a lion; a mammal so called from "the trenchant dentition of its skull, which rivals that of the lion in size."—PAGE.
- Thylacothe'rium (Fos. Zool.) θύλακος, a pouch, θηρίον, a wild beast; a genus of fossil Marsupial animals.
- Thy'lamys (Zool.) θύλακος, a sack, μῦς, a mouse.

**Thylo'gale** (Zool.) θύλακος, a bag or pouch, γαλίνη, a weafel ; sometimes applied to the Kangaroo.

**Thymal'lus** (Ichth.) *Lat.* an ancient name of a fish smelling of thyme when newly taken ; *T. vulgaris* is the Grayling ; a genus of Salmonidae.

**Thymalus** (Ent.) θύμος, thyme ; from the pleasant odour of the beetle ; a genus of Coleoptera.

**Thym'bra** (Bot.) a name given by the ancients to a plant like thyme ; a genus of Labiateæ.

**Thy'mus** (Bot.) *Lat.* thyme ; Thyme ; a genus of Labiateæ.

**Thyn'nus** (Ichth.) *Lat.* the tunny-fish ; a genus of Scomberideæ.

**Thyone** (Zool.) P. N., according to Cicero the mother of the 4th Bacchus ; Ovid and Horace consider her to be Semele ; a genus of Echino-dermata.

**Thyridos'pila** (Ent.) θυρίς, θυρίδος, a window, στιλέως, to stain.

**Thyrsacan'thus** (Bot.) θύρσος, a shaft (panicle), ἄκανθα, thorn ; a genus of Acanthaceæ.

**Thyrsites** (Ichth.) θυρσίαν, *Lat.* thyrsis, an ancient name of a fish ; *Thyrsites atun* is the "Baracoota" of Australia.

**Thyrsus** (Bot.) *Lat.* a staff, twined with ivy and vine-shoots ; a panicle with short opposite branches, as in privet.

**Thysan'an'thus** (Bot.) θύσανος, a tuft, ἄνθος, flower ; a genus of Hepaticæ.

**Thy'sanothe'clum** (Bot.) θύσανος, a fringe, θύξη, capsule ; a genus of Lichenes.

**Thysano'ptera** (Ent.) θύσανοι, fringes, πτερόν, a wing ; an order of Insects.

**Thysano'tus** (Bot.) θύσανοτής, fringed ; a genus of Liliaceæ.

**Thysanu'ra** (Ent.) θύσανοι, fringes, σύνη, tail ; the Fringe-tails ; an order of Insects.

**Thyse'limum** (Bot.) θύση, to sacrifice, σίλινος, parsley ; a genus of Umbelliferæ.

**Tiarel'la** (Bot.) dim. of τιάρα, a Persian diadem, from its mitred capsule ; a genus of Saxifragaceæ.

**Tiari'dium** (Bot.) τιάρα, a diadem, τύπος, like ; a genus of Ehretiaceæ.

**Tibia'lis-e** (Ent.) *Lat.* of or pertaining to the shin bone.

**Tibi'cinis** (Bot.) gen. sing. of *tibicen*, a flute-player ; *Epidendrum tibiciniflorum*, because the shoots, three yards long, cylindrical and hollow, are used as trumpets by the native children.

**Tichodro'ma** (Ornith.) τίχος, a wall, δρόμος, running ; the Wall-creeper.

Tichori'nus-a-um (Zool.) τιχός, a wall, πίνα, a nose ; wall-nosed ; applied to the Rhinoceros *tichorinus* because of a vertical partition which sustains the nasal vault.

Ti'chus (Ent.) τιχός, a wall, being found on walls ; a genus of Coleoptera. Ti'gellary (Bot.) French, tige, a stem or stalk ; applied by Gaudichaud where the sheathing or stipulary portion of a leaf-stalk is incorporated with a stem.

Ti'griceps (Fos. Zool.) *tigris*, a tiger, *caput*, head ; tiger-headed.

Tigri'dia (Bot.) *tigris*, a tiger, οὖς, like ; from its spotted flowers ; a genus of Iridaceæ.

Ti'gris (Zool.) Lat. a tiger ; a genus of Mammalia, family Felidae.

Tilia (Bot.) Lat. the linden, or lime-tree ; typical genus of Tiliaceæ.

Tiliaco'ra (Bot.) *tiliakora*, its name in Bengal ; a genus of Menispermaceæ.

Tillæ'a (Bot.) P. N. in honour of M. A. Tillæ, an Italian botanist, who died in 1740 ; a genus of Crassulaceæ.

Tillan'dsia (Bot.) P. N. in honour of Elias Tillands, Professor of Physic at Abo in Finland ; Linnaeus gives the following curious account :— “Tillandsiae cannot bear water, and therefore I have given this name to a genus from a Professor at Abo, who in his youth having an unpropitious passage from Stockholm to that place, no sooner set his foot on shore than he vowed never again to venture himself upon the sea. He changed his original name to Tillands, which means on or by land ; and when he had subsequently occasion to return to Sweden, he preferred a circuitous journey of 200 Swedish miles through Lapland, to avoid going eight miles by sea ; ” a genus of Bromeliaceæ.

Ti'llidæ (Ent.) a family of Coleoptera of which *Tillus* is the type.

Tilloida (Ent.) the genus *Tillus*, οἶδος, likeness ; a genus of Coleoptera.

Til'lus (Ent.) τίλλω, to pull or pluck ; a genus of Coleoptera.

Tilu'rūs (Ichth.) τρίλιον, a feather, ὀὐρα, tail ; a genus of Hair-tailed Fishes.

Timan'dra (Ent.) P. N. the daughter of Tyndareus and Leda, and mother of Evanderus ; a genus of Lepidoptera.

Timar'cha (Ent.) τιμηχία, honour, respect ; a genus of Coleoptera.

Ti'midus-a-um Lat. timid, fearful ; e. g. *Lepus timidus*, the common hare.

Tim'mia (Bot.) P. N. in honour of J. C. Timm, a German botanical author ; a genus of Musci.

Timothy-grass (Bot.) common name of the *Phleum pratense*.

Tinag'ma (Ent.) τιναγμα, a shake or jerk ; from the sharp jerking motions of the insect ; a genus of Lepidoptera.

- Tinami'dæ } (Ornith.) { Latinized form of the native word ; the Tinamus } mor ; a family and genus of Gallinæ.
- Tinamo'tis (Oroith.) the genus *Tinamus*, *otis*, a bustard, from a fancied resemblance ; the crested 'Tinamou' ; a genus of Gallinæ.
- Ti'nca (Ichth.) *Lat.* the Tench ; a genus of Cyprinoid fishes.
- Tinetellus-a-um (Ent.) dim of *tinetus*, dyed.
- Tincto'rum (Bot.) *e. g.*, *Rubia tinctorum* ; Dyers' Madder.
- Tinēa (Ent.) *Lat.* a moth or worm, in clothes, books, &c. ; *T. mellonella* was well known to the ancients as an enemy of bees—dirum tinea genus : VIRGIL. Georg. iv. 246 ; a genus of Lepidoptera.
- Tinēl'dæ (Ent.) the family of nocturnal Lepidoptera, of which *Tinea* is the type.
- Tineo'des (Ent.) the genus *Tinea*, *τίνεια*, likeness.
- Tinnunculoi'des (Ornith.) the genus *Tinnunculus*, *τίνκος*, like ; kestrel-like.
- Tinnunculus (Ornith.) *Lat.* a kind of hawk or kestrel mentioned by Pliny ; a genus of Falconidæ which includes the kestrel, *T. alaudarius*.
- Ti'phia (Ent.) *τίφη*, a bakehouse beetle ; a genus of Hymenoptera.
- Ti'pula } (Ent.) { *tipula*, a midge ; a genus and family of Diptera.
- Tipu'lidae } (Ent.) { *tipula*, a midge, *forma*, shape.
- Tire'sias (Ent.) P. N. a celebrated footfayrer of Thebes in Boeotia ; a genus of Coleoptera.
- Tische'ria (Ent.) P. N. in honour of *Carl von Tischler*, of Dresden, born in 1777, author of several works on insects ; a genus of Lepidoptera.
- Titho'nia (Bot.) P. N. from *Tithonus*, favourite of Aurora ; the flower is couleur d'aurore ; a genus of Composite.
- Tittman'nia (Bot.) P. N. in honour of *Tüttmann*, a German botanist ; a genus of Brunniaceæ.
- Tityrel'la (Ent.) the insect feeds on the beech, and the name alludes to the line—“*Tityre, tu patulæ recubans sub tegmine fagi.*”
- Toco'ca (Bot.) *tococo*, its name in Guiana ; a genus of Melastomaceæ.
- Tocoye'na (Bot.) its name in Guiana ; a genus of Cinchonaceæ.
- Todda'lia (Bot.) *toddali*, the Malabar name of one of the species ; a genus of Xanthoxylaceæ.
- To'dea (Bot.) P. N. in honour of *Henry Julius Tode*, of Mecklenburg, an experienced mycologist ; a genus of Polypodiaceæ.
- To'dus (Ornith.) Latinized from the popular name of this Bird ; the Tody ; a genus of fillirostral Passeres.

- Tofiel'dia** (Bot.) P. N. in honour of *Mr Tofield*, a friend of Hudson, the botanist; a genus of Melanthaceæ.
- Toga'tus-a-um** (Ent.) *Lat.* wearing a cloak, robed.
- Tol'pis** (Bot.) one of Adanson's names, probably without meaning; a genus of Compositeæ.
- Tomente'llus-a-um** (Bot.) *tomentum*, a flock of wool; woolly, e. g. *Poly-lepis tomentella*.
- Tomento'sus-a-um** (Bot.) same derivation; downy, hairy.
- To'micus** (Ent.) *τομήσ*, cutting; the tibiae are serrated; a genus of Coleoptera.
- Tom'odon** (Zool.) *τομής*, sharp, οδόν, a tooth; a genus of Colubrine ophidians.
- Tomoga'ster** (Zool.) *τομής*; sharp, γαστήρ, the belly; a genus of Ophidians.
- Topa'za** (Ornith.) having colours resembling topaz; a genus of Humming-birds.
- Tordy'lium** (Bot.) an ancient Greek name (*τορδίλιον*), of unknown meaning; Hart-wort; a genus of Umbelliferæ.
- Tore'nia** (Bot.) P. N. in honour of *Rev. Olof Toren*, a Swedish botanist; a genus of Scrophulariaceæ.
- Tori'lis** (Bot.) *τοπίων*, to carve, from the leaves being much cut; Hedge-parley; a genus of Umbelliferæ.
- Tormentil'a** (Bot.) *tormentum*, pain; from its supposed efficacy in pain of the teeth and bowels; a genus of Rosaceæ.
- Torpe'do** (Ichth.) *Lat.* the torpedo or cramp-fish, a species of Ray.
- Torquate'l'a** (Ent.) *torquatus*, adorned with a collar or necklace.
- Torqua'tus-a-um** (Ornith.) *Lat.* adorned with a collar, e. g. *Melanopicus torquatus*, the Collared Woodpecker.
- Torquil'tus-a-um** (Ornith.) *torquo*, to twist; e. g. *Yunx torquilla*, the Wryneck.
- Torre'ya** (Bot.) P. N. in honour of *Dr. Torrey*, an American botanist, and one of the authors of the "North American Flora;" a genus of Taxaceæ.
- Tor'tilis-e** (Bot.) *tortus*, twisted; it has reference to the twisted state of the sepals and petals, e. g., *Trichopilia tortilis*.
- Tortrico'des** (Ent.) the genus *Tortrix*, with term. of similarity, i. e. like one of that genus; a genus of Lepidoptera.
- Tor'trix**, pl. **Tortri'ces** (Ent., Zool.) fem. of *tortor*, one who twists; the larvæ twist and contort the leaves of the food-plant; a genus of Lepidoptera; also a genus of Ophidians.

*Tortula* (Bot.) *tortu*, twisted; the teeth of the peritome being twisted round the apex of the columella; a genus of Musci.

*Tor'ula* (Bot.) diminutive of *torus*, a twisted cord; from the appearance of the filaments; a genus of microscopic Fungi.

*Torus* (Bot.) *Lat.* a knot or protuberance; in botany the word is used to express the expanded apex of the floral axis, and is equivalent to receptacle or thalamus.

*Torymi'dæ* (Ent.) a family of Hymenoptera of which *Torymus* is the type.

*Torymus* (Ent.) etymol. doubtful; a genus of Hymenoptera.

*Totani'næ* } etymol. doubtful; a sub-family and genus of  
*To'tanus* } (Ornith.) { Scolopacidae, containing the Red-shanks and  
Sand-pipers.

*Totipa'lmes* (Ornith., *tufus*, entire, *palma*, sole of the foot; Cuvier's name for the birds whose hind toe is united with the others by one continuous membrane.

*Tournefo'rtia* (Bot.) P. N. in honour of *J. P. de Tournefort*, the celebrated French botanist, who died in 1708; a genus of Boraginaceæ.

*Tourret'tia* (Bot.) P. N. in honour of *M. A. de la Tourrette*, a friend of Rousseau; a genus of Bignoniacæ.

*Toxa'ster* (Fos. Zool.) *τόξον*, a bow, *ἀστρον*, a star; a genus of fossil Sea-urchins, characterized by a somewhat semicircular contour.

*Toxeu'ma* (Ent.) *τόξινμα*, an arrow.

*Toxicoden'dron* (Bot.) *τοξικόν*, poison, *δένδρον*, a tree; specific name of the Trailing Poison-oak, *Rhus toxicodendron*.

*Toxi'ferus-a-um* (Bot.) *τοξικόν*, poison, *φίρω*, to bear; poison-bearing, e. g. *Amyris toxifera*.

*Toxoca'mpa* } *τόξον*, a bow, *κάμπη*, a caterpillar; from the  
*Toxoca'mpidæ* } (Ent.) { arched mode of progression; a genus and  
family of Lepidoptera.

*Toxo'ceras* (Fos. Zool.) *τόξον*, a bow, *κίρας*, a horn; a genus of the Ammonite family.

*Tox'odon* (Fos. Zool.) *τόξον*, a bow, *δόν*, a tooth; a large quadruped, so named by Professor Owen, from the singularly curved form of its two outer incisors.

*Toxoni'dea* (Bot.) *τόξον*, a bow, *εἶδος*, likeness; the longitudinal line is curved so as to resemble a bow; a genus of Diatomaceæ.

*Tox'otes* (Ichth.) *τοξότης*, an archer; the Archers; a genus of tropical Fishes, which have the power to expel water to a distance.

- Tox'otus** (Ent.) *τοξότης*, an archer; the last joint of the palpi is arched, or hatchet-shaped; a genus of Coleoptera.
- Trache'a** (Ent.) *τραχύς*, rough; a genus of Lepidoptera.
- Trachelias'tes** (Zool.) *τραχυλιάς*, to arch the neck; a genus of parasitic Entomostacea.
- Trache'lium** (Bot.) *τράγηλος*, the throat; from its supposed medicinal virtues in throat affections; a genus of Campanulaceæ.
- Tracheloce'rca** (Zool.) *τράχηλος*, the neck, *κίρκος*, tail; the neck is long, and the moveable and dilated end contains the ciliated mouth; a genus of Insensoria.
- Trachelora'chys** (Ent.) *τράχηλος*, a neck, *ῥάχις*, a spine.
- Trachenchy'ma** (Bot.) *τραχύς*, rough, *χύμα*, tissue; applied to those spiral vessels in the tissue of plants in which the spiral fibre is elastic, and may be unrolled.
- Trachich'thys** (Ichth.) *τραχύς*, scaly, *λεθύς*, a fish; a genus of Acanthopterygian fishes.
- Trachin'us** (Ichth.) from *Ital. Trajina*, a corruption of *Dracena*, a dragon; the Weever fish.
- Trachis'chium** (Zool.) *τραχύς*, rough, *ἰσχίον*, the hip-joint; a genus of Colubrine ophidians.
- Trachu'rus** (Ichth.) *τραχύς*, rugged, *δυρά*, a tail; a genus of Scombroïd Fishes.
- Trachydosau'rus** (Zool.) *τραχύς*, *τράχυδος*, rough, *σαῦπος*, lizard; the stump-tail Lizard.
- Trachyme'ne** (Bot.) *τραχύς*, rough, *ὑμέν*, a membrane; a genus of Umbelliferæ.
- Trachyphlo'us** (Ent.) *τραχύς*, rough, *φλοίς*, bark; a genus of Coleoptera.
- Trachypo'ma** (Ichth.) *τραχύς*, rough, *περύα*, a cover; a genus of Percoid Fishes.
- Trachypter'us** (Ichth.) *τραχύς*, rough, *πτερόν*, fin; a genus of Taeniod Fishes.
- Tra'chypus** (Bot.) *τραχύς*, rough, *πονίς*, stem; a genus of Musci.
- Tra'chys** (Ent.) *τραχύς*, rough; a genus of Coleoptera.
- Trachy'scelis** (Ent.) *τραχύς*, rough, *σκελίς*, leg; a genus of Coleoptera.
- Trachysper'mum** (Bot.) *τραχύς*, rough, *στριμα*, seed.
- Trachytel'la** (Bot.) *τραχύτης*, roughness, referring to the leaves; a genus of Dilleniaceæ.
- Tradescantia** (Bot.) P. N. in honour of *John Tradescant*, a distinguished traveller and naturalist in the reign of Charles I.; a genus of Commelinaceæ.

**Tragelaphus** (Zool.) *τραγίλαφος*, goat-flag; was applied by the Greeks to a fabulous animal; now used for the Bosch-Bok, an African antelope.

**Traigia** (Bot.) P. N. in honour of Jerome Bock, a German botanist, commonly called *Traigus*; a genus of Euphorbiaceæ.

**Traigium** (Bot.) *τράγιος*, a he-goat, from its odour; a genus of Umbelliferæ.

**Tragocephala** (Ent.) *τράγος*, a goat, *κεφαλή*, head; a genus of Coleoptera.

**Tragopogon** (Bot.) *τράγος*, a he-goat, *πύγον*, a beard; in allusion to the seeds; Goats'-beard; a genus of Compositeæ.

**Tragopyrum** (Bot.) *τράγος*, a goat, *πυρός*, wheat; Goats'-wheat; a genus of Polygonaceæ.

**Tragulus** (Zool.) dim. of *τράγος*, a he-goat; having the hinder edge of the metatarsus nearly bald and slightly callous; the Pigmy Musk.

**Trapa** (Bot.) " abridged from *Calicarpa*, the Latin name of an instrument called *Calirops*, furnished with four spines, formerly used in war to impede the progress of cavalry: the fruit of some of the species is furnished with four spines."—PAXTON. Water-Caltrops; a genus of Onagraceæ.

**Trapezior'mis-e** (Bot.) *trapezium*, a four-sided figure, *forma*, shape, e. g. *Adiantum trapeziforme*.

**Trapezi'a** (Ent.) is called on account of the *trapezoid* mark on the fore wings.

**Trechus** (Ent.) *τρίχω*, to run fast; a genus of Coleoptera.

**Treitschket'la** (Ent.) P. N. in honour of Friedrich Treitschke, author of the latter part of "Die Schmetterlinge von Europa," begun in 1807 by Ocißenheimer, and concluded in 1835.—(Acc. List Brit. Lepidopt.)

**Tremato'da** (Zool.) *τρῆμα*, an opening or foramen; a division of Entozoa.

**Tremato'don** (Bot.) *τρῆμα*, a hole, *δόνυ*, *δόντος*; a tooth; the teeth of the peristome being pierced; a genus of Musci.

**Tremato'pnei** (Ichth.) *τρῆμα*, a hole pierced through any thing, *πνίσ*, to breathe.

**Tremel'la** (Bot.) *tremo*, to tremble, the plants being of a gelatinous, tender, tremulous substance; a genus of Fungi.

**Tremex** (Ent.) *tremo*, to quiver; a genus of Hymenoptera, family Siricidæ.

**Trem'ulus-a-um** (Bot.) Lat. trembling, shaking, e. g. *Populus tremula*, the trembling Poplar or Aspen.

**Trentepo'hlia** (Bot.) P. N. in honour of Trentepohl, an obscure German botanist; a genus of Alge.

- Trepang** (Zool.) *Fr. bâche-d'amer, Eng. scragg*; commercial name for several species of Holothuriz, used by the Chinese in their soups.
- Trepida'rius-a-um** (Ent.) *trepitus*, trembling, restless.
- Trepo'monas** (Zool.) *spiro*, to turn, *monas*, from having a whirling and jerking movement; a genus of Infusoria.
- Tre'rion** (Ornith.) *spīros*, timidous, shy; a genus of Tree Pigeons.
- Tretoster'non** (Fos. Zool.) *spīros*, perforated, *spīros*, the breast; a fossil genus of shielded Reptiles, order Chelonia.
- Trevira'na** (Bot.) P. N. in honour of *Dr. Treviranus*, a German botanist; a genus of Gesneraceæ.
- Tre'wia** (Bot.) P. N. in honour of *Christopher James Trew*, of Nuremberg, a writer on botany; a genus of Euphorbiaceæ.
- Triangula'ris-e** (Zool., Ent.) *Lat.* three-cornered.
- Trian'thema** (Bot.) *tri-*, three, *anthem*, a flower; the flowers grow in threes in the axels of the leaves; a genus of Tetragoniaceæ.
- Triatom/ea** (Ent.) *ter*, thrice, *atomus*, a speck.
- Tribo'lium** (Ent.) *tribolus*, three-pointed, three-pronged; a genus of Coleoptera.
- Triba'chia** (Bot.) *tribus*, three, *βραχίον*, an arm; alluding to the spikes; a genus of Orchidaceæ.
- Tri'bulus** (Bot.) *tribulus*, three-spiked or pointed, i. e. the fruit-capsule is armed with prickles; a genus of Rutaceæ.
- Tricarpelli'tes** (Fos. Bot.) *tribis*, three, *καρπί*, fruit; fossil nut-like fruits, so-called from their consisting of three carpels or seed-cells.
- Trichæ'ta** (Bot.) *tribis*, three, *χαίτη*, a bristle; a genus of Graminae.
- Trich'e'cus** (Zool.) *θρίξ*, *τρίχως*, hair; from the long wiry hair of the muzzle; the Wolutus.
- Tri'chia** (Bot.) *θρίξ*, *τρίχως*, hair; from the internal mass of elastic fibres expanding after the head bursts; a genus of Fungi.
- Trichi'lia** (Bot.) *τρίχα*, ternary; the capsule is three-celled and three-valved; a genus of Meliaceæ.
- Tri'china** (Zool.) *τρίχως*, made of hair; a genus of Hair-like Worms.
- Trichiu'ra** (Ent.) *θρίξ*, *τρίχως*, hair, *δύνα*, the tail; from the woolly abdomen of the female; a genus of Lepidoptera.
- Trichiu'rus** (Ichth.) same derivation and meaning; the Hair-tail; a genus of Taeniod Fishes.
- Tri'chius** (Ent.) *θρίξ*, *τρίχως*, hair; a genus of Coleoptera.
- Tricoceph'alus** (Zool.) *θρίξ*, *τρίχως*, hair, *κεφαλή*, head; a genus of Entozoa.

- Tricho'cladus (Bot.) θρίξ, τρίχος, hair, κλάδος, a branch; the branches are clothed with stellate hairs; a genus of Hamamelidaceæ.
- Tricho'chloa (Bot.) θρίξ, τρίχος, hair, χλόα, grass; a genus of Graminae.
- Trichoco'lea (Bot.) θρίξ, τρίχος, hair, κολάσι, sheath (calyptra); a genus of Hepaticæ.
- Tricho'da (Zool.) θρίξ, τρίχος, hair; from the oblique row of large cilia at the mouth; a genus of Infusoria.
- Trichoder'ma (Ent., Bot.) θρίξ, τρίχος, hair, δέρμα, the skin; a genus of Coleoptera; also a genus of Fungi.
- Tricho-des'ma (Bot.) θρίξ, τρίχος, hair, δεσμα, bonds; a genus of Boraginaceæ.
- Trichodic'tyon (Bot.) θρίξ, τρίχος, hair, δίκτυον, a net; a genus of Hepaticæ.
- Trichodi'na (Zool.) τρίχοδην, like hair; the cilia form a frontal crown or tuft; a genus of Infusoria.
- Trichodis'cus (Zool.) θρίξ, τρίχος, hair, δίσκος, disk; the setaceous tentacles form a row upon the margin of the body; a genus of Infusoria.
- Tricho'dium (Bot.) θρίξ, τρίχος, hair, εἶδος, like; a genus of Graminae.
- Trichogas'tres (Bot.) θρίξ, τρίχος, hair, γαστήρ, internal cavity; the contents of the leathery peridium break, when mature, into powdery spores and filaments; the Puff balls; a family of Fungi.
- Trichogram'ma (Ent.) θρίξ, τρίχος, hair, γραμμή, a line.
- Tricholæ'na (Bot.) θρίξ, τρίχος, hair, χλωνύα, a cafflock; a genus of Graminae.
- Tricho'manes (Bot.) θρίξ, τρίχος, a hair, μανός, loose or long; from the shining stems appearing like fine hair; a genus of Filices.
- Trichomano'idæ (Bot.) resembling *Trichomanes*; a division of Hepaticæ.
- Tricho'monas (Zool.) θρίξ, τρίχος, a hair, monas; a genus of Infusoria.
- Trichone'ma (Bot.) θρίξ, τρίχος, hair, νήμα, a filament; the filaments are hairy; a genus of Iridaceæ.
- Tricho'phorum (Bot.) θρίξ, τρίχος, hair, φερω, to bear; a genus of Graminae.
- Tricho'phyta (Ent.) θρίξ, τρίχος, hair, φύσις, nature; a genus of Coleoptera.
- Trichophyl'lum (Bot.) θρίξ, τρίχος, hair, φύλλον, a leaf; a genus of Compositeæ.
- Trichopil'lia (Bot.) θρίξ, τρίχος, hair, πῖλος, a cap; in allusion to the hairy appearance of the clinandrium; a genus of Orchidaceæ.

- Trichop'tera** (Ent.) θρίξ, τρίχος, hair, ἡπτήρ, a wing ; the insects have four hairy membranous wings ; the order which contains the Phryganeæ, or Caddis-worm flies.
- Trichop'teryx** (Ent.) θρίξ, τρίχος, hair, ἡπτηρέξ, a wing ; these members being furnished with a fascicle of hairs at the apes ; a genus of Coleoptera.
- Trichor'mus** (Bot.) θρίξ, τρίχος, hair, ὄφασ, a necklace ; a genus of Algæ.
- Trichosan'thes** (Bot.) θρίξ, τρίχος, hair, ἄνθος, a flower ; the corollas are ciliated ; a genus of Cucurbitaceæ.
- Trichostem'ma** (Bot.) θρίξ, τρίχος, hair, στέμμα, a crown ; a genus of Compositæ.
- Tricho'stوم** (Bot.) θρίξ, τρίχος, hair, στόμα, a mouth (of the capsule) ; in allusion to the slender teeth ; a genus of Musci.
- Tricholite'cium** (Bot.) θρίξ, τρίχος, hair, θίλη, a cap ; a genus of Fungi.
- Tricho'tropis** (Zool.) θρίξ, τρίχος, hair, τρόπης, a keel ; from the keeled whorls, fringed with a horny fringe ; a genus of Mollusca.
- Tricin'o'ta** (Zool.) τρεῖ, three, κιγτού, girded ; three-banded.
- Trico'nodon** (Fos. Zool.) τρεῖς, three, κῶνες, a cone, δόνος, a tooth ; from the crowns of the molar teeth of the lower jaw having three nearly equal cones.
- Trico'ryne** (Bot.) τρεῖς, three, κορύνη, a club ; in allusion to the form of the capsules ; a genus of Liliaceæ.
- Tricuspid'a'tus-a'um** (Bot.) τρεῖ, three, κυψίς, a point ; three-pointed ; e. g. *Mathida tricuspidata*.
- Tricus'pis** (Bot.) τρεῖς, three, κυψίς, a point ; a genus of Graminae.
- Tridac'na** (Zool.) the Tridacna of Pliny was a shell-fish which could be eaten in three bites, from τρεῖς, three, δάκνω, to bite ; it could not be the animal now so called, which attains a large size ; a genus of Conchiliferous Mollusca.
- Tridac'ylus-a'um** (Ornith., Ent.) τρεῖς, three, δάκνυλος, a finger or toe ; e. g. *Larus tridacylus*, the Kittiwake Gull ; also, in Entomology, a genus of Othroptera, family Gryllidæ.
- Tri'dax** (Bot.) τριδάκνος, thrice-bitten ; the rays of the flower are divided into three ; a genus of Compositæ.
- Tri'dens** (Zool., Bot.) τρεῖ, three, δόνη, a tooth ; three-toothed, trideutate ; in Botany, a genus of Graminae.
- Trientalis** (Bot.) τριεῖς, one third ; probably in allusion to the humble stature of the species ; a genus of Primulaceæ.
- Trifascia'tus-a'um** (Zool.) Lat. *tres*, three, *fasciatus*, banded ; three-banded, three-striped.

- Tri'fida** (Ent.) *trifida*, cleft into three parts; three-forked.
- Trifo'lium** (Bot.) *tres*, three, *jolium*, a leaf; having three leaflets on a stalk; Trefoil; a genus of Leguminosæ.
- Trisurca'tus-a-um** (Ichth.) *trisarcus*, having three forks or prongs.
- Trisur'oula** (Ent.) *trisarcus*, three pronged; the median vein of the wings being trifid; a genus of Lepidoptera.
- Trigemina'ta** (Ent.) *trigenitus*, three together; referring to the three subconfluent blackish spots on the fore wings.
- Trig'la** (Ichth.) *τριγλα*, a mullet; now applied to the Gurnard.
- Triglo'chin** (Bot.) *τριγλίς*, three, *γλωσσίν*, a point; the fruit resembles a three-barbed arrow; a genus of Juncaginaceæ.
- Trigo'na** (Zool., Ent.) *τριγύρος*, triangular; a genus of Mollusca; also a genus of Hymenoptera.
- Trigonel'la** (Bot.) *τριεῖς*, three, *γωνία*, an angle; referring to the flower; Fenugreek; a genus of Leguminosæ.
- Trigo'nia** (Bot.) *τριγύρος*, triangular; the fruit is three-angled, three-valved, and three-celled; a genus of Celastraceæ. In Zoology, a genus of Conchiferous Mollusca.
- Trigonocar'pon** (Fos. Bot.) *τριγύρος*, three-cornered, *καρπάζη*, fruit; a genus of thick-shelled fruits, so called from the three projecting corners which mark the surface of the shell.
- Trigouoce'phali** (Zool.) *τριγύρων*, three-cornered, *κεφαλή*, the head; a division of Ophidians, family Crotalidae.
- Trigonodac'ylus-a-um** (Ent.) *τριγύρος*, a triangle, *δάκτυλος*, a plume.
- Trigono'derus-a-um** (Ent.) *τριγύρος*, triangular, *δέρν*, the neck.
- Trigonop'sis** (Ent.) *τριγύρος*, triangular, *δήμη*, appearance; a genus of Hymenoptera.
- Trigo'nus-a-um** (Zool.) *τριγύρος*, triangular.
- Triguttel'lus-a-um** (Ent.) *ter*, thrice, *gutta*, a spot; three-spotted.
- Trilinea'tus-a-um** (Ent.) *tres*, three, *lineatus*, lined or streaked.
- Tril'i'um** (Bot.) *trilix*, a trilex of three threads; "the calyx has three sepals, the corolla three petals, the pistil three styles, and the stem three leaves."—PAXTON. Typical genus of Trilliaceæ.
- Trilobites** (Fos. Zool.) *τριτοῦ*, three, *λοβός*, a lobe; a family of fossil Crustacea, so called from the three-lobed appearance of their bodies.
- Trilo'phodon** (Fos. Zool.) *τριτοῦ*, three, *λόφος*, a ridge, *δόνη*, a tooth; the grinders having three ridges.
- Triloculi'na** (Zool.) *tres*, three, *loculus*, a cell; a genus of Foraminifera.
- Tri'lophus-a-um** (Ent.) *τριλόφος*, with three crests or humps.

- Trimacula'nus-a-um** (Ent.) *tr*, thrice, *macula*, a spot ; three-spotted.
- Tri'mera** (Ent.) *τριμερής*, triple ; a division of Coleoptera, having three joints to all the tarsi.
- Trime'ria** (Ent.) *τριμετέης*, triple-formed ; a genus of Hymenoptera.
- Tri'merus-a-um** (Ent.) same derivation ; having three parts, trifid.
- Trimesu'rūs** (Zool.) *τριμετρής*, three-fold, *οὐρά*, a tail ; a genus of Ophidians.
- Tri'mium** (Ent.) *τρίβειν*, to grind down, to rub away ; a genus of Coleoptera.
- Trimor'phus-a-um** (Zool.) *τρίμορφος*, triple-formed ; having three parts.
- Trimor'phus** (Ent.) same derivation ; a genus of Coleoptera.
- Trimu'rona'tus-a-um** (Zool.) *τρεῖς*, three, *mucronatus*, pointed.
- Trin'ga** (Ornith.) *Lat.* a ruff ; the Sandpipers ; a genus of Scolopacidae.
- Tri'nia** (Bot.) P. N. in honour of *Dr. C. B. Trinius*, a Russian botanist ; a genus of Umbelliferae.
- Trino'des** (Ent.) *τρία*, three, *ἴδος*, likeness ; a genus of Coleoptera.
- Trio'dia** (Bot.) *τρία*, three, *δόντις*, a tooth (point) ; referring to the palea : a genus of Graminae.
- Triompha'lia** (Zool.) *τρία*, three, *διμολάρης*, a boar.
- Triony'cidæ** (Zool.) the Soft Tortoises, of which the following is the typical genus.
- Tri'onyx** (Zool.) *τρία*, three, *πτυξ*, a claw ; applied to what are called the Soft Tortoises, because, although they have five toes on each foot, only the three inner toes are armed with claws.
- Triop'terys** (Bot.) *τρία*, three, *πτερόν*, a wing ; the carpels are each furnished with three wings ; a genus of Malpighiaceæ.
- Triornitho'phora** (Bot.) *τρία*, three, *ὄρνις*, *ὄρνιθος*, a bird ; from the form of the flowers, which present the fanciful appearance of three little birds seated in the spur ; specific name of a Linaria.
- Trios'teum** (Bot.) *τρία*, three, *οστίον*, a bone ; in allusion to the three bony ends in each berry ; a genus of Caprifoliaceæ.
- Tripare'l'ia** (Ent.) *τρία*, three, *παρ*, a pair ; on the disc of the wing are three pairs of black spots.
- Tripha'sia** (Bot.) *τριφάσιος*, triple ; the calyx is three-cleft, and there are three petals ; a genus of Aurantiaceæ.
- Triphyl'lus-a-um** (Bot.) *τρία*, three, *φύλλον*, a leaf ; three-leaved ; e. g. Arum *triphyllum*.
- Trip'laris** (Bot.) *triplex*, triple ; the parts of fructification are arranged in threes ; a genus of Polygonaceæ.

- Triplas'ia** (Ent.) *τριπλάσιος*, three-fold.
- Tri'plasis** (Bot.) *τριπλάσιος*, three-fold; a genus of Graminae.
- Tri'plax** (Ent.) *τριπλαξ*, triple, three-fold; a genus of Coleoptera.
- Trip'sacum** (Bot.) *τριψίκις*, a grinding; flour is made from the grains; a genus of Graminae.
- Triptil'ion** (Bot.) *τρίπια*, three, *πτηλίον*, a feather; alluding to the three divisions of the pappus or seed-down; a genus of Compositæ.
- Tripu'dians** (Zool.) *Lat.* dancing; applied to the snake, *Naja tripudians*, which is taught by the natives to dance.
- Triquetrel'la** (Ent.) *triquetrus*, triangular.
- Trique'trus-a-um** (Bot.) e. g. *Allium triquetrum*.
- Trirog'ma** (Ent.) *τριγύμης*, three, *φωγμή*, a fissure; a genus of Hymenoptera.
- Triseriate'l'a** (Ent.) *ter*, thrice, *serie*, a row; the wings having three rows of black scales on the disc.
- Trise'tum** (Bot.) *τριστός*, three, *seta*, a bristle; in allusion to the three awns; Oat-grass; a genus of Graminae.
- Trista'nia** (Bot.) P. N. in honour of *M. Tristam*, a French botanist; a genus of Myrtaceæ.
- Trista'ta** (Ent.) *tristis*, sorrowful; the black and white wings appear to be in mourning.
- Triste'gis** (Bot.) *τριστής*, three, *στεγη*, a covering; having three glumes or valves of the calyx; a genus of Graminae.
- Tristis-te** (Zool., Bot.) *Lat.* harsh, gloomy, e. g. *Hesperis tristis*.
- Tristrigell'a** (Ent.) *ter*, thrice, *striga*, a streak.
- Tristy'chius** (Fos. Zool.) *τριστίχος*, three, *στίχος*, a row; so called from the triple row of barbs with which they are armed; applied to the remains of certain fossil shark-like fishes.
- Tritelej'a** (Bot.) *τριτέλη*, three, *τίτλος*, perfect; from the perfect ternary arrangement of the parts; a genus of Liliaceæ.
- Tri'ticum** (Bot.) *Lat.* wheat; from *tritus*, which comes from *tereo*, to grind, because ground into flour; Wheat; a genus of Cereal Graminae.
- Trito'ma** (Ent., Bot.) *τρίτη*, three, *τριτού*, a cutting; a genus of Coleoptera; in botany, a genus of Liliaceæ.
- Tritoma'crua** (Ent.) *τριτός*, the third, *μακρός*, long, i. e. the third joint of the antennæ; a genus of Coleoptera.
- Tri'ton** (Zool.) *Lat.* a water-newt; a genus of Reptilia.
- Trito'nia** (Bot.) *triton*, a weather-cock; in allusion to the varied direction of the stamens; a genus of Iridaceæ.

- Trito'nia** (Zool.) P. N. from *Triton*, a sea-god; a genus of Nudibranchiate Mollusca.
- Triumfet'ta** (Bot.) P. N. in honour of G. B. *Triumfetti*, of Bologna, a celebrated writer on botany; a genus of Tiliaceæ.
- Triur'is** (Bot.) *τριούς*, three, *ώνυμα*, tail; three-celled triangular capsule; Tailworts.
- Triverga'tus-a-um** (Zool.) *tres*, three, *virgatus*, striped; having three bands or stripes.
- Trizeu'xis** (Bot.) *τρίζεις*, three, *ζεῦξις*, union; having the three sepals joined; a genus of Orchidaceæ.
- Trochil'idae** (Ornith.) the Humming-birds, of which the following is the type.
- Trochil'us** (Ornith.) *τρόχιλος*, *Lat. trochilus*, was applied to two different kinds of small birds; now used for the Humming-birds; typical genus of Trochilidae.
- Trochoca'rpa** (Bot.) *τροχός*, a wheel, *καρπός*, fruit; alluding to its form; a genus of Euphorbiaceæ.
- Trocho'ceras** (Fos. Zool.) *τροχός*, a hoop, *κίρας*, a horn; a genus of Nautilites.
- Trochocri'nus** (Fos. Zool.) *τροχός*, a hoop, *κρίνω*, lily (encrinite); a genus of Fossil Echinodermata.
- Tro'chus** (Zool.) *Lat. a boy's hoop* (Greek, *τροχός*); from resemblance in some of the species; a genus of Mollusca, family Turbinidæ.
- Tro'gidæ** (Ent.) *τρόχις*, to gnaw; a family of Lamellicorn Coleoptera, of which *Trox* is the typical genus.
- Trog'lodytes** (Zool., Ornith.) *τρωγλοδύτης*, one who hides in caverns; in Zoology the genus of Mammalia to which belong the Gorilla and Chimpanzee; in Ornithology, the Wren.
- Trogon** (Ornith.) a genus of Incessorial Birds.
- Trogonthe'rium** (Fos. Zool.) *τρόχης*, to gnaw, *θηρίον*, a wild beast; a genus of extinct Rodents.
- Trogophlæ'us** (Ent.) *τρόχις*, to gnaw, *φλοίος*, bark; a genus of Coleoptera.
- Trogo'sita** (Ent.) *τρόχης*, to gnaw, *σῖτος*, corn; a genus of Coleoptera.
- Trol'lius** (Bot.) *Germ. trol*, a globe; alluding to the shape of the flowers; a genus of Ranunculaceæ, popularly called the Globe-flower.
- Tromo'riche** (Bot.) *τρόμος*, fear, *θρίξ*, *τρίχος*, hair; in reference to the cilia of the corolla being tremulous; a genus of Asclepiadaceæ.
- Tropæ'olum** (Bot.) *τρόπαιον*, a trophy; "The common garden nasturtium is the *Tropæolum majus*, the generic name referring to the shield-

shaped leaves, presented full front, and dark ensanguined flowers, which together so aptly image the blood-stained ‘trophy,’ helmets, armours, and weapons, of the ancient battle-field.”—GRINDON’s “British and Garden Botany,” p. 153. The Indian Cress; typical genus of *Tropaeolaceæ*.

**Trophis** (Bot.) τρόφις, fodder; cattle eat it in time of scarcity; a genus of *Artocarpaceæ*.

**Trophosperm** (Bot.) τροφός, nourishing, σπίγμα, seed; equiv. to *Placenta*.  
**Tropidères** (Ent.) τρόπις, τρόπιδος, a keel (shaped), δίπη, the neck; a genus of Coleoptera.

**Tropidodip'sas** (Zool.) τρόπις, τρόπιδος, a keel, δέρμα, a water-snake; a genus of Colubrine ophidians.

**Tropidonotus** (Zool.) τρόπις, τρόπιδος, a keel, νάρτος, back; keel-backed; applied to a genus of serpents from the shape of the back scales.

**Tropido'phis** (Zool.) τρόπις, τρόπιδος, a keel, ὄφις, a serpent; a genus of Ophidians.

**Tropidolepis'ma** (Zool.) τρόπισ-δος, a keel, λεπίς, a scale; the scales being three or five keeled; a genus of *Scincidæ*.

**Tropidorh'nchus** (Zool.) τρόπις, τρόπιδος, a ridge or keel, πύγχος, a snout; a genus of *Meliphagidæ* or Honey-suckers.

**Tropidosau'rus** (Zool.) τρόπις, a keel, σαῦπος, lizard.

**Tro'pifer** (Fos. Zool.) τρόπις, a keel, σύρειν, to bear; a minute fossil Crustacean, so called from its keeled carapace.

**Trout** (Ichth.) *Anglo-Sax. truht*; the common trout is *Salmo fario*; the Salmon trout, *Salmo trutta*.

**Trox** (Ent.) τρώξ, a gnawer; a genus of Coleoptera, family *Trogidæ*.

**Trox'imón** (Bot.) τρώξιμος, eatable; a genus of *Compositæ*.

**Trumpet-tree** (Bot.) the *Cecropia peltata* is so called because its stems are hollow, with partitions, and corresponding exterior rings; these being removed, they are used as wind instruments.

**Truncatell'a** } (Zool.) { *truncatus*, notched; a genus and division of  
**Truncatellidæ** } (Mollusca).

**Truncatipen'nes** (Ent.) *truncatus*, notched, *pennæ*, wings; one of Latreille’s divisions of Coleoptera; from the elytra being truncated or notched at the end.

**Truncatuli'na** (Zool.) dim. of *truncatus*, notched; a genus of Fossil Foraminifera.

**Trunca'tus-a-um** (Zool., Bot.) *Lat.* truncate, bottle-nosed, notched; e.g. *Epiphyllum truncatum*.

**Truncicola'lis** (Ent.) *truncus*, the trunk of a tree, *colere*, to frequent ; found on the trunks of fir-trees.

**Tru'x** (Ent.) *Lat.* fiery, savage.

**Tryblionel'la** (Bot.) *τριβλιόνη*, a cup or bowl ; a genus of Diatoms.

**Tryche'ria** (Ent.) *τρυχηρός*, ragged, tattered ; a genus of Lepidoptera.

**Try'ma** (Bot.) *τρύμα*, a hole ; sometimes applied to the form of endocarp, as in the walnut, where there are prolongations which enter the interior, and cause a remarkable division in the seed.

**Tryphæ'na** (Ornith., Ent.) P. N. *Τρύφαινα*, the name of a lady mentioned in the New Testament, (Rom. xvi., 12) ; a genus of Humming-birds; also a genus of Lepidoptera.

**Trypoden'dron** (Ent.) *τρυπάω*, to bore or pierce, *διδύον*, a tree ; a genus of Coleoptera.

**Trypo'xylon** (Ent.) *τρυπάω*, to bore, *ξύλον*, timber ; a genus of fossorial Hymenoptera.

**Tse-tse** (Ent.) the African insect, *Glossina morsitans*, so well described by Dr. Livingstone.

**Tu'ber** (Bot.) *Lat.* a swelling or protuberance ; applied to a thickened portion of a root-stalk ; also a genus of Fungi, which contains the Truffle.

**Tu'berose** (Bot.) a foolish instance of a Latin specific name (*tuberosa*) being turned into an English generic one, as if connected with Rose, which it is not in any way ; applied to the Polyanthes, a genus of Liliaceæ.

**Tubero'sus-a-um** (Ent., Bot.) *Lat.* full of protuberances ; e. g. *Lathyrus tuberosus*.

**Tubicoine'l'a** (Zool.) dim. of *tubicen-inis*, a trumpeter ; a genus of Cirripedes.

**Tubula'ria** } (Zool.) *tubulus*, a little pipe ; a genus, family, and sub-

**Tubulari'adæ** } (Zool.) family of Zoophytes.

**Tubulari'na**

**Tubuli'pora** } (Zool.) *tubulus*, a tube, *porus*, a passage ; a genus,

**Tubulipo'ridæ** } (Zool.) family, and sub-family of Polyzoa.

**Tubulipori'na**

**Tulba'ghia** (Bot.) P. N. in honour of *Tulbagh*, a Dutch Governor at the Cape of Good Hope ; a genus of Liliaceæ.

**Tu'lipa** (Bot.) *Persian thoulyban*, a turban ; a genus of Liliaceæ. The common garden tulip is *Tulipa Gesneriana*.

**Tulipi'ferus-a-um** (Bot.) *Lat.* bearing flowers resembling tulips ; e. g. *Hedaroma tulipifera*.

- Tulipifor'mis-e** (Zool.) *tulipa*, tulip, *forma*, shape.
- Tulos'toma** (Bot.) τύλος, a knot, στόμα, the mouth; from the peculiar form of the orifice; a genus of Fungi.
- Tumidel'la** (Ent.) *tumidus*, swelling.
- Tunica'ta** (Fos. Zool.) *tunica*, a coat; molluscs having no shells, but protected by an elastic leathery-looking tunic; Tunicaries.
- Tunny or Thunny** (Ichth.) θύννος, *Lat. thynnus*; the *Thynnus Thynnus*.
- Tupaia** (Zool.) Malay *tupai*; a genus of Mammalia, family Talpidae.
- Tupelo** (Bot.) the Tupelo-tree is the *Nyssa denticulata*, Nat. Ord. Alangiaceæ.
- Tupidan'thus** (Bot.) τυπίσ-ιδος, a mallet or hammer, ἄθος, flower; a genus of Araliaceæ.
- Upis'tra** (Bot.) dimin. of *υπίσ*, a hammer; alluding to the peculiar form of the flower; a genus of Liliaceæ.
- Turbi'nidæ** (Zool.) *turbo*, a whipping-top; the Top-shells; a family of Mollusca.
- Turbini'na** (Zool.) the True Top-shells; a group of Mollusca.
- Turbino'lia** (Zool.) *turbo*, a whipping-top; a genus of Zoophytes.
- Turbinuli'na** (Zool.) dim. of *turbo*; a genus of Fossil Foraminifera.
- Turbot** (Ichth.) Scaliger thinks from *Lat. turbo*, a top; French, *turban*, Dutch, *tarbo*; the *Pleuronectes maximus*.
- Turdoi'des** (Ornith.) *turdus*, a thrush, ιδος, likeness.
- Turdus** (Ornith.) *Lat.* a thrush; a genus of Tenuirostral Passeres.
- Turge'nia** (Bot.) *turgeo*, to swell, *i. e.*, the seeds; a genus of Apiaceæ.
- Turgeniop'sis** (Bot.) the genus *Turgenia*, ὅψις, likeness; a genus of Apiaceæ.
- Tu'rgidus-a-um** (Zool., Bot.) *Lat.* swollen, inflated.
- Turgo'sea** (Bot.) used erroneously for *Pyrgis*, from πύργος, a tower; alluding to the clusters of flowers; a genus of Craftulaceæ.
- Tu'rio** (Bot.) *Lat.* a young shoot.
- Turiona'na** (Ent.) *turio*, a shoot; alluding to the habit of the larva, which attacks the shoots of fir-trees.
- Turkey** (Ornith.) the name of this domestic bird has no connection with the Turkish dominions, since it was first brought from America, and is an instance of arbitrary localization. Turkeys were formerly, from a similar error in France, called *poulets d'Inde*, or *cogs d'Inde*: the scientific name is *Meleagris Gallopavo*.
- Turkey-Buz'zard** (Ornith.) the *Cathartes Aura*; also called the Carrion Vulture.

- Tur'meric (Bot.) procured from the rhizome of *Curcuma longa*.
- Turnep or Turnip (Bot.) the *nep*, (*Anglo-Sax. nepe*; *Lat. napus*), which is as round as if turned in a lathe ; the *Brassica Rapa*.
- Tur'rnera (Bot.) P. N. in honour of *William Turner, M.D.*, who lived in the reign of Edward VI., and was the author of our earliest Herbal. He was Prebendary of York, Canon of Windsor, and Dean of Wells; typical genus of Turneraceæ.
- Turpin'ia (Bot.) P. N. in honour of *M. Turpin*, a French botanical artist; a genus of Celastraceæ.
- Turra'sa (Bot.) P. N. in honour of *Giorgio Turra*, Professor of Botany at Padua; a genus of Meliaceæ.
- Tur'ris (Zool.) *Lat.* a tower, from its castellated form; a genus of Acalaphæ or Sea-Nettles.
- Turri'tis (Bot.) *turris*, a tower, from its pyramidal growth; a genus of Cruciferæ.
- Tur'tle (Ornith.) *Lat. turtur*; *Anglo-Sax. turle*; *Dutch, tortel*; *Fr. tourterelle*: the Turtle or Turtle-dove is *Turtur Auritus*.
- Tur'tle (Zool.) this name seems to have been first applied to the sea-tortoises (Cheloniidæ) in America, probably as a nautical term of affection.
- Turtur (Ornith.) *Lat.* the Turtle-dove.
- Tussila'go (Bot.) *tuffi*, a cough; from its medical qualities; Coltsfoot; a genus of Compositæ.
- Tut'san (Bot.) from its French name, *La toute faine*, the leaves having been formerly applied to fresh wounds; the *Hypericum Androsænum*.
- Ty'chius (Ent.) *τιχίω*, to be armed; a genus of Coleoptera.
- Ty'chus (Ent.) same derivation; a genus of Coleoptera.
- Tylo'phora (Bot.) *τύλος*, a knot, *φέρειν*, to bear; a genus of Asclepiadaceæ.
- Tylo'stoma (Zool.) *τύλος*, a callofity, *στόμα*, mouth; a genus of Mollusca.
- Tym'panis (Bot.) *τύμπανον*, a drum; from the resemblance of the young velum; a genus of Fungi.
- Tympanis'trius-a-um (Ornith.) *τυμπανίστρια*, a player on the tambourine; spec. name of *Peristera tympanibria*, the Tambourine Ground-dove, from resemblance of the cry of the male to the sound of a tambourine.
- Tympano'phora (Fos. Bot.) *τύμπανον*, a cymbal, *φέρειν*, to bear.
- Tym'panūm (Zool. Bot.) *Lat.* a drum; in Botany the veil which covers the thecae of urn-mosses.
- Ty'pha (Bot.) *τύφα*, a marsh, from its habitation; Reed-mace, Cat's-tail, or Club-rush; a genus of Typhaceæ.

Typhæ'a (Ent.) *τύφει*, stupor, on account of their feigning death; a genus of Coleoptera.

Typhli'ne } (Zool.) { *τυφλός*, blind; the eyes are hidden under the skin; a genus and family of Ophidians.

Typhlo'ps } (Zool.) { *τυφλός*, blind; a genus and family of Li-Typhlo'psidae} zards.

Ty'phlus (Zool.) *τυφλός*, blind; applied to a mole.

Typhœ'u's (Ent.) *τύφει*, stupor; on account of their feigning death; a genus of Coleoptera.

Ty'phula (Bot.) dimin. of *Typha*; from the heads resembling this (the bull-rush) in miniature; a genus of Fungi.

Tyranni'næ } (Ornith.) { *tyrannus*, a despot or tyrant; the Tyrant Tyran'nus } Shrikes; a sub-family and genus of Incisores.

Uda'na (Ent.) *udus*, contracted from *uvidus*, wet, damp.

Uddmannia'na (Ent.) P. N. in honour of *Dr. Uddmann*, a naturalist of the last century, whose "Dissertations" are alluded to by Linnaeus.

Udo'ra (Bot.) *ὕδωρ*, water; it is generally found in canals; a genus of Hydrocharitaceæ.

Ufea'lis (Ent.) *ἱψάω*, to weave.

Uleio'ta (Ent.) *ὑλήτης*, woody; the insects live under the bark of trees; a genus of Coleoptera.

U'lex (Bot.) *Lat. furze*; Furze; a genus of Leguminosæ.

Ulica'na (Ent.) *ulex*, furze, gorse, upon which the insect feeds.

Ulicolel'la (Ent.) *ulex*, a furze-bush, *coleo*, to frequent; referring to the food-plant of the insect.

Uligino'sus-a-um (Ent., Bot.) *Lat. damp, marshy*.

Ullo'a (Bot.) P. N. in honour of *Antonio Ulloa*, a Spanish naturalist; a genus of Solanaceæ.

Ulm'a'ta (Ent.) feeds on elm (*ulmus campestris*).

Ulm'a'ceæ (Bot.) the Nat. Ord. of plants of which *Ulmus* is the type; Elm-worts.

Ulmus (Bot.) *Lat. an elm*; the Elm; typical genus of Ulmaceæ.

Ulocy'athus (Zool.) *οὐλός*, crimped *κύπελλος*, a cup,

Uloiden'dron (Fos. Bot.) *ὔλη*, a wood, *ἴδρων*, a tree; a genus of fossil coal measure tree-stems.

Ulo'ma (Ent.) *οὐλός*, corn, because found in meal; a genus of Coleoptera.

Ulosper'mum (Bot.) *στόλης*, curled, *σπίρα*, a seed.

**Ulo'ta** (Bot.) *λάν*, wood or forest, its usual habitat being on trees; a genus of Musci.

**Ulothrix** (Bot.) *οὐλός*, twisted, *θρίξ*, hair; a genus of Confervoid Algae.

**U'lulus-a-um** (Ornith.) *ululo*, to howl; howling; e. g. *Surnia ulula*, the Screech-owl.

**Ul'va** } (Bot.) *{ Lat. name for an aquatic plant, probably from  
Ul'vecea} Celt. *ul*, water, alluding to its place of growth;  
a genus and family of Marine Algae.*

**Umbel** (Bot.) *umbella*, a parasol or umbrella; a form of inflorescence.

**Umbelli'feræ** (Bot.) the natural order of plants in which the form of inflorescence is that of *Umbel*.

**Umbilica'ria** (Bot.) *umbilicus*, a navel, from the peltate frond or thallus; a genus of Gymnocarpous Lichenes.

**Umbilicous** (Bot.) *Lat.* the navel; it is hollow-leaved; a genus of Grassulaceæ.

**Umbo** (Zool.) *Lat.* a boss; the apex of the whorl-shaped shells.

**Umbona'tus-a-um** (Bot.) *umbo*, a boss; round, with a projecting point in the centre, like the boss of an ancient shield.

**Umbraculi'ferus-a-um** (Bot.) *umbraculum*, anything that furnishes shade, *fero*, to bear; specific name of the Talipot palm, *Corypha umbraculifera*.

**Umbra'tica** (Ent.) *Lat.* in the shade, retired from the world. The larva hides by day under the lower leaves of Sow-thistles.

**Umbri'na** (Ichth.) *umbra*, the shade; appearing like a cloud in the water; a genus of Sciænoid Fishes.

**Umbro'sus-a-um** (Bot.) *Lat.* shady, e. g. *Saxifraga umbrosa*.

**Unangula'tus-a-um** (Ent.) *unus*, one, *angulus*, an angle.

**Un'ca** (Ent.) *uncus*, a hook; from the hook-like marks on the forewings.

**Unca'ria** (Bot.) *uncus*, a hook; the "Grapple-plant" of South Africa; a genus of Pedaliaceæ,

**Uncina'tus-a-um** (Ornith.) *Lat.* barbed, furnished with hooks, e. g. *Cymindis uncinatus*, the Crook-billed falcon.

**Unci'nia** (Bot.) *uncinus*, a hook; the awn being hooked; a genus of Graminae.

**Unci'ola** (Zool.) dim. of *uncus*, a hook; a genus of Crustacea.

**Unda'tus-a-um** (Ornith., Ent.) *Lat.* waved; having wave-like markings; e. g., *Sylvia undata*, the White-throat.

**Undula'tus-a-um** (Ornith., Ent.) *Lat.* marked as with waves, e. g. *Melopithecus undulatus*.

**Unga'lia** (Zool.) *ungo*, to besmear; a genus of Ophidians.

**Ungui'culus-a-um** (Ent.) dim. of *unguis*, a claw; clawed.

- Unguifo'rmis** (Zool.) *Lat.* claw-shaped.
- Uni'color** (Ornith.) *Lat.* all of a single colour.
- U'nicorn** (Zool.) *unus*, one, *cornu*, horn.
- Unifascia'tus-a-um** (Ent.) *unus*, one, *fascia*, a band ; having a single band or stripe.
- Uniloculi'na** (Zool.) *unus*, one, *loculus*, a compartment ; a genus of *Foraminifera*.
- Unimacula'tus-a-um** (Zool.) *unus*, one, *macula*, a spot ; single-spotted.
- U'nio** (Zool.) *Lat.* a pearl ; a genus of *Mollusca*.
- Uni'ola** (Bot.) *unus*, one, alone ; having united glumes ; a genus of *Graminae*.
- Unisulca'tus-a-um** (Zool.) *Lat.* one-grooved.
- Up'e neus** (Ichth.) *οὐρήν*, the beard ; a bearded fish, allied to the Mullets.
- U'pupa** (Ornith.) *Lat.* the hoopoo ; a word used by Pliny ; the Hoopoe.
- Uralen'sis-e** (Ornith., Bot.) *Lat.* belonging to the Uralian mountains,  
e. g. *Astragalus Uralensis*.
- Uraley'tus** (Ichth.) *οὐρά*, tail, *λατές*, thin ; a genus of Fishes, family  
Gadidae.
- Ura'nia** (Bot.) *οὐράνιος*, sublime, from its stateliness ; a genus of *Musaceæ*.
- U'ranops** (Zool.) *οὐρά*, tail, *ὤψις*, appearance ; a genus of Ophidians.
- Urano'scopus** (Ichth.) *οὐρανοσκόπος*, that contemplates the sky ; so-called  
from the position of the eye, which it turns upwards in swimming ;  
a genus of Percoid Fishes.
- Urapteri'gidae**, } (Ent.) { *οὐρά*, a tail, *πτερυξ*, a wing ; the hind wings  
**Urap'teryx** } having a tail-like projection ; a family and  
genus of Lepidoptera.
- U'raster** (Zool.) *οὐρά*, a tail, *ἀστρά*, a star ; the Cross-fish, one of the Sea-  
stars.
- Ur'bicus-a-um** (Ornith., Bot.) *Lat.* of the city ; e. g. *Chelidon urbica*, the  
House Martin, *Chenopodium urbicum*.
- Uroe'ola** (Bot.) *urceolus*, a little pitcher, from the form of the corolla ; a  
genus of *Apocynaceæ*.
- Uroeola'ria** (Bot.) *urceolus*, a little pitcher ; from the hollowed form of  
the apothecia ; a genus of *Gymnosporous Lichenes*.
- Ure'do**, } *uredo*, a blight of plants, from *uro*, to scorch ; plants  
**Uredin'eis**, } (Bot.) called mildew or blight ; typical genus (now ob-  
solete) and family of parasitic Fungi.
- Ure'na** (Bot.) *uren*, its name in Malabar ; a genus of *Malvaceæ*.
- U'rens** (Bot.) *Lat.* biting, burning ; e. g. *Caryota urens*.

- Uro'chroa** (Ornith.) οὐρά, tail χρόα, colour; a genus of Humming-birds.
- Urococ'cus** (Bot.) οὐρά, tail, κόκκος, berry; from the peduncular processes on the cells; a genus of Confervoid Algae.
- Urocon'ger** (Ichth.) οὐρά, a tail, conger, a kind of fish called by some a conger-ed, to which this genus is allied.
- Urogal'lus** (Ornith.) οὐρας, mountain, gallus, a cock; specific name of the Capercailzie.
- Urogle'na** (Bot.) οὐρά, tail, γλίνη, cavity (cell), from the basal prolongation; a genus of Confervoid Algae.
- Uro'lepis** (Ent.) οὐρά, a tail, λεπίς, a scale.
- Urolep'tus** (Zool.) οὐρά, tail, λεπτός, thin; a genus of Infusoria.
- Uromas'tix** (Zool.) οὐρά, tail, μάστιξ, a whip; a genus of Saurians, family Agamidae.
- Urone'ma** (Zool.) οὐρά, tail, νήμα, filament; a genus of Infusoria.
- Uropet'alum** (Bot.) οὐρά, a tail, πέταλος, a petal.
- Uropy'gium** (Ornith.) οὐρά, tail, ρυγή, rump; the extremity of the body of birds, which sustains the tail.
- Uro'plates** (Zool.) οὐρά, a tail, πλατύς, broad; a genus of Reptiles.
- Urophasiæ'nus** (Ornith.) οὐρας, mountain, φασιανός, pheasant; specific name of the Cock of the Plains.
- Uro'psophus** (Zool.) οὐρά, a tail, φόρος, a noise; a genus of Rattlesnakes.
- Uro'poda** (Zool.) οὐρά, tail, πούς, ποδός, foot; body frequently with a caducous anal peduncle; a genus of Arachnida.
- Uropra'stix** (Zool.) οὐρά, tail, πράστις, to work; a genus of Reptilia.
- Uropris'tis** (Ent.) οὐρά, tail, πρίστις, a saw; a genus of Hymenoptera.
- Uroskin'nera** (Bot.) P. N. given in honour of Mr. Ure Skinner, a London merchant, by Dr. Lindley, who thus apologizes:—"We therefore trust that verbal pedants will not quarrel with the manner we have contrived to escape from the difficulty of there being already a Skinnera in the Botanical field, but agree with us, that Ure Skinner may be fairly blended into a name which shall unmistakably record the labours of one who ought to compete with any other Skinner whatever."
- Uroptery'gius** (Ichth.) οὐρά, tail, πτερύγη, fin; a genus of Murænoid Fishes.
- Urostic'te** (Ornith.) οὐρά, a tail, στικτός, dappled; a genus of Humming-birds.
- Ur'sidae** } (Zool.) { a family and sub-family of Mammalia, of which *Ursus* Ursina } is the type; the Bear family.
- Ursi'nus-a-um** (Bot.) Lat. bear-like, hairy; e. g. Allium *urbinum*.
- Ursus** (Zool.) Lat. a bear; a genus of Mammalia.

**Urtica** (Bot.) *Lat.* a nettle, from *uro*, to burn, from its stinging qualities; the Nettle; typical genus of Urticaceæ.

**Urticaria** (Ent.) feeds on the nettle (*urtica*).

**Urus** (Zool.) *Lat.* a wild bull; the animal mentioned under this name by Cæsar was the Bos Bison of Linnaeus, Bison Bonasus of Dr. J. E. Gray, Bison priscus of Owen.

**Urvil'lea** (Bot.) P. N. in honour of *D. d'Urvil*, a French navigator and botanist; a genus of Sapindaceæ.

**Usnea** (Bot.) *Arab.* *âchnah*, or *âchnen* (*axneeh*, or *âfneeh*, according to Dilleniæ), the name of some tree-lichen; a genus of Gymnocarpous Lichenes.

**Ustilla'go** } (Bot.) *Lat.* *ustulus*, scorched, from its appearance; a genus and **Ustilagi'nei** } family of parasitic Fungi, which produce the disease called smut in corn and other gramina.

**Ustomacula'na** (Ent.) *ustula*, burnt, *macula*, a spot.

**Ustula'tus** (Ent.) *Lat.* scorched; e. g. *Othius ustulatus*.

**Utricula'ria** (Bot.) *utriculus*, a little bottle; from the form of the roots; Bladder-wort; a genus of Lentibulariaceæ.

**Utriculu'rus** (Bot.) *Lat.* a little bottle; a one-celled fruit, originating from a carpel, as in Chenopodium.

**Uva'ria** (Bot.) *uva*, a cluster of grapes; its fruit grows in bunches, like grapes; a genus of Anonaceæ.

**Uvigerl'na** (Zool.) *uva*, a cluster or bunch, *gero*, to carry; a genus of Foraminifera.

**Uvel'la** (Zool.) dim. of *uva*, a bunch of grapes; from the aggregating together of individual monads so as to form a grape or mulberry-like mass; a genus of Infusoria.

**Uvula'ria** (Bot.) formerly used in diseases of the *uvula*; a genus of Melanthaceæ.

**Vaccin'ium** (Bot.) an ancient Latin name, perhaps from *bacca*, a berry; Whortle-berry; typical genus of Vacciniaceæ. "The Vaccinia of the ancients were not fruits, but some kind of flowers, possibly hyacinths, since a line in Virgil, which includes the name Vaccinium, is an adaptation of one in Theocritus, where the hyacinth is manifestly the flower intended."—(Eclog. ii. 18; Idyll. x. 28.) There is also the passage in Claudian—

"Sanguineo splendore rosas, vaccinia nigro  
Induit, et dulci violas ferrugine pingit."

"This likewise would seem to point to the hyacinth, or, if not to that, at least to some dark-complexioned flower."—*GARDON'S British and Garden Botany.*"

**Vagabundus** (Zool.) *Lat.* strolling about, vagabond; *c. g.* *Che-todon vagabundus*.

**Vagans** (Ent., Bot.) *Lat.* wandering, rambling; *c. g.* *Erica vagans*.

**Vagini'cola** (Zool.) *vagina*, a sheath, *cole*, to inhabit; a genus of Infusoria.

**Vaginul'na** (Zool.) dim. of *vagina*, a sheath; a genus of Foraminifera.

**Valan'tia** (Bot.) P. N. in honour of *Sebastien Vaillant*, a French botanist; a genus of Stellatae.

**Valeria'** (Ent.) P. N., the name of a celebrated family in ancient Roman history; a genus of Lepidoptera.

**Va'l'gus** (Ent.) *Lat.* bow-legged; a genus of Coleoptera.

**Valeria'na** (Bot.) *valere*, to be in health; or *Valerius*, a king? this was probably the spikenard of the ancients. The root is still used as a perfume in India.

**Valla'ris** (Bot.) *vallio*, to enclose; it is used for fences in Java; a genus of Apocynaceæ.

**Valle'sia** (Bot.) P. N. in honour of *F. Vallejo*, physician to Philip II, of Spain; a genus of Apocynaceæ.

**Valli'gera** (Ent.) *vallum*, a palisade, *gerere*, to carry; from the form of the markings.

**Valisne'ria** (Bot.) P. N. in honour of *Antonio Valisneri*, an Italian botanist; a genus of Hydrocharitaceæ.

**Valke'ria** (Zool.) P. N. in honour of *Dr. Walker*, a former professor in Edinburgh; a genus of Polyzoa.

**Vallo'ta** (Bot.) P. N. in honour of *Pierre Vallot*, a French botanist; a genus of Amaryllidaceæ.

**Valvuli'na** (Zool.) dim. of *valva*, a valve; in allusion to the valvular operculum; a genus of Foraminifera.

**Vampi'russ** (Zool.) *Fr. vampire*; *Ital. and Span. vampiro*; *Dutch and Germ. vampir*; the Vampire Bat; a genus of Mammalia, order Chiroptera.

**Van'da** (Bot.) Hindoo name of the original species; a genus of Orchidaceæ.

**Vandel'lia** (Bot.) P. N. in honour of *Dr. Louis Vandel*, Professor of Botany at Coimbra, Portugal; a genus of Scrophulariaceæ.

**Vanessa** (Ent.) "probably from Swift's poem of Cadenus and *Vanessa*, in which the Dean (*Decanus*) tells the story of his love for Esther (*Ella*) *Vanhombrugh*. Sodoffsky proposes *Phanessa*, from *évanescere*, a Neo-

- Platonic name of the God of Love;" (Acc. List of Brit. Lepid.;) a genus of Lepidoptera.
- Vanguie'ra (Bot.) *voo-vanguier*, its Madagascar name; a genus of Rubiaceæ.
- Vanil'la (Bot.) *Span. vaynilla*, a little knife or scissor-case, the fruit being long and cylindrical, and like the sheath of a knife; a genus of Orchidaceæ.
- Vara'nidae} (Zool.) unexplained; a family and genus of Lizards.  
Vara'nus } (Zool.) unexplained; a family and genus of Lizards.
- Varia'bilis (Ornith., Bot.) *Lat.* changeable, uncertain.
- Varia'tus-a-um (Ent.) *Lat.* changeable, varied.
- Varico'rnes (Ent.) *varius*, diversified, *cornu*, horn (antennæ); one of Stephen's sections of Coleoptera.
- Variega'tus-a-um (Zool., Ent.) *Lat.* variegated, of different sorts or colours.
- Variola'ria (Bot.) *variola*, measles; from the eruptive aspect of the fructification; a genus of Lichenes.
- Variu's-a-um (Zool., Bot.) *Lat.* variegated, spotted, party-coloured; e. g. *Lupinus varius*.
- Varro'nia (Bot.) P. N. in honour of *M. T. Varro*, a celebrated Roman, A.C. 116: a genus of Cordiaceæ.
- Vasco'a (Bot.) P. N. in honour of *Vasco de Gama*, a celebrated Portuguese circumnavigator, who died in 1525; a genus of Leguminosæ.
- Vauan'thes (Bot.) from the Hebrew letter *vau*, וָעֵד, a flower; a genus of Crassulaceæ.
- Vauche'ria (Bot.) P. N. in honour of the Rev. *M. Vaucher*, of Geneva, author of "Conserve d'eau douce;" a genus of Confervoid Algae.
- Vecorda'lis (Ent.) *vecor*, silly, foolish.
- Vegetable Ivory (Bot.) applied to the bony albumen of the seeds of the palm called *Phytelephas macrocarpa*.
- Veleda (Ent.) P. N., a German virgin who received divine honours from her countrymen; applied to a species of spider.
- Vele'zia (Bot.) P. N. in honour of *C. Velez*, physician and botanist at Madrid; a genus of Caryophyllaceæ.
- Vella' (Bot.) Latinized from *velar*, the Celtic name of the cress; a genus of Cruciferæ.
- Velle'ja (Bot.) P. N. in honour of *Major Vellejy*, who was skilled in Algæ; a genus of Goodeniaceæ.
- Velleiu's (Ent.) etymology uncertain; a genus of Coleoptera.
- Velocel'la (Ent.) dim. of *velox*, swift.
- Ve'lox (Zool.) *Lat.* swift; swift-flying.

- Veltheimia** (Bot.) P. N. in honour of *F. A. de Veltheim*, a German botanist; a genus of Liliaceæ.
- Venaticus-a-um** (Zool.) *Lat.* belonging to or used for hunting.
- Veneni'flua** (Bot.) specific name of a *Tanghinia* which produces the ordeal poison of Madagascar; from *venenum*, poison, *fluere*, to flow.
- Veni'dium** (Bot.) etymology unknown; a genus of Compositeæ.
- Veni'lia** (Ent.) P. N., a nymph, the mother of Turnus.—**VIRG.** *AEn.* x. 76; a genus of Lepidoptera.
- Veno'sus-a-um** (Ent., Bot.) *Lat.* veinied.
- Ventil'a'go** (Bot.) *ventilare*, to be exposed to the wind, *age*, to drive away; in allusion to the fruit being winged, and scattered by the wind; a genus of Rhamnaceæ.
- Venu'sia** (Ent.) the name of a town in Italy, the birthplace of the poet Horace; a genus of Lepidoptera.
- Venus'tus-a-um** (Bot.) *Lat.* graceful, charming, e. g. *Pentstemon venustus*.
- Vera'trum** (Bot.) *vere*, truly, *ater*, black; referring to the colour of the roots; Hellebore; a genus of Melanthaceæ.
- Verbasca'lia** (Ent.) feeds on the mullein (*verbascum*).
- Verbas'cum** (Bot.) ancient name of a plant, probably mullein; Mullein; a genus of Scrophulariaceæ.
- Verbe'na** (Bot.) quasi *Herbena*, vervain, which is probably from Celtic *ferfaen*. The word originally denoted all herbs that were held sacred on account of their being employed in the rites of sacrifice:—  
“Vernasque adole pingues, et mascula thura.”—**VIRG.** Eclog. viii.  
“Ara castis vincta Verbenis.”—**HOR.** Od. 11, Lib. iv.
- Verbesi'na** (Bot.) altered from *verbena*; a genus of Compositeæ.
- Verguli'na** (Zool.) *vergula*, a little wand; a genus of Foraminifera.
- Veretil'leæ** (Zool.) the Sea-pens, of which *Veretillum* is the type.
- Veretil'lum** (Zool.) *veretilla*, *penis*; a genus of Sea Pens.
- Vermical'la** (Zool.) *vermis*, a worm, *zéλλας*, beauty; a genus of Colubrine ophidians.
- Vermicula'ria** (Bot.) *vermiculus*, a little worm; from the arrangement of the seeds; a genus of Fungi.
- Vermi'vorus-a-um** (Ornith.) *vermis*, a worm, *vorare*, to devour; e. g. *Mniotilla vermicivora*.
- Verna'tria** (Ent.) *vernus*, appearing in the spring.
- Verna'tio** (Bot.) *ver*, spring; *vernation* is applied like *profection* or *gemmation*, to the arrangement of the leaves in the bud.
- Verni'cia** (Bot.) Low Latin, *vernis*, varnish; yields an oil useful for painting.

- Verno'nia** (Bot.) P. N. in honour of *William Vernon*, a botanist and traveller in North America; a genus of Compositæ.
- Verneuili'na** (Zool.) P. N. in honour of *M. Verneuil*, a celebrated French geologist; a genus of Foraminifera.
- Vero'nicæ** (Bot.) from Arabic *viroo nikoo*, beautiful remembrance; Speed-well; a genus of Scrophulariaceæ.
- Ver'pa** (Bot.) a Latin word synonymous with phallus; a genus of Fungi.
- Verru'ca** } (Zool.) Lat. a wart; a genus and family of Cirripedes.
- Verru'cidæ** }
- Verruca'ria** (Bot.) *verruca*, a wart; the plant is so called from the wart-like processes of the shields; a genus of Lichenes. The ancients applied the name to some plant which removed warts.
- Verruca'tus-a-um** (Bot.) *verruca*, a wart; warty.
- Verruco'sus-a-um** (Bot.) Lat. warty; e. g. *Pforalea verrucosa*.
- Versi'color** (Bot.) Lat. many-coloured; e. g. *Crocus vericolor*.
- Versu'tus-a-um** (Ent.) Lat. cunning.
- Vertebra'ta** } (Zool.) { *vertiere*, to turn; from the mobility of the  
**Vertebræ** } (Zool.) { spinal column.
- Vertebral'i'na** (Zool.) from the compact *vertebra*-like, unforaminate texture of the shell; a genus of Foraminifera.
- Verticilla'tus-a-um** (Zool.) *verticillus*, a whorl; having whorls.
- Verticillium** (Bot.) *verticillat*, a whorl; from the verticillate arrangement of the sporiferous branches; a genus of Fungi, family Mucedineæ.
- Ver'vain** (Bot.) Celtic, *ferfaen*; Fr., *ervevine*; Latin, *verbena*; q. v.
- Vesica'ria** (Bot.) *vesica*, a bladder; from its inflated siliques; a genus of Cruciferæ.
- Vesicula'ria** } (Zool.) { *vesicula*, dim. of *vesica*, a bladder; a genus  
**Vesiculari'adæ** } (Zool.) { and family of Polyzoa.
- Ves'pa** (Ent.) Lat. a wasp; a genus of Hymenoptera.
- Vesperti'llo** } (Zool.) { Lat. a bat; from *vesper*, the evening, its  
**Vespertilion'idæ** } (Zool.) { time of appearance; a genus and family of Mammalia, family Cheiroptera.
- Ves'pidæ** (Ent.) *wasp*, fam. term. *ide*; a family of Hymenoptera, of which *Vespa* is the type; the Wasp family.
- Ves'tia** (Bot.) P. N. in honour of Dr. *Vestia*, of Clagenfurth; a genus of Solanaceæ.
- Vesti'tus-a-um** (Zool., Bot.) Lat. clothed; e. g. *Erica vestita*.
- Vetch** (Bot.) Latin, *vicia*; Ital., *veccia*; Fr. *vesce*.
- Vet'uла** (Ichth.) Lat. an old wife; the fish called the Sea-wife.

- Vexilla'rius** (Ornith.) *Lat.* a standard-bearer; *e.g.* *Caprimulgus vexillarius*, which has flag-like expansions of the wings.
- V-fla'va** (Ent.) *flavus*, yellow; the marks taking the form of the letter V.
- Vibice'l'a** (Ent.) *vibex*, a scar, or the mark of a stripe.
- Vibor'gia** (Bot.) P. N. in honour of *Eric Viborg*, a Danish botanist; a genus of Leguminosæ.
- Vibra'na** (Ent.) *vibro*, to move rapidly, to set in tremulous motion.
- Vi'brio** } (Zool.) { *vibro*, to shake; from the undulatory serpent-like  
**Vibrio'nia** } motions; a genus and family of Infusoria.
- Vibu'rnum** (Bot.) this old name for a plant is probably from *vice*, to bind up as with twigs; *Viburnum Lantana* is said to have been the plant called Viburnum by VIRGIL, Eclog. i. 26.
- Vi'cia** (Bot.) *Lat.* a vetch; a genus of Leguminosæ.
- Vid'u'a** (Ornith.) Latinized form of the name of the Whydah-bird, which has led to the natural corruption of the Widow-bird.
- Vidua'ria** (Ent.) *viduu*, widowed; the wings, white sprinkled with black, appear to be in mourning.
- Vieusseau'xia** (Bot.) P. N. in honour of *M. Vieusseux*, a physician at Geneva; a genus of Iridaceæ.
- Vi'gilax** (Ent.) *Lat.* watchful.
- Vigin'tipuncta'tus** (Ent.) *viginti*, twenty, *punctatus*, spotted.
- Vigna** (Bot.) P. N. in honour of *Dominic Vigna*, a commentator on Theophrastus; a genus of Leguminosæ.
- Viguie'ra** (Bot.) P. N. in honour of *L. G. A. Viguier*, of Montpellier, botanist; a genus of Compositeæ.
- Villar'sia** (Bot.) P. N. in honour of *Villars*, a distinguished French botanist; a genus of Gentianaceæ.
- Villare'sia** (Bot.) P. N., a genus of Aquifoliaceæ.
- Villi** (Zool., Bot.) pl. of *villus*, a tuft of hair; in Zoology, minute folds of mucous membrane of the small intestines; in Botany, soft, slender filaments.
- Vilmorin'ia** (Bot.) P. N. in honour of *M. Vilmorin*, member of the Agricultural Society of Paris; a genus of Leguminosæ.
- Vimena'ria** (Bot.) *vimen*, a twig, in reference to the naked twig-like appearance of the plant; a genus of Leguminosæ.
- Vimina'lis-e** (Ent.) *Lat.* pertaining to or living amongst osiers.
- Vimina'ta** (Ent.) *Lat. vimen*, an osier.
- Vin'oa** (Bot.) *Lat.* the plant periwinkle; Periwinkle; a genus of Apocynaceæ.

Vin'ula (Ent.) *vinum*, wine; Linnaeus describes the larva as “e rima sub capite humorem acrem expellens.”

Vi'ola (Bot.) fabled to have sprung up for food for *Io*, who was changed into a cow by Jupiter: the Viola of the ancients was a kind of Iris; typical genus of Violaceæ.

Viola'ceus-a-um (Zool., Bot.) *Lat.* violet-coloured, purple; *e. g.* Musophaga *violacea*.

Vi'pera }  
Viperina } (Zool.) { *Lat.* a viper; the Vipers; a genus, sub-family,  
Viperidae } and family of Reptilia.

Vi'rens (Ichth., Bot.) *Lat.* strong-growing; *e. g.* Crepis *virens*.

Vireta'ta (Ent.) *virtutem*, green-sward, turf.

Virgil'lia (Bot.) P. N., given by Lamarck, in honour of the poet *Virgil*; a genus of Leguminosæ.

Virgula'ria (Zool.) *virgula*, a little rod, dim. from *virga*; a genus of Zoophytes.

Virguli'na (Zool.) *virgula*, a wand; a genus of Foraminifera.

Vulgul'o'sus a-um (Bot.) *virgultum*, a bush; bushy, shrubby, *e. g.* Myrtus *virgulosa*.

Virida'ta (Ent.) *viridis*, green.

Vir'idis-e (Zool., Bot.) *Lat.* green, *e. g.* Helleborus *viridis*.

Viscerel'la (Ent.) *viscera*, the entrails; from the gut-like appearance of its mine in elm leaves.

Visci'vorus-a-um (Ornith.) *viscum*, mistletoe, *voro*, to eat.

Vis'cum (Bot.) *Lat.* the mistletoe, from *viscus*, clammy, from the nature of the berries; Mistletoe; a genus of Loranthaceæ.

Vismia (Bot.) P. N. in honour of *M. de Visme*, a Lisbon merchant; a genus of Hypericaceæ.

Vital'ba (Bot.) *vitis-alba*, white vine; the Wild Clematis.

Vitalba'ta (Ent.) taken on the wild clematis, (*Clematis vitalba*.)

Vi'tex (Bot.) *vix*, to bind, from its flexible twigs; a genus of Verbenaceæ.

Vi'tis (Bot.) *Lat.* a vine; the Vine-plant; typical genus of Vitaceæ.

Vitman'nia (Bot.) P. N. in honour of *F. Vitmann*, Professor at Milan, 1792; a genus of Rhamnaceæ.

Vitri'na (Zool.) *vitrum*, glass; the shells are slender, thin, and transparent; a genus of Mollusca.

Vit'tæ (Bot.) pl. of *vitta*, a fillet or band; applied to imperfect septa in the valves of Diatoms, and to the reservoirs of special secretion (chiefly oily) in certain fruits.

- Vitta'ria** (Bot.) *vitta*, a riband; from the shape of the narrow fronds; a genus of Polypodioid Filices.
- Vitta'tus-a-um** (Ent., Bot.) *Lat.* dressed with ribbons; as spec. name for Amaryllis *vittata*, it alludes to the gay striped appearance of the flowers.
- Vittel'la** (Ent.) *vitta*, a band.
- Vituli'nus-a-um** (Zool.) *Lat.* calf-like, e. g. Phoca *vitulina*, the Seal.
- Viver'ra** } (Zool.) { *viverra*, a ferret; the Ferrets; a genus and sub-family of Mammalia.
- Voandzei'a** (Bot.) *voandzon*, its name in Madagascar; a genus of Leguminosæ.
- Vochy'sia** (Bot.) the original name of the Caribes; typical genus of Vochyaceæ.
- Volkame'ria** P. N. in honour of J. G. Volkamer, a German botanist; a genus of Leguminosæ.
- Vol'tia** (Bot.) P. N., a genus of Musci.
- Volkman'nia** (Fos. Bot.) P. N. in honour of Volkmann; a provisional genus of coal-measure stems.
- Vol'tzia** (Fos. Bot.) P. N. in honour of Voltz, of Straßburg; a genus of fossil Coniferous plants.
- Volute'lla** (Bot.) dim. of *volutus*, rolled; a genus of Fungi.
- Volu'tus-a-um** (Bot.) *Lat.* rolled.
- Volva'ria** (Zool., Bot.) *volva*, a wrapper, from *volvo*, to roll; a genus of Gastreropod Mollusca; in Botany, a genus of Fungi.
- Volvoc'i'nes** (Bot.) a family of Confervoid Algæ; of which *Volvox* is the typical genus.
- Vo'lvox** (Bot.) *volvere*, to turn; from the rolling motion which it derives from the innumerable cilia; a genus of Confervoid Algæ.
- Vorticel'la** } (Zool.) { dim. of *vortex*, a whirlpool; the Bell-shaped Vorticelli'na} { Animalcule; a genus and family of Infusoria.
- Vrie'sia** (Bot.) P. N. in honour of Dr. W. de Vrije, Professor of Botany at Leyden; a genus of Bromeliaceæ.
- Vulga'ris-e** (Zool., Bot.) *Lat.* common, ordinary, e. g. Polypodium *vulgar.*
- Vulnera'rius-a-um** (Bot.) *vulnus*, a wound; wound-healing, e. g. Anthyllis *vulneraria*.
- Vul'pes** (Zool.) *Lat.* a fox; a genus of Mammalia, family Canines.
- Vulp'i'nus-a-um** (Zool.) *Lat.* crafty, fly, fox-like.
- Vul'tur** (Ornith.) *Lat.* a vulture; a genus of the Nat. Ord. Accipitres, family Vulturidæ.

Vulvuli'na (Zool.) *vulvula*, a little matrix or womb ; a genus of Foraminifera.

Wachendorfia (Bot.) P. N. in honour of *E. J. Wachendorf*, a Dutch botanist ; a genus of Hæmodoraceæ.

Wæberia/na (Ent.) P. N. in honour of *Baron de Wæber*, formerly one of the Theresian Professors at Vienna.

Wahlenber'gia (Bot.) P. N. in honour of *G. Wahlenberg*, *M.D.*, author of "Flora Lapponica;" a genus of Campanulaceæ.

W-al'büm (Ent.) so called on account of the white W on the under wings, (*albus*, white.)

Wal'chia (Fos, Bot.) P. N., a genus of fossil coniferous plants.

Walckenära (Ent.) P. N. in honour of *M. Walckenäer*, a distinguished French naturalist lately deceased.

Waldste'nia (Bot.) P. N. in honour of *Francis von Waldstein*, a German botanist ; a genus of Rosaceæ.

Walk'e'ra (Bot.) P. N. in honour of *Richard Walker*, founder of the botanic gardens at Cambridge, a genus of Ochnaceæ.

Wall'i'chia (Bot.) P. N. in honour of *Nathaniel Wallich*, *M.D.*, formerly Superintendent of the botanical gardens at Calcutta ; a genus of Cinchonaceæ, and also of Palmaceæ.

Wallro'thia (Bot.) P. N. in honour of *F. Wallroth*, *M.D.*, a German botanist ; a genus of Umbelliferæ.

Walsu'ra (Bot.) constructed from *wallurj*, its Telinga name ; a genus of Meliaceæ.

Wal'nut (Bot.) *Anglo-Sax.* *walch hnut*, foreign nut, as in German *wölfche nuss*; fruit of the *Juglans regia*.

Wal'rus (Zool.) this Norwegian word signifies literally "whale-horse"; the *Trichecus Rosmarus*.

Walthe'ria (Bot.) P. N. in honour of *A. F. Walther*, Professor of Medicine at Leipzic ; a genus of Sterculiaceæ.

Wa'nderoo (Zool.) a popular name in Ceylon for a monkey, the Macacus Silenus.

Wangenhei'mia (Bot.) P. N. in honour of *F. A. J. Wangenheim*, a German botanist ; a genus of Graminae.

Warnea (Zool.) P. N. in honour of *Mrs Elizabeth Warne*, who translated Lamouroux's "Polypiers flexibles."

Wasp (Zool.) *Anglo-Sax.* *weeps*, *Latin*, *vessa*.

- Watso'nia** (Bot.) P. N. in honour of *W. Watson*, a London apothecary; a genus of Iridaceæ.
- Wea'sel** (Zool.) *Anglo-Sax. wifle*; the common Weasel is *Mustela vulgaris*.
- We'bera** (Bot.) P. N. in honour of *G. H. Weber*, a German botanist; a genus of Bryoid Musci.
- Webbi'na** (Zool.) P. N., a genus of Foraminifera.
- Wede'lia** (Bot.) P. N. in honour of *George Wolfgang Wedel*, a German botanist, who died in 1721; a genus of Compositæ.
- Wee'ver** (Ichth.) the name of this fish, the stinging Weever, is said by Dr. Badham to be derived from the French *la vive*, designating the strong tenacity of life manifested by the fish; it is, however, most probably derived from the *Anglo-Sax. wivere*, a serpent or wvern; common name of the *Trachinus draco*.
- Wee'vel** (Ent.) *Anglo-Sax. welf* or *wifel*; common name of various beetles of the family Curculionidæ.
- Weinma'nna** (Bot.) P. N. in honour of *J. W. Weinmann*, a German botanist of Ratibon; a genus of Cunoniaceæ.
- Weira'na** (Ent.) P. N. in honour of *Mr. J. Jenner Weir*, of Blackheath.
- Wentle-trap** (Zool.) a corruption of German *wendle-treppe*, a winding staircase; the *Scalaria communis*.
- Weis'sia** (Bot.) P. N. in honour of *F. W. Weiß*, of Gottingen, a German cryptogamic botanist; a genus of Musci.
- Wendlan'dia** (Bot.) P. N. in honour of *Henry Ludovicus Wendland*, curator of the botanic garden at Hanover; a genus of Cinchonaceæ.
- Welwit'schia** (Bot.) P. N. in honour of *Dr. Welwitsch*, its discoverer; a genus of Gnetaceæ.
- Werne'ria** (Bot.) P. N. in honour of *Abraham Gotlieb Werner*, the celebrated mineralogist, who died in 1817; a genus of Compositæ.
- Westrin'gia** (Bot.) P. N. in honour of *J. P. Westring*, physician to the king of Sweden; a genus of Labiateæ.
- Wetherellia** (Fos. Bot.) P. N. in honour of *Mr. Wetherall*; one of Mr. Bowerbanks' genera of fossil fruits from the London clay.
- Whale** (Ichth.) *Anglo-Sax. hwoel*; the Greenland whale is *Balaena mysticetus*.
- Wheat** (Bot.) *Anglo-Sax. hwæte*; common wheat is *Triticum vulgare*.
- Whitla'via** (Bot.) P. N. in honour of *Francis Whitla Esq.*, of Belfast; a genus of Hydrophyllaceæ.
- Willdeno'via** (Bot.) P. N. in honour of *Charles Louis Willdenow*, Professor of Botany at Berlin; a genus of Restiaceæ.

**Willemetia** (Bot.) P. N. in honour of *P. R. Willemet*, author of "Herbarium Mauritianum;" a genus of Compositeæ.

**Willow** (Bot.) *Anglo-Sax.* *wilig* or *welig*, willing, i.e. like *salix*, from *salio*.  
The common willow is *Salix fragilis*.

**Will'sia** } (Zool.) } P. N. in honour of *Dr. Will*, of Erlangen; a  
Will'si'adæ }      genus and division of the naked-eyed Medusa.

**Willughbe'ia** (Bot.) P. N. in honour of *Francis Willughby*, *F.R.S.*, a distinguished English naturalist, the friend and pupil of Ray; a genus of Apocynaceæ.

**Wilsonia** (Bot.) P. N. in honour of *John Wilson*, of Kendal, an enthusiastic lover of plants in humble life, of whom it is said, that he was once on the point of selling his only cow, in order to purchase a botanical work, when a lady generously presented him with a copy; a genus of Convolvulaceæ.

**Wimmera'na** (Ent.) P. N. in honour of *Baron von Wimmer*.

**Wintera ceæ** (Bot.) P. N. in honour of *William Winter*, a Captain in the Royal Navy, who failed round the world with Sir Francis Drake; a family of Exogenous Plants.

**Wire-worm** (Ent.) applied to the larvæ of various species of beetle mostly belonging to the family Elateridæ.

**Wista'ria** (Bot.) P. N. in honour of *Caspar Wistar*, a Professor in the University of Pennsylvania; a genus of Leguminosæ.

**Wither'ingia** (Bot.) P. N. in honour of *Dr. W. Withering*, a British botanist, author of a "Botanical Arrangement of the Vegetables of Great Britain," 1776; a genus of Solanaceæ.

**Witse'nia** (Bot.) P. N. in honour of *M. Witzen*, a Dutch patron of botany; a genus of Iridaceæ.

**Woad** (Bot.) *Anglo-Sax.* *waad*; *Celtic*, *gived*; the *Isatis tinctoria*, formerly used by the ancient Britons as a dye.

**Wockee'l'a** (Ent.) P. N. in honour of *Dr. Wocke*, of Breslau, Prussia.

**Wolf** (Zool.) *Anglo-Sax.* *wulf*; *Lat.* *vulpes*.

**Wood'bine** (Bot.) synonyme for the Wild honeysuckle, *Lonicera Periclymenum*.

**Wood'cock** (Ornith.) derivation obvious; the *Scolopax rusticola*; *Fr.* *bécasse*; *Ital.* *beccaccia*; *Germ.* *waldschneipe*; most probably the *ερελίτραξ* of Aristotle.

**Wood'sia** (Bot.) P. N. from *Joseph Woods*, an English botanist; a genus of Polypodioid Filices.

- Woodwar'dia** (Bot.) P. N. in honour of *Thomas Jenkinson Woodward*, an English botanist ; a genus of Polypodioid Filices.
- Worm'ia** (Bot.) P. N. in honour of *Olaus Wormius*, a celebrated Danish physician and naturalist ; a genus of Dilleniaceæ.
- Worm'wood** (Bot.) *Anglo-Sax.* *wermud*; *German*, *vermuth*; the *Artemisia Absinthium*.
- Woundwort** (Bot.) the *Anthyllis Vulneraria* was so named from its supposed properties in curing wounds, probably by means of the down ; now applied to the genus *Stachys*.
- Wrang'elia** (Bot.) P. N. in honour of *M. Wrangell*; a genus of Algae.
- Wren** (Ornith.) *Anglo-Sax.* *wrenan*.
- Wright'ia** (Bot.) P. N. in honour of *Dr. W. Wright*, a Scotch physician ; a genus of Apocynaceæ.
- Wulfe'nia** (Bot.) P. N. in honour of *F. X. Wulff*, a German botanist ; a genus of Scrophulariaceæ.
- Wurm'bea** (Bot.) P. N. in honour of *F. von Wurmb*, Secretary to the Academy of Sciences at Batavia ; a genus of Melanthaceæ.
- Wych-elm** (Bot.) the *Ulmus montana*.
- Wyde'ria** (Bot.) P. N. in honour of *H. Wydler*, a botanist ; a genus of Umbelliferæ.

---

**Xantharpy'ia** (Zool.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow,  $\hat{\alpha}\pi\tau\upsilon\alpha$ , a harpy.

**Xan'thia** (Ent.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow ; a genus of Lepidoptera.

**Xanthia'lis** (Ent.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow.

**Xanthi'dia** (Fos. Bot.) dim. from  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow ; applied to fossil bodies from flint, consisting of the sporangia of the Desmidiaceæ.

**Xanthi'dium** (Bot.) same derivation ; a genus of Desmidiaceæ.

**Xan'thium** (Bot.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow ; it was used by the Greeks to dye the hair ; Burweed ; a genus of Compositæ.

**Xan'tho** (Zool., Bot.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow ; in zoology, a genus of Crustacea ; in botany, a genus of Compositæ.

**Xanthochy'mus** (Bot.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow,  $\chi\nu\mu\acute{\epsilon}\varsigma$ , juice, referring to the fruit ; a genus of Clusiaceæ.

**Xantho'des** (Ent.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow,  $\iota\bar{\delta}\acute{\epsilon}\varsigma$ , appearance.

**Xantho'genys** (Zool., Ornith.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow,  $\gamma\iota\bar{v}\acute{\epsilon}\varsigma$ , the cheek ; yellow-cheeked ; e. g. *Parus xanthogenys*, the Yellow-cheeked Titmouse.

**Xan'thognathus-a-um** (Zool.)  $\xi\alpha\theta\acute{\epsilon}\varsigma$ , yellow,  $\gamma\acute{r}\acute{a}\theta\acute{\epsilon}\varsigma$ , the jaw ; yellow-cheeked.

- Xanthogram'ma** (Ent.) ξανθός, yellow, γραμμή, a letter; in allusion to the wing marks.
- Xantholeuca'lis** (Ent.) ξανθός, yellow, λευκός, white, bright; light-yellow.
- Xantholi'nus** (Ent.) ξανθός, yellow, λίνος, a thread; the elytra, tarsi, and antennae are red; a genus of Coleoptera.
- Xanthomy'za** (Ornith.) ξανθός, yellow, μυξάω, to fuck (*i. e.* honey); sometimes inaccurately written *Zanthomyza*; a genus of Meliphagidae or Honey-fuckers.
- Xanthop'tera** (Ent.) ξανθός, yellow, πτερόν, a wing.
- Xanthor'nis** (Ornith.) ξανθός, yellow, ὄπης, bird; a genus of Orioles.
- Xanthorhi'za** (Bot.) ξανθός, yellow, πίζα, a root; a genus of Ranunculaceæ.
- Xanthorrhœ'a** (Bot.) ξανθός, yellow, ρέω, to flow; alluding to the gum; a genus of Liliaceæ.
- Xanthose'tia** (Ent.) ξανθός, yellow, σῆς, a moth; a genus of Lepidoptera.
- Xanthox'yton** (Bot.) ξανθός, yellow, ξύλον, wood; typical genus of Xanthoxylaceæ.
- Xe'nia** (Ornith.) etymology doubtful; a genus of Sea-gulls, family Laridae.
- Xenoce'phalus** (Ichth.) ξείνος, strange, κεφαλής; a fish so called from the largeness of its head.
- Xenoder'mus** (Zool.) ξείνος, strange, διέμεια, a skin; a genus of Ophidians.
- Xeno'dochus** (Bot.) ξείνος, strange, δοχεῖον, a receptacle; a genus of Fungi.
- Xe'nodon** (Zool.) ξείνος, strange, δόδος, a tooth; a genus of Colubrine ophidians.
- Xe'nopus** (Zool.) ξείνος, strange, πτώση, foot; from the singularity of possessing nails on its feet; a genus of Batrachia.
- Xe'nops** (Ornith.) ξείνος, strange, ὄψις, an eye; a genus of Birds.
- Xe'nos** (Ent.) ξείνος, a footless trunk; a parasitic genus of Strepsiptera.
- Xerampeli'na** (Ent.) ξηρός, dry, ἀμπελός, a vine; the insect being the colour of dry vine leaves.
- Xeran'themum** (Bot.) ξηρός, dry, ἀνθεμον, a flower; Everlasting; a genus of Compositæ.
- Xero'phila** (Ornith.) ξηρός, dry, φίλος, fond of; because of its hopping in dusty streets.
- Xerophyl'lum** (Bot.) ξηρός, dry, φύλλον, a leaf; a genus of Melanthaceæ.
- Xero'tes** (Bot.) ξηρότης, dryness; from the aridity of the herbage; a genus of Juncaceæ.
- Ximene'sia** (Bot.) P. N. in honour of *Joseph Ximenes*, a Spanish apothecary; a genus of Compositæ.

**Xime'nia** (Bot.) P. N. in honour of *Francis Ximenes*, a Spanish monk, who wrote upon medicinal plants; a genus of Olacaceæ.

**Xiph'ias** (Ichth.) ξίφος, a sword; the Sword-fish.

**Xiphi'dium** (Bot.) ξιφίδιον, a small sword; from the shape of the leaves; a genus of Hæmodoraceæ.

**Xipho'ptéris** (Bot.) ξιφός, a sword, πτήσις, a fern; from the form of the fronds; a genus of Polypodioid Filices.

**Xiphoso'ma** (Zool.) ξίφος, a sword, σῶμα, body; a genus of Ophidians.

**Xiphosu'ra** (Fos. Zool.) ξίφος, a sword, ὄυρά, tail; a division of fossil Entomostracous Crustaceans.

**Xyla'ria** (Bot.) ξύλον, wood; many species being found on rotten wood; a genus of Fungi.

**Xyle'tinus** (Ent.) ξύλον, wood, τίνω, to injure; a genus of Coleoptera.

**Xyleu'tes** (Ent.) ξυλεύτης, a carpenter.

**Xy'linā** } (Ent.) ξύλινος, wooden; a genus and family of Lepidoptera.  
**Xyll'nidae**

**Xyli'ta** (Ent.) ξυλίτης, like wood; a genus of Coleoptera.

**Xylo'bium** (Bot.) ξύλον, wood, βιοῦ, to live; it grows upon wood; a genus of parasitic Orchidaceæ.

**Xylocam'pa** (Ent.) ξύλον, wood, καμπη, a caterpillar; a genus of Lepidoptera.

**Xylo'copa** (Ent.) ξυλοκόπης, a feller of wood; the Carpenter-bee; a genus of Hymenoptera.

**Xylo'melum** (Bot.) ξύλον, wood, μῆλον, an apple; the capsule of the fruit being wood-like; a genus of Proteaceæ.

**Xylo'myges** (Ent.) ξυλομυγής, mixed with wood; from the insect resembling wood; a genus of Lepidoptera.

**Xylo'phaga** } (Ent.) { ξύλον, wood, φάγω, to eat; a family and genus  
**Xylo'phagus** } (Ent.) { of Diptera.

**Xyloph'a'sia** (Ent.) ξύλον, wood, φάσις, appearance; from the resemblance of the insect to a piece of wood; a genus of Lepidoptera.

**Xylo'philus** (Ent.) ξύλον, wood, φίλος, a lover; a genus of Coleoptera.

**Xylophy'l'a** (Bot.) ξύλον, wood, φύλλον, a leaf; from the rigidity of growth of the foliage; a genus of Euphorbiaceæ.

**Xylo'pia** (Bot.) altered from *Xylopicon*; ξύλον, wood, πικρός, bitter; a genus of Anonaceæ.

**Xylo'poda** (Ent.) ξυλοπόδης, with wooden feet; a genus of Lepidoptera.

**Xylo'steum** (Bot.) ξύλον, wood, στεῦον, bone; the wood is hard and white like bone; spec. name of *Lonicera Xylosteum*.

- Xylotro'gus** (Ent.) ξύλος, wood, τρέψειν, to gnaw; a genus of Coleoptera.
- Xylo'trupes** (Ent.) ξύλος, wood, τρυπάω, to bore; a genus of Coleoptera.
- Xyris** (Bot.) ξυρίς, a razor; the name of a plant named by Dioscorides, probably from its razor-like leaves; typical genus of Xyridaceæ.
- Xyrichthys** (Ichth.) ξυρίς, a razor, λεπτός, fish; the Razor-fish; a genus of family Labridæ.
- Xysmalo'bium** (Bot.) ξυστόν, a shred, λαβίς, a pod, a genus of Aesclepiadaceæ.
- Xysmatodo'ma** (Ent.) ξυστόν-α-ος, scraping, polishing, δομή, a house; a genus of Lepidoptera.

**Yeast-plant** (Bot.) probably the conidial form of *Penicillium glaucum*; in some of its other forms it has the name of Vinegar-plant. *Vide* Microg. Dict.

**Yew** (Bot.) probably a corruption of the Saxon *iw*, green; the *Taxus baccata*.

**Yphan'tes** (Ornith.) ὕφαστος, a weaver; a genus of Orioles.

**Yponomeu'ta** (Ent.) ἐνορεκτός, to hollow out; a genus of Lepidoptera.

**Yuc'ca** (Bot.) *yucca*, its name in St. Domingo; Adam's needle; a genus of Liliaceæ.

**Yunx** (Ornith.) *Lat.* the Wry-neck; a genus of Scanorial birds, family Picidæ.

**Za'brus** (Ent.) ζεβρός, furious, greedy; a genus of Coleoptera.

**Zacyn'tha** (Bot.) it grows in the island of *Zacinthus*, now Zante; a genus of Composite.

**Zaluza'nia** (Bot.) altered from *Zalusianka*, an obscure Polish botanist; a genus of Composite.

**Za'menis** (Zool.) ζαμενής, brave, high-spirited; a genus of Colubrine ophidians.

**Zam'la** (Bot.) *Lat.* losa; from the sterile appearance of the male fructification; a genus of Cycadaceæ.

**Zannichel'lia** (Bot.) P. N. in honour of *John Jerome Zanichelli*, a Venetian apothecary; a genus of Naiadaceæ.

**Zapa'nia** (Bot.) P. N. in honour of *P. A. Zappa*, an Italian botanist; a genus of Verbenaceæ.

**Zapor'nia** (Ornith.) ζεπύρος, very fiery, ὄψης, bird.

**Ze'a** (Bot.) ζεά a sort of grain, from ζεω, to live; because it is used as food; Indian corn is *Zea Mays*; a genus of cereal Graminae.

**Ze'bra** (Zool.) *Ital. zebra*; *Fr. zèbre*; *Span. cebra*; the Asinus *Zebra*.

**Zeilan'icus-a-um** (Zool.) *Lat.* relating to Ceylon; also *Zeylanicus*.

**Zelle'ria** (Ent.) P. N. in honour of Professor *P. C. Zeller*, of Glogau; a genus of Lepidoptera.

**Zenobal'anus** (Zool.) ξίνος, foreign, βάλανος, *Lat. balanus*, a barnacle; a genus of Cirripedes.

**Zenoglos'sa** (Ent.) ξίνος, strange, γλῶσσα, a tongue; a genus of Hymenoptera.

**Zenomor'pha** (Ent.) ξίνος, strange, μορφή, shape; a genus of Diptera.

**Zen'zera** (Ent.) *Ital. zenzara*, a gnat; from *zenzero*, ginger, on account of the pungency of its bite; a genus of Lepidoptera.

**Zephyran'thes** (Bot.) ξιφόποδος, the west wind, οὐθος, a flower; a genus of Amaryllidaceæ.

**Zere'ne** } (Ent.) { "a name of Venus" (Treitschke); a genus and  
**Zere'nidae** } (Ent.) { family of Lepidoptera.

**Ze'thus** (Ent.) derivation uncertain; a genus of Hymenoptera.

**Zeu'glodon** (Fos. Zool.) ζεῦγος, a yoke, δόνις, a tooth; a tertiary mammal of the whale kind, so called by Professor Owen from the peculiar form of its molar teeth.

**Zeugo'phora** (Ent.) ζεῦγος, a yoke, φέρειν, to bear; a genus of Coleoptera.

**Zeugoptery'gius-a-um** (Ichth.) ζεῦγος, a pair, πτερούς, πτερυγος, fin; having the fins arranged in pairs.

**Zeus** (Ichth.) ζεῦς, the dory, from the name of Jupiter, *Zeus*, showing the high opinion in which it was held by the ancients; the Dory is *Zeus* faber.

**Zexme'nia** (Bot.) an anagam of *Ximenesia*; a genus of Compositæ.

**Zibe'thicus-a-um** (Zool.) *Lat.* relating to the Civet.

**Zic'zac** (Ent.) from the "zic-zac" position of the larvæ when at rest.

**Zie'ria** (Bot.) P. N. in honour of *M. Zier*, a learned botanist; a genus of Rutaceæ.

**Ziete'nia** (Bot.) probably the name of some obscure botanist; a genus of Lamiaceæ.

**Zilla** (Bot.) the name of an Egyptian plant; a genus of Cruciferæ.

**Zin'giber** (Bot.) ζιγγίβημα, probably from its original Indian name; *Ital. zenzero* or *zenzero*; *Sp. gengibre*; *Fr. gingembre*; ginger; a genus of Scitamineæ.

**Zin'nia** (Bot.) P. N. in honour of *John Godfrey Zinn*, Professor of Botany at Göttingen; a genus of Compositæ.

- Ziza'nia (Bot.) Greek name of darnel; a genus of Graminae.
- Ziz'ia (Bot.) P. N. in honour of *J. B. Zixii*, a German botanist.
- Zizi'phora (Bot.) *zizī*, the Indian name of a fruit, *φοίνια*, to bear.
- Zi'ziphus (Bot.) ζιζυφός, the jujube tree, from the Arabic *zizouf*; or, according to Loudon, altered by the Greeks from *afiffa*: the Z. Lotus is the true lotus of the Lotophagi; Homer calls it ἄρθρον εὐδαή, flowery food, and μελινδία καρπόν, honey-sweet fruit.
- Zoan'thina } (Zool.) { ζώνη, an animal, ἄρθρος, a flower; names applied to Zoan'thus } { a family and genus of Zoophytes.
- Zoar'ces (Ichth.) ζωαρκής, maintaining life; in allusion to its being viviparous; the Eelpout.
- Zoëga'na (Ent.) P. N. in honour of *J. Zoëga*, who captured the species at Hammarby, the residence of Linnæus near Upsala.
- Zœ'gea (Bot.) P. N. in honour of *J. Zoëga, M. D.*, who published a Flora Islandica; a genus of Compositæ.
- Zona'ria (Bot., Ent.) ζώνη, a girdle, from the transverse lines; a genus of Fucoid Algae.
- Zona'tus-a-um (Zool.) *Lat.* girdled.
- Zonotri'chia (Ornith.) ζώνη, a belt, θηῖξ, τρίχος, hair; the plumage of the head has three white stripes.
- Zonu'ridæ } (Zool.) { ζώνη, a band, ἄρτη, a tail; a family and genus of Zonu'rūs } Lizards.
- Zooно'mia (Zool.) ζώνη, an animal, νόμος, a law; the science which treats of the laws of organic life.—See Darwin's *Zoonomia*.
- Zoop'sis (Bot.) ζῶν, an animal, δῆμις, likeness; a genus of Hepaticæ.
- Zoot'oeca (Zool.) ζωτρόζος, begetting or producing a living creature; viviparous; the female of this species of lizard retains the eggs within her body until the young are ready to leave them, and thus they are produced alive.
- Zootham'nium (Zool.) ζῶν, animal, θεμένος, shrub; a genus of Infusoria.
- Zornia (Bot.) P. N. in honour of *J. Zorn*, an apothecary and botanical author, at Kempton, Bavaria.
- Zo'ospores (Bot.) “the name given to the ciliated active gemmæ or Gonidia, produced either singly or, more frequently after segmentation, in numbers, out of the contents of ordinary or special cells of the Algm.”—HENFREY.
- Zozim'a (Bot.) P. N. in honour of *A. N. & Z. Zozima*, distinguished editors of Greek classics; a genus of Umbelliferæ.

Zo'stera (Bot.) ζωστήρ, a riband, referring to the leaves; typical genus of Zosteraceæ.

Zo'sterops (Ornith.) ζωστίρης, a girdle, ὁψ, countenance.

Zuccag'nia (Bot.) P. N. in honour of A. Zuccagni, garden superintendent at Florence.

Zygade'nus (Bot.) ζυγός, a pair, ὀδόν, a gland; having two glands in the sepals; a genus of Melanthaceæ.

Zygæ'na (Ichth., Ent.) ζύγαινα, the hammer-headed shark, perhaps from ἵππος τὸν ζυγοῦ, under the yoke; in entomology a genus of Lepidoptera.

Zygæ'nidae (Ent.) a family of Lepidoptera, of which *Zygæna* is the type.

Zygne'ma } (Bot.) { ζυγός, a yoke, σῆμα, a filament; the filaments Zygne'ma } (Bot.) { are joined together in pairs; a genus and Zygne'ma } (Bot.) { family of Confervoid Algae.

Zy'godon (Bot.) ζυγός, a pair, ὀδόν, a tooth; the teeth are arranged in pairs; a genus of Musci.

Zygogo'niun (Bot.) ζυγός, a pair, *gonium*; a genus of Confervoid Algae.

Zygope'talum (Bot.) ζυγός, a yoke, πέταλον, a petal; joined at the base; a genus of Orchidaceæ.

Zygophyl'lum (Bot.) ζυγός, a pair, φύλλον, a leaf; the leaves are in pairs; typical genus of Zygophyllaceæ.

Zygosel'mis (Zool.) ζυγός, a pair, σελμίς, an angler's noose made of hair; movement; its movements are effected by two similar flagelliform filaments, incessantly in action; a genus of Infusoria.

THE END.

LOVELL REEVE & CO.'S

PUBLICATIONS IN

Natural Science, Travels,

ANTIQUITIES, ETC.

"None can express Thy works but he that knows them;  
And none can know Thy works, which are so many  
And so complete, but only he that owes them."

*George Herbert.*



LONDON :

LOVELL REEVE AND CO., 5, HENRIETTA STREET, COVENT GARDEN.

1863.

## CONTENTS.

---

	PAGE
FLOWERING PLANTS .....	3
COLONIAL AND FOREIGN FLORAS	5
FERNS ...	6
MOSSES ...	6
SEaweeds	6
FUNGI ...	7
ZOOLOGY	7
INSECTS ...	8
MOLLUSKS AND SHELLS	8
GEOLOGY	10
CHEMISTRY	10
GEOGRAPHY	10
VOYAGES AND TRAVELS	10
ANTIQUITIES ...	11
PHOTOGRAPHY ...	12
MISCELLANEOUS	13
SERIALS	14
NEW WORKS ...	15
FORTHCOMING WORKS ...	16

## LOVELL REEVE & CO.'S PUBLICATIONS.

---

### FLOWERING PLANTS.

#### *Genera Plantarum*

Ad Exemplaria imprimis in Herbariis Kewensibus servata definita; auctoribus G. BENTHAM et J. D. HOOKER. Vol. I., Pars I., sistens Dicotyledonum Polypetalorum Ordines LVI: Ranunculaceas—Connaraceas.

Royal 8vo, 21s.

#### *The Field Botanist's Companion;*

Being a Familiar Account, in the Four Seasons, of the Flowering Plants most common to the British Isles. By THOMAS MOORE, F.L.S., F.R.H.S. With coloured Figures and Dissections by W. FITCH of 110 species.

In One Volume, 24 coloured plates, 21s.

#### *Handbook of the British Flora;*

A Description of the Flowering Plants and Ferns Indigenous to, or Naturalized in, the British Isles. For the use of Beginners and Amateurs. By GEORGE BENTHAM, F.L.S.

In One Volume, 680 pages, 12s.

An *Illustrated Edition*, with finely-executed wood-engravings of every Species and its Dissections, from Original Drawings by W. FITCH, now publishing in Monthly Parts, 2s. 6d.

#### *Illustrations of the Nueva Quinología of Pavon.*

With Observations on the Barks described, by JOHN ELIOT HOWARD, F.L.S., 27 elaborately Coloured Plates of Plants by W. FITCH, and 3 of Dissections by Tuffen West.

In 10 parts, Imperial folio, £5. 5s.; or in one vol. half-morocco, gilt edges, £6. 6s.

#### *Select Orchidaceous Plants.*

By ROBERT WARNER, F.R.H.S. With Notes on Culture by B. S. WILLIAMS, Author of 'The Orchid-Grower's Manual,' and 'Hints on the Cultivation of Ferns,' assisted by some of the best Growers.

To be completed in Ten Quarterly Parts, imperial folio, each, with four coloured plates, 10s. 6d.

### *Curtis' Botanical Magazine;*

Comprising the Plants of the Royal Gardens of Kew, and of other Botanical Establishments in Great Britain, with suitable Descriptions. By Sir W. J. HOOKER, D.C.L., F.R.S., Director of the Royal Gardens of Kew. Third Series.

Royal 8vo, 6 coloured plates by Fitch, 3s. 6d. monthly.

Vols. I. to XVIII., each, with 72 coloured plates, 42s.

A Complete Set of the Second Series, in 17 vols., new, £35. 14s. The only copy remaining.

Vols. I. to XLV. of the First Series, bound in 24 vols., whole calf (except the last vol., which is in Numbers), £18.

### *The Floral Magazine.*

Comprising Figures and Descriptions of New Popular Garden Flowers, and a COMPANION, containing New and Original Articles on Subjects connected with Floriculture. By the Rev. H. H. DOMBRAIN.

Imperial 8vo, 4 coloured plates by ANDREWS, 2s. 6d. Monthly.

Vols. I. and II., each, with 64 coloured plates, 42s.

### *The Rhododendrons of Sikkim-Himalaya;*

Being an Account of the Rhododendrons recently discovered in the Mountains of Eastern Himalaya. By J. D. HOOKER, M.D., F.R.S.

Imperial folio, 30 coloured plates by Fitch, £3. 16s.

### *Illustrations of Sikkim-Himalayan Plants.*

Chiefly selected from Drawings made in Sikkim under the superintendence of the late J. F. Cathcart, Esq., Bengal Civil Service. The Botanical Descriptions and Analyses by J. D. HOOKER, M.D., F.R.S.

Folio, 24 coloured plates and illuminated title-page by Fitch, £5. 5s.

### *The Victoria Regia.*

By Sir W. J. HOOKER, F.R.S.

Elephant folio, 4 coloured plates by Fitch, 21s.

### *Pescatorea.*

Figures of Orchidaceous Plants, chiefly from the Collection of M. PESCATORE. Edited by M. LINDEN, with the assistance of MM. G. LUDDEMAN, J. E. PLANCHON, and M. G. REICHENBACH.

Folio, Parts I. to XII., each, 4 coloured plates, 7s.

### *The Tourist's Flora.*

A Descriptive Catalogue of the Flowering Plants and Ferns of the British Islands, France, Germany, Switzerland, and Italy. By JOSEPH WOODS.

8vo, 18s.

### *Journal of Botany and Kew Miscellany.*

Original Papers by eminent Botanists, Communications from Botanical Travellers, etc. Edited by W. J. HOOKER, D.C.L., F.R.S.

Vols. IV. to IX., each, 12 plates, some coloured, £1. 4s.

A complete set in 9 vols., half calf, £10. 16s.

*The London Journal of Botany.*

Edited by Sir W. J. HOOKER, D.C.L., F.R.S., Director of the Royal Gardens of Kew.

Vol. VII., completing the Series, 23 plates, plain, 30s.

*Icones Plantarum.*

Figures of New and Rare Plants, By Sir W. J. HOOKER, D.C.L., F.R.S. New series.

Vol. V., 100 plates, 31s. 6d.

## COLONIAL AND FOREIGN FLORAS.

*Flora Australiensis.*

A Description of the Plants of the Australian Territory. By G. BENTHAM, F.R.S., P.L.S.; assisted by FERDINAND MUELLER, M.D., F.R.S. and I.S., Government Botanist, Melbourne, Victoria.

Vol. I., 20s.

*Flora Hongkongensis;*

A Description of the Flowering Plants and Ferns of the Island of Hongkong. By GEORGE BENTHAM, V.P.L.S. With a Map of the Island.

In One Volume, 550 pages, 16s.

*Flora of the British West Indian Islands.*

By A. H. R. GRISEBACH, M.D., Professor of Botany in the University of Göttingen.

Parts I. to V., 5s. each. To be completed in 7 Parts.

*The Botany of the Antarctic Voyage*

of H.M.S.S. "Erebus" and "Terror" in the years 1839-1843, under the command of Captain Sir J. C. Ross, R.N., F.R.S. By JOSEPH DALTON HOOKER, M.D., F.R.S.

1. *Flora of Lord Auckland and Campbell's Islands, and of Fuegia, the Falkland Islands, etc.*

In 2 vols., 200 plates, £10. 15s. coloured; £7. 10s. plain.

2. *Flora of New Zealand.*

In 2 vols., 130 plates, £13. 2s. 6d. coloured; £9. 5s. plain.

3. *Flora of Tasmania.*

In 2 vols., 200 plates, £17. 10s. coloured; £12. 10s. plain.

*Cryptogamia Antarctica;*

Or, Cryptogamic Plants of the Antarctic Islands. Issued separately.

In One Volume, quarto, £4. 4s. coloured; £2. 17s. plain.

*On the Flora of Australia,*

Its Origin, Affinities, and Distribution; being an Introductory Essay to the 'Flora of Tasmania.' By JOSEPH DALTON HOOKER, M.D., F.R.S.

128 pages, quarto, 10s.

*On the Flora of New Zealand;*

In Origin, Affinities, and Geographical Distribution; being an Introductory Essay to the 'Flora of New Zealand.' By JOSEPH DALTON HOOKER, M.D., F.R.S.

45 pages, quarto, 2s.

*Outlines of Elementary Botany,*

An Introductory to Local Flora. By GEORGE BETTHAM, V.P.L.S.

45 pages, stitched, 2s. 6d.

---

**FERNS.***The British Ferns.*

Coloured Figures and Descriptions, with Analyses of the Fructification and Venation, of the Ferns of the British Isles, Systematically Arranged. By Sir W. J. HOOKER, K.H., D.C.L., etc.

Royal 4to, 66 coloured plates by Fitch, £2. 2s.

*Garden Ferns.*

Coloured Figures and Descriptions, with Analyses of the Fructification and Venation, of the Ferns best adapted for Cultivation in the Garden, Hothouse, and Conservatory. By Sir W. J. HOOKER, K.H., D.C.L., etc.

Royal 4to, 64 coloured plates by Fitch, £2. 2s.

*Filices Exoticae.*

Century of Exotic Ferns, particularly of such as are most deserving of Cultivation. By Sir W. J. HOOKER, K.H., D.C.L.

Royal 4to, 100 coloured plates by Fitch, £6. 11s.

*Ferny Combes.*

A Ramble after Ferns in the Glens and Valleys of Devonshire. By CHARLOTTE CHATER. Second Edition.

Feep. 8vo, 8 coloured plates by Fitch, and a Map of the County, 5s.

---

**MOSSES.***Handbook of the British Mosses;*

Being a Description of all the Mosses inhabiting the British Isles, with Coloured Figures and Dissections of 158 Species, from Original Drawings by W. FITCH. By the Rev. M. J. BERKELEY, M.A., F.L.S.

24 coloured plates, 21s.

---

**SEAWEEDS.***Synopsis of British Seaweeds.*

Descriptions, with Critical Remarks, of all the known Species, abridged from Professor Harvey's 'PHYSICOLOGY BRITANNICA.'

A pocket volume, 220 pages, 5s.

*Phycologia Britannica.*

A History of the British Seaweeds; containing coloured Figures and Descriptions of all the Species of Algae inhabiting the Shores of the British Islands. By WILLIAM HENRY HARVEY, M.D., F.R.S., Professor of Botany to the Dublin Society.  
In 4 vols. royal 8vo, 360 coloured plates, £6. 6s.

*Phycologia Australica.*

A History of Australian Seaweeds, containing Coloured Figures and Descriptions uniform with the 'Phycologia Britannica.' By WILLIAM HENRY HARVEY, M.D., F.R.S.  
Complete in 5 vols. Vols. I. to IV., each, containing 60 coloured plates, 30s.  
Vol. V., with Indexes, 33s.

*Nereis Australis.*

Figures and Descriptions of Marine Plants collected on the Shores of the Cape of Good Hope, the extra-tropical Australian Colonies, Tasmania, New Zealand, and the Antarctic Regions. By Professor HARVEY, M.D., F.R.S.  
Imperial 8vo, Two Parts, each, containing 25 coloured plates, £1. 1s.

---

FUNGI.*Outlines of British Fungology,*

Containing Characters of above a Thousand Species of Fungi, and a Complete List of all that have been described as Natives of the British Isles. By the Rev. M. J. BERKELEY, M.A., F.L.S. With Coloured Figures and Dissections of 170 Species by FITCH.

8vo, 24 coloured plates, 30s.

*The Esculent Funguses of England.*

An Account of their Classical History, Uses, Characters, Development, Nutritious Properties, Modes of Cooking, etc. By C. D. BADHAM, M.D. New Edition, Edited by FRED. CURREY, M.A., F.R.S., F.L.S.

8vo, 12 coloured plates, 12s.

*Illustrations of British Mycology.*

Figures and Descriptions of the Funguses of interest and novelty indigenous to Britain. By MRS. HUSSEY.

Royal 4to; First Series, 90 coloured plates, £7. 12s. 6d.;

Second Series, 50 plates, £4. 10s.

---

ZOOLOGY.*Zoology of the Voyage of H.M.S. Samarang,*

Under the command of Captain Sir Edward Belcher, C.B., F.R.A.S., during the Years 1843-46. Edited by ARTHUR ADAMS, F.L.S.

The Vertebrata, with 8 plates, by John Edward Gray, F.R.S.; the Fishes, with 10 plates, by Sir John Richardson, F.R.S.; the Mollusca, with 24 plates, by Arthur Adams, F.L.S., and Lovell Reeve, F.L.S.; the Crustacea, with 13 plates, by Arthur Adams, F.L.S., and Adam White, F.L.S.

Royal 4to, 55 coloured plates, £3. 10s.

## INSECTS.

### *Curtis' British Entomology.*

Illustrations and Descriptions of the Genera of Insects found in Great Britain and Ireland, containing coloured figures, from nature, of the most rare and beautiful species, and, in many instances, of the plants upon which they are found.

Complete in 8 vols., 8vo, 770 coloured copper plates, £16. 16s.

### *Curtis' British Entomology in Monographs.*

Orders.	Plates.	£.	s.	d.	Orders.	Plates.	£.	s.	d.
ARACHNIDÆ	2	0	1	6	HYMENOPTERA	125	...	3	3 0
COLEOPTERA	256	...	6	8 0	LEPIDOPTERA	198	...	4	16 0
DERRAPTERA	1	...	0	1 0	NEUROPTERA	13	...	0	7 0
DICTYOPTERA	1	...	0	1 0	OMALOPTERA	6	...	0	3 6
DIPTERA	103	...	2	12 0	ORTHOPTERA	5	...	0	3 0
HEMIPTERA	32	...	0	16 6	STREPSIPTERA	3	...	0	2 0
HOMOPTERA	21	...	0	11 0	TRICHOPTERA	9	...	0	5 0

A Reissue of the Orders Coleoptera, Diptera, Hymenoptera, and Lepidoptera, in Monthly Parts, each containing 5 plates, with text, price 2s. 6d., commenced January 1st, 1863.

### *Insecta Britannica;*

Vols. II. and III., Diptera. By FRANCIS WALKER, F.L.S.

8vo, each, with 10 plates, 25s.

## MOLLUSKS AND SHELLS.

### *The Land and Freshwater Mollusks*

*Indigenous to and Naturalized in the British Isles.* By LOVELL REEVE, F.L.S. With finely-executed Wood-Engravings of the Shell of each Species by G. B. SOWERBY, and of the Living Animal of each Genus by O. JEWITT.

8vo, 10s. 6d.

### *Elements of Conchology;*

An Introduction to the Natural History of Shells, and of the Animals which form them. By LOVELL REEVE, F.L.S.

2 vols., 62 coloured plates, £2. 16s.

### *Conchologia Systematica.*

A Complete System of Conchology; in which the Lepades and Conchiferous Mollusca are described and classified according to their Natural Organization and Habits. By LOVELL REEVE, F.L.S.

2 vols. 4to, 300 coloured plates, £8. 8s.

### *Conchologia Iconica.*

Figures and Descriptions of the Shells of the Mollusca, with Remarks on their Affinities, Synonymy, and Geographical Distribution. By LOVELL REEVE, F.L.S., F.G.S. The Drawings by G. B. SOWERBY, F.L.S. Monthly. In Parts, demy 4to, each, containing 8 coloured plates, 10s. Parts 228 and 229 just published.

## CONCHOLOGIA ICONICA IN MONOGRAPHS.

Genera.	Plates.	L. s. d.	Genera.	Plates.	L. s. d.
ACHATINA	23	1 9 0	MANGELLA	8	0 10 6
ACHATINELLA	6	0 8 0	MELANIA	69	3 14 6
ADAMSTIELLA	2	0 3 0	MELANOPSIS	3	0 4 0
AMPHIDESMA	7	0 9 0	MELATOMA	3	0 4 0
AMPULLARIA	28	1 15 6	MESALIA & EGLISIA	1	0 1 6
ANASTOMA	1	0 1 6	MESODESMAS	4	0 5 6
ANATINA	4	0 5 6	META	1	0 1 6
ANCULOTUS	6	0 8 0	MITRA	39	2 10 0
ANOMIA	8	0 10 6	MODIOLA	11	0 14 0
ARECA	17	1 1 6	MONOCEROS	4	0 5 6
ARGONAUTA	4	0 5 6	MUREX	36	2 5 6
ARTEMIS	10	0 13 0	MYADORA	1	0 1 6
ASPERGILLUM	4	0 5 6	MYOCHAMA	1	0 1 6
AVICULA	18	1 3 0	MYTILUS	11	0 14 0
BUCCINUM	14	0 18 0	NASSA	29	1 17 0
BULIMUS	89	5 12 0	NATICA	30	1 18 0
BULLIA	4	0 5 6	NAUTILUS	6	0 8 0
CALYPTREA	8	0 10 6	NAVICELLA	8	0 10 6
CANCELLARIA	18	1 3 0	NERITA	19	1 4 6
CAPSIA	1	0 1 6	NERITINA	37	2 7 0
CAPSELLA	2	0 3 0	OLIVA	30	1 18 0
CARDITA	9	0 11 6	ONISCIJA	1	0 1 6
CARDIUM	22	1 8 0	ORBICULA	1	0 1 6
CASSIDARIA	1	0 1 6	PALUDINA	11	0 14 0
CASSIS	12	0 15 6	PALUDOMUS	3	0 4 0
CHAMA	9	0 11 6	PARTULA	4	0 5 6
CHAMOSTREA	1	0 1 6	PATELLA	42	2 13 0
CHITON	33	2 9 0	PECTEN	35	3 4 0
CHITONELLUS	1	0 1 6	PRCTUNGULUS	9	0 11 6
CHONDROPOMA	11	0 14 0	PEDUM	1	0 1 6
COLUMBELLIA	27	2 7 0	PERNA	6	0 8 0
CONCHOLEPKAS	3	0 3 0	PHASIANELLA	6	0 8 0
CONUS	56	3 11 0	PHORUS	3	0 4 0
CORBULA	5	0 6 6	PUNNA	34	2 3 0
CRANIA	1	0 1 6	PIRENA	2	0 3 0
CRASSATELLA	3	0 4 0	PLACUNANOMIA	3	0 4 0
CRENATULA	2	0 3 0	PLEUROTOMA	40	2 10 6
CREPIDULA	5	0 6 6	PSAMMOBIA	8	0 10 6
CRUCIBULUM	7	0 9 0	PSAMMOTELLA	1	0 1 0
CYCLOPHOBUS	20	1 5 6	PTEROCEHA	6	0 8 0
CYCLOSTOMA	23	1 9 0	PTEROCYCLOS	5	0 6 6
CYMBIUM	26	1 13 0	PURPURA	13	0 17 0
CYPREA	27	1 14 0	PYRULA	9	0 11 6
CYPRICARDIA	3	0 3 0	RANELLA	8	0 10 6
DELPHINULA	5	0 6 6	RICINULA	6	0 8 0
DOLIUM	8	0 10 6	ROSTELLARIA	3	0 4 6
DONAX	9	0 12 6	SANGUINOLARIA	1	0 1 6
EBURNA	1	0 1 6	SCARABUS	3	0 4 0
FASCIOLARIA	7	0 9 0	SIMPULOPSIS	2	0 3 0
FICULA	1	0 1 6	SIPHONARIA	7	0 9 6
FISSURELLA	16	1 0 6	SOLETELLINA	4	0 5 6
FUSUS	21	1 6 6	SPONDYLS	18	1 3 6
GLAUCONOME	1	0 1 6	STROMBUS	19	1 4 6
HALLIA	1	0 1 6	STRUTHIOLARIA	1	0 1 6
HALIOTIS	17	1 1 0	TEREBRA	27	1 14 0
HARPA	4	0 5 6	TEREBELLUM	1	0 1 6
HELLIX	210	13 5 0	TEREBRATULA	11	0 14 0
HEMIPECTEN	1	0 1 6	THRACIA	3	0 4 0
HEMISINUS	6	0 8 0	TRIDACNA	8	0 10 6
HINNITES	1	0 1 6	TRIGONIA	1	0 1 6
HIPPOPUS	1	0 1 6	TRITON	20	1 5 6
IANTHINA	5	0 6 6	TROCHITA	3	0 4 6
IO	3	0 4 0	TROCHUS	16	1 0 6
LOCARDIA	1	0 1 6	TUGONIA	1	0 1 6
LEPTOPOMA	8	0 10 6	TURBINELLA	13	0 17 0
LINGULA	2	0 3 0	TURBO	13	0 17 0
LITHODOMUS	5	0 6 6	TURritella	11	0 14 6
LITTORINA	18	1 3 0	UMBRELLA	1	0 1 6
LUCINA	11	0 14 0	VOLUTA	22	1 8 0
LUTRARIA	5	0 7 0	VITrina	10	0 13 0
MACTEA	21	1 6 6	VULSELLA	14	0 10 6
MALLEUS	3	0 4 0	ZIZYPHINUS	8	0 10 6

**GEOLOGY.***The Geologist.*

A Magazine of Geology, Paleontology, and Mineralogy. Illustrated with highly finished Wood Engravings. Edited by S. J. MACKIE, F.G.S., F.S.A. Published Monthly. Price 1s. 6d.

Vol. V., numerous Wood Engravings, 18s.

---

**CHEMISTRY.***Chemical Analysis, Qualitative and Quantitative.*

By HENRY M. NOAD, Ph.D., F.R.S., F.C.S., Lecturer on Chemistry at St. George's Hospital. PART I., 'QUALITATIVE,' Wood-Engravings, 6s.

[Part II., QUANTITATIVE, *in the Press.*

---

**GEOGRAPHY.***A Survey of the Early Geography of Western Europe.*

as connected with the First Inhabitants of Britain, their Origin, Language, Religious Rites, and Edifices. By HENRY LAWES LONG, Esq.

8vo, 6s.

---

**VOYAGES AND TRAVELS.***Three Cities in Russia.*

By Professor C. PIAZZI SMYTH, F.R.S.S.L. & E., Astronomer Royal for Scotland, Author of 'Teneriffe, an Astronomer's Experiment,' etc.

2 Vols., post 8vo, Maps and Wood-Engravings, 26s.

---

*Travels on the Amazon and Rio Negro,*

With an Account of the Native Tribes, and Observations on the Climate, Geology, and Natural History of the Amazon Valley. By ALFRED R. WALLACE, Esq. With Remarks on the Vocabularies of Amazonian Languages, by R. G. LATHAM, M.D., F.R.S.

Royal 8vo, 6 plates and maps, 18s.

*Western Himalaya and Tibet;*

Narrative of a Journey through the Mountains of Northern India. By THOMAS THOMSON, M.D., Assistant-Surgeon, Bengal Army.

8vo, Tinted Lithographs and Map, 15*s.*

*Travels in the Interior of Brazil,*

Principally through the Northern Provinces and the Gold and Diamond Districts. By GEORGE GARDNER, M.D., F.L.S. Second Edition.

8vo, Plate and Map, 12*s.*

*Narrative of a Walking Tour in Brittany.*

By JOHN MOUNTENEY JEPHSON, B.A., F.S.A. Accompanied by Notes of a Photographic Expedition by LOVELL REEVE, F.L.S.

Royal 8vo, with Map by Arrowsmith, and Stereoscopic Frontispiece, 12*s.*; or with 90 Photographic Vignettes, £2. 2*s.*

\* \* \* Issued separately are 90 stereographs, mounted on cards for use in the Stereoscope, in box with lock and key, £4. 4*s.*

*The Conway.*

Narrative of a Walking Tour in North Wales; accompanied by Descriptive and Historical Notes. By J. B. DAVIDSON, Esq., M.A.

Extra gilt, 20 stereographs of Welsh Scenery, 21*s.*

## ANTIQUITIES.

*Manual of British Archaeology.*

By the Rev. CHARLES BOUTELL, M.A.

CONTENTS.—Chap. 1. Architecture.—2. Architectural Accessories.—3. Sepulchral Monuments.—4. Heraldry.—5. Seals.—6. Coins.—7. Palaeography, Illuminations and Inscriptions.—8. Arms and Armour.—9. Costumes and Personal Ornaments.—10. Pottery, Porcelain and Glass.—11. Miscellaneous Subjects.

Royal 16mo, 20 coloured plates, 10*s. 6d.*

*Horæ Ferales.*

Studies in the Archaeology of the Northern Nations. By the late JOHN M. KEMBLE, M.A. Edited by R. G. LATHAM, M.D., F.R.S., and AUGUSTUS W. FRANKS, F.S.A.

[In the press.

4to, 30 plates, some coloured, £3. 3*s.*

## PHOTOGRAPHY.

### *Portraits of Men of Eminence in Literature, Science,*

*and Art.* With Biographical Memoirs. The Portraits photographed from Life by ERNEST EDWARDS, B.A.

In Monthly Parts, each containing Three Portraits with Memoirs, 2s. 6d.  
The following have appeared :—

#### PART I.

EARL STANHOPE.  
SIR CHARLES LYELL.  
J. H. FOLEY, R.A.

#### PART II.

W. M. THACKERAY.  
SIR R. J. MURCHISON.  
DAVID ROBERTS, R.A.

#### PART III.

DR. WHEWELL.  
PROFESSOR OWEN.  
GEORGE GILBERT SCOTT, R.A.

#### PART IV.

SIR GARDNER WILKINSON.  
SIR W. J. HOOKER.  
PROFESSOR STERNDALE BENNETT.

#### PART V.

R. G. LATHAM, M.D., F.R.S.  
W. FERGUSSON, F.R.S.  
SOLOMON HAET, R.A.

### *Sketches in India.*

Taken at Hyderabad and Secunderabad, in the Madras Presidency. By CAPTAIN ALLAN N. SCOTT, Madras Artillery. Edited by C. R. WELD.  
100 Photographic Vignettes, £3. 3s. Mounted as Slides for the Stereoscope, £5. 5s.

### *The Stereoscopic Magazine.*

A Gallery for the Stereoscope of Landscape Scenery, Architecture, Antiquities, Natural History, Rustic Character, etc. With Descriptions. 2s. 6d. Monthly.  
4 vols. each complete in itself and containing 50 Stereographs, £2. 2s.

### *Stereographs in Sets.*

*Stonyhurst College and its Environs*; Photographed by ROGER FENTON. 15 slides, 15s.

*The Conway Stereographs.* 20 slides, 20s.

*The Brittany Stereographs.* 90 slides, in box with lock and key, £4. 4s.

*The Isle of Wight Stereographs.* 22 slides, 21s.

*Interior of the British Museum.* By ROGER FENTON, Esq. 25 slides, 25s.

*English Castles and Abbeys.* 14 slides, 14s.

*Foreign Castles and Abbeys.* 24 slides, 24s.

*English Cathedrals and Churches.* 21 slides, 21s.

*Foreign Cathedrals and Churches.* 38 slides, 38s.

*Calvaries and Crosses.* 10 slides, 10s.

*Druidical Remains.* 6 slides, 6s.

\* \* \* Any of the above Stereographs may be had singly at 1s. each; also a List of 440 subjects.

Folding Stereoscopes in cases, 3s. 6d. each.

### MISCELLANEOUS.

*Dictionary of Natural History Terms, with their Derivation; including the various Orders, Genera, and Species.* By DAVID H. M'NICOLL, M.D., Member of the Royal College of Physicians. Crown 8vo. 12s. 6d.

### *The Gate of the Pacific.*

By Commander BEDFORD PIM, R.N., F.R.G.S., Assoc. Inst. C.E. Demy Svo, 8 Chromo-Lithographs, Maps and Plans. 18s.

### *Phosphorescence;*

Or, the Emission of Light by Minerals, Plants, and Animals. By Dr. T. L. PHIPSON, F.C.S., Member of the Chemical Society of Paris, etc. etc. Numerous Illustrations, 5s.

### *Shakespeare's Sonnets,*

Facsimile, by Photo-Zincography, of the First Printed edition of 1609. From the Copy in the Library of Bridgewater House, by permission of the Right Hon. the Earl of Ellesmere.

10s. 6d.

### *Literary Papers on Scientific Subjects.*

By the late Professor EDWARD FORBES, F.R.S., selected from his Writings in the 'Literary Gazette.' With a Portrait and Memoir. Small 8vo, 6s.

*A Treatise on the Growth and Future Treatment of Timber Trees.* By G. W. NEWTON, of Ollersett, J.P. Half-bound calf, 10s. 6d.

### *Parks and Pleasure Grounds;*

Or, Practical Notes on Country Residences, Villas, Public Parks, and Gardens. By CHARLES H. J. SMITH, Landscape Gardener. Crown 8vo, 6s.

### *The Planetary and Stellar Universe.*

A Series of Lectures. With Illustrations. By R. J. MANN. 12mo, 5s.

### *The Artificial Production of Fish.*

By PISCARIUS. Third Edition. 1s.

### *The Antiquity of Man.*

An Examination of Sir Charles Lyell's recent Work. By S. R. PATTISON, F.G.S. Second Edition. 8vo, 1s.

### *Cotton, and the Want of it.*

2 coloured plates by Fitch, 1s.

## NEW SERIES OF BRITISH NATURAL HISTORIES.

*British Flora.*By G. BENTHAM. 12*s.**British Fungology.*By the Rev. M. J. BERKELEY. 30*s.**British Ferns.*By Sir W. HOOKER. 42*s.**British Field Plants.*(The Field Botanist's Companion.) By THOMAS MOORE. 21*s.**British Land and Freshwater Mollusks.*By LOVELL REEVE, F.L.S. 10*s.* 6*d.**British Mosses.*By the Rev. M. J. BERKELEY. 21*s.***SERIALS.***Portraits of Men of Eminence.*With Biographical Memoirs. The Photographs by ERNEST EDWARDS, B.A. Three Portraits, with Memoirs in each Part.  
2*s.* 6*d.* Monthly.*Illustrated Handbook of the British Flora.*By G. BENTHAM, F.R.S., President of the Linnean Society. Wood Engravings, with Dissections, of every Species, from original Drawings by W. Fitch.  
2*s.* 6*d.* Monthly.*Botanical Magazine.*New and Rare Plants. With Descriptions by Sir W. HOOKER, D.C.L., F.R.S., and 6 coloured plates, with Dissections, by W. Fitch.  
3*s.* 6*d.* Monthly.*Floral Magazine:*New Popular Garden Flowers. With Descriptions by the Rev. H. H. DOMBRAIN, 4 coloured plates by Andrews.  
2*s.* 6*d.* Monthly.*Select Orchidaceous Plants.*By R. WARNER, F.R.H.S.  
Folio, 4 superbly coloured plates, 10*s.* 6*d.* Quarterly.*Conchologia Iconica.*By LOVELL REEVE, F.L.S.  
4to, 8 coloured plates, 10*s.* Monthly.*Geologist.*Illustrated Magazine of Geology, Palaeontology, and Mineralogy.  
Wood engravings, 1*s.* 6*d.* Monthly.

*Curtis' British Coleoptera.*

5 coloured copper-plates, 2s. 6d. Monthly.

*Curtis' British Lepidoptera.*

5 coloured copper-plates, 2s. 6d. Monthly.

*Curtis' British Hymenoptera.*

5 coloured copper-plates, 2s. 6d. Monthly.

*Curtis' British Diptera.*

5 coloured copper-plates, 2s. 6d. Monthly.

*Stereoscopic Magazine.*

3 stereographs, with Descriptions, 2s. 6d. Monthly.

## RECENT WORKS.

*M<sup>c</sup>Nicoll's Dictionary of Natural History Terms.*  
12s. 6d.*Badham's Esculent Funguses.*

New Edition. 12 coloured plates, 12s.

*Berkeley's Mosses.*

24 coloured plates, 21s.

*Bentham's Flora Australiensis.*

Vol. I. 20s.

*Noad's Chemical Analysis.*

Part I., QUALITATIVE, Wood-Engravings, 6s.

*Captain Pim's Gate of the Pacific.*

8 Chromo-Lithographs, Maps, and Plans. 18s.

*Reeve's British Land and Freshwater Mollusks.*

Wood Engravings. 10s. 6d.

*Phipson's Phosphorescence.*

Coloured Frontispiece and Wood Engravings, 5s.

*Moore's Field Botanist's Companion.*

24 coloured plates, 21s.

*Professor Smyth's Three Cities in Russia.*

2 vols., Maps and Illustrations, 26s.

*Shakespeare's Sonnets.* Facsimile of the First Edition.

10s. 6d.

*Howard's Nueva Quinología.*

30 coloured plates, £6.

*Hooker's British Ferns.*

66 coloured plates, 42s.

*Hooker's Garden Ferns.*

64 coloured plates, 42s.

*Berkeley's Fungology.*

24 coloured plates, 30s.

*Captain Scott's Sketches in India.*

100 photographs, with Descriptions, £3. 3s.

*Grisebach's Flora of the West Indies.*

Parts I. to V., each 5s.

*Harvey's Phycologia Australica.*

Vol. V., completing the Work, 33s.

*Pattison's Antiquity of Man.*

Second Edition. 1s.

*Cotton, and the Want of it.*

2 coloured plates, 1s.

## FORTHCOMING WORKS.

*Shakespeare and his Birthplace.*

Illustrated with Photographs.

[In November.]

*Chemical Analysis, Qualitative and Quantitative.*

By Dr. HENRY M. NOAD, F.R.S. [Part II., QUANTITATIVE, in the Press.]

*Bentham's Illustrated Handbook of the British Flora.*

[Publishing Monthly.]

*Curtis' British Entomology in Orders.*

COLEOPTERA.

[Publishing Monthly.]

LEPIDOPTERA.

"

HYMENOPTERA.

"

DIPTERA.

"

*Horæ Ferales.*

By the late JOHN M. KEMBLE, M.A. Edited by Dr. LATHAM and A. W. FRANKS. [Nearly ready.]

*Seemann's Flora Vitiensis.**Flora Australiensis :*

A Description of the Plants of the Australian Territory. By GEORGE BENTHAM, F.R.S., P.L.S., assisted by FERDINAND MUELLER, M.D., F.R.S. and L.S., Government Botanist, Melbourne, Victoria. [Vol. II. in preparation.]



